BOARD DESCRIPTION	# CTL4 8mm LINE
CUSTOMER JOB N°	CTL4 LINE
END USER	
OBJECT	
CONSTRUCTOR	RBF DMAT s.r.l.
REVISION	3.0
DATE REVISION	06/04/2023

Tabella Revisioni
Revisions Table

Descrizione/ Description	Step	Rel.	Data/ Date	Disegnato/ Drawn	Controllato/ Checked	Approvato/ Approved
Per Approvazione/ For Approval						
Per Costruzione/ For Construction						
Dopo Collaudo Interno/ After Factory Test	03		06/04/2023	C.P.	R.G.	D.M.M.
Dopo Messa in Servizio/ After Site Test						

Lista Documenti emessi da UTE
UTE Documents List

Sigla/ Code	Descrizione/ Description	Data/ Date	Emesso/ Issued
DAD	Disegni Dimensionali/ Dimensions Arrangement Drawing	06/04/2023	03
SLD	Schemi Unifilari/ Single Line Diagram	06/04/2023	03
WFD	Schemi Funzionali (multifilari)/ Wiring Function Diagram	06/04/2023	03
TCT	Tabelle Morsettiere/ Terminals connection Tables	06/04/2023	03
MTL	Lista Materiali/ Material Table List	06/04/2023	03

Member of CISQ Federation
RINA CERTIFIED IQNet MANAGEMENT SYSTEM
CERTIFIED MANAGEMENT SYSTEM
ISO 9001

CUSTOMER

RBF DMAT JOB N°


RBF DMAT
AUTOMATION TECHNOLOGY

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION: + E	GRUPPO/SECTION: = A00	PAGINE/PAGE: 1
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE: E
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.


Caratteristiche Impianto
Installation Characteristics

CABINET
ARMADIO



- INSIDE / INTERNO ...
- OUTSIDE / ESTERNO ...
- DEGREE OF PROTECTION / GRADO DI PROTEZIONE ...

MAIN DESK / LOCAL PANELS
PULPITO E CASSETTE



- OUTSIDE / ESTERNO ...
- DEGREE OF PROTECTION / GRADO DI PROTEZIONE ...
- DEGREE OF PROTECTION / GRADO DI PROTEZIONE ...

ENVIROMENTAL DATA
DATI AMBIENTALI


- ALTITUDE a.s.l. / ALTITUDINE s.l.m. ...
- CLIMATE / CLIMA ...
- TEMPERATURE / TEMPERATURA ...

Lista Equipaggiamenti Interni
Internal Equipment List

ITEM	DESCRIPTION
+E	ELECTRICAL BOARD
+R	REMOTE UNIT
+C	CONTROL DESK
+P	LOCAL PUSHBUTTON
...	...

Esecuzione a Norme
Construction Standards

CEI-IEC CENELEC ⟷ CSA - UL



WIRES TYPE / CONDUTTORI TIPO N07V-K Antiflame-Antifiamma			WIRES TYPE / CONDUTTORI TIPO AWM	
COLOR / COLORE	MIN. SECTION / SEZIONE MINIMA		COLOR / COLORE	MIN. SECTION / SEZIONE MINIMA
BLACK / NERO	2.5 mmq	POWER / POTENZA	BLACK / NERO	AWG14
RED / ROSSO	1 mmq (1.5 mmq con V>110v)	UNGROUNDED AC AUXILIARY WIRES / CONDUTTORE AUSILIARI CA NON A MASSA	RED / ROSSO	AWG18
RED / ROSSO	1 mmq (1.5 mmq con V>110v)	GROUNDED AC AUXILIARY WIRES / CONDUTTORE AUSILIARI CA A MASSA	WHITE / BIANCO	AWG18
BLUE / BLU	1 mmq (1.5 mmq con V>110v)	UNGROUNDED DC AUXILIARY WIRES / CONDUTTORE AUSILIARI CC NON A MASSA	BLUE / BLU	AWG16
BLUE / BLU	1 mmq (1.5 mmq con V>110v)	GROUNDED DC AUXILIARY WIRES / CONDUTTORE AUSILIARI CC A MASSA	WHITE WITH BLUE STRIPE / BIANCO CON RIGA BLU	AWG16
ORANGE or GREY / ARANCIO o GRIGIO	1.5 mmq	INTERCONNECTING / INTERCONNESSIONI	YELLOW / GIALLO	AWG16
YELLOW-GREEN / GIALLO-VERDE	1.5 mmq	PE (EARTHING PROTECTION) / PE (PROTEZIONE DI TERRA)	YELLOW-GREEN / GIALLO-VERDE	AWG16
BLUE / BLU	1.5 mmq	NEUTRAL (CONNECTING TO EARTH BY CUSTOMER) / NEUTRO (SE COLLEGATO A TERRA DAL CLIENTE)	WHITE or GREY / BIANCO o GRIGIO	AWG16
LIGHT-BLUE / BLU CHIARO	1 mmq	INTRINSIC SAFETY PROTECTION / SICUREZZA INTRINSECA "ADF"	LIGHT-BLUE / BLU CHIARO	AWG16
BLUE / BLU	0.5 mmq	ELECTRONIC CIRCUITS (SMALL CURRENTS) / CIRCUITI ELETTRONICI (CORRENTI BASSE)	BLUE / BLU	AWG24
BLACK / NERO	2.5 mmq	SHUNT AND CURRENT TRANSFORMER / SHUNT E RIDUTTORI DI CORRENTE	BLACK / NERO	AWG14
ORANGE or GREY / ARANCIO o GRIGIO	1.5 mmq	UNGROUNDED WIRES SUPPLIED WITH MAIN SWITCH OFF / CONDUTTORI NON A MASSA IN TENSIONE CON "IL" APERTO	YELLOW / GIALLO	AWG16
ORANGE or GREY / ARANCIO o GRIGIO	1.5 mmq	GROUNDED WIRES SUPPLIED WITH MAIN SWITCH OFF / CONDUTTORI A MASSA IN TENSIONE CON "IL" APERTO	WHITE WITH YELLOW STRIPE / BIANCO CON RIGA GIALLA	AWG16

Dati Elettrici
Electrical Data

A.C. AUXILIARY / AUSILIARI C.A.	D.C. AUXILIARY / AUSILIARI C.C.	ACTUATORS / ATTUATORI	LAMP / LAMPADE
230 V	24 V	24 V	24 V

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payment of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	GENERAL DATA	+ E	= A00	2
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

UTE

RAS

RCA-INT

RCA-MIS

Lista Documenti emessi da UTE
UTE Documents List

Sigla Code	Descrizione Description	Emesso Issued
DAD	Disegni Dimensionali Dimensions Arrangement Drawing	06/04/2023
SLD	Schemi Unifilari Single Line Diagram	06/04/2023
WFD	Schemi Funzionali (multifilari) Wiring Function Diagram	06/04/2023
TCT	Tabelle Morsettiere Terminals connection Tables	06/04/2023
MTL	Lista Materiali Material Table List	06/04/2023
...	...	
...	...	
...	...	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION GENERAL DATA	POSIZ./LOCATION + E	GRUPPO/SECTION = A00	PAGINE/PAGE 3
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Dati Tecnici
Technical Data

Fornitore Supplier	RBF DMAT s.r.l. Via della ceramica N°9 - 36100 Vicenza (VI) Italy Tel: +39 (0) 444 348509 - Fax: +39 (0) 444 348512 Web Site: www.rbfdmat.com

Tensione nominale Rated voltage	400 [V]		Disegno n. Drawing n.	21041I	Secondo normative IEC 60204-1 According to IEC 60204-1 standard
Fasi Phases	3	Frequenza Frequency 50 [Hz]	Commessa n. Job n.	G041I	
Corrente nominale Ratet current	3800 [A]		Tipo Type	CTL3-DAMING	
Potere d'interruzione Short-Circuit capacity	50 [kA]		Anno Year	2022	

WARNING

- Before access to the internal parts, all isolating switches of inlet supplies must be open
- Hazardous voltage remains for 5 minutes after removing main power supply. More then one live circuit.See diagram!
- Orange wires might be live even when inlet isolating switches are open
- Access is enabled only to personnel who comply with safety instructions

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CABINET PLATES	POSIZ./LOCATION +	GRUPPO/SECTION = A00	PAGINE/PAGE 4
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= A00	1	+ E		3.0 06/04/2023		P.CEOLATO
= A00	2	+ E	GENERAL DATA	3.0 06/04/2023		P.CEOLATO
= A00	3	+ E	GENERAL DATA	3.0 06/04/2023		P.CEOLATO
= A00	4	+	CABINET PLATES	3.0 06/04/2023		P.CEOLATO
= A00	10	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO
= A00	11	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO
= A00	12	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO
= A00	13	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO
= A00	14	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO
= A00	15	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO
= A00	16	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO
= A00	17	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO
= A00	18	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO
= A00	19	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO
= A00	20	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO
= A00	21	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO
= A00	22	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO
= A00	23	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO
= A00	24	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO
= A00	25	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO
= A00	26	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO
= A00	27	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO
= A00	28	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO
= A00	29	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO
= A00	30	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO
= A00	31	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO
= A00	32	+	SUMMARY PAGES	3.0 06/04/2023		P.CEOLATO

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H00	1	+ E00	EARTH LINE	3.0 06/04/2023		P.CEOLATO
= H00	7	+ E00	ENTRY LINE	3.0 06/04/2023		P.CEOLATO
= H00	8	+ E00	ENTRY LINE	3.0 06/04/2023		P.CEOLATO
= H00	9	+ E15	ENTRY LINE	3.0 06/04/2023		P.CEOLATO
= H00	10	+ E00	ENTRY LINE	3.0 06/04/2023		P.CEOLATO
= H00	11	+ E00	LINE PARAMETERS MEASUREMENT	3.0 06/04/2023		P.CEOLATO
= H00	12	+ E15	LINE POWER DISTRIBUTION	3.0 06/04/2023		P.CEOLATO
= H00	13	+ E00/15	BLINKERS	3.0 06/04/2023		P.CEOLATO
= H00	14	+ E00/15	BLINKERS	3.0 06/04/2023		P.CEOLATO
= H00	16	+ E00/15	LIGHTING AND SOCKET	3.0 06/04/2023		P.CEOLATO
= H00	17	+ E00/15	LIGHTING AND SOCKET	3.0 06/04/2023		P.CEOLATO
= H00	18	+ E15	LIGHTING AND SOCKET	3.0 06/04/2023		P.CEOLATO
= H00	20	+ E00	INDICATOR UNIT POWER SUPPLY 400V 50Hz	3.0 06/04/2023		P.CEOLATO
= H00	21	+ E00	LINE PARAMETERS MEASUREMENT	3.0 06/04/2023		P.CEOLATO
= H00	24	+ E15	AUXILIARY DISTRIBUTION	3.0 06/04/2023		P.CEOLATO
= H00	25	+ E12	AUXILIARY DISTRIBUTION	3.0 06/04/2023		P.CEOLATO
= H00	27	+ E15	AUXILIARY CIRCUIT 230Vac	3.0 06/04/2023		P.CEOLATO
= H00	30	+ E15	FANS CABINET CONTROLS	3.0 06/04/2023		P.CEOLATO
= H00	31	+ E15/E08	FANS CABINET CONTROLS	3.0 06/04/2023		P.CEOLATO
= H00	32	+ E12	AUXILIARY CIRCUITS 230Vac SAFETY CUT	3.0 06/04/2023		P.CEOLATO
= H00	33	+ E12	AUXILIARY CIRCUITS 230Vac SAFETY CUT	3.0 06/04/2023		P.CEOLATO
= H00	34	+ E12	AUXILIARY CIRCUITS 230Vac	3.0 06/04/2023		P.CEOLATO
= H00	35	+ E15	AUXILIARY CIRCUITS 230Vac SEZ1/2	3.0 06/04/2023		P.CEOLATO
= H00	36	+ E15	AUXILIARY CIRCUITS 230Vac SEZ1/2	3.0 06/04/2023		P.CEOLATO
= H00	37	+ E15	AUXILIARY CIRCUITS 230Vac SEZ1/2	3.0 06/04/2023		P.CEOLATO
= H00	38	+ E14	AUXILIARY CIRCUITS 230Vac	3.0 06/04/2023		P.CEOLATO
= H00	39	+ E14	AUXILIARY CIRCUITS 230Vac	3.0 06/04/2023		P.CEOLATO

INDICE REVIS. N° / REVIS. INDEX N°				
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO	

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: SUMMARY PAGES
CLIENTE/CUSTOMER		

POSIZ./LOCATION: +	GRUPPO/SECTION: = A00	PAGINE/PAGE: 10
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H00	40	+ E15	AUXILIARY CIRCUITS 230Vac UPS SUPPLY	3.0 06/04/2023		P.CEOLATO
= H00	42	+ E15	AUXILIARY CIRCUITS 230Vac UPS SUPPLY	3.0 06/04/2023		P.CEOLATO
= H00	43	+ E15	AUXILIARY CIRCUITS 230Vac UPS SUPPLY	3.0 06/04/2023		P.CEOLATO
= H00	44	+ E14	AUXILIARY CIRCUITS 24Vdc ELECTROVALVES	3.0 06/04/2023		P.CEOLATO
= H00	45	+ E14	AUXILIARY CIRCUITS 24Vdc ELECTROVALVES	3.0 06/04/2023		P.CEOLATO
= H00	46	+ E14	AUXILIARY CIRCUITS 24Vdc ELECTROVALVES	3.0 06/04/2023		P.CEOLATO
= H00	47	+ E14	AUXILIARY CIRCUITS 24Vdc ELECTROVALVES	3.0 06/04/2023		P.CEOLATO
= H00	48	+ E05	AUXILIARY CIRCUITS 24Vdc SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H00	49	+ E14	UPS AUXILIARY CIRCUITS 24Vdc PLC	3.0 06/04/2023		P.CEOLATO
= H00	50	+ E13	UPS AUXILIARY CIRCUITS 24Vdc PLC	3.0 06/04/2023		P.CEOLATO
= H00	51	+ E11	UPS AUXILIARY CIRCUITS 24Vdc CU SECT. 3	3.0 06/04/2023		P.CEOLATO
= H00	52	+ E11	UPS AUXILIARY CIRCUITS 24Vdc CU SECT. 3	3.0 06/04/2023		P.CEOLATO
= H00	53	+ E10/E09	UPS AUXILIARY SAFETY 24Vdc CU SECT.3	3.0 06/04/2023		P.CEOLATO
= H00	54	+ E09/E08	UPS AUXILIARY SAFETY 24Vdc CU SECT.3	3.0 06/04/2023		P.CEOLATO
= H00	55	+ E09/E08	UPS AUXILIARY SAFETY 24Vdc CU SECT.3	3.0 06/04/2023		P.CEOLATO
= H00	58	+ E05	UPS AUXILIARY CIRCUITS 24Vdc CU SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H00	59	+ E05	UPS AUXILIARY SAFETY 24Vdc CU SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H00	60	+ E05	UPS AUXILIARY SAFETY 24Vdc CU SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H00	66	+ E14	AUXILIARY CIRCUITS 24Vdc PLC	3.0 06/04/2023		P.CEOLATO
= H00	67	+ E14	AUXILIARY CIRCUITS 24Vdc PLC	3.0 06/04/2023		P.CEOLATO
= H00	68	+ E14	AUXILIARY CIRCUITS 24Vdc PLC	3.0 06/04/2023		P.CEOLATO
= H00	69	+ E14	AUXILIARY CIRCUITS 24Vdc DRIVE	3.0 06/04/2023		P.CEOLATO
= H00	70	+ E13	AUXILIARY CIRCUITS 24Vdc DRIVE	3.0 06/04/2023		P.CEOLATO
= H00	71	+ E05	AUXILIARY CIRCUITS 24Vdc DRIVE SECT. 1-2	3.0 06/04/2023		P.CEOLATO
= H00	74	+ E15	AUXILIARY CIRCUITS 24Vdc PLC	3.0 06/04/2023		P.CEOLATO
= H00	75	+ E15	AUXILIARY CIRCUITS 24Vdc PLC	3.0 06/04/2023		P.CEOLATO
= H00	76	+ E15	AUXILIARY CIRCUITS 24Vdc PLC	3.0 06/04/2023		P.CEOLATO

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H00	81	+ E15	AUXILIARY CIRCUITS 24Vdc PLC	3.0 06/04/2023		P.CEOLATO
= H00	82	+ E15	AUXILIARY CIRCUITS 24Vdc PLC	3.0 06/04/2023		P.CEOLATO
= H00	84	+ E15	AUXILIARY CIRCUITS 24Vdc PLC	3.0 06/04/2023		P.CEOLATO
= H00	86	+ E15	AUXILIARY INTERFACE	3.0 06/04/2023		P.CEOLATO
= H00	87	+ E15	AUXILIARY INTERFACE	3.0 06/04/2023		P.CEOLATO
= H00	96	+ P00	MAIN DESK SUPPLY	3.0 06/04/2023		P.CEOLATO
= H00	97	+ P00	MAIN DESK SUPPLY	3.0 06/04/2023		P.CEOLATO
= H00	99	+ P00	MAIN DESK PLC SUPPLY	3.0 06/04/2023		P.CEOLATO
= H00	106	+ P01	ENTRY DESK SUPPLY	3.0 06/04/2023		P.CEOLATO
= H00	107	+ P01	ENTRY DESK SUPPLY	3.0 06/04/2023		P.CEOLATO
= H00	109	+ P01	ENTRY DESK PLC SUPPLY	3.0 06/04/2023		P.CEOLATO
= H00	126	+ P03	STACKER DESK SUPPLY	3.0 06/04/2023		P.CEOLATO
= H00	127	+ P03	STACKER DESK SUPPLY	3.0 06/04/2023		P.CEOLATO
= H00	129	+ P03	STACKER DESK PLC SUPPLY	3.0 06/04/2023		P.CEOLATO
= H00	136	+ P04	EXIT DESK SUPPLY	3.0 06/04/2023		P.CEOLATO
= H00	137	+ P04	EXIT DESK SUPPLY	3.0 06/04/2023		P.CEOLATO
= H00	138	+ P04	EXIT DESK AUXILIARY INTERFACE	3.0 06/04/2023		P.CEOLATO
= H00	139	+ P04	EXIT DESK PLC SUPPLY	3.0 06/04/2023		P.CEOLATO
= G00	1	+ E01	INVERTER DC BUS CONTROL UNIT 1	3.0 06/04/2023		P.CEOLATO
= G00	2	+ E11	CONTROL UNIT 2	3.0 06/04/2023		P.CEOLATO
= G00	3	+ E11	CONTROL UNIT 3	3.0 06/04/2023		P.CEOLATO
= G00	4	+ E11	CONTROL UNIT 4	3.0 06/04/2023		P.CEOLATO
= G00	5	+ E11	CONTROL UNIT 5	3.0 06/04/2023		P.CEOLATO
= G00	6	+ E11	CONTROL UNIT 6	3.0 06/04/2023		P.CEOLATO
= G00	7	+ E10	CONTROL UNIT 7	3.0 06/04/2023		P.CEOLATO
= G00	8	+ E10	CONTROL UNIT 8	3.0 06/04/2023		P.CEOLATO
= G00	9	+ E10	CONTROL UNIT 9	3.0 06/04/2023		P.CEOLATO

INDICE REVIS. N° / REVIS. INDEX N°				
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO	

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
21041I CTL04	CTL4 LINE	SUMMARY PAGES	+ / = A00 / 11
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= G00	10	+ E10	CONTROL UNIT 10	3.0 06/04/2023		P.CEOLATO
= G00	11	+ E10	CONTROL UNIT 11	3.0 06/04/2023		P.CEOLATO
= G00	12	+ E10	CONTROL UNIT 12	3.0 06/04/2023		P.CEOLATO
= G00	13	+ E05	CONTROL UNIT 13	3.0 06/04/2023		P.CEOLATO
= G00	15	+ E05	CONTROL UNIT 15	3.0 06/04/2023		P.CEOLATO
= G00	20	+ E01	DC BUS PRECHARGING LINE	3.0 06/04/2023		P.CEOLATO
= G00	21	+ E01	DC BUS LINE 1	3.0 06/04/2023		P.CEOLATO
= G00	23	+ E01	DC BUS LINE 1	3.0 06/04/2023		P.CEOLATO
= G00	24	+ E01	DC BUS LINE BRAKING RESISTOR	3.0 06/04/2023		P.CEOLATO
= G00	25	+ E02	DC BUS LINE 2	3.0 06/04/2023		P.CEOLATO
= G00	27	+ E02	DC BUS LINE 2	3.0 06/04/2023		P.CEOLATO
= G00	28	+ E02	DC BUS LINE BRAKING RESISTOR	3.0 06/04/2023		P.CEOLATO
= G01	10	+ E10	STORAGE COIL CAR TRANSLATION M1	3.0 06/04/2023		P.CEOLATO
= G01	11	+ E10	STORAGE COIL CAR TRANSLATION M1	3.0 06/04/2023		P.CEOLATO
= G01A	10	+ E10	STORAGE COIL CAR TRANSLATION M2	3.0 06/04/2023		P.CEOLATO
= G01A	11	+ E10	STORAGE COIL CAR TRANSLATION M2	3.0 06/04/2023		P.CEOLATO
= G02	10	+ E06	DECOILER MOTOR	3.0 06/04/2023		P.CEOLATO
= G02	11	+ E06	DECOILER MOTOR	3.0 06/04/2023		P.CEOLATO
= G02	12	+ E06	DECOILER MOTOR	3.0 06/04/2023		P.CEOLATO
= G03	10	+ E06	ENTRY PINCH ROLL	3.0 06/04/2023		P.CEOLATO
= G03	11	+ E06	ENTRY PINCH ROLL	3.0 06/04/2023		P.CEOLATO
= G03	12	+ E06	ENTRY PINCH ROLL	3.0 06/04/2023		P.CEOLATO
= G04	10	+ E03	STRAIGHTENER	3.0 06/04/2023		P.CEOLATO
= G04	11	+ E03	STRAIGHTENER	3.0 06/04/2023		P.CEOLATO
= G04	12	+ E03	STRAIGHTENER	3.0 06/04/2023		P.CEOLATO
= G05	10	+ E10	STRAIGHTENER UPPER ROLL	3.0 06/04/2023		P.CEOLATO
= G05	11	+ E10	STRAIGHTENER UPPER ROLL	3.0 06/04/2023		P.CEOLATO

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= G06	10	+ E11	STRAIGHTENER CORRECTOR ROLL	3.0 06/04/2023		P.CEOLATO
= G07	10	+ E09	BRUSHER 1 UPPER ROLL	3.0 06/04/2023		P.CEOLATO
= G08	10	+ E09	BRUSHER 1 LOWER ROLL	3.0 06/04/2023		P.CEOLATO
= G14	10	+ E03	LEVELLER 1 MOTOR	3.0 06/04/2023		P.CEOLATO
= G14	11	+ E03	LEVELLER 1 MOTOR	3.0 06/04/2023		P.CEOLATO
= G14	12	+ E03	LEVELLER 1 MOTOR	3.0 06/04/2023		P.CEOLATO
= G15	10	+ E09	LEVELLER 1 ENTRY RISE-LOWER MOTOR	3.0 06/04/2023		P.CEOLATO
= G16	10	+ E09	LEVELLER 1 EXIT RISE-LOWER MOTOR	3.0 06/04/2023		P.CEOLATO
= G17	10	+ E11	STORAGE COIL CAR TRANSLATION	3.0 06/04/2023		P.CEOLATO
= G17	11	+ E11	STORAGE COIL CAR TRANSLATION	3.0 06/04/2023		P.CEOLATO
= G18	10	+ E09	BRUSHER 2 UPPER ROLLER MOTOR	3.0 06/04/2023		P.CEOLATO
= G18	11	+ E09	BRUSHER 2 UPPER ROLLER MOTOR	3.0 06/04/2023		P.CEOLATO
= G19	10	+ E09	BRUSHER 2 LOWER ROLLER MOTOR	3.0 06/04/2023		P.CEOLATO
= G20	10	+ E04	LEVELLER 2 MOTOR 1	3.0 06/04/2023		P.CEOLATO
= G20	11	+ E04	LEVELLER 2 MOTOR 1	3.0 06/04/2023		P.CEOLATO
= G20	12	+ E04	LEVELLER 2 MOTOR 1	3.0 06/04/2023		P.CEOLATO
= G20A	10	+ E04	LEVELLER 2 MOTOR 2	3.0 06/04/2023		P.CEOLATO
= G20A	11	+ E04	LEVELLER 2 MOTOR 2	3.0 06/04/2023		P.CEOLATO
= G20A	12	+ E04	LEVELLER 2 MOTOR 2	3.0 06/04/2023		P.CEOLATO
= G27	10	+ E10	LEVELLER 2 ENTRY RISE-LOWER MOTOR SIDE	3.0 06/04/2023		P.CEOLATO
= G27	11	+ E10	LEVELLER 2 ENTRY RISE-LOWER MOTOR SIDE	3.0 06/04/2023		P.CEOLATO
= G27A	10	+ E10	LEVELLER 2 ENTRY RISE-LOWER OPERATOR SIDE	3.0 06/04/2023		P.CEOLATO
= G27A	11	+ E10	LEVELLER 2 ENTRY RISE-LOWER OPERATOR SIDE	3.0 06/04/2023		P.CEOLATO
= G28	10	+ E10	LEVELLER 2 EXIT RISE-LOWER MOTOR SIDE	3.0 06/04/2023		P.CEOLATO
= G28	11	+ E10	LEVELLER 2 EXIT RISE-LOWER MOTOR SIDE	3.0 06/04/2023		P.CEOLATO
= G28A	10	+ E10	LEVELLER 2 EXIT RISE-LOWER OPERATOR SIDE	3.0 06/04/2023		P.CEOLATO
= G28A	11	+ E10	LEVELLER 2 EXIT RISE-LOWER OPERATOR SIDE	3.0 06/04/2023		P.CEOLATO

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	SUMMARY PAGES
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= A00	12	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payment of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= G29	10	+ E11	STORAGE COIL CAR TRANSLATION	3.0 06/04/2023		P.CEOLATO
= G29	11	+ E11	STORAGE COIL CAR TRANSLATION	3.0 06/04/2023		P.CEOLATO
= G31	10	+ E10	ENTRY SHEAR PINCH ROLL ROTATION UP	3.0 06/04/2023		P.CEOLATO
= G31	11	+ E10	ENTRY SHEAR PINCH ROLL ROTATION UP	3.0 06/04/2023		P.CEOLATO
= G31	12	+ E10	ENTRY SHEAR PINCH ROLL ROTATION UP	3.0 06/04/2023		P.CEOLATO
= G31A	10	+ E10	ENTRY SHEAR PINCH ROLL ROTATION LOWER	3.0 06/04/2023		P.CEOLATO
= G31A	11	+ E10	ENTRY SHEAR PINCH ROLL ROTATION LOWER	3.0 06/04/2023		P.CEOLATO
= G31A	12	+ E10	ENTRY SHEAR PINCH ROLL ROTATION LOWER	3.0 06/04/2023		P.CEOLATO
= G32	10	+ E05	FLYING SHEAR CARRIAGE MOTOR	3.0 06/04/2023		P.CEOLATO
= G32	11	+ E05	FLYING SHEAR CARRIAGE MOTOR	3.0 06/04/2023		P.CEOLATO
= G32	12	+ E05	FLYING SHEAR CARRIAGE MOTOR	3.0 06/04/2023		P.CEOLATO
= G32	13	+ E05	SIMOTION	3.0 06/04/2023		P.CEOLATO
= G32	14	+ E05	SIMOTION	3.0 06/04/2023		P.CEOLATO
= G32	15	+ E05	MEASURE WHEEL LOWER ROLLER MEASURING	3.0 06/04/2023		P.CEOLATO
= G32	17	+ E05	FLYING SHEAR TAIL ROLL LENGHT MEASURE	3.0 06/04/2023		P.CEOLATO
= G32	18	+ E05	FLYING SHEAR TAIL ROLL LENGHT MEASURE	3.0 06/04/2023		P.CEOLATO
= G32	19	+ E05	FLYING SHEAR TAIL ROLL LENGHT MEASURE	3.0 06/04/2023		P.CEOLATO
= G32	20	+ E05	FLYING SHEAR TAIL ROLL LENGHT MEASURE	3.0 06/04/2023		P.CEOLATO
= G33	10	+ E06	FLYING SHEAR CUTTING MOTOR	3.0 06/04/2023		P.CEOLATO
= G33	11	+ E06	FLYING SHEAR CUTTING MOTOR	3.0 06/04/2023		P.CEOLATO
= G34	10	+ E09	FLYING SHEAR BELT CONVEYOR BACKWARD-FORWARD	3.0 06/04/2023		P.CEOLATO
= G34	11	+ E09	FLYING SHEAR BELT CONVEYOR BACKWARD-FORWARD	3.0 06/04/2023		P.CEOLATO
= G35	10	+ E09	CONVEYOR DEFLECTOR	3.0 06/04/2023		P.CEOLATO
= G35	11	+ E09	CONVEYOR DEFLECTOR	3.0 06/04/2023		P.CEOLATO
= G36	10	+ E09	CONVEYOR TO STACKER	3.0 06/04/2023		P.CEOLATO
= G36	11	+ E09	CONVEYOR TO STACKER	3.0 06/04/2023		P.CEOLATO
= G38	10	+ E11	STACKER RACKET M.S. BOX 1 OPEN CLOSE	3.0 06/04/2023		P.CEOLATO

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= G38	11	+ E11	STACKER RACKET M.S. BOX 1 OPEN CLOSE	3.0 06/04/2023		P.CEOLATO
= G38	12	+ E11	STACKER RACKET M.S. BOX 1 OPEN CLOSE	3.0 06/04/2023		P.CEOLATO
= G38A	10	+ E11	STACKER TACKET O.S. BOX 1 OPEN CLOSE	3.0 06/04/2023		P.CEOLATO
= G38A	11	+ E11	STACKER TACKET O.S. BOX 1 OPEN CLOSE	3.0 06/04/2023		P.CEOLATO
= G38A	12	+ E11	STACKER TACKET O.S. BOX 1 OPEN CLOSE	3.0 06/04/2023		P.CEOLATO
= G39	10	+ E11	STACKER HEAD STOP BOX 1 FORWARD BACKWARD	3.0 06/04/2023		P.CEOLATO
= G40	10	+ E11	STACKER BELT CONVEYOR BOX 1 RAISE LOWER M.S.	3.0 06/04/2023		P.CEOLATO
= G40A	10	+ E11	STACKER BELT CONVEYOR BOX 1 RAISE LOWER O.S.	3.0 06/04/2023		P.CEOLATO
= G41	10	+ E11	STACKER BELT CONVEYOR BOX 1 ROTATION M.S.	3.0 06/04/2023		P.CEOLATO
= G41A	10	+ E11	STACKER BELT CONVEYOR BOX 1 ROTATION O.S.	3.0 06/04/2023		P.CEOLATO
= G42	10	+ E11	STACKER RACKET M.S. BOX 2 OPEN CLOSE	3.0 06/04/2023		P.CEOLATO
= G42	11	+ E11	STACKER RACKET M.S. BOX 2 OPEN CLOSE	3.0 06/04/2023		P.CEOLATO
= G42	12	+ E11	STACKER RACKET M.S. BOX 2 OPEN CLOSE	3.0 06/04/2023		P.CEOLATO
= G42A	10	+ E11	STACKER TACKET O.S. BOX 2 OPEN CLOSE	3.0 06/04/2023		P.CEOLATO
= G42A	11	+ E11	STACKER TACKET O.S. BOX 2 OPEN CLOSE	3.0 06/04/2023		P.CEOLATO
= G42A	12	+ E11	STACKER TACKET O.S. BOX 2 OPEN CLOSE	3.0 06/04/2023		P.CEOLATO
= G43	10	+ E11	STACKER HEAD STOP BOX 2 FORWARD BACKWARD	3.0 06/04/2023		P.CEOLATO
= G44	10	+ E10	PLATFORM BOX 1 ROLL ROTATION	3.0 06/04/2023		P.CEOLATO
= G44A	10	+ E10	PLATFORM BOX 2 ROLL ROTATION	3.0 06/04/2023		P.CEOLATO
= G45	10	+ E10	MIDDLE EXIT PLATFORM BOX 1 ROLL ROTATION	3.0 06/04/2023		P.CEOLATO
= G45A	10	+ E10	MIDDLE EXIT PLATFORM BOX 2 ROLL ROTATION	3.0 06/04/2023		P.CEOLATO
= G46	10	+ E10	ROLLS AND CHAINS BOX 1 °90 ROLL ROTATION	3.0 06/04/2023		P.CEOLATO
= G47	10	+ E10	ROLLS AND CHAINS BOX 1 °90 CHAINS ROTATION	3.0 06/04/2023		P.CEOLATO
= G48	10	+ E11	ROLLS AND CHAINS BOX 2 °90 ROLL ROTATION	3.0 06/04/2023		P.CEOLATO
= G49	10	+ E10	ROLLS AND CHAINS BOX 2 °90 CHAINS ROTATION	3.0 06/04/2023		P.CEOLATO
= G49	11	+ E10	ROLLS AND CHAINS BOX 2 °90 CHAINS ROTATION	3.0 06/04/2023		P.CEOLATO
= G50	10	+ E10	CHAINS 1 ROTATION	3.0 06/04/2023		P.CEOLATO

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: SUMMARY PAGES	POSIZ./LOCATION: +
CLIENTE/CUSTOMER			GRUPPO/SECTION: = A00
			PAGINE/PAGE: 13
		SEL CTL4 LINE	RIF./REFERNCE

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= G50A	10	+ E10	CHAINS 2 ROTATION	3.0 06/04/2023		P.CEOLATO
= G51	10	+ E10	CHAINS EXIT 3 ROTATION	3.0 06/04/2023		P.CEOLATO
= G51A	10	+ E10	CHAINS EXIT 4 ROTATION	3.0 06/04/2023		P.CEOLATO
= H01	1001	+ E12	SAFETY INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1002	+ E12	SAFETY INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1003	+ E12	SAFETY INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1004	+ E12	SAFETY INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1005	+ E12	SAFETY INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1011	+ E12	SAFETY OUTPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1012	+ E12	SAFETY OUTPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1013	+ E12	SAFETY OUTPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1014	+ E12	SAFETY OUTPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1020	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1021	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1022	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1023	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1024	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1025	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1026	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1029	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1030	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1031	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1032	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1033	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1034	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1035	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1037	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H01	1038	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1039	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1040	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1041	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1042	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1043	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1044	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1050	+ E12	PLC OUTPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1051	+ E12	PLC OUTPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1053	+ E12	PLC OUTPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1054	+ E12	PLC OUTPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1055	+ E12	PLC OUTPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1057	+ E12	PLC OUTPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1058	+ E12	PLC OUTPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1059	+ E12	PLC OUTPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1060	+ E12	PLC OUTPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1061	+ E12	PLC OUTPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1062	+ E12	PLC OUTPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1063	+ E12	PLC OUTPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1064	+ E12	PLC OUTPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1065	+ E12	PLC OUTPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1071	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1072	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1073	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1074	+ E12	PLC INPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1075	+ E12	PLC OUTPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1076	+ E12	PLC OUTPUT SECT.4	3.0 06/04/2023		P.CEOLATO

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY PAGES	POSIZ./LOCATION +	GRUPPO/SECTION = A00	PAGINE/PAGE 14
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H01	1077	+ E12	PLC OUTPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1078	+ E12	PLC OUTPUT SECT.4	3.0 06/04/2023		P.CEOLATO
= H01	1101	+ E13	SAFETY INPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1102	+ E13	SAFETY INPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1103	+ E13	SAFETY INPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1105	+ E13	SAFETY OUTPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1106	+ E13	SAFETY OUTPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1107	+ E13	SAFETY OUTPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1111	+ E13	PLC INPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1112	+ E13	PLC INPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1116	+ E13	PLC INPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1117	+ E13	PLC INPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1118	+ E13	PLC INPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1119	+ E13	PLC INPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1120	+ E13	PLC INPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1121	+ E13	PLC INPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1122	+ E13	PLC INPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1123	+ E13	PLC INPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1124	+ E13	PLC INPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1125	+ E13	PLC INPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1131	+ E13	PLC OUTPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1132	+ E13	PLC OUTPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1133	+ E13	PLC OUTPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1134	+ E13	PLC OUTPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1136	+ E13	PLC OUTPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1137	+ E13	PLC OUTPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1138	+ E13	PLC OUTPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H01	1139	+ E13	ENCODER SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1140	+ E13	PLC OUTPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1141	+ E13	PLC OUTPUT SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1144	+ E13	ENCODER SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H01	1145	+ E13	SAFETY ACCESS GATE	3.0 06/04/2023		P.CEOLATO
= H01	1146	+ E13	SAFETY ACCESS GATE	3.0 06/04/2023		P.CEOLATO
= H01	1201	+ E11	SAFETY INPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1202	+ E11	SAFETY INPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1203	+ E11	SAFETY INPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1204	+ E11	SAFETY INPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1210	+ E11	SAFETY OUTPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1211	+ E11	SAFETY OUTPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1212	+ E11	SAFETY OUTPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1220	+ E11	PLC INPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1221	+ E11	PLC INPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1222	+ E11	PLC INPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1223	+ E11	PLC INPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1224	+ E11	PLC INPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1225	+ E11	PLC INPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1240	+ E11	PLC OUTPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1241	+ E11	PLC OUTPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1242	+ E11	PLC OUTPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1243	+ E11	PLC OUTPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1244	+ E11	PLC OUTPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1245	+ E11	PLC OUTPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1246	+ E11	PLC OUTPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1247	+ E11	PLC OUTPUT SECT.3	3.0 06/04/2023		P.CEOLATO

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY PAGES	POSIZ./LOCATION +	GRUPPO/SECTION = A00	PAGINE/PAGE 15
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H01	1248	+ E11	PLC OUTPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1249	+ E11	PLC OUTPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1250	+ E11	PLC OUTPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1259	+ E11	PLC OUTPUT SECT.3	3.0 06/04/2023		P.CEOLATO
= H01	1301	+ E05	SAFETY INPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1302	+ E05	SAFETY INPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1303	+ E05	SAFETY INPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1304	+ E05	SAFETY INPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1305	+ E05	SAFETY INPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1306	+ E05	SAFETY INPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1310	+ E05	SAFETY OUTPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1311	+ E05	SAFETY OUTPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1312	+ E05	SAFETY OUTPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1320	+ E05	PLC INPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1321	+ E05	PLC INPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1322	+ E05	PLC INPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1323	+ E05	PLC INPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1324	+ E05	PLC INPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1325	+ E05	PLC INPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1326	+ E05	PLC INPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1327	+ E05	PLC INPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1328	+ E05	PLC INPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1329	+ E05	PLC INPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1340	+ E05	PLC OUTPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1341	+ E05	PLC OUTPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1342	+ E05	PLC OUTPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1343	+ E05	PLC OUTPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H01	1344	+ E05	PLC OUTPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1345	+ E05	PLC OUTPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1346	+ E05	PLC OUTPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1347	+ E05	PLC OUTPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1348	+ E05	PLC OUTPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1350	+ E05	ENCODER SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1355	+ E05	SERVOVALVES SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1360	+ E05	PLC INPUT SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H01	1401	+ P00	P00 PLC SAFE INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1402	+ P00	P00 PLC SAFE INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1403	+ P00	P00 PLC SAFE INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1404	+ P00	P00 PLC SAFE OUTPUT	3.0 06/04/2023		P.CEOLATO
= H01	1406	+ P00	P00 PLC INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1407	+ P00	P00 PLC INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1412	+ P00	P00 PLC OUTPUT	3.0 06/04/2023		P.CEOLATO
= H01	1413	+ P00	P00 PLC OUTPUT	3.0 06/04/2023		P.CEOLATO
= H01	1421	+ P00	GATE 5.1	3.0 06/04/2023		P.CEOLATO
= H01	1422	+ P00	LIGHT BARRIER FTC4.1	3.0 06/04/2023		P.CEOLATO
= H01	1431	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1432	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1433	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1434	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1435	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1436	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1437	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1438	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1439	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE
CLIENTE/CUSTOMER		DENOMINAZIONE/DESCRIPTION	SUMMARY PAGES

POSIZ./LOCATION	+	GRUPPO/SECTION	= A00
PAGINE/PAGE	16		
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H01	1440	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1441	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1442	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1443	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1444	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1445	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1446	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1447	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1448	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1449	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1450	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1451	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1452	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1453	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1454	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1455	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1456	+ P00	P00 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1460	+ P15	P15 PN INTERFACE	3.0 06/04/2023		P.CEOLATO
= H01	1461	+ P15	P15 PN INTERFACE	3.0 06/04/2023		P.CEOLATO
= H01	1462	+ P15	P15 PN INTERFACE	3.0 06/04/2023		P.CEOLATO
= H01	1463	+ P15	P15 PN INTERFACE	3.0 06/04/2023		P.CEOLATO
= H01	1465	+ P16	P16 PN INTERFACE	3.0 06/04/2023		P.CEOLATO
= H01	1466	+ P16	P16 PN INTERFACE	3.0 06/04/2023		P.CEOLATO
= H01	1467	+ P16	P16 PN INTERFACE	3.0 06/04/2023		P.CEOLATO
= H01	1468	+ P16	P16 PN INTERFACE	3.0 06/04/2023		P.CEOLATO
= H01	1469	+ P00	P00 HMI COMPUTER	3.0 06/04/2023		P.CEOLATO
= H01	1500	+ P01	P01 PLC SAFE INPUT	3.0 06/04/2023		P.CEOLATO

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H01	1501	+ P01	P01 PLC SAFE INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1502	+ P01	P01 PLC SAFE INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1503	+ P01	P01 PLC SAFE INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1504	+ P01	P01 PLC SAFE OUTPUT	3.0 06/04/2023		P.CEOLATO
= H01	1506	+ P01	P01 PLC INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1507	+ P01	P01 PLC INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1508	+ P01	P01 PLC INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1509	+ P01	P01 PLC INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1512	+ P01	P01 PLC OUTPUT	3.0 06/04/2023		P.CEOLATO
= H01	1513	+ P01	P01 PLC OUTPUT	3.0 06/04/2023		P.CEOLATO
= H01	1521	+ P01	GATE 1.1	3.0 06/04/2023		P.CEOLATO
= H01	1522	+ P01	LIGHT BARRIER FTC1.1	3.0 06/04/2023		P.CEOLATO
= H01	1523	+ P01	LIGHT BARRIER FTC2.1	3.0 06/04/2023		P.CEOLATO
= H01	1524	+ P01	SAFETY BARRIER BA2.1	3.0 06/04/2023		P.CEOLATO
= H01	1531	+ P01	P01 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1532	+ P01	P01 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1533	+ P01	P01 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1534	+ P01	P01 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1535	+ P01	P01 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1536	+ P01	P01 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1537	+ P01	P01 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1538	+ P01	P01 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1539	+ P01	P01 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1540	+ P01	P01 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1541	+ P01	P01 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1542	+ P01	P01 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1543	+ P01	P01 PN COMMANDS	3.0 06/04/2023		P.CEOLATO

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY PAGES	POSIZ./LOCATION +	GRUPPO/SECTION = A00	PAGINE/PAGE 17
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H01	1544	+ P01	P01 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1545	+ P01	P01 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1546	+ P01	P01 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1547	+ P01	P01 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1548	+ P01	P01 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1551	+ P10	P10 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1552	+ P10	P10 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1553	+ P10	P10 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1554	+ P10	P10 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1701	+ P03	P03 PLC SAFE INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1702	+ P03	P03 PLC SAFE INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1703	+ P03	P03 PLC SAFE INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1704	+ P03	P03 PLC SAFE OUTPUT	3.0 06/04/2023		P.CEOLATO
= H01	1706	+ P03	P03 PLC INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1707	+ P03	P03 PLC INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1708	+ P03	P03 PLC INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1709	+ P03	P03 PLC INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1712	+ P03	P03 PLC OUTPUT	3.0 06/04/2023		P.CEOLATO
= H01	1713	+ P03	P03 PLC OUTPUT	3.0 06/04/2023		P.CEOLATO
= H01	1721	+ P03	GATE 7.1	3.0 06/04/2023		P.CEOLATO
= H01	1722	+ P03	LIGHT BARRIER FTC6.1	3.0 06/04/2023		P.CEOLATO
= H01	1731	+ P03	P03 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1733	+ P03	P03 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1735	+ P03	P03 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1736	+ P03	P03 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1737	+ P03	P03 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1738	+ P03	P03 PN COMMANDS	3.0 06/04/2023		P.CEOLATO

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H01	1739	+ P03	P03 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1740	+ P03	P03 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1741	+ P03	P03 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1742	+ P03	P03 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1743	+ P03	P03 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1744	+ P03	P03 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1745	+ P03	P03 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1746	+ P03	P03 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1747	+ P03	P03 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1748	+ P03	P03 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1749	+ P03	P03 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1750	+ P03	P03 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1751	+ P03	P03 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1801	+ P04	P04 PLC SAFE INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1802	+ P04	P04 PLC SAFE INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1803	+ P04	P04 PLC SAFE INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1804	+ P04	P04 PLC SAFE OUTPUT	3.0 06/04/2023		P.CEOLATO
= H01	1806	+ P04	P04 PLC INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1807	+ P04	P04 PLC INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1808	+ P04	P04 PLC INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1809	+ P04	P04 PLC INPUT	3.0 06/04/2023		P.CEOLATO
= H01	1812	+ P04	P04 PLC OUTPUT	3.0 06/04/2023		P.CEOLATO
= H01	1813	+ P04	P04 PLC OUTPUT	3.0 06/04/2023		P.CEOLATO
= H01	1821	+ P04	GATE 8.1 / 8.2	3.0 06/04/2023		P.CEOLATO
= H01	1822	+ P04	LIGHT BARRIER FTC8.1	3.0 06/04/2023		P.CEOLATO
= H01	1831	+ P04	P04 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1832	+ P04	P04 PN COMMANDS	3.0 06/04/2023		P.CEOLATO

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY PAGES	POSIZ./LOCATION +	GRUPPO/SECTION = A00	PAGINE/PAGE 18
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H01	1833	+ P04	P04 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1834	+ P04	P04 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1835	+ P04	P04 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1836	+ P04	P04 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1837	+ P04	P04 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1838	+ P04	P04 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1839	+ P04	P04 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1840	+ P04	P04 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1845	+ P04	P04 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1846	+ P04	P04 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1848	+ P04	P04 PN COMMANDS	3.0 06/04/2023		P.CEOLATO
= H01	1901	+ RB1	RIO01 ENTRY LINE	3.0 06/04/2023		P.CEOLATO
= H01	1905	+ RB1	PLC INPUT RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1906	+ RB1	PLC INPUT RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1907	+ RB1	PLC INPUT RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1908	+ RB1	PLC INPUT RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1909	+ RB1	PLC INPUT RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1910	+ RB1	PLC INPUT RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1911	+ RB1	PLC INPUT RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1912	+ RB1	PLC INPUT RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1925	+ RB1	PLC OUTPUT RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1926	+ RB1	PLC OUTPUT RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1927	+ RB1	PLC OUTPUT RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1928	+ RB1	PLC OUTPUT RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1929	+ RB1	PLC OUTPUT RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1930	+ RB1	PLC OUTPUT RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1931	+ RB1	PLC OUTPUT RIO01	3.0 06/04/2023		P.CEOLATO

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H01	1932	+ RB1	PLC OUTPUT RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1933	+ RB1	PLC OUTPUT RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1934	+ RB1	PLC OUTPUT RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1935	+ RB1	PLC OUTPUT RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1936	+ RB1	PLC OUTPUT RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1937	+ RB1	PLC OUTPUT RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1938	+ RB1	PLC OUTPUT RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1987	+ RB1	ENCODER PROFIBUS RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1988	+ RB1	ENCODER PROFIBUS RIO01	3.0 06/04/2023		P.CEOLATO
= H01	1989	+ RB1	ENCODER PROFIBUS RIO01	3.0 06/04/2023		P.CEOLATO
= H01	2101	+ RB3	RIO03 ENTRY LINE	3.0 06/04/2023		P.CEOLATO
= H01	2102	+ RB3	PLC INPUT RIO03	3.0 06/04/2023		P.CEOLATO
= H01	2103	+ RB3	PLC INPUT RIO03	3.0 06/04/2023		P.CEOLATO
= H01	2104	+ RB3	PLC INPUT RIO03	3.0 06/04/2023		P.CEOLATO
= H01	2105	+ RB3	PLC INPUT RIO03	3.0 06/04/2023		P.CEOLATO
= H01	2125	+ RB3	PLC OUTPUT RIO03	3.0 06/04/2023		P.CEOLATO
= H01	2126	+ RB3	PLC OUTPUT RIO03	3.0 06/04/2023		P.CEOLATO
= H01	2127	+ RB3	PLC OUTPUT RIO03	3.0 06/04/2023		P.CEOLATO
= H01	2128	+ RB3	PLC OUTPUT RIO03	3.0 06/04/2023		P.CEOLATO
= H01	2129	+ RB3	PLC OUTPUT RIO03	3.0 06/04/2023		P.CEOLATO
= H01	2180	+ RB3	OUTPUT RIO03	3.0 06/04/2023		P.CEOLATO
= H01	2187	+ RB3	ENCODER PROFIBUS RIO03	3.0 06/04/2023		P.CEOLATO
= H01	2188	+ RB3	ENCODER PROFIBUS RIO03	3.0 06/04/2023		P.CEOLATO
= H01	2189	+ RB3	ENCODER PROFIBUS RIO03	3.0 06/04/2023		P.CEOLATO
= H01	2190	+ RB3	ENCODER PROFIBUS RIO03	3.0 06/04/2023		P.CEOLATO
= H01	2201	+ RB4	RIO04 ENTRY LINE	3.0 06/04/2023		P.CEOLATO
= H01	2202	+ RB4	PLC INPUT RIO04	3.0 06/04/2023		P.CEOLATO

INDICE REVIS. N° REVIS. INDEX N°											
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY PAGES	POSIZ./LOCATION +	GRUPPO/SECTION = A00	PAGINE/PAGE 19
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H01	2203	+ RB4	PLC INPUT RIO04	3.0 06/04/2023		P.CEOLATO
= H01	2204	+ RB4	PLC INPUT RIO04	3.0 06/04/2023		P.CEOLATO
= H01	2205	+ RB4	PLC INPUT RIO04	3.0 06/04/2023		P.CEOLATO
= H01	2206	+ RB4	PLC INPUT RIO04	3.0 06/04/2023		P.CEOLATO
= H01	2225	+ RB4	PLC OUTPUT RIO04	3.0 06/04/2023		P.CEOLATO
= H01	2226	+ RB4	PLC OUTPUT RIO04	3.0 06/04/2023		P.CEOLATO
= H01	2229	+ RB4	PLC OUTPUT RIO04	3.0 06/04/2023		P.CEOLATO
= H01	2230	+ RB4	PLC OUTPUT RIO04	3.0 06/04/2023		P.CEOLATO
= H01	2231	+ RB4	PLC OUTPUT RIO04	3.0 06/04/2023		P.CEOLATO
= H01	2232	+ RB4	PLC OUTPUT RIO04	3.0 06/04/2023		P.CEOLATO
= H01	2233	+ RB4	PLC OUTPUT RIO04	3.0 06/04/2023		P.CEOLATO
= H01	2280	+ RB4	OUTPUT RIO04	3.0 06/04/2023		P.CEOLATO
= H01	2287	+ RB4	ENCODER PROFIBUS RIO04	3.0 06/04/2023		P.CEOLATO
= H01	2288	+ RB4	ENCODER PROFIBUS RIO04	3.0 06/04/2023		P.CEOLATO
= H01	2289	+ RB4	ENCODER PROFIBUS RIO04	3.0 06/04/2023		P.CEOLATO
= H01	2290	+ RB4	ENCODER PROFIBUS RIO04	3.0 06/04/2023		P.CEOLATO
= H01	2291	+ RB4	ENCODER PROFIBUS RIO04	3.0 06/04/2023		P.CEOLATO
= H01	2292	+ RB4	ENCODER PROFIBUS RIO04	3.0 06/04/2023		P.CEOLATO
= H01	2301	+ RB5	RIO05 ENTRY LINE	3.0 06/04/2023		P.CEOLATO
= H01	2303	+ RB5	PLC ANALOG INPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2306	+ RB5	PLC ANALOG OUTPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2309	+ RB5	PLC INPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2310	+ RB5	PLC INPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2311	+ RB5	PLC INPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2312	+ RB5	PLC INPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2313	+ RB5	PLC INPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2314	+ RB5	PLC INPUT RIO05	3.0 06/04/2023		P.CEOLATO

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H01	2315	+ RB5	PLC INPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2316	+ RB5	PLC INPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2317	+ RB5	PLC INPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2318	+ RB5	PLC INPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2319	+ RB5	PLC INPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2320	+ RB5	PLC INPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2321	+ RB5	PLC INPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2325	+ RB5	PLC OUTPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2326	+ RB5	PLC OUTPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2327	+ RB5	PLC OUTPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2328	+ RB5	PLC OUTPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2329	+ RB5	PLC OUTPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2330	+ RB5	PLC OUTPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2331	+ RB5	PLC OUTPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2332	+ RB5	PLC OUTPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2333	+ RB5	PLC OUTPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2334	+ RB5	PLC OUTPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2335	+ RB5	PLC OUTPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2336	+ RB5	PLC OUTPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2337	+ RB5	PLC OUTPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2338	+ RB5	PLC OUTPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2339	+ RB5	PLC OUTPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2340	+ RB5	PLC OUTPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2341	+ RB5	PLC OUTPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2380	+ RB5	OUTPUT RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2387	+ RB5	ENCODER PROFIBUS RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2388	+ RB5	ENCODER PROFIBUS RIO05	3.0 06/04/2023		P.CEOLATO

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	SUMMARY PAGES	+	= A00	20
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H01	2389	+ RB5	ENCODER PROFIBUS RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2390	+ RB5	ENCODER PROFIBUS RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2391	+ RB5	ENCODER PROFIBUS RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2392	+ RB5	ENCODER PROFIBUS RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2393	+ RB5	ENCODER PROFIBUS RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2394	+ RB5	ENCODER PROFIBUS RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2395	+ RB5	ENCODER PROFIBUS RIO05	3.0 06/04/2023		P.CEOLATO
= H01	2398	+ RB5	ENCODER PROFIBUS RIO05	3.0 06/04/2023		P.CEOLATO
= H02	10	+ E13	HEATERS	3.0 06/04/2023		P.CEOLATO
= H02	11	+ E13	PUMPS	3.0 06/04/2023		P.CEOLATO
= H02	12	+ E13	PUMPS	3.0 06/04/2023		P.CEOLATO
= H02	13	+ E13	PUMPS	3.0 06/04/2023		P.CEOLATO
= H02	14	+ E13	MOTORS	3.0 06/04/2023		P.CEOLATO
= H02	16	+ E13	MOTORS	3.0 06/04/2023		P.CEOLATO
= H02	17	+ E13	MOTORS	3.0 06/04/2023		P.CEOLATO
= H02	18	+ E13	MOTORS	3.0 06/04/2023		P.CEOLATO
= H02	20	+ E13	MOTORS	3.0 06/04/2023		P.CEOLATO
= H02	21	+ E13	MOTORS	3.0 06/04/2023		P.CEOLATO
= H02	22	+ E13	MOTORS	3.0 06/04/2023		P.CEOLATO
= H02	23	+ E13	MOTORS	3.0 06/04/2023		P.CEOLATO
= H02	24	+ E13	MOTORS	3.0 06/04/2023		P.CEOLATO
= H02	27	+ E14	BRAKES	3.0 06/04/2023		P.CEOLATO
= H02	30	+ E13	MOTORS	3.0 06/04/2023		P.CEOLATO
= H02	33	+ E13	MOTORS	3.0 06/04/2023		P.CEOLATO
= H02	35	+ E13	MOTORS	3.0 06/04/2023		P.CEOLATO
= H02	36	+ E13	MOTORS	3.0 06/04/2023		P.CEOLATO
= H02	37	+ E13	MOTORS	3.0 06/04/2023		P.CEOLATO

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H02	38	+ E13	MOTORS	3.0 06/04/2023		P.CEOLATO
= H02	39	+ E13	MOTORS	3.0 06/04/2023		P.CEOLATO
= H02	40	+ E13	MOTORS	3.0 06/04/2023		P.CEOLATO
= H03	2501	+ E12	MAIN RACK CPU	3.0 06/04/2023		P.CEOLATO
= H03	2505	+ E12	SCALANCE SWITCH SECT.4	3.0 06/04/2023		P.CEOLATO
= H03	2506	+ E12	SCALANCE SWITCH SECT.4	3.0 06/04/2023		P.CEOLATO
= H03	2521	+ E12	ET 200SP RACK SECT.4	3.0 06/04/2023		P.CEOLATO
= H03	2522	+ E12	ET 200SP RACK SECT.4	3.0 06/04/2023		P.CEOLATO
= H03	2523	+ E12	ET 200SP RACK SECT.4	3.0 06/04/2023		P.CEOLATO
= H03	2525	+ E12	ET 200SP RACK SECT.4	3.0 06/04/2023		P.CEOLATO
= H03	2526	+ E12	ET 200SP RACK SECT.4	3.0 06/04/2023		P.CEOLATO
= H03	2527	+ E12	ET 200SP RACK SECT.4	3.0 06/04/2023		P.CEOLATO
= H03	2528	+ E12	PLC card overview : =H03-A25211 - =H03-A25214.2	3.0 06/04/2023		P.CEOLATO
= H03	2529	+ E12	PLC card overview : =H03-A25215 - =H03-A25215.2	3.0 06/04/2023		P.CEOLATO
= H03	2530	+ E12	PLC card overview : =H03-A25216 - =H03-A25217.1	3.0 06/04/2023		P.CEOLATO
= H03	2531	+ E12	PLC card overview : =H03-A25217.2 - =H03-A25218.1	3.0 06/04/2023		P.CEOLATO
= H03	2532	+ E12	PLC card overview : =H03-A25221 - =H03-A25222	3.0 06/04/2023		P.CEOLATO
= H03	2533	+ E12	PLC card overview : =H03-A25222.2 - =H03-A25223.1	3.0 06/04/2023		P.CEOLATO
= H03	2534	+ E12	PLC card overview : =H03-A25224 - =H03-A25224.2	3.0 06/04/2023		P.CEOLATO
= H03	2535	+ E12	PLC card overview : =H03-A25225 - =H03-A25231	3.0 06/04/2023		P.CEOLATO
= H03	2536	+ E12	PLC card overview : =H03-A25231.1 - =H03-A25232.1	3.0 06/04/2023		P.CEOLATO
= H03	2537	+ E12	PLC card overview : =H03-A25253 - =H03-A25253.2	3.0 06/04/2023		P.CEOLATO
= H03	2538	+ E12	PLC card overview : =H03-A25254.1 - =H03-A25255.1	3.0 06/04/2023		P.CEOLATO
= H03	2539	+ E12	PLC card overview : =H03-A25257 - =H03-A25258.1	3.0 06/04/2023		P.CEOLATO
= H03	2540	+ E12	PLC card overview : =H03-A25259 - =H03-A25261	3.0 06/04/2023		P.CEOLATO
= H03	2541	+ E12	PLC card overview : =H03-A25262 - =H03-A25263	3.0 06/04/2023		P.CEOLATO
= H03	2542	+ E12	PLC card overview : =H03-A25263.1 - =H03-A25264.1	3.0 06/04/2023		P.CEOLATO

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: SUMMARY PAGES	POSIZ./LOCATION: +
CLIENTE/CUSTOMER			GRUPPO/SECTION: = A00
			PAGINE/PAGE: 21
			SEL CTL4 LINE
			RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H03	2543	+ E12	PLC card overview : =H03-A25265 - =H03-A25271	3.0 06/04/2023		P.CEOLATO
= H03	2544	+ E12	PLC card overview : =H03-A25272 - =H03-A25273	3.0 06/04/2023		P.CEOLATO
= H03	2545	+ E12	PLC card overview : =H03-A25273.1 - =H03-A25274.1	3.0 06/04/2023		P.CEOLATO
= H03	2546	+ E12	PLC card overview : =H03-A25274.2 - =H03-A25275	3.0 06/04/2023		P.CEOLATO
= H03	2551	+ E13	ET 200SP RACK SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H03	2553	+ E13	ET 200SP RACK SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H03	2554	+ E13	ET 200SP RACK SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H03	2555	+ E13	ET 200SP RACK SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H03	2556	+ E13	ET 200SP RACK SECT.4.1	3.0 06/04/2023		P.CEOLATO
= H03	2557	+ E14	PLC card overview : =H03-A25511 - =H03-A25515.1	3.0 06/04/2023		P.CEOLATO
= H03	2558	+ E14	PLC card overview : =H03-A25515.2 - =H03-A25516.1	3.0 06/04/2023		P.CEOLATO
= H03	2559	+ E14	PLC card overview : =H03-A25517 - =H03-A25517.2	3.0 06/04/2023		P.CEOLATO
= H03	2560	+ E14	PLC card overview : =H03-A25518 - =H03-A25519	3.0 06/04/2023		P.CEOLATO
= H03	2561	+ E14	PLC card overview : =H03-A25519.1 - =H03-A25535	3.0 06/04/2023		P.CEOLATO
= H03	2562	+ E14	PLC card overview : =H03-A25535.1 - =H03-A25537	3.0 06/04/2023		P.CEOLATO
= H03	2563	+ E14	PLC card overview : =H03-A25540 - =H03-A25542	3.0 06/04/2023		P.CEOLATO
= H03	2564	+ E14	PLC card overview : =H03-A25543 - =H03-A25544.1	3.0 06/04/2023		P.CEOLATO
= H03	2565	+ E14	PLC card overview : =H03-A25546 - =H03-A25547	3.0 06/04/2023		P.CEOLATO
= H03	2566	+ E14	PLC card overview : =H03-A25548 - =H03-A25552	3.0 06/04/2023		P.CEOLATO
= H03	2567	+ E14	PLC card overview : =H03-A25560 - =H03-A25562.1	3.0 06/04/2023		P.CEOLATO
= H03	2568	+ E14	PLC card overview : =H03-A25562.2 - =H03-A25564	3.0 06/04/2023		P.CEOLATO
= H03	2569	+ E14	PLC card overview : =H03-A25564.1 - =H03-A25564.1	3.0 06/04/2023		P.CEOLATO
= H03	2581	+ E11	ET 200SP RACK SECT.3	3.0 06/04/2023		P.CEOLATO
= H03	2583	+ E11	ET 200SP RACK SECT.3	3.0 06/04/2023		P.CEOLATO
= H03	2584	+ E11	ET 200SP RACK SECT.3	3.0 06/04/2023		P.CEOLATO
= H03	2585	+ E11	ET 200SP RACK SECT.3	3.0 06/04/2023		P.CEOLATO
= H03	2595	+ E11	SCALANCE SWITCH SECT.3	3.0 06/04/2023		P.CEOLATO

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H03	2596	+ E11	SCALANCE SWITCH SECT.3	3.0 06/04/2023		P.CEOLATO
= H03	2597	+ E11	PLC card overview : =H03-A25812 - =H03-A25816.1	3.0 06/04/2023		P.CEOLATO
= H03	2598	+ E11	PLC card overview : =H03-A25817 - =H03-A25817.2	3.0 06/04/2023		P.CEOLATO
= H03	2599	+ E11	PLC card overview : =H03-A25818 - =H03-A25835	3.0 06/04/2023		P.CEOLATO
= H03	2600	+ E11	PLC card overview : =H03-A25835.1 - =H03-A25836	3.0 06/04/2023		P.CEOLATO
= H03	2601	+ E11	PLC card overview : =H03-A25836.1 - =H03-A25837.1	3.0 06/04/2023		P.CEOLATO
= H03	2602	+ E11	PLC card overview : =H03-A25837.2 - =H03-A25838.1	3.0 06/04/2023		P.CEOLATO
= H03	2603	+ E11	PLC card overview : =H03-A25839 - =H03-A25850	3.0 06/04/2023		P.CEOLATO
= H03	2604	+ E11	PLC card overview : =H03-A25852 - =H03-A25852.2	3.0 06/04/2023		P.CEOLATO
= H03	2605	+ E11	PLC card overview : =H03-A25853 - =H03-A25854	3.0 06/04/2023		P.CEOLATO
= H03	2606	+ E11	PLC card overview : =H03-A25854.1 - =H03-A25854.1	3.0 06/04/2023		P.CEOLATO
= H03	2611	+ E05	ET 200SP RACK SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H03	2612	+ E05	ET 200SP RACK SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H03	2613	+ E05	ET 200SP RACK SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H03	2614	+ E05	ET 200SP RACK SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H03	2615	+ E05	ET 200SP RACK SECT.1-2	3.0 06/04/2023		P.CEOLATO
= H03	2624	+ E05	SCALANCE SWITCH SECT.2	3.0 06/04/2023		P.CEOLATO
= H03	2625	+ E05	SCALANCE SWITCH SECT.2	3.0 06/04/2023		P.CEOLATO
= H03	2626	+ E05	PLC card overview : =H03-A26111 - =H03-A26115.2	3.0 06/04/2023		P.CEOLATO
= H03	2627	+ E05	PLC card overview : =H03-A26116 - =H03-A26117	3.0 06/04/2023		P.CEOLATO
= H03	2628	+ E05	PLC card overview : =H03-A26117.1 - =H03-A26118	3.0 06/04/2023		P.CEOLATO
= H03	2629	+ E05	PLC card overview : =H03-A26119 - =H03-A26119.2	3.0 06/04/2023		P.CEOLATO
= H03	2630	+ E05	PLC card overview : =H03-A26130 - =H03-A26135	3.0 06/04/2023		P.CEOLATO
= H03	2631	+ E05	PLC card overview : =H03-A26135.1 - =H03-A26136	3.0 06/04/2023		P.CEOLATO
= H03	2632	+ E05	PLC card overview : =H03-A26136.1 - =H03-A26137.1	3.0 06/04/2023		P.CEOLATO
= H03	2633	+ E05	PLC card overview : =H03-A26137.2 - =H03-A26141	3.0 06/04/2023		P.CEOLATO
= H03	2634	+ E05	PLC card overview : =H03-A26152 - =H03-A26152.2	3.0 06/04/2023		P.CEOLATO

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY PAGES	POSIZ./LOCATION +	GRUPPO/SECTION = A00	PAGINE/PAGE 22
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H03	2635	+ E05	PLC card overview : =H03-A26153 - =H03-A26154	3.0 06/04/2023		P.CEOLATO
= H03	2636	+ E05	PLC card overview : =H03-A26154.1 - =H03-A26154.2	3.0 06/04/2023		P.CEOLATO
= H03	2651	+ P00	ET 200SP RACK P00	3.0 06/04/2023		P.CEOLATO
= H03	2652	+ P00	ET 200SP RACK P00	3.0 06/04/2023		P.CEOLATO
= H03	2661	+ P00	ET SCALANCE RACK P00	3.0 06/04/2023		P.CEOLATO
= H03	2662	+ P00	ET SCALANCE RACK P00	3.0 06/04/2023		P.CEOLATO
= H03	2663	+ P00	ET ETHERNET SWITCH RACK P00	3.0 06/04/2023		P.CEOLATO
= H03	2664	+	PLC card overview : =H03-A26511 - =H03-A26520	3.0 06/04/2023		P.CEOLATO
= H03	2665	+	PLC card overview : =H03-A26522 - =H03-A26524	3.0 06/04/2023		P.CEOLATO
= H03	2666	+	PLC card overview : =H03-A26524.1 - =H03-A26524.1	3.0 06/04/2023		P.CEOLATO
= H03	2681	+ P01	ET 200SP RACK P01	3.0 06/04/2023		P.CEOLATO
= H03	2682	+ P01	ET 200SP RACK P01	3.0 06/04/2023		P.CEOLATO
= H03	2695	+ P01	KTP1200 P01	3.0 06/04/2023		P.CEOLATO
= H03	2700	+ P01	SCALANCE P01	3.0 06/04/2023		P.CEOLATO
= H03	2701	+	PLC card overview : =H03-A26811 - =H03-A26816	3.0 06/04/2023		P.CEOLATO
= H03	2702	+	PLC card overview : =H03-A26820 - =H03-A26825	3.0 06/04/2023		P.CEOLATO
= H03	2703	+	PLC card overview : =H03-A26825.1 - =H03-A26826	3.0 06/04/2023		P.CEOLATO
= H03	2741	+ P03	ET 200SP RACK P03	3.0 06/04/2023		P.CEOLATO
= H03	2742	+ P03	ET 200SP RACK P03	3.0 06/04/2023		P.CEOLATO
= H03	2760	+ P03	KTP1200 P03	3.0 06/04/2023		P.CEOLATO
= H03	2761	+ P03	SCALANCE P03	3.0 06/04/2023		P.CEOLATO
= H03	2762	+	PLC card overview : =H03-A27411 - =H03-A27415.1	3.0 06/04/2023		P.CEOLATO
= H03	2763	+	PLC card overview : =H03-A27416 - =H03-A27420	3.0 06/04/2023		P.CEOLATO
= H03	2764	+	PLC card overview : =H03-A27423 - =H03-A27425.1	3.0 06/04/2023		P.CEOLATO
= H03	2765	+	PLC card overview : =H03-A27426 - =H03-A27426	3.0 06/04/2023		P.CEOLATO
= H03	2771	+ P04	ET 200SP RACK P04	3.0 06/04/2023		P.CEOLATO
= H03	2772	+ P04	ET 200SP RACK P04	3.0 06/04/2023		P.CEOLATO

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H03	2790	+ P04	ET SCALANCE RACK P04	3.0 06/04/2023		P.CEOLATO
= H03	2791	+	PLC card overview : =H03-A27711 - =H03-A27716	3.0 06/04/2023		P.CEOLATO
= H03	2792	+	PLC card overview : =H03-A27720 - =H03-A27724	3.0 06/04/2023		P.CEOLATO
= H03	2793	+	PLC card overview : =H03-A27724.1 - =H03-A27725.1	3.0 06/04/2023		P.CEOLATO
= H03	2801	+ RB1	ET 200SP RACK RIO01	3.0 06/04/2023		P.CEOLATO
= H03	2802	+ RB1	ET 200SP RACK RIO01	3.0 06/04/2023		P.CEOLATO
= H03	2803	+ RB1	ET 200SP RACK RIO01	3.0 06/04/2023		P.CEOLATO
= H03	2805	+ RB1	ET 200SP RACK RIO01	3.0 06/04/2023		P.CEOLATO
= H03	2806	+	PLC card overview : =H03-A28011 - =H03-A28025.1	3.0 06/04/2023		P.CEOLATO
= H03	2807	+	PLC card overview : =H03-A28026 - =H03-A28027	3.0 06/04/2023		P.CEOLATO
= H03	2808	+	PLC card overview : =H03-A28027.1 - =H03-A28028	3.0 06/04/2023		P.CEOLATO
= H03	2809	+	PLC card overview : =H03-A28030 - =H03-A28032.1	3.0 06/04/2023		P.CEOLATO
= H03	2810	+	PLC card overview : =H03-A28033 - =H03-A28035.1	3.0 06/04/2023		P.CEOLATO
= H03	2811	+	PLC card overview : =H03-A28036 - =H03-A28037.1	3.0 06/04/2023		P.CEOLATO
= H03	2812	+	PLC card overview : =H03-A28038 - =H03-A28039.1	3.0 06/04/2023		P.CEOLATO
= H03	2813	+	PLC card overview : =H03-A28050 - =H03-A28052.1	3.0 06/04/2023		P.CEOLATO
= H03	2814	+	PLC card overview : =H03-A28053 - =H03-A28054.1	3.0 06/04/2023		P.CEOLATO
= H03	2815	+	PLC card overview : =H03-A28055 - =H03-A28056	3.0 06/04/2023		P.CEOLATO
= H03	2818	+ RB3	DRIVE CLIQ HUB RIO01	3.0 06/04/2023		P.CEOLATO
= H03	2851	+ RB3	ET 200SP RACK RIO03	3.0 06/04/2023		P.CEOLATO
= H03	2852	+ RB3	ET 200SP RACK RIO03	3.0 06/04/2023		P.CEOLATO
= H03	2853	+ RB3	ET 200SP RACK RIO03	3.0 06/04/2023		P.CEOLATO
= H03	2854	+	PLC card overview : =H03-A28511 - =H03-A28521.1	3.0 06/04/2023		P.CEOLATO
= H03	2855	+	PLC card overview : =H03-A28522 - =H03-A28530	3.0 06/04/2023		P.CEOLATO
= H03	2856	+	PLC card overview : =H03-A28531 - =H03-A28533	3.0 06/04/2023		P.CEOLATO
= H03	2857	+	PLC card overview : =H03-A28534 - =H03-A28534.1	3.0 06/04/2023		P.CEOLATO
= H03	2867	+ RB3	PB REPEATER RIO03	3.0 06/04/2023		P.CEOLATO

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	SUMMARY PAGES	+	= A00	23
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H03	2868	+ RB3	ET SCALANCE RACK RIO03	3.0 06/04/2023		P.CEOLATO
= H03	2869	+ RB3	DRIVE CLIQ HUB RIO03	3.0 06/04/2023		P.CEOLATO
= H03	2881	+ RB4	ET 200SP RACK RIO04	3.0 06/04/2023		P.CEOLATO
= H03	2882	+ RB4	ET 200SP RACK RIO04	3.0 06/04/2023		P.CEOLATO
= H03	2883	+ RB4	ET 200SP RACK RIO04	3.0 06/04/2023		P.CEOLATO
= H03	2885	+	PLC card overview : =H03-A28811 - =H03-A28821.1	3.0 06/04/2023		P.CEOLATO
= H03	2886	+	PLC card overview : =H03-A28822 - =H03-A28822.2	3.0 06/04/2023		P.CEOLATO
= H03	2887	+	PLC card overview : =H03-A28830 - =H03-A28833	3.0 06/04/2023		P.CEOLATO
= H03	2888	+	PLC card overview : =H03-A28834.1 - =H03-A28836	3.0 06/04/2023		P.CEOLATO
= H03	2889	+	PLC card overview : =H03-A28837 - =H03-A28838	3.0 06/04/2023		P.CEOLATO
= H03	2911	+ RB5	ET 200SP RACK RIO05	3.0 06/04/2023		P.CEOLATO
= H03	2912	+ RB5	ET 200SP RACK RIO05	3.0 06/04/2023		P.CEOLATO
= H03	2913	+ RB5	ET 200SP RACK RIO05	3.0 06/04/2023		P.CEOLATO
= H03	2914	+ RB5	ET 200SP RACK RIO05	3.0 06/04/2023		P.CEOLATO
= H03	2915	+ RB5	ET 200SP RACK RIO05	3.0 06/04/2023		P.CEOLATO
= H03	2917	+ RB5	ET 200SP RACK RIO05	3.0 06/04/2023		P.CEOLATO
= H03	2918	+	PLC card overview : =H03-A29111 - =H03-A29122.2	3.0 06/04/2023		P.CEOLATO
= H03	2919	+	PLC card overview : =H03-A29131 - =H03-A29132	3.0 06/04/2023		P.CEOLATO
= H03	2920	+	PLC card overview : =H03-A29132.1 - =H03-A29133	3.0 06/04/2023		P.CEOLATO
= H03	2921	+	PLC card overview : =H03-A29133.1 - =H03-A29134.1	3.0 06/04/2023		P.CEOLATO
= H03	2922	+	PLC card overview : =H03-A29134.2 - =H03-A29135.1	3.0 06/04/2023		P.CEOLATO
= H03	2923	+	PLC card overview : =H03-A29136 - =H03-A29141	3.0 06/04/2023		P.CEOLATO
= H03	2924	+	PLC card overview : =H03-A29142 - =H03-A29144	3.0 06/04/2023		P.CEOLATO
= H03	2925	+	PLC card overview : =H03-A29144.1 - =H03-A29146	3.0 06/04/2023		P.CEOLATO
= H03	2926	+	PLC card overview : =H03-A29146.1 - =H03-A29148	3.0 06/04/2023		P.CEOLATO
= H03	2927	+	PLC card overview : =H03-A29149 - =H03-A29151	3.0 06/04/2023		P.CEOLATO
= H03	2928	+	PLC card overview : =H03-A29152 - =H03-A29154	3.0 06/04/2023		P.CEOLATO

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H03	2929	+	PLC card overview : =H03-A29154.1 - =H03-A29171	3.0 06/04/2023		P.CEOLATO
= H03	2938	+ RB5	PB REPEATER RIO05	3.0 06/04/2023		P.CEOLATO
= H04	3001	+		3.0 06/04/2023		P.CEOLATO
= H04	3002	+ E01	DOORS DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3003	+ E01	DOORS DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3004	+ E01	DOORS DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3005	+ E01	DOORS DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3006	+ E01	CUBICLES GENERAL DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3010	+ E00	DOORS DISPOSITION SECTION 1	3.0 06/04/2023		P.CEOLATO
= H04	3020	+ E01	CUBICLES DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3021	+ E00	CUBICLES DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3022	+ E02	CUBICLES DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3024	+ E03	CUBICLES DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3025	+ E01	CUBICLES DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3026	+ E05	CUBICLES DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3028	+ E06	CUBICLES DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3029	+ E09	CUBICLES DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3030	+ E10	CUBICLES DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3031	+ E11	CUBICLES DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3032	+ E12	CUBICLES DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3032.a	+ E01	CUBICLES DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3033	+ E13	CUBICLES DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3034	+ E14	CUBICLES DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3035	+ E15	CUBICLES DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3041	+ E	P4.2 CONTROL DESK SUPPLY	3.0 06/04/2023		P.CEOLATO
= H04	3042	+ E	P5.2 CONTROL DESK SUPPLY	3.0 06/04/2023		P.CEOLATO
= H04	3043	+ E	P7.2 CONTROL DESK SUPPLY	3.0 06/04/2023		P.CEOLATO

INDICE REVIS. N° / REVIS. INDEX N°				
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO	

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	
21041I CTL04	CTL4 LINE	SUMMARY PAGES	
CLIENTE/CUSTOMER			

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= A00	24
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H04	3051	+ P00	P00 MAIN CONTROL DESK PLATES	3.0 06/04/2023		P.CEOLATO
= H04	3052	+ P00	P00 MAIN CONTROL DESK LAYOUT	3.0 06/04/2023		P.CEOLATO
= H04	3054	+ P00	Labels list	3.0 06/04/2023		P.CEOLATO
= H04	3055	+ P00	Labels list	3.0 06/04/2023		P.CEOLATO
= H04	3056	+ P00	Labels list	3.0 06/04/2023		P.CEOLATO
= H04	3057	+ P00	Labels list	3.0 06/04/2023		P.CEOLATO
= H04	3060	+ P00	P00 MAIN CONTROL DESK INTERNAL DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3061	+ P00	P5.1 LOCAL PUSHBUTTON LAYOUT	3.0 06/04/2023		P.CEOLATO
= H04	3062	+ P15	P15 LOCAL PUSHBUTTON LAYOUT	3.0 06/04/2023		P.CEOLATO
= H04	3063	+ P16	P16 LOCAL PUSHBUTTON LAYOUT	3.0 06/04/2023		P.CEOLATO
= H04	3071	+ P01	P01 ENTRY CONTROL DESK PLATES	3.0 06/04/2023		P.CEOLATO
= H04	3072	+ P01	P01 ENTRY CONTROL DESK LAYOUT	3.0 06/04/2023		P.CEOLATO
= H04	3073	+ P01	Labels list	3.0 06/04/2023		P.CEOLATO
= H04	3074	+ P01	Labels list	3.0 06/04/2023		P.CEOLATO
= H04	3075	+ P01	Labels list	3.0 06/04/2023		P.CEOLATO
= H04	3077	+ P01	P01 ENTRY CONTROL DESK INTERNAL DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3078	+ P01	P1.1 LOCAL PUSHBUTTON LAYOUT	3.0 06/04/2023		P.CEOLATO
= H04	3079	+ P10	P10 LOCAL PUSHBUTTON LAYOUT	3.0 06/04/2023		P.CEOLATO
= H04	3111	+ P03	P03 STACKER DESK PLATES	3.0 06/04/2023		P.CEOLATO
= H04	3112	+ P03	P03 STACKER DESK LAYOUT	3.0 06/04/2023		P.CEOLATO
= H04	3113	+ P03	Labels list	3.0 06/04/2023		P.CEOLATO
= H04	3114	+ P03	Labels list	3.0 06/04/2023		P.CEOLATO
= H04	3115	+ P03	Labels list	3.0 06/04/2023		P.CEOLATO
= H04	3120	+ P03	P03 STACKER DESK INTERNAL DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3121	+ P03	P7.1 LOCAL PUSHBUTTON LAYOUT	3.0 06/04/2023		P.CEOLATO
= H04	3131	+ P04	P04 EXIT DESK PLATES	3.0 06/04/2023		P.CEOLATO
= H04	3132	+ P04	P04 EXIT DESK LAYOUT	3.0 06/04/2023		P.CEOLATO

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H04	3133	+ P04	Labels list	3.0 06/04/2023		P.CEOLATO
= H04	3134	+ P04	Labels list	3.0 06/04/2023		P.CEOLATO
= H04	3140	+ P04	P04 EXIT DESK INTERNAL DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3141	+ P04	P8.1 LOCAL PUSHBUTTON LAYOUT	3.0 06/04/2023		P.CEOLATO
= H04	3142	+ P04	P8.2 LOCAL PUSHBUTTON LAYOUT	3.0 06/04/2023		P.CEOLATO
= H04	3151	+ RB1	RB1 LOCAL CABINET LAYOUT	3.0 06/04/2023		P.CEOLATO
= H04	3152	+ RB1	RB1 INTERNAL DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3160	+ RB3	RB3 INTERNAL DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3165	+ RB4	RB4 INTERNAL DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H04	3170	+ RB5	RB5 LOCAL CABINET LAYOUT	3.0 06/04/2023		P.CEOLATO
= H04	3171	+ RB5	RB5 INTERNAL DISPOSITION	3.0 06/04/2023		P.CEOLATO
= H05	3501	+		3.0 06/04/2023		P.CEOLATO
= H05	3502	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3503	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3504	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3505	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3506	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3507	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3508	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3509	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3510	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3511	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3512	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3513	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3514	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3515	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3516	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	SUMMARY PAGES	+	= A00	25
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H05	3517	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3518	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3519	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3520	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3521	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3522	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3523	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3524	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3525	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3526	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3527	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3528	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3529	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3530	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3531	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3532	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3533	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3534	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3535	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3536	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3537	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3538	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3539	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3540	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3541	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3542	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3543	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H05	3544	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3545	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3546	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3547	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3548	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3549	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3550	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3551	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3552	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3553	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3554	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3555	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3556	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3557	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3558	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3559	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3560	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3561	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3562	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3563	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3564	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3565	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3566	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3567	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3568	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3569	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3570	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY PAGES	POSIZ./LOCATION +
CLIENTE/CUSTOMER			GRUPPO/SECTION = A00
			PAGINE/PAGE 26
			SEL CTL4 LINE
			RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H05	3571	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3572	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3573	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3574	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3575	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3576	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3577	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3578	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3579	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3580	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3581	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3582	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3583	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3584	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3585	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3586	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3587	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3588	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3589	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3590	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3591	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3592	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3593	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3594	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H05	3595	+	COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H06	4001	+		3.0 06/04/2023		P.CEOLATO
= H06	4002	+ E	DEFINING TERMINAL STRIPS	3.0 06/04/2023		P.CEOLATO
= H06	4003	+ E	DEFINING TERMINAL STRIPS	3.0 06/04/2023		P.CEOLATO
= H06	4004	+ RB	DEFINING TERMINAL STRIPS	3.0 06/04/2023		P.CEOLATO
= H06	4005	+ RB	DEFINING TERMINAL STRIPS	3.0 06/04/2023		P.CEOLATO
= H06	4006	+ P	DEFINING TERMINAL STRIPS	3.0 06/04/2023		P.CEOLATO
= H06	4010	+	MOTORS CONNECTION X15 +E15	3.0 06/04/2023		P.CEOLATO
= H06	4011	+	MOTORS CONNECTION X15 +E15	3.0 06/04/2023		P.CEOLATO
= H06	4012	+	MOTORS CONNECTION X15 +E15	3.0 06/04/2023		P.CEOLATO
= H06	4013	+	MOTORS CONNECTION X15 +E15	3.0 06/04/2023		P.CEOLATO
= H06	4014	+	DC MOTORS CONNECTION X16 +E14	3.0 06/04/2023		P.CEOLATO
= H06	4015	+	230V EXTERNAL SUPPLY X22 +E12	3.0 06/04/2023		P.CEOLATO
= H06	4016	+	EMG CABINET X23 +E12	3.0 06/04/2023		P.CEOLATO
= H06	4017	+	STRAPPING MACHINE SIGNODE CABINET X25 +E13	3.0 06/04/2023		P.CEOLATO
= H06	4018	+	HEATERS CONNECTION X30 +E15	3.0 06/04/2023		P.CEOLATO
= H06	4019	+	DIRECT INPUT FROM FILED X90 +E13	3.0 06/04/2023		P.CEOLATO
= H06	4020	+	CONNECTION WITH JB360 X140 +E13	3.0 06/04/2023		P.CEOLATO
= H06	4021	+	CONNECTION WITH JB380 X150 +E05	3.0 06/04/2023		P.CEOLATO
= H06	4022	+	CONNECTION WITH JB380.2 X152 +E05	3.0 06/04/2023		P.CEOLATO
= H06	4023	+	CONNECTION WITH JB380.2 X153 +E05	3.0 06/04/2023		P.CEOLATO
= H06	4024	+	CONNECTION WITH JB380.3 X154 +E06	3.0 06/04/2023		P.CEOLATO
= H06	4025	+	CONNNECTION WITH JB410 X160 +E13	3.0 06/04/2023		P.CEOLATO
= H06	4026	+	CONNNECTION WITH JB420 X170 +E13	3.0 06/04/2023		P.CEOLATO
= H06	4027	+	CONNNECTION WITH JB440 X180 +E13	3.0 06/04/2023		P.CEOLATO
= H06	4028	+	CONNNECTION WITH JB500 X190 +E13	3.0 06/04/2023		P.CEOLATO
= H06	4029	+	CONNNECTION WITH JB500.10 X191 +E13	3.0 06/04/2023		P.CEOLATO
= H06	4030	+	CONNNECTION WITH JB520 X200 +E13	3.0 06/04/2023		P.CEOLATO
= H06	4031	+	CONNNECTION WITH JB530 X210 +E13	3.0 06/04/2023		P.CEOLATO
= H06	4032	+	CONNNECTION WITH JB535 X220 +E13	3.0 06/04/2023		P.CEOLATO

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY PAGES	POSIZ./LOCATION +	GRUPPO/SECTION = A00	PAGINE/PAGE 27
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H06	4033	+	CONNNECTION WITH JB800 X230 +E13	3.0 06/04/2023		P.CEOLATO
= H06	4034	+	ENCODER SUPPLY SECT.4 X250 +E13	3.0 06/04/2023		P.CEOLATO
= H06	4035	+	ENCODER SUPPLY SECT.1-2 X251 +E13	3.0 06/04/2023		P.CEOLATO
= H06	4036	+	G01 DRIVE X301 +E10	3.0 06/04/2023		P.CEOLATO
= H06	4037	+	G02 DRIVE X302 +E06	3.0 06/04/2023		P.CEOLATO
= H06	4038	+	G02 DRIVE X302A +E06	3.0 06/04/2023		P.CEOLATO
= H06	4039	+	G03 DRIVE X303 +E06	3.0 06/04/2023		P.CEOLATO
= H06	4040	+	G04 DRIVE X304 +E14	3.0 06/04/2023		P.CEOLATO
= H06	4041	+	G04 DRIVE X304A +E05	3.0 06/04/2023		P.CEOLATO
= H06	4042	+	G05 DRIVE X304B +E10	3.0 06/04/2023		P.CEOLATO
= H06	4043	+	G07 DRIVE X307 +E09	3.0 06/04/2023		P.CEOLATO
= H06	4044	+	G08 DRIVE X308 +E09	3.0 06/04/2023		P.CEOLATO
= H06	4045	+	G14 DRIVE X314 +E14	3.0 06/04/2023		P.CEOLATO
= H06	4046	+	G14 DRIVE X314A +E05	3.0 06/04/2023		P.CEOLATO
= H06	4047	+	G18 DRIVE X318 +E09	3.0 06/04/2023		P.CEOLATO
= H06	4048	+	G19 DRIVE X319 +E09	3.0 06/04/2023		P.CEOLATO
= H06	4049	+	G20 DRIVE X320 +E14	3.0 06/04/2023		P.CEOLATO
= H06	4050	+	G20 DRIVE X320A +E05	3.0 06/04/2023		P.CEOLATO
= H06	4051	+	G20A DRIVE X321 +E14	3.0 06/04/2023		P.CEOLATO
= H06	4052	+	G20A DRIVE X321A +E05	3.0 06/04/2023		P.CEOLATO
= H06	4053	+	G27/G27A DRIVE X322 +E10	3.0 06/04/2023		P.CEOLATO
= H06	4054	+	G28/G28A DRIVE X323 +E10	3.0 06/04/2023		P.CEOLATO
= H06	4055	+	G29 DRIVE X330 +E11	3.0 06/04/2023		P.CEOLATO
= H06	4056	+	G31 DRIVE X333 +E10	3.0 06/04/2023		P.CEOLATO
= H06	4057	+	G31A DRIVE X334 +E10	3.0 06/04/2023		P.CEOLATO
= H06	4058	+	G32 DRIVE X335 +E14	3.0 06/04/2023		P.CEOLATO
= H06	4059	+	G32 DRIVE X335A +E05	3.0 06/04/2023		P.CEOLATO

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H06	4060	+	G33 DRIVE X337 +E14	3.0 06/04/2023		P.CEOLATO
= H06	4061	+	G33 DRIVE X337A +E06	3.0 06/04/2023		P.CEOLATO
= H06	4062	+	G34 DRIVE X338 +E09	3.0 06/04/2023		P.CEOLATO
= H06	4063	+	G35/G36 DRIVE X339 +E09	3.0 06/04/2023		P.CEOLATO
= H06	4064	+	G38 DRIVE X340 +E11	3.0 06/04/2023		P.CEOLATO
= H06	4065	+	G38A DRIVE X341 +E11	3.0 06/04/2023		P.CEOLATO
= H06	4066	+	G42 DRIVE X348 +E11	3.0 06/04/2023		P.CEOLATO
= H06	4067	+	G42A DRIVE X349 +E11	3.0 06/04/2023		P.CEOLATO
= H06	4068	+	G49 DRIVE X360 +E10	3.0 06/04/2023		P.CEOLATO
= H06	4069	+	CONNECTION WITH JB010 X401 +RB1	3.0 06/04/2023		P.CEOLATO
= H06	4070	+	CONNECTION WITH JB010.1 X402 +RB1	3.0 06/04/2023		P.CEOLATO
= H06	4071	+	CONNECTION WITH JB020 X403 +RB1	3.0 06/04/2023		P.CEOLATO
= H06	4072	+	CONNECTION WITH JB030 X404 +RB1	3.0 06/04/2023		P.CEOLATO
= H06	4073	+	CONNECTION WITH JB030.10 X405 +RB1	3.0 06/04/2023		P.CEOLATO
= H06	4074	+	CONNECTION WITH JB040 X406 +RB1	3.0 06/04/2023		P.CEOLATO
= H06	4075	+	CONNECTION WITH JB070 X407 +RB1	3.0 06/04/2023		P.CEOLATO
= H06	4076	+	CONNECTION WITH JB080 X408 +RB1	3.0 06/04/2023		P.CEOLATO
= H06	4077	+	CONNECTION WITH JB120 X409 +RB1	3.0 06/04/2023		P.CEOLATO
= H06	4078	+	CONNECTION WITH JB120 X409 +RB1	3.0 06/04/2023		P.CEOLATO
= H06	4079	+	CONNECTION WITH JB140 X410 +RB1	3.0 06/04/2023		P.CEOLATO
= H06	4080	+	CONNECTION WITH JB150 X411 +RB1	3.0 06/04/2023		P.CEOLATO
= H06	4081	+	CONNECTION WITH JB160 X412 +RB1	3.0 06/04/2023		P.CEOLATO
= H06	4082	+	CONNECTION WITH JB310 X431 +RB3	3.0 06/04/2023		P.CEOLATO
= H06	4083	+	CONNECTION WITH JBX290 X432 +RB3	3.0 06/04/2023		P.CEOLATO
= H06	4084	+	DIRECT CONNECTION X433 +RB3	3.0 06/04/2023		P.CEOLATO
= H06	4085	+	DIRECT CONNECTION X433 +RB3	3.0 06/04/2023		P.CEOLATO
= H06	4086	+	DIRECT CONNECTION X433 +RB3	3.0 06/04/2023		P.CEOLATO

INDICE REVIS. N° REVIS. INDEX N°											
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY PAGES	POSIZ./LOCATION +	GRUPPO/SECTION = A00	PAGINE/PAGE 28
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H06	4087	+	CONNECTION WITH JB320 X441 +RB4	3.0 06/04/2023		P.CEOLATO
= H06	4088	+	CONNECTION WITH JBX330 X442 +RB4	3.0 06/04/2023		P.CEOLATO
= H06	4089	+	DIRECT CONNECTION X443 +RB4	3.0 06/04/2023		P.CEOLATO
= H06	4090	+	DIRECT CONNECTION X443 +RB4	3.0 06/04/2023		P.CEOLATO
= H06	4091	+	DIRECT CONNECTION X443 +RB4	3.0 06/04/2023		P.CEOLATO
= H06	4092	+	CONNECTION WITH JB450.1 X451 +RB5	3.0 06/04/2023		P.CEOLATO
= H06	4093	+	CONNECTION WITH JB450.1 X451 +RB5	3.0 06/04/2023		P.CEOLATO
= H06	4094	+	CONNECTION WITH JB450.2 X452 +RB5	3.0 06/04/2023		P.CEOLATO
= H06	4095	+	CONNECTION WITH JB450.2 X452 +RB5	3.0 06/04/2023		P.CEOLATO
= H06	4096	+	CONNECTION WITH JB460 X453 +RB5	3.0 06/04/2023		P.CEOLATO
= H06	4097	+	CONNECTION WITH JB460.10 X454 +RB5	3.0 06/04/2023		P.CEOLATO
= H06	4098	+	CONNECTION WITH JB465 X455 +RB5	3.0 06/04/2023		P.CEOLATO
= H06	4099	+	CONNECTION WITH JB470 X456 +RB5	3.0 06/04/2023		P.CEOLATO
= H06	4100	+	CONNECTION WITH JB475 X457 +RB5	3.0 06/04/2023		P.CEOLATO
= H06	4101	+	CONNECTION WITH JB490 X458 +RB5	3.0 06/04/2023		P.CEOLATO
= H06	4102	+	CONNECTION WITH JB495 X459 +RB5	3.0 06/04/2023		P.CEOLATO
= H06	4103	+	CONNECTION WITH X464 +RB5	3.0 06/04/2023		P.CEOLATO
= H06	4104	+	CONNECTION WITH BA2.1 XBA2.1 +P01	3.0 06/04/2023		P.CEOLATO
= H06	4105	+	BRAKING MODULE XBRK +E02	3.0 06/04/2023		P.CEOLATO
= H06	4106	+	SPARE CONNECTIONS XCD00 +P00	3.0 06/04/2023		P.CEOLATO
= H06	4107	+	SPARE CONNECTIONS XCD01 +P01	3.0 06/04/2023		P.CEOLATO
= H06	4108	+	SPARE CONNECTIONS XCD01 +P01	3.0 06/04/2023		P.CEOLATO
= H06	4109	+	SPARE CONNECTIONS XCD03 +P03	3.0 06/04/2023		P.CEOLATO
= H06	4110	+	SPARE CONNECTIONS XCD03 +P03	3.0 06/04/2023		P.CEOLATO
= H06	4111	+	SPARE CONNECTIONS XCD04 +P04	3.0 06/04/2023		P.CEOLATO
= H06	4112	+	SPARE CONNECTIONS XCD04 +P04	3.0 06/04/2023		P.CEOLATO
= H06	4113	+	CABINET INTERCONNECTION SECT. 4-3 XCI1 +E12/+E11	3.0 06/04/2023		P.CEOLATO
= H06	4114	+	CABINET INTERCONNECTION SECT. 4-3 XCI1 +E12/+E11	3.0 06/04/2023		P.CEOLATO
= H06	4115	+	CABINET INTERCONNECTION SECT. 3-2 XCI2 +E09	3.0 06/04/2023		P.CEOLATO
= H06	4116	+	CABINET INTERCONNECTION SECT. 3-2 XCI2 +E09	3.0 06/04/2023		P.CEOLATO
= H06	4117	+	CABINET INTERCONNECTION SECT. 2-1 XCI3 +E04/E03	3.0 06/04/2023		P.CEOLATO
= H06	4118	+	CABINET INTERCONNECTION SECT. 2-1 XCI3 +E04/E03	3.0 06/04/2023		P.CEOLATO
= H06	4119	+	INTERNAL CONNECTION XD0 +E14	3.0 06/04/2023		P.CEOLATO
= H06	4120	+	SPARE INPUT SECT. 1-2 XDI1/2 +E05	3.0 06/04/2023		P.CEOLATO
= H06	4121	+	SPARE INPUT SECT. 3 XDI3 +E11	3.0 06/04/2023		P.CEOLATO
= H06	4122	+	SPARE INPUT SECT. 4 XDI4 +E15	3.0 06/04/2023		P.CEOLATO
= H06	4123	+	SPARE INPUT SECT. 4 XDI4 +E15	3.0 06/04/2023		P.CEOLATO
= H06	4124	+	SPARE INPUT SECT. 4 XDI4.1 +E14	3.0 06/04/2023		P.CEOLATO
= H06	4125	+	SPARE INPUT SECT. 4 XDI4.1 +E14	3.0 06/04/2023		P.CEOLATO
= H06	4126	+	SPARE OUTPUTS SECT. 1-2 XDO1/2 +E05	3.0 06/04/2023		P.CEOLATO
= H06	4127	+	SPARE OUTPUTS SECT. 3 XDO3 +E11	3.0 06/04/2023		P.CEOLATO
= H06	4128	+	SPARE OUTPUTS SECT. 4 XDO4 +E15	3.0 06/04/2023		P.CEOLATO
= H06	4129	+	SPARE OUTPUTS SECT. 4 XDO4.1 +E14	3.0 06/04/2023		P.CEOLATO
= H06	4130	+	ENCODER CONNECTION XENC7 +E13	3.0 06/04/2023		P.CEOLATO
= H06	4131	+	INTERNAL CONNECTION XEP1 +E	3.0 06/04/2023		P.CEOLATO
= H06	4132	+	INTERNAL CONNECTION XEP2 +E	3.0 06/04/2023		P.CEOLATO
= H06	4133	+	INTERNAL CONNECTION XEP3 +E	3.0 06/04/2023		P.CEOLATO
= H06	4134	+	INTERNAL CONNECTION XEP4 +E	3.0 06/04/2023		P.CEOLATO
= H06	4135	+	INTERNAL CONNECTION XEP5 +E	3.0 06/04/2023		P.CEOLATO
= H06	4136	+	INTERNAL CONNECTION XEP6 +E	3.0 06/04/2023		P.CEOLATO
= H06	4137	+	FIRE FIGHTING SYSTEM XFIRE +E05	3.0 06/04/2023		P.CEOLATO
= H06	4138	+	CONNECTION WITH FTC1.1 XFTC1.1 +P01	3.0 06/04/2023		P.CEOLATO
= H06	4139	+	CONNECTION WITH FTC2.1 XFTC2.1 +P01	3.0 06/04/2023		P.CEOLATO
= H06	4140	+	CONNECTION WITH FTC4.1 XFTC4.1 +P00	3.0 06/04/2023		P.CEOLATO

INDICE REVIS. N° / REVIS. INDEX N°										
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY PAGES	POSIZ./LOCATION +	GRUPPO/SECTION = A00	PAGINE/PAGE 29
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H06	4141	+	CONNECTION WITH FTC6.1 XFTC6.1 +P03	3.0 06/04/2023		P.CEOLATO
= H06	4142	+	CONNECTION WITH FTC8.1 XFTC8.1 +P04	3.0 06/04/2023		P.CEOLATO
= H06	4143	+	CONNECTION WITH XG1.1 XG1.1 +P01	3.0 06/04/2023		P.CEOLATO
= H06	4144	+	CONNECTION WITH G5.1 XG5.1 +P00	3.0 06/04/2023		P.CEOLATO
= H06	4145	+	CONNECTION WITH G7.1 XG7.1 +P03	3.0 06/04/2023		P.CEOLATO
= H06	4146	+	CONNECTION WITH G8.1 XG8.1 +P04	3.0 06/04/2023		P.CEOLATO
= H06	4147	+	CONNECTION WITH G8.2 XG8.2 +P04	3.0 06/04/2023		P.CEOLATO
= H06	4148	+	GATE CONNECTION XGATE +E13	3.0 06/04/2023		P.CEOLATO
= H06	4149	+	MAIN SWITCH CONTACT XINT +E	3.0 06/04/2023		P.CEOLATO
= H06	4150	+	JUNCTION BOX JB010 XJB010 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4151	+	JUNCTION BOX JB010.1 XJB010.1 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4152	+	JUNCTION BOX JB020 XJB020 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4153	+	JUNCTION BOX JB030 XJB030 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4154	+	JUNCTION BOX JB030.10 XJB030.10 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4155	+	JUNCTION BOX JB040 XJB040 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4156	+	JUNCTION BOX JB070 XJB070 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4157	+	JUNCTION BOX JB080 XJB080 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4158	+	JUNCTION BOX JB120 XJB120 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4159	+	JUNCTION BOX JB120 XJB120 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4160	+	JUNCTION BOX JB120 XJB120 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4161	+	JUNCTION BOX JB140 XJB140 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4162	+	JUNCTION BOX JB150 XJB150 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4163	+	JUNCTION BOX JB160 XJB160 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4164	+	JUNCTION BOX JB290.1 XJB290.1 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4165	+	JUNCTION BOX JB310 XJB310 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4166	+	JUNCTION BOX JB330.1 XJB330.1 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4167	+	JUNCTION BOX JB360 XJB360 +JB	3.0 06/04/2023		P.CEOLATO

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H06	4168	+	JUNCTION BOX JB380 XJB380 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4169	+	JUNCTION BOX JB380.1 XJB380.1 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4170	+	JUNCTION BOX JB380.2 XJB380.2 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4171	+	JUNCTION BOX JB380.3 XJB380.3 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4172	+	JUNCTION BOX JB380.3 XJB380.3 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4173	+	JUNCTION BOX JB380.4 XJB380.4 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4174	+	JUNCTION BOX JB380.4 XJB380.4 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4175	+	JUNCTION BOX JB410 XJB410 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4176	+	JUNCTION BOX JB420 XJB420 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4177	+	JUNCTION BOX JB440 XJB440 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4178	+	JUNCTION BOX JB450.1 XJB450.1 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4179	+	JUNCTION BOX JB450.1 XJB450.1 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4180	+	JUNCTION BOX JB450.1 XJB450.1 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4181	+	JUNCTION BOX JB450.1 XJB450.1 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4182	+	JUNCTION BOX JB450.2 XJB450.2 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4183	+	JUNCTION BOX JB450.2 XJB450.2 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4184	+	JUNCTION BOX JB450.2 XJB450.2 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4185	+	JUNCTION BOX JB460 XJB460 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4186	+	JUNCTION BOX JB460.10 XJB460.10 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4187	+	JUNCTION BOX JB465 XJB465 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4188	+	JUNCTION BOX JB470 XJB470 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4189	+	JUNCTION BOX JB475 XJB475 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4190	+	JUNCTION BOX JB490 XJB490 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4191	+	JUNCTION BOX JB495 XJB495 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4192	+	JUNCTION BOX JB500 XJB500 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4193	+	JUNCTION BOX JB500.10 XJB500.10 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4194	+	JUNCTION BOX JB520 XJB520 +JB	3.0 06/04/2023		P.CEOLATO

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°											
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY PAGES	POSIZ./LOCATION +	GRUPPO/SECTION = A00	PAGINE/PAGE 30
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H06	4195	+	JUNCTION BOX JB530 XJB530 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4196	+	JUNCTION BOX JB535 XJB535 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4197	+	JUNCTION BOX JB800 XJB800 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4198	+	JUNCTION BOX JBRB4 XJBRB4 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4199	+	JUNCTION BOX JBX290 XJBX290 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4200	+	JUNCTION BOX JBX330 XJBX330 +JB	3.0 06/04/2023		P.CEOLATO
= H06	4201	+	INTERNAL CONNECTION XL1 +E	3.0 06/04/2023		P.CEOLATO
= H06	4202	+	INTERNAL CONNECTION XL2 +E	3.0 06/04/2023		P.CEOLATO
= H06	4203	+	INTERNAL CONNECTION XL3 +E	3.0 06/04/2023		P.CEOLATO
= H06	4204	+	P00 DESK CONNECTION XP00 +E14	3.0 06/04/2023		P.CEOLATO
= H06	4205	+	P00 DESK CONNECTION XP00.1 +P00	3.0 06/04/2023		P.CEOLATO
= H06	4206	+	P00 DESK CONNECTION XP00A +E01	3.0 06/04/2023		P.CEOLATO
= H06	4207	+	CONNECTION WITH P1.1 XP1.1 +P01	3.0 06/04/2023		P.CEOLATO
= H06	4208	+	CONNECTION BETWEEN P1.1 XP1.1.1 +P01	3.0 06/04/2023		P.CEOLATO
= H06	4209	+	P01 DESK CONNECTION XP01 +E14	3.0 06/04/2023		P.CEOLATO
= H06	4210	+	P01 DESK CONNECTION XP01.1 +P01	3.0 06/04/2023		P.CEOLATO
= H06	4211	+	P02 DESK CONNECTION XP02 +E14	3.0 06/04/2023		P.CEOLATO
= H06	4212	+	P03 DESK CONNECTION XP03 +E14	3.0 06/04/2023		P.CEOLATO
= H06	4213	+	P03 DESK CONNECTION XP03.1 +P03	3.0 06/04/2023		P.CEOLATO
= H06	4214	+	CONNECTION WITH P4.1 XP4.1 +E12	3.0 06/04/2023		P.CEOLATO
= H06	4215	+	CONNECTION WITH P4.2 XP4.2 +E12	3.0 06/04/2023		P.CEOLATO
= H06	4216	+	CONNECTION BETWEEN P4.2 XP4.2.1 +E	3.0 06/04/2023		P.CEOLATO
= H06	4217	+	P04 DESK CONNECTION XP04 +E14	3.0 06/04/2023		P.CEOLATO
= H06	4218	+	P04 DESK CONNECTION XP04.1 +P04	3.0 06/04/2023		P.CEOLATO
= H06	4219	+	CONNECTION WITH P5.1 XP5.1 +P00	3.0 06/04/2023		P.CEOLATO
= H06	4220	+	CONNECTION WITH P5.2 XP5.2 +E12	3.0 06/04/2023		P.CEOLATO
= H06	4221	+	CONNECTION BETWEEN P5.1 XP5.1.1 +P00	3.0 06/04/2023		P.CEOLATO

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H06	4222	+	CONNECTION BETWEEN P5.2 XP5.2.1 +E	3.0 06/04/2023		P.CEOLATO
= H06	4223	+	CONNECTION WITH P7.1 XP7.1 +P03	3.0 06/04/2023		P.CEOLATO
= H06	4224	+	CONNECTION WITH P7.2 XP7.2 +E12	3.0 06/04/2023		P.CEOLATO
= H06	4225	+	CONNECTION BETWEEN P7.1 XP7.1.1 +P03	3.0 06/04/2023		P.CEOLATO
= H06	4226	+	CONNECTION BETWEEN P7.2 XP7.2.1 +E	3.0 06/04/2023		P.CEOLATO
= H06	4227	+	CONNECTION WITH P8.1 XP8.1 +P04	3.0 06/04/2023		P.CEOLATO
= H06	4228	+	CONNECTION WITH P8.2 XP8.2 +P04	3.0 06/04/2023		P.CEOLATO
= H06	4229	+	CONNECTION BETWEEN P8.1 XP8.1.1 +P04	3.0 06/04/2023		P.CEOLATO
= H06	4230	+	CONNECTION BETWEEN P8.2 XP8.2.1 +P04	3.0 06/04/2023		P.CEOLATO
= H06	4231	+	CONNECTION WITH P10 XP10 +P01	3.0 06/04/2023		P.CEOLATO
= H06	4232	+	CONNECTION BETWEEN P10.1 XP10.1 +P01	3.0 06/04/2023		P.CEOLATO
= H06	4233	+	CONNECTION WITH P15 XP15 +P00	3.0 06/04/2023		P.CEOLATO
= H06	4234	+	CONNECTION BETWEEN P15 XP15.1 +P00	3.0 06/04/2023		P.CEOLATO
= H06	4235	+	CONNECTION WITH P16 XP16 +P00	3.0 06/04/2023		P.CEOLATO
= H06	4236	+	CONNECTION BETWEEN P16 XP16.1 +P00	3.0 06/04/2023		P.CEOLATO
= H06	4237	+	CONNECTION WITH P17 XP17 +P04	3.0 06/04/2023		P.CEOLATO
= H06	4238	+	RIO1 CABINET CONNECTION XRB1 +E14	3.0 06/04/2023		P.CEOLATO
= H06	4239	+	RIO01 CABINET CONNECTION XRB1.1 +RB1	3.0 06/04/2023		P.CEOLATO
= H06	4240	+	RIO2 CABINET CONNECTION XRB2 +E14	3.0 06/04/2023		P.CEOLATO
= H06	4241	+	RIO3 CABINET CONNECTION XRB3 +E14	3.0 06/04/2023		P.CEOLATO
= H06	4242	+	RIO03 CABINET CONNECTION XRB3.1 +RB3	3.0 06/04/2023		P.CEOLATO
= H06	4243	+	RIO4 CABINET CONNECTION XRB4 +E14	3.0 06/04/2023		P.CEOLATO
= H06	4244	+	RIO04 CABINET CONNECTION XRB4.1 +XRB4	3.0 06/04/2023		P.CEOLATO
= H06	4245	+	RIO5 CABINET CONNECTION XRB5 +E14	3.0 06/04/2023		P.CEOLATO
= H06	4246	+	RIO05 CABINET CONNECTION XRB5.1 +XRB5	3.0 06/04/2023		P.CEOLATO
= H06	4247	+	SPARE FILED CONNECTIONS XRIO1 +RB1	3.0 06/04/2023		P.CEOLATO
= H06	4248	+	SPARE FILED CONNECTIONS XRIO1 +RB1	3.0 06/04/2023		P.CEOLATO

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°											
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY PAGES	POSIZ./LOCATION +	GRUPPO/SECTION = A00	PAGINE/PAGE 31
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

SUMMARY PAGES

PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H06	4249	+	SPARE FILED CONNECTIONS XRIO3 +RB3	3.0 06/04/2023		P.CEOLATO
= H06	4250	+	SPARE FILED CONNECTIONS XRIO4 +RB4	3.0 06/04/2023		P.CEOLATO
= H06	4251	+	SPARE FILED CONNECTIONS XRIO4 +RB4	3.0 06/04/2023		P.CEOLATO
= H06	4252	+	SPARE FILED CONNECTIONS XRIO5 +RB5	3.0 06/04/2023		P.CEOLATO
= H06	4253	+	SPARE FILED CONNECTIONS XRIO5 +RB5	3.0 06/04/2023		P.CEOLATO
= H06	4254	+	SPARE SAFE INPUT SECT.1-2 XSI1/2 +E05	3.0 06/04/2023		P.CEOLATO
= H06	4255	+	SPARE SAFE INPUT SECT.3 XSI3 +E11	3.0 06/04/2023		P.CEOLATO
= H06	4256	+	SPARE SAFE INPUT SECT.4 XSI4 +E15	3.0 06/04/2023		P.CEOLATO
= H06	4257	+	SPARE SAFE OUTPUTS SECT.1-2 XSO1/2 +E05	3.0 06/04/2023		P.CEOLATO
= H06	4258	+	SPARE SAFE OUTPUTS SECT.3 XSO3 +E11	3.0 06/04/2023		P.CEOLATO
= H06	4259	+	SPARE SAFE OUTPUTS SECT.4 XSO4 +E15	3.0 06/04/2023		P.CEOLATO
= H06	4260	+	SPARE SAFE OUTPUTS SECT.4 XSO4.1 +E14	3.0 06/04/2023		P.CEOLATO
= H06	4261	+	EXTERNAL MACHINE SUPPLY XTL +E12	3.0 06/04/2023		P.CEOLATO
= H06	4262	+	EXTERNAL MACHINE SUPPLY XTL1 +P04	3.0 06/04/2023		P.CEOLATO
= H06	4263	+	UPS POWER SUPPLY XUPS +E12	3.0 06/04/2023		P.CEOLATO
= H07	4501	+		3.0 06/04/2023		P.CEOLATO
= H07	4502	+	SUMMARY CABLES	3.0 06/04/2023		P.CEOLATO
= H07	4503	+	SUMMARY CABLES	3.0 06/04/2023		P.CEOLATO
= H07	4504	+	SUMMARY CABLES	3.0 06/04/2023		P.CEOLATO
= H07	4505	+	SUMMARY CABLES	3.0 06/04/2023		P.CEOLATO
= H07	4506	+	SUMMARY CABLES	3.0 06/04/2023		P.CEOLATO
= H07	4507	+	SUMMARY CABLES	3.0 06/04/2023		P.CEOLATO
= H07	4508	+	SUMMARY CABLES	3.0 06/04/2023		P.CEOLATO
= H07	4509	+	SUMMARY CABLES	3.0 06/04/2023		P.CEOLATO
= H07	4510	+	SUMMARY CABLES	3.0 06/04/2023		P.CEOLATO
= H07	4511	+	SUMMARY CABLES	3.0 06/04/2023		P.CEOLATO
= H07	4512	+	SUMMARY CABLES	3.0 06/04/2023		P.CEOLATO


PLANT	PAGE	PLACE	DESCRIPTION PAGE	REV. N°	REV. IND	DRAWER
= H07	4513	+	SUMMARY CABLES	3.0 06/04/2023		P.CEOLATO
= H07	4514	+	SUMMARY CABLES	3.0 06/04/2023		P.CEOLATO
= H07	4515	+	SUMMARY CABLES	3.0 06/04/2023		P.CEOLATO
= H07	4516	+	SUMMARY CABLES	3.0 06/04/2023		P.CEOLATO
= H07	4517	+	SUMMARY CABLES	3.0 06/04/2023		P.CEOLATO
= H07	4518	+	SUMMARY CABLES	3.0 06/04/2023		P.CEOLATO
= H07	4519	+	SUMMARY CABLES	3.0 06/04/2023		P.CEOLATO
= H08	5501	+		3.0 06/04/2023		P.CEOLATO
= H08	5502	+	SIMBOLS LEGEND	3.0 06/04/2023		P.CEOLATO
= H08	5503	+	SIMBOLS LEGEND	3.0 06/04/2023		P.CEOLATO
= H22	1	+		3.0 06/04/2023		P.CEOLATO
= H22	2	+	SUM COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H22	3	+	SUM COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H22	4	+	SUM COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H22	5	+	SUM COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H22	6	+	SUM COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H22	7	+	SUM COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H22	8	+	SUM COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
= H22	9	+	SUM COMPONENT LIST	3.0 06/04/2023		P.CEOLATO
=		+				
=		+				
=		+				
=		+				
=		+				
=		+				
=		+				
=		+				

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	SUMMARY PAGES	+	= A00	32
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE




=A00/32

2

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	SINGLE LINE	+ E00 / = B00 / 1
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO					

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LINE SYSTEM MONITORING

DC-BUS 1

DC-BUS 2


DC-BUS 3

1

3

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 2
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



MOTOR DIRECT AND FANS 400V 50Hz

MOTORS AND DRIVE AUXILIARY POWER SUPPLY 400V 50Hz

PUMPS POWER SUPPLY 400V 50Hz


AUXILIARY POWER SUPPLY 400V 50Hz

STRAPPING

SUPPLY 400Vac STRAPPING MACHINE SIGNODE

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00 / GRUPPO/SECTION = B00 / PAGINE/PAGE 3
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 4
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

0	1	2	3	4	5	6	7	8	9




4

6

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 5
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9




5

7

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 6
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



6 8

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 7
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



UPS SUPPLY 24Vdc ET200	UPS SUPPLY 24Vdc MAIN CPU	UPS SUPPLY 24Vdc ET200 REMOTE CABINET	UPS SUPPLY 24Vdc SWITCH SCALANCE	UPS SUPPLY 24Vdc CU ZONE ENABLE	UPS SUPPLY 24Vdc CU 2	UPS SUPPLY 24Vdc CU 3	UPS SUPPLY 24Vdc CU 4

INDICE REVIS. N° / REVIS. INDEX N°									
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00 / GRUPPO/SECTION = B00 / PAGINE/PAGE 8
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




UPS SUPPLY 24Vdc
CU SEZ1/2

UPS SUPPLY 24Vdc
SWITCH SCALANCE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 9
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ELECTROVALVES 24Vdc ELECTROVALVES 24Vdc ELECTROVALVES 24Vdc ELECTROVALVES 24Vdc ELECTROVALVES 24Vdc ELECTROVALVES 24Vdc ELECTROVALVES 24Vdc ELECTROVALVES 24Vdc
GENERAL EMERGENCY DELAYED EMERGENCY EMERGENCY ZONE 1 EMERGENCY ZONE 2 EMERGENCY ZONE 3 EMERGENCY ZONE 4 EMERGENCY ZONE 5 EMERGENCY ZONE 6

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00 / GRUPPO/SECTION = B00 / PAGINE/PAGE 10
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ELECTROVALVES 24Vdc EMERGENCY ZONE 7
ELECTROVALVES 24Vdc EMERGENCY ZONE 8
ELECTROVALVES 24Vdc DIRECT
ELECTROVALVES 24Vdc GENERAL EMERGENCY
ELECTROVALVES 24Vdc DELAYED EMERGENCY
ELECTROVALVES 24Vdc EMERGENCY ZONE 4
ELECTROVALVES 24Vdc EMERGENCY ZONE 5

10 12

INDICE REVIS. N° / REVIS. INDEX N°									
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00 / GRUPPO/SECTION = B00 / PAGINE/PAGE 11
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

10.9 / L123.4

L123.4 / 13.0

=H00-Q661
2.5 ... 4.0 A

=H00-T661
In: 3x400-500VAC
Out: 24VDC/40.0A

=H00-Q665
10A

=H00-Q667
10A

=H00-Q671
10A

=H00-Q673
10A

=H00-Q681
10A

=H00-Q683
10A

24V_DI

24V_DO

24V_DIRB

24V_DORB

24V_GATE

24V_ENC

SUPPLY 24Vdc
DIGITAL INPUT
SECT.4

SUPPLY 24Vdc
DIGITAL OUTPUT
SECT.4

SUPPLY 24Vdc
DIGITAL INPUT
REMOTE CABINET


SUPPLY 24Vdc
DIGITAL OUTPUT
REMOTE CABINET

SUPPLY 24Vdc
GATE AND SAFETY DOOR

SUPPLY 24Vdc
ENCODER

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 12
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SUPPLY 24Vdc DRIVES S120 | SUPPLY 24Vdc DRIVES S120 | SUPPLY 24Vdc DRIVES S120 | SUPPLY 24Vdc DRIVES S120 | SUPPLY 24Vdc DRIVES S120 | SUPPLY 24Vdc DRIVES S120 SEZ 2 | SUPPLY 24Vdc DRIVES S120 SEZ 1

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 13
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

10.1 / 24EVF
3.2 / L123.2
4.3 / 230_F
2.9 / DC-BUS

24EVF / 15.0
L123.2 / 15.0
230_F / 15.0
DC-BUS / 15.0

=G01-F101
80A, aR

=G01-Q116
1,60...2,50A

=G01-Q118
0,10...0,16A

=G01A-Q117
1,60...2,50A

=G02-F102
315A, aR

=G02-Q116
1,00...1,60A

=G02-Q118
1,60...2,50A

DC1 / 21.3

=G01-T102
6SL3120-2TE21-0AD0
DC
RST
RST

=G02-T102
6SL3120-1TE31-3AA3
DC
DCLQ
RST

=G01-K111
4KW

=G01-K112
4KW

=G01A-K111
4KW

=G02-K111
4KW

=G02-K112
4KW

X301

X301

X301

X302

X302

G01-W4001
2XSLCY-J
4G2,5
3+PE

G01-W3001
ÖLFLEX® CLASSIC 110
3G1.5

G01A-W4001
2XSLCY-J
4G2,5
3+PE

G01A-W3001
ÖLFLEX® CLASSIC 110
3G1.5

G02-W4001
2XSLCY-J
3x70+3x35/3
3+PE

G02-W3001
ÖLFLEX® CLASSIC 110
3G1.5

G02-W3002
ÖLFLEX® CLASSIC 110
3G1.5
2+PE

=G01-M103
QBP6102502-BAAX R V1
3KW
7.21A
400V
STORAGE COIL CAR
TRANSLATION M1

=G01-Y116
230V - 50Hz
BRAKE STORAGE COIL
CAR TRANSLATION M1

=G01A-M103
QBP6102502-BAAX R V1
3KW
7.21A
400V
STORAGE COIL CAR
TRANSLATION M2

=G01A-Y116
230V - 50Hz
BRAKE STORAGE COIL
CAR TRANSLATION M2

=G02-M103
1PH8186-1DC40-2BA1-Z G14
52kW
116A
400V
DECOILER MANDREL
ROTATION

=G02-A126
IC22DQ
MOTOR ENCODER

=G02-Y116
24Vdc
BRAKE DECOILER
MANDREL ROTATION

=G02-M118
230V - 1.45A - 50Hz
FAN DECOILER
MANDREL ROTATION

13

15

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		21041I CTL04	CTL4 LINE	SINGLE LINE	+ E00	= B00	14
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

14.9 / 24EVF
14.9 / L123.2
14.9 / 230_F
14.9 / DC-BUS

24EVF / 16.0
L123.2 / 16.0
230_F / 16.0
DC-BUS / 16.0

=G03-F102
125A, aR

=G03-Q116
1,00...1,60A

=G03-Q118
1,00...1,60A

=G04-F102
800A, aR

=G04-Q108
1,60...2,50A

=G04-Q116
1,00...1,60A

=G04-Q118
6,30...10,0A

=G03-T101
6SL3120-1TE28-5AA3
DC
DCLQ
RST

=G03-A124
6SL3055-0AA00-5CA2
DCLQ
X521

=G03-K111
4KW

=G03-K112
4KW

=G04-T102
6SL3321-1TE41-2AA0
DC
FAN
DCLQ
RST

=G04-K111
4KW

=G04-K112
4KW

X303

X303

X304

X304

G03-W4001
2XSLCY-J
3x35+3x16/3

G03-W2001
UNITRONIC® LiYY (TP)
8x0,5

G03-W3001
ÖLFLEX® CLASSIC 110
3G1.5

G03-W4002
ÖLFLEX® CLASSIC 110
4G1,5

G04-W4001/2/3
2XSLCY-J
3x300+3x150/3

X304-W3001
ÖLFLEX® CLASSIC 110
3G1.5

XJB120

G04-W3002
ÖLFLEX® CLASSIC 110
4G1,5

3+PE
M
3~

2+PE
M
1~

3+PE
M
3~

2+PE
M
1~

=G03-M103
1LE1501-2BB22-2AF4-Z D34+F70+G11
45kW
82.43A
400V
ENTRY PINCH ROLL

=G03-A125
Sendix 5020 HTL
MOTOR ENCODER

=G03-Y116
24Vdc
BRAKE ENTRY PINCH ROLL

=G03-M118
0,45KW
1.15A
FAN ENTRY PINCH ROLL

=G04-M103
1PH8351-7DD40-1BU0-Z G14
525KW
1040A
400V
STRAIGHTENER

=G04-A125
IC22DQ
MOTOR ENCODER

=G04-Y116
24Vdc
BRAKE STRAIGHTENER

=G04-M118
4KW
9A
FAN STRAIGHTENER

14

16

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			GRUPPO/SECTION = B00
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						PAGINE/PAGE 15
									SEL CTL4 LINE
									RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

15.9 / 24EVF → 24EVF / 18.0

15.9 / L123.2 → L123.2 / 18.0

15.9 / 230_F → 230_F / 18.0

15.9 / DC-BUS → DC-BUS / 18.0

28.6 / DC2 →

DC3 / 25.3 →

=G05-Q118
2.5 ... 4.0 A
3
I>

=G06-F101
80A, aR
2

=G07-F101
80A, aR
2

=G05-T102
6SL3120-1TE23-0AC0
DC
RST

=G05-K112
4KW

=G06-T102
6SL3120-1TE15-0AD0
DC
RST

=G07-T102
6SL3120-1TE23-0AC0
DC
RST

=G08-T102
6SL3120-1TE23-0AC0
DC
RST

X305

G05-W4001
2XSLCY-J
4G4

G05-W3001
ÖLFLEX® CLASSIC 110
3G1.5

G06-W4001
2XSLCY-J
4G2,5

G07-W4001
2XSLCY-J
4G4

G08-W4001
2XSLCY-J
4G4

3+PE

M
3~

=G05-M103
15kW
21,5A
400V
STRAIGHTENER UPPER ROLL MOTOR

=G05-Y116
380V
BRAKE STRAIGHTENER UPPER ROLL MOTOR

=G06-M103
MQAEJ102501-BCA
2.2KW
5.19A
400V
STRAIGHTENER CORRECTOR ROLL MOTOR

=G07-M103
QABP160M4A
11KW
23.5A
400V
BRUSHER 1 UPPER ROLL MOTOR

=G08-M103
QABP160M4A
11KW
23.5A
400V
BRUSHER 1 LOWER ROLL MOTOR

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: SINGLE LINE	POSIZ./LOCATION: + E00 / GRUPPO/SECTION: = B00 / PAGINE/PAGE: 16
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

16.9 / 24EVF → 24EVF / 19.0
16.9 / L123.2 → L123.2 / 19.0
16.9 / 230_F → 230_F / 19.0
16.9 / DC-BUS → DC-BUS / 19.0

=G14-F102
800A, aR

=G14-Q106
1,60...2,50A
I>

=G14-Q116
1,00...1,60A
I>

=G14-Q118
6,30...10,0A
I>

=G14-T102
6SL3321-1TE41-2AA0
DC
FAN
DCLQ
RST

=G14-K111
4KW

=G14-K112
4KW

X314

G14-W4001/2/3
2XSLCY-J
3x300+3x150/3

G14-W3001
ÖLFLEX® CLASSIC 110
3G1.5

X314

G14-W3002
ÖLFLEX® CLASSIC 110
4G1,5

3+PE
M
3~

2+PE
M
1~

=G14-M103
1PH8351-7DD40-1BU0-Z G14
750KW
1040A
480V

=G14-A126
IC22DQ
MOTOR ENCODER

=G14-Y116
24Vdc
BRAKE LEVELLER 1
MOTOR

=G14-M118
4KW
9A
400V
FAN LEVELLER 1
MOTOR

16

19

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	SINGLE LINE	+ E00	= B00	18
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

18.9 / 24EVF → 24EVF / 20.0
18.9 / L123.2 → L123.2 / 20.0
18.9 / 230_F → 230_F / 20.0
18.9 / DC-BUS → DC-BUS / 20.0

=G15-F101
80A, aR

=G17-Q116
2.5 ... 4.0 A
I>

=G29-Q116
2.5 ... 4.0 A
I>

=G18-F101
80A, aR

=G18-Q118
1,60...2,50A
I>

DC5 / 24.a.5

DC5.1 / 20.1

=G15-T102
6SL3120-1TE23-0AC0
DC
RST

=G16-T102
6SL3120-1TE23-0AC0
DC
RST

=G17-T101
6SL3420-2TE11-7AA1
DC
RST
RST

=G17-K111
4KW

=G29-K111
4KW

=G18-T102
6SL3120-1TE23-0AC0
DC
RST

=G18-K112
4KW

X304B

X330

X318

G15-W4001
2XSLCY-J
4G4

G15-W4002
2XSLCY-J
4G4

JB290.1-W4001
2XSLCY-J
4G1,5

JB290.1-W3001
ÖLFLEX® CLASSIC 110
3G1.5

JB330.1-W4001
2XSLCY-J
4G1,5

JB330.1-W3001
ÖLFLEX® CLASSIC 110
4G1,5

G18-W4001
2XSLCY-J
4G4

XJB290.1

XJB290.1

XJB330.1

XJB330.1

3+PE
M
3~

=G15-M103
MR CI 125 UO2A 160L6
11KW
21.7A
400V
LEVELLER 1 ENTRY
RISE-LOWER MOTOR

=G16-M103
MR CI 125 UO2A 160L6
11KW
21.7A
400V
LEVELLER 1 EXIT
RISE-LOWER MOTOR

=G17-M103
QBP6082302-BAAX R
0.75KW
2.13A
400V
LEVELLER 1 CHANGE
PACKAGE CASSETTE
EXTRAXTION CAR
FORWARD-BACKWARD

=G17-Y116
380V
BRAKE LEVELLER 1
CHANGE PACKAGE
CASSETTE
EXTRACTION CAR
FORWARD-BACKWARD

=G29-M103
MRICI100HBZ80A
0.12KW
0.57A
400V
LEVELLER 2 CHANGE
PACKAGE CASSETTE
EXTRAXTION CAR
FORWARD-BACKWARD

=G29-Y116.1
380V
BRAKE LEVELLER 2
CHANGE PACKAGE
CASSETTE
EXTRAXTION CAR
FORWARD-BACKWARD

=G18-M103
QABP160M4A
11KW
23.5A
400V
BRUSHER 2 UPPER
ROLLER MOTOR

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 19
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

19.9 / 24EVF → 24EVF / 21.0
19.9 / L123.2 → L123.2 / 21.0
19.9 / 230_F → 230_F / 21.0
19.9 / DC-BUS → DC-BUS / 21.0

19.7 / DC5.1

=G19-T102
6SL3120-1TE23-0AC0
DC
RST

=G20-T103
6SL3320-1TE37-5AA3
DC
FAN
DCLQ
RST

=G20-Q106
4,00...6,30A
3
I>

=G20-Q116
1,60...2,50A
3
I>

=G20-Q118
2.5 ... 4.0 A
3
I>

=G20-K111
4KW

=G20-K112
4KW

=G20A-Q106
4,00...6,30A
3
I>

=G20A-T103
6SL3320-1TE37-5AA3
DC
FAN
DCLQ
RST

G19-W4001
2XSLCY-J
4G4

G20-W4001/2/3
2XSLCY-J
3x3x150+3x70/3

X320
RB4-W3003
G14-W3001
3G1.5
XJBRB4

X320
G20-W3001
ÖLFLEX® CLASSIC 110
4G1,5

G20A-W4001/2/3
2XSLCY-J
3x3x150+3x70/3

3+PE
M
3~

=G19-M103
QABP160M4A
11KW
23.5A
400V
BRUSHER 2 LOWER
ROLLER MOTOR

3+PE
M
3~

=G20-M103
1PH8284-1DF40-1BU1-Z G14
319KW
620A
400V
LEVELLER 2 MOTOR 1

=G20-A126
IC22DQ
MOTOR ENCODER

=G20-Y116
24Vdc
BRAKE LEVELLER 2
MOTOR 1

2+PE
M
1~

=G20-M118
1.1KW
2,5A
400V
FAN LEVELLER 2
MOTOR 1

3+PE
M
3~

=G20A-M103
1PH8284-1DF40-1BU1-Z G14
319KW
620A
400V
LEVELLER 2 MOTOR 2

=G20A-A126
IC22DQ
MOTOR ENCODER

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: SINGLE LINE	POSIZ./LOCATION: + E00
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE		CLIENTE/CUSTOMER			GRUPPO/SECTION: = B00
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					PAGINE/PAGE: 20
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

20.9 / 24EVF → 24EVF / 22.0
20.9 / L123.2 → L123.2 / 23.0
20.9 / 230_F → 230_F / 22.0
20.9 / DC-BUS → DC-BUS / 22.0

=G20A-Q116
1,60...2,50A
=G20A-Q118
2.5 ... 4.0 A
=G27-Q116
2.5 ... 4.0 A
=G27A-Q116
2.5 ... 4.0 A

14.1 / DC1

=G27-T102
6SL3120-2TE21-0AD0
=G28-T102
6SL3120-2TE21-0AD0

=G20A-K111
4KW
=G20A-K112
4KW
=G27-K111
4KW
=G27A-K111
4KW

X321
RB4-W3005
ÖLFLEX® CLASSIC 110
3G1.5
XJBRB4

X321
G20A-W4002
ÖLFLEX® CLASSIC 110
4G1,5

G27-W4001
2XSLCY-J
4G2,5

G27-W4002
2XSLCY-J
4G2,5

X322
G27-W3001
G14-W3001
3G1.5

X322
G27A-W3001
G14-W3001
3G1.5

G28-W4003
2XSLCY-J
4G2,5

G28-W4004
2XSLCY-J
4G2,5

=G20A-Y116
24Vdc
BRAKE LEVELLER 2
MOTOR 2

=G20A-M118
1.1KW
2,5A
400V
FAN LEVELLER 2
MOTOR 2

=G27-M103
QBP6102502-BAAX R V1
3kW
7,21A
400V
LEVELLER 2 ENTRY
RISE-LOWER MOTOR
SIDE

=G27A-M103
QBP6102502-BAAX R V1
3kW
7,21A
400V
LEVELLER 2 ENTRY
RISE-LOWER
OPERATOR SIDE

=G27-Y116
380V
BRAKE LEVELLER 2
ENTRY RISE-LOWER
MOTOR SIDE

=G27A-Y116
380V
BRAKE LEVELLER 2
ENTRY RISE-LOWER
OPERATOR SIDE

=G28-M103
QBP6102502-BAAX R V1
3kW
7,21A
400V
LEVELLER 2 EXIT
RISE-LOWER MOTOR
SIDE

=G28A-M103
QBP6102502-BAAX R V1
3kW
7,21A
400V
LEVELLER 2 EXIT
RISE-LOWER
OPERATOR SIDE

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: SINGLE LINE	POSIZ./LOCATION: + E00 / GRUPPO/SECTION: = B00 / PAGINE/PAGE: 21
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

21.9 / 24EVF → 24EVF / 23.0
3.3 / L123.3 → L123.3 / 39.0
21.9 / 230_F → 230_F / 23.0
21.9 / DC-BUS → DC-BUS / 23.0

=G28-Q116
2.5 ... 4.0 A
I>

=G28A-Q116
2.5 ... 4.0 A
I>

=G31-F101
80A, aR

=G31-Q118
0,10...0,16A
I>

=G31A-F101
80A, aR

=G31A-Q118
0,10...0,16A
I>

=G28-K111
4KW

=G28A-K111
4KW

=G31-T102
6SL3120-1TE23-0AC0
DC
DCLQ
RST

=G31-K112
4KW

=G31A-T102
6SL3120-1TE23-0AC0
DC
DCLQ
RST

=G31A-K112
4KW

X323
G28-W3001
G14-W3001
3G1.5

X323
G28A-W3001
G14-W3001
3G1.5

G31-W4001
2XSLCY-J
4G4

X333
G31-W3001
ÖLFLEX® CLASSIC 110
4G1,5

G31A-W4001
2XSLCY-J
4G4

X333
G31A-W3001
ÖLFLEX® CLASSIC 110
4G1,5

3+PE
M
3~

=G28-Y116
380V
BRAKE LEVELLER 2
EXIT RISE-LOWER
MOTOR SIDE

=G28A-Y116
380V
BRAKE LEVELLER 2
EXIT RISE-LOWER
OPERATOR SIDE

=G31-M103
1PH8107-1DF12-2FA1
11KW
21.5A
400V
ENTRY SHEAR PINCH
ROLL ROTATION UP

=G31-A126
ENTRY SHEAR PINCH
ROLL ROTATION UP
MOTOR ENCODER

=G31-M118
0.03KW
0,12A
400V
FAN ENTRY SHEAR
PINCH ROLL
ROTATION UP

=G31A-M103
1PH8107-1DF12-2FA1
11KW
21.5A
400V
ENTRY SHEAR PINCH
ROLL ROTATION
LOWER

=G31A-M118
0.03KW
0,12A
400V
FAN ENTRY SHEAR
PINCH ROLL
ROTATION LOWER

=G31A-A126
ENTRY SHEAR PINCH
ROLL ROTATION
LOWER MOTOR
ENCODER

21

23

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	SINGLE LINE	+ E00	= B00	22
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

22.9 / 24EVF → 24EVF / 24.0
21.9 / L123.2 → L123.2 / 24.0
22.9 / 230_F → 230_F / 24.0
22.9 / DC-BUS → DC-BUS / 24.0

=G32-Q106
1,60...2,50A
I>

=G32-Q118
1,60...2,50A
I>

=G33-F102
315A, aR

=G33-Q118
1,00...1,60A
I>

=G32-T103
6SL3320-1TE33-8AA3
DC
FAN
RST
DCLQ
DCLQ
DCLQ

=G32-K112
4KW

=G32-K131
6AU1435-2AD00-0AA0
DCLQ
DCLQ
DCLQ

=G33-T101
6SL3120-1TE31-3AA3
DC
RST

=G33-K112
4KW

=G32-A154
6SL3055-0AA00-5CA2
DCLQ
X521

=G32-A174
6SL3055-0AA00-5CA2
DCLQ
X521

X337

G32-W4001
2XSLCY-J
3x185+3x95/3

X355

G32-W3001
ÖLFLEX® CLASSIC 110
3G1.5

G32-W2002
UNITRONIC® LiYY (TP)
8x0,5

JB380.2-W2004
UNITRONIC® LiYY (TP)
8x0,5

JB380.1-W4001
2XSLCY-J
3x50+3x25/3

JB380.1-W3002
ÖLFLEX® CLASSIC 110
4G1,5

XJB380.2

XJB380.1

XJB380.1

3+PE
M
3~

2+PE
M
1~

3+PE
M
3~

3+PE
M
3~

=G32-M103
1PH8186-1DF40-1BA1-Z G14
108KW
225A
400V
FLYING SHEAR
CARRIAGE MOTOR

=G32-A126
IC22DQ
FLYING SHEAR
CARRIAGE MOTOR
ENCODER

=G32-M118
230V - 1.45A - 50Hz
FAN FLYING SHEAR
CARRIAGE MOTOR

=G32-A150
DFS60B-S4PA10000
MEASURE WHEEL
LOWER ROLLER
MEASURING

=G32-A170
DFS60B-S4PA10000
FLYING SHEAR TAIL
MEASURE ROLL
LENGHT MATERIAL
MEASURE

=G33-M103
1LE1501-2CB22-2AF4-Z L22
55kW
110A
400V
FLYING SHEAR
CUTTING MOTOR

=G33-M118
0.45KW
1,16A
400V
FLYING SHAER
CUTTING MOTOR FAN
SUPPLY

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 23
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

23.9 / 24EVF → 24EVF / 24.a.0
23.9 / L123.2 → L123.2 / 24.a.0
23.9 / 230_F → 230_F / 24.a.0
23.9 / DC-BUS → DC-BUS / 24.a.0

=G34-F101
80A, aR

=G34-Q116
1,60...2,50A

=G36-F101
80A, aR

=G34-Q118
1,00...1,60A

=G35-Q118
1,00...1,60A

=G36-Q118
1,60...2,50A

DC3.1 / 27.7

=G34-T102
6SL3120-1TE23-0AC0
DC
RST

=G35-T102
6SL3120-1TE23-0AC0
DC
RST

=G36-T102
6SL3120-1TE23-0AC0
DC
RST

=G34-K111
4KW

=G34-K112
4KW

=G35-K112
4KW

=G36-K112
4KW

X338

X338

X338

X338

G34-W4001
2XSLCY-J
4G4

G35-W4001
2XSLCY-J
4G4

G36-W4001
2XSLCY-J
4G4

3+PE
M
3~

=G34-M103
QABP160M4A
15KW
32A
400V
FLYING SHEAR BELT
CONVEYOR
BACKWARD-FORWARD

=G35-M103
QABP160M4A
11KW
23.5A
400V
CONVEYOR
DEFLECTOR

=G36-M103
QABP160M4A
11KW
23.5A
400V
CONVEYOR TO
STACKER

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 24
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24.9 / 24EVF → 24EVF / 25.0

24.9 / L123.2 → L123.2 / 25.0

24.9 / 230_F → 230_F / 25.0

24.9 / DC-BUS → DC-BUS / 25.0

=G38-F101
80A, aR
2

=G38-Q116
1,60...2,50A
3
I>

19.3 / DC5 → DC5 / 25.4

=G38-T102
6SL3120-2TE15-0AD0
DC
DCLQ
DCLQ
RST
BRK
RST
BRK

=G38-K111
4KW

ENC38A / 25.0

X340 X341 X340

BRK38A / 25.2

G38-W4001
2XSLCY-J
4G1,5

G38-W3001
G14-W3001
3G1.5

G38-W4002
2XSLCY-J
4G1,5

3+PE

M
3~

3+PE

M
3~

=G38-M103
1FK7063-2AF71-1CA0
2.29kW
5.60A
400V
STACKER RACKET M.S.
BOX 1 OPEN-CLOSE

=G38-A126
STACKER RACKET M.S.
BOX 1 OPEN-CLOSE
ENCODER

=G38-Y116
24Vdc
BRAKE STACKER
RACKET M.S. BOX 1
OPEN-CLOSE

=G38A-M103
1FK7063-2AF71-1CA0
2.29kW
5.60A
400V
STACKER RACKET O.S.
BOX 1 OPEN-CLOSE

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 24.a
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24.a.9 / 24EVF → 24EVF / 26.0

24.a.9 / L123.2 → L123.2 / 26.0

24.a.9 / 230_F → 230_F / 26.0

24.a.9 / DC-BUS → DC-BUS / 26.0

=G38A-Q116
1,60...2,50A
3
I>

=G38A-K111
4KW

X341

24.a.8 / ENC38A

24.a.6 / BRK38A

16.6 / DC3 → DC3 / 27.1

24.a.5 / DC5 → DC5 / 26.1

=G39-T102
6SL3120-1TE15-0AD0
DC
RST

=G40-T101
6SL3420-2TE11-7AA1
DC
RST
RST

=G41-T102
6SL3120-2TE13-0AD0
DC
RST
RST

G38A-W3001
G14-W3001
3G1.5

G39-W4001
2XSLCY-J
4G1,5

G40-W4001
2XSLCY-J
4G1,5

G40-W4002
2XSLCY-J
4G1,5

G41-W4001
2XSLCY-J
4G1,5

G41-W4002
2XSLCY-J
4G1,5

3+PE
M
3~

=G38A-A126
STACKER RACKET O.S.
BOX 1 OPEN-CLOSE
MOTOR ENCODER

=G38A-Y116
24Vdc
BRAKE STACKER
RACKET O.S. BOX 1
OPEN-CLOSE

=G39-M103
MQAEJ102501-BCA
2.2KW
5.19A
400V
STACKER HEAD STOP
BOX 1
FORWARD-BACKWARD

=G40-M103
QBP6083302-BAA
0.55KW
2.21A
400V
STACKER BELT
CONVEYOR BOX 1
RAISE LOWER M.S.

=G40A-M103
QBP6083302-BAA
0.55KW
2.21A
400V
STACKER BELT
CONVEYOR BOX 1
RAISE LOWER O.S.

=G41-M103
YVF2-90L-4
1.5KW
3.7A
400V
STACKER BELT
CONVEYOR BOX 1
ROTATION M.S.

=G41A-M103
YVF2-90L-4
1.5KW
3.7A
400V
STACKER BELT
CONVEYOR BOX 1
ROTATION O.S.

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00 / GRUPPO/SECTION = B00 / PAGINE/PAGE 25
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						

25.9 / 24EVF → 24EVF / 27.0

25.9 / L123.2 → L123.2 / 27.0

25.9 / 230_F → 230_F / 27.0

25.9 / DC-BUS → DC-BUS / 27.0

=G42-Q116
1,60...2,50A
3
I>

=G42A-Q116
1,60...2,50A
3
I>

25.6 / DC5

=G42-T102
6SL3120-2TE15-0AD0
DC
DCLQ
DCLQ
RST
BRK
RST
BRK

=G42-K111
4KW

=G42A-K111
4KW

X348

X349

X348 X349

G42-W4001
G42-W4001
4G1,5

G42-W3001
G14-W3001
3G1.5

G42-W4002
2XSLCY-J
4G1,5

G42A-W3001
G14-W3001
3G1.5

3+PE
M
3~

=G42-M103
1FK7063-2AF71-1CA0
2.29kW
5.60A
400V
STACKER RACKET M.S.
BOX 2 OPEN-CLOSE

=G42-A126
STACKER RACKET M.S.
BOX 2 OPEN-CLOSE
ENCODER

=G42-Y116
24Vdc
BRAKE STACKER
RACKET M.S. BOX 2
OPEN-CLOSE

3+PE
M
3~

=G42A-M103
1FK7063-2AF71-1CA0
2.29kW
5.60A
400V
STACKER RACKET O.S.
BOX 2 OPEN-CLOSE

=G42A-A126
STACKER RACKET O.S.
BOX 2 OPEN-CLOSE
ENCODER

=G42A-Y116
24Vdc
BRAKE STACKER
RACKET O.S. BOX 2
OPEN-CLOSE

25

27

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 26
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

26.9 / 24EVF → 24EVF / 28.0

26.9 / L123.2 → L123.2 / 28.0

26.9 / 230_F → 230_F / 28.0

26.9 / DC-BUS → DC-BUS / 28.0

=G44-F101
80A, aR
2

25.3 / DC3

24.3 / DC3.1

=G43-T102
6SL3120-1TE15-0AD0
DC
RST

=G44-T102
6SL3120-2TE21-0AD0
DC
RST
RST

=G45-T102
6SL3120-2TE21-0AD0
DC
RST
RST

=G46-T102
6SL3120-2TE21-0AD0
DC
RST
RST

G43-W4001
2XSLCY-J
4G1,5

G44-W4001
2XSLCY-J
4G1,5

JB465-W4001
2XSLCY-J
4G1,5

XJB465

G45-W4001
2XSLCY-J
4G1,5

G45-W4002
2XSLCY-J
4G1,5

G46-W4001
2XSLCY-J
4G1,5

G46-W4003
2XSLCY-J
4G1,5

3+PE

M
3~

=G43-M103
MQAEJ102501-BCA
2.2KW
5.19A
400V
STACKER HEAD STOP
BOX 2
FORWARD-BACKWARD

=G44-M103
QBP6112301-BBA
4KW
8.98A
400V
PLATFORM BOX 1 ROLL
ROTATION

=G44A-M103
QBP6112301-BBA
4KW
8.98A
400V
PLATFORM BOX 2 ROLL
ROTATION

=G45-M103
QBP6112301-BBA
4KW
8.98A
400V
MIDDLE EXIT
PLATFORM BOX 1 ROLL
ROTATION

=G45A-M103
QBP6112301-BBA
4KW
8.98A
400V
MIDDLE EXIT
PLATFORM BOX 2 ROLL
ROTATION

=G46-M103
QBP6112301-BBA
4KW
8.98A
400V
ROLLS AND CHAINS
BOX 1 °90 ROLL
ROTATION

=G48-M103
QBP6112301-BBA
4KW
8.98A
400V
ROLLS AND CHAINS
BOX 2 °90 ROLL
ROTATION

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: SINGLE LINE	POSIZ./LOCATION: + E00 / GRUPPO/SECTION: = B00 / PAGINE/PAGE: 27
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			RIF./REFERNCE: SEL CTL4 LINE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

27.9 / 24EVF → 24EVF /

27.9 / L123.2 → L123.2 /

27.9 / 230_F → 230_F /

27.9 / DC-BUS → DC-BUS /

=G47-F101
80A, aR
2

=G49-Q118
1,60...2,50A
3
I>

=G50-F101
80A, aR
2

=G51-F101.1
80A, aR
2

DC2 / 16.1

=G47-T102
6SL3120-2TE21-8AC0
DC
RST RST

=G49-K112
4KW

=G50-T102
6SL3120-2TE21-8AC0
DC
RST RST

=G51-T102.1
6SL3120-2TE21-8AC0
DC
RST RST

X360

G47-W4002
2XSLCY-J
4G2,5
3+PE
M
3~
=G47-M103
QBP6132301-BBAX
7.5KW
16.2A
400V
ROLLS AND CHAINS
BOX 1 °90 CHAINS
ROTATION

G47-W4004
2XSLCY-J
4G2,5
3+PE
M
3~
=G49-M103
QBP6132301-BBAX
7.5KW
16.2A
400V
ROLLS AND CHAINS
BOX 2 °90 CHAINS
ROTATION

G50-W4001
2XSLCY-J
4G2,5
3+PE
M
3~
=G50-M103
QBP6132301-BBAX
7.5KW
16.2A
400V
CHAINS 1 ROTATION

G50-W4002
2XSLCY-J
4G2,5
3+PE
M
3~
=G50A-M103
QBP6132301-BBAX
7.5KW
16.2A
400V
CHAINS 2 ROTATION

G51-W4001
2XSLCY-J
4G2,5
3+PE
M
3~
=G51-M103.1
QBP6132301-BBAX
7.5KW
16.2A
400V
CHAINS EXIT 3
ROTATION

G51-W4002
2XSLCY-J
4G2,5
3+PE
M
3~
=G51A-M103.1
QBP6132301-BBAX
7.5KW
16.2A
400V
CHAINS EXIT 4
ROTATION

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: SINGLE LINE	POSIZ./LOCATION: + E00
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			GRUPPO/SECTION: = B00
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					PAGINE/PAGE: 28
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

3.1 / L123.1

L123.1 / 39.0

=H02-Q101
2.5 ... 4.0 A

=H02-Q103
6,30...10,0A

=H02-Q113
2.5 ... 4.0 A

=H02-Q115
6,30...10,0A

=H02-Q117
4,5...6,3A

=H01-K10531.1
4KW

=H01-K10532.1
4KW

=H01-K10534.1
4KW

=H01-K10535.1
5,5KW

=H01-K10536.1
4KW

X30
DB01-W3010
ÖLFLEX® CLASSIC 110
4G1,5

X30
DB01-W3011
ÖLFLEX® CLASSIC 110
4G1,5

X15
DB01-W3013
ÖLFLEX® CLASSIC 110
4G1,5

X15
DB01-W3014
ÖLFLEX® CLASSIC 110
4G1,5

X15
DB01-W3015
ÖLFLEX® CLASSIC 110
4G1,5

XJB380.3

JB380.3-W3010
ÖLFLEX® CLASSIC 110
4G1,5

XJB380.3

JB380.3-W3014
ÖLFLEX® CLASSIC 110
4G1,5

XJB380.3

JB380.3-W3015
ÖLFLEX® CLASSIC 110
4G1,5

3+PE

M
1~

=H02-E101
2KW
2,9A
400Vac
49.03.09
FLYING SHEAR
HYDRAULIC STATION
OIL HEATING
2KW
2,9A
400Vac
FLYING SHEAR
HYDRAULIC STATION
OIL HEATING

=H02-E103
3 x 1KW
1,9A
400Vac
81.04.01
HYDRAULIC UNIT
OIL HEATING
3 x 1KW
1,9A
400Vac
HYDRAULIC UNIT OIL
HEATING

=H02-M113
1LE1003-0EC42-2JA4
1,1KW
2,85A
400V
LEVELLER 2 OIL
LUBRICATION PUMP

=H02-M115
4,4KW
8,7A
400V
FLYING SHEAR
HYDRAULIC POWER
STATION FOR CUTTING
COOL UNIT

=H02-M117
2,2KW
5A
1LE1003-0EC42-2JA4
FLYING SHEAR
HYDRAULIC POWER
STATION OIL COOLING
MAIN PUMP

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 38
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

22.9 / L123.3

38.9 / L123.1

L123.1 / 40.0

	=H02-Q121	=H02-Q123	=H02-Q125	=H02-Q127	=H02-Q131	=H02-Q133	=H02-Q135	=H02-Q137
	1,00...1,60A	65...84 A	65...84 A	14 - 20 A	2.5 ... 4.0 A	2.5 ... 4.0 A	1,60...2,50A	2.5 ... 4.0 A
	=H01-K10537.1 4KW	=H01-K10538.1 45 kW	=H01-K10541.1 45 kW	=H01-K10542.1 AC3:30KW/400V, AC 220V	=H01-K10543.1 4KW	=H01-K10544.1 4KW	=H01-K10545.1 4KW	=H01-K10533.1 4KW
	X15 DB01-W3016 ÖLFLEX® CLASSIC 110 4G1,5	X15 DB01-W3017 ÖLFLEX® CLASSIC 110 4G35	X15 DB01-W3018 ÖLFLEX® CLASSIC 110 4G35	X15 DB01-W3019 ÖLFLEX® CLASSIC 110 4G2,5	X15	X15 DB01-W3021 DB01-W3015 4G1,5	X15 DB01-W3052 DB01-W3015 4G1,5	X15 DB01-W3053 DB01-W3015 4G1,5
	XJB380.3						XJB380.1	JB380.1-W3053 ÖLFLEX® CLASSIC 110 4G1,5
		3+PE M 1~	3+PE M 1~	3+PE M 1~		3+PE M 1~		3+PE M 1~
		=H02-M123 1LE1503-2BB03-4JA4 37KW 66A 400V HYDRAULIC STATION PUMP 1	=H02-M125 1LE1503-2BB03-4JA4 37KW 66A 400V HYDRAULIC STATION PUMP 2	=H02-M127 1LE1003-1BA23-4FA4 8,5KW 18A 400V HYDRAULIC STATION OIL COOLING RECIRCULATION PUMP		=H02-M133 1LE1003-0EC42-2JA4 1,1KW 2,85A 400V STRAIGHTENER OIL LUBRICATION PUMP		=H02-M137 1LE1003-0EC42-2JA4 1,1KW 2,85A 400V LEVELLER 1 OIL LUBRICATION PUMP

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 39
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

39.9 / L123.1

L123.1 / 42.0

=H02-Q141
0,40...0,63A
3
I>

=H02-Q144
1,60...2,50A
3
I>

=H01-K10551.1
3KW

=H01-K10552.1
230V

=H01-K10553.1
3KW

=H01-K10554.1
230V

X15
JB150-W3001
ÖLFLEX® CLASSIC 110
4G1,5

XJB150

X15
DB01-W3022
ÖLFLEX® CLASSIC 110
4G1,5

3+PE

M
1~

=H02-M141
MRICI100HBZ80A
0.12KW
0.57A
400V
CROP SHEAR BLADE
GAP
INCREASE-DECREASE

39

42

INDICE REVIS. N° REVIS. INDEX N°											
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 40
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

40.9 / L123.1 → L123.1 / 43.0

=H02-Q167	=H02-Q171	=H02-Q174	=H02-Q177
2.5 ... 4.0 A	2.5 ... 4.0 A	2.5 ... 4.0 A	2.5 ... 4.0 A
=H01-K10571.1 230V	=H01-K10573.1 230V	=H01-K10575.1 230V	=H01-K10577.1 230V
=H01-K10572.1 230V	=H01-K10574.1 230V	=H01-K10576.1 230V	=H01-K10578.1 230V
X15 DB01-W3025 ÖLFLEX® CLASSIC 110 4G1,5	X15 DB01-W3026 ÖLFLEX® CLASSIC 110 4G1,5	X15 DB01-W3027 ÖLFLEX® CLASSIC 110 4G1,5	X15 DB01-W3028 ÖLFLEX® CLASSIC 110 4G1,5
3+PE	3+PE	3+PE	3+PE
M 1~	M 1~	M 1~	M 1~
=H02-M167	=H02-M171	=H02-M174	=H02-M177
MR ICI 81 UO3A 90L4 1.5KW 3.3A 400V LEVELLER 1 BACK UP ROLL 1 RAISE-LOWER	MR ICI 81 UO3A 90L4 1.5KW 3.3A 400V LEVELLER 1 BACK UP ROLL 2 RAISE-LOWER	MR ICI 81 UO3A 90L4 1.5KW 3.3A 400V LEVELLER 1 BACK UP ROLL 3 RAISE-LOWER	MR ICI 81 UO3A 90L4 1.5KW 3.3A 400V LEVELLER 1 BACK UP ROLL 4 RAISE-LOWER

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	SINGLE LINE	+ E00	= B00	42
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

42.9 / L123.1

L123.1 / 44.0

=H02-Q181
2.5 ... 4.0 A
3
I>

=H02-Q184
2.5 ... 4.0 A
3
I>

=H02-Q201
14 - 20 A
3
I>

=H02-Q207
1,60...2,50A
3
I>

=H01-K10581.1
230V

=H01-K10582.1
230V

=H01-K10583.1
230V

=H01-K10584.1
230V

=H01-K10585.1
7,5KW

=H01-K10586.1
230V

=H01-K10587.1
230V

=H01-K10588.1
230V

X15
DB01-W3029
ÖLFLEX® CLASSIC 110
4G1,5

3+PE

M
1~

=H02-M181
MR ICI 81 UO3A 90L4
1.5KW
3.3A
400V
LEVELLER 1 BACK UP
ROLL 5 RAISE-LOWER

X15

X15
JB380.3-W3001
ÖLFLEX® CLASSIC 110
4G2,5

XJB380.3

X15
DB01-W3001
DB01-W3015
4G1,5

XJB380.1
JB380.1-W3001
ÖLFLEX® CLASSIC 110
4G1,5

3+PE

M
1~

=H02-M207
FE90
0.55KW
2.3A
400V
FLYING SHEAR BLADE
GAP
INCREASE-DECREASE

42

44

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 43
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

43.9 / L123.1

L123.1 / 45.0

	=H02-Q211	=H02-Q214	=H02-Q217	=H02-Q221
	1,60...2,50A	2.5 ... 4.0 A	2.5 ... 4.0 A	2.5 ... 4.0 A
	3	3	3	3
	I>	I>	I>	I>
	=H01-K10591.1 3KW	=H01-K10593.1 230V	=H01-K10595.1 230V	=H01-K10597.1 230V
	=H01-K10592.1 230V	=H01-K10594.1 230V	=H01-K10596.1 230V	=H01-K10598.1 230V
	X15 JB440-W3002 ÖLFLEX® CLASSIC 110 4G1,5	X15 DB01-W3030 ÖLFLEX® CLASSIC 110 4G1,5	X15 DB01-W3031 ÖLFLEX® CLASSIC 110 4G1,5	X15 DB01-W3032 DB01-W3032 4G1,5
	XJB440 JB440-W3002A ÖLFLEX® CLASSIC 110 4G1,5			
	3+PE	3+PE	3+PE	3+PE
	M 1~	M 1~	M 1~	M 1~
	=H02-M211 QBP6083302-BAA 0.55KW 2.21A 400V SCRAP CARRIAGE TRANSLATION IN LINE-OUT LINE	=H02-M214 MQEJ092501-BCA 1.5KW 3.68A 400V STACKER CAR RACKET BOX 1 O.S. OPEN-CLOSE	=H02-M217 MQEJ092501-BCA 1.5KW 3.68A 400V STACKER CAR RACKET BOX 2 O.S. OPEN-CLOSE	=H02-M221 MQEJ092501-BCA 1.5KW 3.68A 400V STACKER CAR RACKET BOX 1 M.S. OPEN-CLOSE

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00 / GRUPPO/SECTION = B00 / PAGINE/PAGE 44
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

44.9 / L123.1 → L123.1 / 46.0

	=H02-Q224	=H02-Q231	=H02-Q234	=H02-Q237
	2.5 ... 4.0 A	1,60...2,50A	1,60...2,50A	1,60...2,50A
=H01-K10601.1	230V			
=H01-K10602.1	230V			
=H01-K10603.1		230V		
=H01-K10604.1		230V		
=H01-K10605.1			230V	
=H01-K10606.1			230V	
=H01-K10607.1				230V
=H01-K10608.1				230V
	X15	X15	X15	X15
	DB01-W3033	DB01-W3034	DB01-W3035	DB01-W3036
	ÖLFLEX® CLASSIC 110	ÖLFLEX® CLASSIC 110	ÖLFLEX® CLASSIC 110	ÖLFLEX® CLASSIC 110
	4G1,5	4G1,5	4G1,5	4G1,5
	3+PE	3+PE	3+PE	3+PE
	M 1~	M 1~	M 1~	M 1~
	=H02-M224	=H02-M231	=H02-M234	=H02-M237
	MQEJ092501-BCA	M2BAX80MB4	M2BAX80MB4	M2BAX80MB4
	1.5KW	0.75KW	0.75KW	0.75KW
	3.68A	1.97A	1.97A	1.97A
	400V	400V	400V	400V
	STACKER CAR RACKET BOX 2 M.S. OPEN-CLOSE	STACKER SIDE GUIDE BOX 1 M.S. OPEN-CLOSE	STACKER SIDE GUIDE BOX 2 M.S. OPEN-CLOSE	STACKER SIDE GUIDE BOX 1 O.S. OPEN-CLOSE

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	SINGLE LINE	+ E00	= B00	45
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

45.9 / L123.1

L123.1 / 47.0

=H02-Q241
1,60...2,50A
3
I>

=H02-Q334
2.5 ... 4.0 A
3
I>

=H02-Q337
2.5 ... 4.0 A
3
I>

=H01-K10611.1
230V

=H01-K10612.1
230V

=H01-K10751.1
230V

=H01-K10752.1
230V

=H01-K10753.1
230V

=H01-K10754.1
230V

X15
DB01.2-W3037
ÖLFLEX® CLASSIC 110
4G1,5
3+PE

X15
DB01-W3038
ÖLFLEX® CLASSIC 110
4G1,5
3+PE

X15
JB337-W3039
ÖLFLEX® CLASSIC 110
4G1,5
3+PE

M
1~

=H02-M241
M2BAX80MB4
0.75KW
1.97A
400V
STACKER SIDE GUIDE
BOX 2 O.S. OPEN-CLOSE

M
1~

=H02-M334
MR ICI 81 UO3A 90L4
1.1KW
2.5A
400V
LEVELLER 2 BACK UP
ROLL 1 RAISE-LOWER

M
1~

=H02-M337
MR ICI 81 UO3A 90L4
1.1KW
2.5A
400V
LEVELLER 2 BACK UP
ROLL 2 RAISE-LOWER

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 46
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

46.9 / L123.1

L123.1 / 49.0

=H02-Q271
1,00...1,60A
3
I>

=H02-Q273
1,00...1,60A
3
I>

=H01-K10635.1
4KW

=H01-K10636.1
4KW

X15

X15

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 47
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

11.8 / 24VE1.

24VE1. /

=H02-Q301
4A
I>
2

=H02-Q303
4A
I>
2

=H02-Q305
4A
I>
2

=H02-Q307
4A
I>
2

=H01-K10631.1
5,5KW

=H01-K10632.1
5,5KW

=H01-K10633.1
4KW

=H01-K10634.1
4KW

X15

X15

X15

X16
DB01-W2006
ÖLFLEX® CLASSIC 110
4G1,5

XJB380.4
XJB380.4-W2006A
ÖLFLEX® CLASSIC 110
4G1,5

3+PE

M
1~

=H02-M307
24V
FLYING SHEAR GREASE
LUBRICATION PUMP

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 48
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

47.9 / L123.1 → L123.1 / 50.0

=H02-Q351	=H02-Q354	=H02-Q357
2.5 ... 4.0 A	2.5 ... 4.0 A	2.5 ... 4.0 A
I>	I>	I>
3	3	3
=H01-K10755.1 230V	=H01-K10757.1 230V	=H01-K10761.1 230V
=H01-K10756.1 230V	=H01-K10758.1 230V	=H01-K10762.1 230V
X15 DB01-W3040 ÖLFLEX® CLASSIC 110 4G1,5	X15 DB01-W3041 ÖLFLEX® CLASSIC 110 4G1,5	X15 DB01-W3042 ÖLFLEX® CLASSIC 110 4G1,5
3+PE	3+PE	3+PE
M 1~	M 1~	M 1~
=H02-M351	=H02-M354	=H02-M357
MR ICI 81 UO3A 90L4 1.1KW 2.5A 400V LEVELLER 2 BACK UP ROLL 3 RAISE-LOWER	MR ICI 81 UO3A 90L4 1.1KW 2.5A 400V LEVELLER 2 BACK UP ROLL 4 RAISE-LOWER	MR ICI 81 UO3A 90L4 1.1KW 2.5A 400V LEVELLER 2 BACK UP ROLL 5 RAISE-LOWER

48 50

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	SINGLE LINE	+ E00	= B00	49
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

49.9 / L123.1 → L123.1 / 51.0

=H02-Q361	=H02-Q364	=H02-Q371	=H02-Q374
2.5 ... 4.0 A	2.5 ... 4.0 A	6,30...10,0A	6,30...10,0A
3	3	3	3
I>	I>	I>	I>
=H01-K10763.1 230V	=H01-K10765.1 230V	=H01-K10767.1 230V	=H01-K10771.1 230V
=H01-K10764.1 230V	=H01-K10766.1 230V	=H01-K10768.1 230V	=H01-K10772.1 230V
X15	X15	X15	X15
DB01-W3043	DB01-W3044	DB01-W3045	DB01-W3046
ÖLFLEX® CLASSIC 110	ÖLFLEX® CLASSIC 110	ÖLFLEX® CLASSIC 110	ÖLFLEX® CLASSIC 110
4G1,5	4G1,5	4G1,5	4G1,5
3+PE	3+PE	3+PE	3+PE
M 1~	M 1~	M 1~	M 1~
=H02-M361	=H02-M364	=H02-M371	=H02-M374
MR ICI 81 UO3A 90L4	MR ICI 81 UO3A 90L4	MR ICI 81 UO3A 90L4	MR ICI 81 UO3A 90L4
1.1KW	1.1KW	3KW	3KW
2.5A	2.5A	6A	6A
400V	400V	400V	400V
LEVELLER 2 BACK UP	LEVELLER 2 BACK UP	ROLLS AND CHAINS	ROLLS AND CHAINS
ROLL 6 RAISE-LOWER	ROLL 7 RAISE-LOWER	BOX 1 90° RISE-LOWER	BOX 2 90° RISE-LOWER

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 50
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								



=H02-M381
MR ICI 81 UO3A 90L4
3KW
6A
400V
CHAINS EXIT 3 STRUT
LIFTING RISE-LOWER

=H02-M384
MR ICI 81 UO3A 90L4
3KW
6A
400V
CHAINS EXIT 4 STRUT
LIFTING RISE-LOWER

50

52

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 51
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

51.9 / L123.1

L123.1 / 53.0

=H02-Q391
4,00...6,30A
3
I>

=H02-Q394
6,30...10,0A
3
I>

=H02-Q397
6,30...10,0A
3
I>

=H02-Q401
6,30...10,0A
3
I>

=H01-K10777.1
230V

=H01-K10778.1
230V

=H01-K10781.1
230V

=H01-K10782.1
230V

=H01-K10783.1
230V

=H01-K10784.1
230V

=H01-K10785.1
230V

=H01-K10786.1
230V

X15
DB01-W3043
ÖLFLEX® CLASSIC 110
4G1,5

JB360.1


X15

X15

X15


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 52
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								



INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SINGLE LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = B00	PAGINE/PAGE 53
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




=B00/53

7

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION EARTH LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = H00	PAGINE/PAGE 1
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 51
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




ORANGE CABLE

CABINET
DOORS SAFETY BY-PASS
AUX RELAY

CABINET SAFETY OFF

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENTRY LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = H00	PAGINE/PAGE 7
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 57
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



RDY. OPEN COMMAND

RDY. CLOSE COMMAND

MAIN POWER CONTACTOR CLOSE

MAIN POWER CONTACTOR OPEN


OPEN COMMAND

CLOSE COMMAND

ORANGE CABLE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°									
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENTRY LINE	POSIZ./LOCATION + E00 / GRUPPO/SECTION = H00 / PAGINE/PAGE 8
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 58
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						



MAIN POWER CONTACTOR CLOSE NC

MAIN POWER CONTACTOR CLOSE NO

MAIN POWER CONTACTOR WORKING POSITION

REMOTE CLOSE MAIN POWER CONTACTOR

REMOTE OPEN MAIN POWER CONTACTOR


MAIN POWER CONTACTOR OPEN

8

10

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENTRY LINE	POSIZ./LOCATION + E15	GRUPPO/SECTION = H00	PAGINE/PAGE 9
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 59
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



POWER SUPPLY FROM CUSTOMER
400V 50Hz


MAIN POWER CONTACTOR
DC-BUS LINE

MAIN POWER CONTACTOR
CABINET LINE E15

9 11

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENTRY LINE	POSIZ./LOCATION + E00	GRUPPO/SECTION = H00	PAGINE/PAGE 10
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 60
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




MULTIFUNCTION LINE MONITOR
LINE 400V 50Hz

LINE FILTER

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LINE PARAMETERS MEASUREMENT	POSIZ./LOCATION + E00	GRUPPO/SECTION = H00	PAGINE/PAGE 11
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 61
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								



MOTOR DIRECT AND FANS
POWER SUPPLY
400V 50Hz

MOTORS AND DRIVE AUXILIARY
POWER SUPPLY
400V 50Hz

SECTION 1/2

SECTION 3

PUMPS
POWER SUPPLY
400V 50Hz


AUXILIARY
POWER SUPPLY
400V 50Hz

11

13

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LINE POWER DISTRIBUTION	POSIZ./LOCATION + E15	GRUPPO/SECTION = H00	PAGINE/PAGE 12
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 62
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




12

14

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION BLINKERS	POSIZ./LOCATION + E00/15	GRUPPO/SECTION = H00	PAGINE/PAGE 13
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 63
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




13

16

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION BLINKERS	POSIZ./LOCATION + E00/15	GRUPPO/SECTION = H00	PAGINE/PAGE 14
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 64
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ORANGE CABLE

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: LIGHTING AND SOCKET	POSIZ./LOCATION: + E00/15	GRUPPO/SECTION: = H00	PAGINE/PAGE: 16
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE: 66
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




E13 E14 E15 E14

16 18

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	LIGHTING AND SOCKET	+ E00/15	= H00	17
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 67
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



AUXILIARY SOCKET
LOCAL CONTRL DESK


ORANGE CABLE

17

20

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LIGHTING AND SOCKET	POSIZ./LOCATION + E15	GRUPPO/SECTION = H00	PAGINE/PAGE 18
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 68
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ORANGE CABLE

SPARE CONNECTION


LINE RELEASING RELAY

18

21

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION INDICATOR UNIT POWER SUPPLY 400V 50Hz	POSIZ./LOCATION + E00	GRUPPO/SECTION = H00	PAGINE/PAGE 20
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 70
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



DOORS SWITCH

LINE DELAYED
RELEASING RELAY

MINIMUN VOLTAGE
COIL

ORANGE CABLE


20

24

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LINE PARAMETERS MEASUREMENT	POSIZ./LOCATION + E00
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						

GRUPPO/SECTION	PAGINE/PAGE
= H00	21
	RIF./REFERNCE 71

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




AUX 230V 50HZ

AUX 230V 50HZ
CABINET

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY DISTRIBUTION	POSIZ./LOCATION + E15	GRUPPO/SECTION = H00	PAGINE/PAGE 24
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 74
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								



AUX 230V 50HZ
BRAKES AND FAN

AUX 230V 50HZ
CONTROL DESK FAN

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY DISTRIBUTION	POSIZ./LOCATION + E12
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						

GRUPPO/SECTION	PAGINE/PAGE
= H00	25
	RIF./REFERNCE 75

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

230V 50Hz

24.8 / 230L21

7414

P00-W3004
.1
XP00 17
.7
2A
ÖLFLEX® CLASSIC 110
7G1,5

XP00.1 17

18

230L21. / 9.7

11
-S271
+P00
2
12
1
2
23
24

XP00.1 19
20
21
P00-W3004
.1
7G1,5
XP00 19
20
21

7701

A1 B1
-K271
24-48V AC/DC
24-240V 50/60Hz, 5A, SPDT
FUNCTION 1 TIMER 0,5"
+E12
A2

24.8 / 230N21

5TT3185
18 15 .3
16

7703

A1
-K272
230V
+E12
A2

3RH2140-1AP00
3RT2916-1CD00
13 14 .3
23 24 .7
33 34 =H01/1004.2
43 44 .4

7414

16 18
-K271
.1
15

7704

13
-K272
.2
14

7414

43
-K272
.2
44

7705

A1
-K274
7,5KW/400V
+E12
A2

3RT2025-1AP00
3RH2911-1FA22
1/L1 2/T1 /24.3
3/L2 4/T2 /24.3
5/L3 6/T3
13 14
21 22
33 34 =H01/1021.2
41 42
51 52
63 64

A1
-K275
5,5KW
+E12
A2

3RT2017-1AP01
3RT2916-1CD00
1/L1 2/T1
3/L2 4/T2
5/L3 6/T3
13 14

7414

230L21 /

23
-K272
.2
24

7706

P00-W3004
.1
ÖLFLEX® CLASSIC 110
16G1,5
XP00 22

XP00.1 22

X1
-H277
LED AC 230 V
WH
1
+P00
X2

230N21. / 9.7

XP00.1 23
P00-W3004
.1
16G1,5
XP00 23

7415

230N21 /

AUXILIARY CIRCUIT INSERTION
OFF - ON - START

AUXILIARY CIRCUIT INSERTION
START

AUXILIARY
CONTROL VOLTAGE
ON


25

30

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	AUXILIARY CIRCUIT 230Vac	+ E15	= H00	27
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 77
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




FAN SUPPLY

SECTION 4 | SECTION 4 | SECTION 3 | SECTION 3


INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION FANS CABINET CONTROLS	POSIZ./LOCATION + E15	GRUPPO/SECTION = H00	PAGINE/PAGE 30
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 80
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SECTION 4

SECTION 4




SECTION 3

SECTION 3

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION FANS CABINET CONTROLS	POSIZ./LOCATION + E15/E08	GRUPPO/SECTION = H00	PAGINE/PAGE 31
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 81
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								



GENERAL EMERGENCY


DELAYED EMERGENCY

EMERGENCY SAFETY ZONE 1

EMERGENCY SAFETY ZONE 2

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY CIRCUITS 230Vac SAFETY CUT	POSIZ./LOCATION + E12	GRUPPO/SECTION = H00	PAGINE/PAGE 32
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 82
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



EMERGENCY
SAFETY ZONE 3


EMERGENCY
SAFETY ZONE 4

EMERGENCY
SAFETY ZONE 5

EMERGENCY
SAFETY ZONE 6

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY CIRCUITS 230Vac SAFETY CUT	POSIZ./LOCATION + E12	GRUPPO/SECTION = H00	PAGINE/PAGE 33
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 83
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



EMERGENCY
SAFETY ZONE 7


EMERGENCY
SAFETY ZONE 8

33

35


INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY CIRCUITS 230Vac	POSIZ./LOCATION + E12	GRUPPO/SECTION = H00	PAGINE/PAGE 34
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 84
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY CIRCUITS 230Vac SEZ1/2	POSIZ./LOCATION + E15	GRUPPO/SECTION = H00	PAGINE/PAGE 35
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 85
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



EMERGENCY
SAFETY ZONE 3

EMERGENCY
SAFETY ZONE 4

EMERGENCY
SAFETY ZONE 5


EMERGENCY
SAFETY ZONE 6

35

37

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY CIRCUITS 230Vac SEZ1/2	POSIZ./LOCATION + E15	GRUPPO/SECTION = H00	PAGINE/PAGE 36
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 86
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




EMERGENCY
SAFETY ZONE 7

EMERGENCY
SAFETY ZONE 8

EMERGENCY
SAFETY ZONE 9

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY CIRCUITS 230Vac SEZ1/2	POSIZ./LOCATION + E15 / GRUPPO/SECTION = H00 / PAGINE/PAGE 37
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 87
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



230V EXTERNAL
SUPPLY FOR BARRIER

EMG
CABINET

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY CIRCUITS 230Vac	POSIZ./LOCATION + E14	GRUPPO/SECTION = H00	PAGINE/PAGE 38
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 88
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

400V 50Hz

24.9 / L1.4 → L1.4 / 44.0

24.9 / L2.4 → L2.4 / 44.0

24.9 / L3.4 → L3.4 / 44.0

-F391
20A Gg
STRAPPING
1421020
3NW7033
+E13

1 3 5
2 4 6

8901 8902 8903

=H01-K10133 53 54
=H01/1013.3

=H01-K10133 83 84
=H01/1013.3

8906 8905 8908 8907

PE

X25 1 2 3 PE 4 5 6 7

STR-W3001
ÖLFLEX® CLASSIC 110
4G4


STRAPPING

-SIGNODE
=N01/2.5
1 2 3 PE

STRAPPING MACHINE
SIGNODE CABINET

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY CIRCUITS 230Vac	POSIZ./LOCATION + E14 / GRUPPO/SECTION = H00 / PAGINE/PAGE 39
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 89
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



UPS POWER SUPPLY 230Vac
MAIN BORAD

UPS POWER SUPPLY 230Vac
CU

UPS POWER SUPPLY 230Vac
DRIVE

UPS POWER SUPPLY 230Vac
AUXILIARY CABINET

UPS POWER SUPPLY 230Vac
DESK AND CABINET

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY CIRCUITS 230Vac UPS SUPPLY	POSIZ./LOCATION + E15	GRUPPO/SECTION = H00	PAGINE/PAGE 40
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 90
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

40.8 / 230_LS13 →
40.8 / 230_NS13 →

→ 230_LS13 / 43.0
→ 230_NS13 / 43.0

	-Q421	-Q423	-Q425	-Q427
	6A	6A	6A	6A
	+E12	+E12	+E12	+E12
	S202-C6	S202-C6	S202-C6	S202-C6
	S2C-H20L	S2C-H20L	S2C-H20L	S2C-H20L
	9013 / 9014	9013 / 9014	9013 / 9014	9013 / 9014
	1 3	1 3	1 3	1 3
	I> I>	I> I>	I> I>	I> I>
	2 4	2 4	2 4	2 4
	12403 / 12404	12405 / 12406	12501 / 12502	12503 / 12504
	13 23 / 14 24	13 23 / 14 24	13 23 / 14 24	13 23 / 14 24
	=H01/1021.6	=H01/1021.7	=H01/1021.8	=H01/1022.1

74.1 / 230_LS14
74.1 / 230_NS14
74.5 / 230_LS15
74.5 / 230_NS15
75.1 / 230_LS16
75.1 / 230_NS16
75.5 / 230_LS17
75.5 / 230_NS17

UPS POWER SUPPLY 230Vac
MAIN DESK


UPS POWER SUPPLY 230Vac
ENTRY DESK

SPARE FOR
UPS POWER SUPPLY 230Vac
TRIMMING DESK

UPS POWER SUPPLY 230Vac
STACKER DESK

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: AUXILIARY CIRCUITS 230Vac UPS SUPPLY	POSIZ./LOCATION: + E15	GRUPPO/SECTION: = H00	PAGINE/PAGE: 42
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE: 92
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




UPS POWER SUPPLY 230Vac
EXIT DESK

42

44

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY CIRCUITS 230Vac UPS SUPPLY	POSIZ./LOCATION + E15	GRUPPO/SECTION = H00	PAGINE/PAGE 43
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 93
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ELECTROVALVES POWER SUPPLY 24Vdc

ELECTROVALVES 24Vdc GENERAL EMERGENCY


ELECTROVALVES 24Vdc DELAYED EMERGENCY

ELECTROVALVES 24Vdc EMERGENCY ZONE 1

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	AUXILIARY CIRCUITS 24Vdc ELECTROVALVES	+ E14 / = H00 / 44
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 94
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ELECTROVALVES 24Vdc
EMERGENCY ZONE 2


ELECTROVALVES 24Vdc
EMERGENCY ZONE 3

ELECTROVALVES 24Vdc
EMERGENCY ZONE 4

ELECTROVALVES 24Vdc
EMERGENCY ZONE 5

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY CIRCUITS 24Vdc ELECTROVALVES	POSIZ./LOCATION + E14 / GRUPPO/SECTION = H00 / PAGINE/PAGE 45
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 95
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




ELECTROVALVES 24Vdc
EMERGENCY ZONE 6

ELECTROVALVES 24Vdc
EMERGENCY ZONE 7

ELECTROVALVES 24Vdc
EMERGENCY ZONE 8

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY CIRCUITS 24Vdc ELECTROVALVES	POSIZ./LOCATION + E14	GRUPPO/SECTION = H00	PAGINE/PAGE 46
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 96
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ELECTROVALVES 24Vdc
DIRECT

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: AUXILIARY CIRCUITS 24Vdc ELECTROVALVES	POSIZ./LOCATION: + E14	GRUPPO/SECTION: = H00	PAGINE/PAGE: 47
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE: 97
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ELECTROVALVES 24Vdc
GENERAL EMERGENCY

ELECTROVALVES 24Vdc
DELAYED EMERGENCY


ELECTROVALVES 24Vdc
EMERGENCY ZONE 4

ELECTROVALVES 24Vdc
EMERGENCY ZONE 5

SECT. 1/2

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY CIRCUITS 24Vdc SECT.1-2	POSIZ./LOCATION + E05 / = H00	PAGINE/PAGE 48
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE 98
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01						
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




PLC
POWER SUPPLY
24Vdc

UPS SUPPLY 24Vdc
ET200

UPS SUPPLY 24Vdc
MAIN CPU

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION UPS AUXILIARY CIRCUITS 24Vdc PLC	POSIZ./LOCATION + E14	GRUPPO/SECTION = H00	PAGINE/PAGE 49
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 99
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




UPS SUPPLY 24Vdc
ET200 REMOTE CABINET

UPS SUPPLY 24Vdc
SWITCH SCALANCE

SECT. 1/2
SECT. 3

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION UPS AUXILIARY CIRCUITS 24Vdc PLC	POSIZ./LOCATION + E13	GRUPPO/SECTION = H00	PAGINE/PAGE 50
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 100
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



CU
POWER SUPPLY
24Vdc

UPS SUPPLY 24Vdc
CU ZONE ENABLE


UPS SUPPLY 24Vdc
CU 2

50

52

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION UPS AUXILIARY CIRCUITS 24Vdc CU SECT. 3	POSIZ./LOCATION + E11	GRUPPO/SECTION = H00	PAGINE/PAGE 51
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 101
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



UPS SUPPLY 24Vdc
CU 3

UPS SUPPLY 24Vdc
CU 4

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION UPS AUXILIARY CIRCUITS 24Vdc CU SECT. 3	POSIZ./LOCATION + E11 / GRUPPO/SECTION = H00 / PAGINE/PAGE 52
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 102
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						



INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION UPS AUXILIARY SAFETY 24Vdc CU SECT.3	POSIZ./LOCATION + E10/E09 / GRUPPO/SECTION = H00 / PAGINE/PAGE 53
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 103
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

53.9 / 24V_CUE

53.9 / 0V_CUE

24V_CUE / 55.0

0V_CUE / 55.0

10101

13

=H01-K12115

=H01/1211.5

14

10402

13

=H01-K12116

=H01/1211.6

14

10401

-A541

10401

10208

=G34/10.2 / 24V_EP5

=G34/10.2 / 0V_EP5

ZONE 5
DRIVE ENABLE

10404

13

=H01-K12117

=H01/1211.7

14

10403

13

=H01-K12118

=H01/1211.8

14

10403

-A543

10403

10208

=G36/10.2 / 24V_EP6

=G36/10.2 / 0V_EP6

ZONE 6
DRIVE ENABLE

10406

13

=H01-K12121

=H01/1212.1

14

10405

13

=H01-K12122

=H01/1212.2

14

10405

-A545

10405

10208

=G38/10.2 / 24V_EP7

=G38/10.2 / 0V_EP7

ZONE 7
DRIVE ENABLE

10408

13

=H01-K12123

=H01/1212.3

14

10407

13

=H01-K12124

=H01/1212.4

14

10407

-A547

10407

10208

=G50/10.2 / 24V_EP8

=G50/10.2 / 0V_EP8

ZONE 8
DRIVE ENABLE

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION UPS AUXILIARY SAFETY 24Vdc CU SECT.3	POSIZ./LOCATION + E09/E08	GRUPPO/SECTION = H00	PAGINE/PAGE 54
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 104
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ZONE 9
DRIVE ENABLE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION UPS AUXILIARY SAFETY 24Vdc CU SECT.3	POSIZ./LOCATION + E09/E08	GRUPPO/SECTION = H00	PAGINE/PAGE 55
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 105
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



PLC
POWER SUPPLY
24Vdc

UPS SUPPLY 24Vdc
CU SEZ1/2

UPS SUPPLY 24Vdc
SWITCH SCALANCE

SECT. 1

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION UPS AUXILIARY CIRCUITS 24Vdc CU SECT.1-2	POSIZ./LOCATION + E05	GRUPPO/SECTION = H00	PAGINE/PAGE 58
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 108
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

58.5 / 24V_CU1 → 24V_CU1 / 60.0

58.9 / 24NUPS21 → 24NUPS21 / 60.0

10804

13
=H01-K13101
=H01/1310.1
14

10901

13
=H01-K13102
=H01/1310.2
14

10902

XEP1 1 2

10902

XCI3 20

10805

21

=G00/23.1 / 24V_DE1/2

=G00/23.1 / 0V_DE1/2

DELAYED EMERGENCY
ENABLE

10903

13
=H01-K13103
=H01/1310.3
14

10904

13
=H01-K13104
=H01/1310.4
14

10904

XEP2 1 2

10904

10805

=G02/10.6 / 24V_EP21/2

=G02/10.6 / 0V_EP21/2

ZONE 2
DRIVE ENABLE

10905

13
=H01-K13105
=H01/1310.5
14

10906

13
=H01-K13106
=H01/1310.6
14

10906

XEP3 1 2

ZONE 3
DRIVE ENABLE

10907

13
=H01-K13107
=H01/1310.7
14

10908

13
=H01-K13108
=H01/1310.8
14

10908

XEP4 1 2

10908

10805

82

=G14/10.4 / 24V_EP41/2

=G14/10.4 / 0V_EP41/2

ZONE 4
DRIVE ENABLE

58 60

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION UPS AUXILIARY SAFETY 24Vdc CU SECT.1-2	POSIZ./LOCATION + E05	GRUPPO/SECTION = H00	PAGINE/PAGE 59
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 109
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

59.9 / 24V_CU1

59.9 / 24NUPS21

24V_CU1 / =G00/13.1

24NUPS21

=H01-K13111
=H01/1311.1
13
14
11001

=H01-K13112
=H01/1311.2
13
14
11002

XEP5
1
2

11002
=G32/10.5 / 24V_EP51/2

10805
=G32/10.5 / 0V_EP51/2

ZONE 5
DRIVE ENABLE

=H01-K13113
=H01/1311.3
13
14
11003

=H01-K13114
=H01/1311.4
13
14
11004

XEP6
1
2

ZONE 6
DRIVE ENABLE

10804

-A606
XCI3
24

10804
=G00/1.1 / 24V_CU11

-A606.1

10805

-A607
25
26

10805
=G00/1.1 / 0V_CU11


10805
=G00/13.1 / 0V_CU1

10805
=H03/2624.1 / 0V_SC2

SECTION 1
CU SUPPLY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION UPS AUXILIARY SAFETY 24Vdc CU SECT.1-2	POSIZ./LOCATION + E05	GRUPPO/SECTION = H00	PAGINE/PAGE 60
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 110
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								



PLC
POWER SUPPLY
24Vdc

SUPPLY 24Vdc
DIGITAL INPUT
SECT.4

SECT. 3

SECT. 1-2

SUPPLY 24Vdc
DIGITAL OUTPUT
SECT.4

SECT. 3


SECT. 1-2

60

67

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY CIRCUITS 24Vdc PLC	POSIZ./LOCATION + E14	GRUPPO/SECTION = H00	PAGINE/PAGE 66
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 116
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




SUPPLY 24Vdc
DIGITAL INPUT
REMOTE CABINET

SUPPLY 24Vdc
DIGITAL OUTPUT
REMOTE CABINET

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY CIRCUITS 24Vdc PLC	POSIZ./LOCATION + E14 / GRUPPO/SECTION = H00 / PAGINE/PAGE 67
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 117
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SUPPLY 24Vdc
GATE AND SAFETY DOOR

SUPPLY 24Vdc
ENCODER

SECT. 1/2

SECT. 3

67


69

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	AUXILIARY CIRCUITS 24Vdc PLC	+ E14
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT
AUTOMATION TECHNOLOGY

GRUPPO/SECTION	PAGINE/PAGE
= H00	68
	RIF./REFERNCE 118

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




DRIVES
POWER SUPPLY
24Vdc

SUPPLY 24Vdc
DRIVES S120

SUPPLY 24Vdc
DRIVES S120

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY CIRCUITS 24Vdc DRIVE	POSIZ./LOCATION + E14	GRUPPO/SECTION = H00	PAGINE/PAGE 69
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 119
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								



SUPPLY 24Vdc
DRIVES S120

SUPPLY 24Vdc
DRIVES S120


SUPPLY 24Vdc
DRIVES S120

69

71

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY CIRCUITS 24Vdc DRIVE	POSIZ./LOCATION + E13	GRUPPO/SECTION = H00	PAGINE/PAGE 70
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 120
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




SUPPLY 24Vdc
DRIVES S120 SEZ 2

SUPPLY 24Vdc
DRIVES S120 SEZ 1

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	AUXILIARY CIRCUITS 24Vdc DRIVE SECT. 1-2	+ E05	= H00	71
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 121
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SUPPLY 230Vac
MAIN DESK P00


SUPPLY 230Vac
ENTRY DESK P01

71

75

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY CIRCUITS 24Vdc PLC	POSIZ./LOCATION + E15	GRUPPO/SECTION = H00	PAGINE/PAGE 74
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 124
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SUPPLY 230Vac
TRIMMING DESK P02


SUPPLY 230Vac
STACKER DESK P03

74

76

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY CIRCUITS 24Vdc PLC	POSIZ./LOCATION + E15	GRUPPO/SECTION = H00	PAGINE/PAGE 75
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 125
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SUPPLY 230Vac
EXIT DESK P04

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY CIRCUITS 24Vdc PLC	POSIZ./LOCATION + E15
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			GRUPPO/SECTION = H00
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					PAGINE/PAGE 76
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						SEL CTL4 LINE RIF./REFERNCE 126

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

50.1 / 24V_RB
50.8 / 0V_RB
67.1 / 24V_DIRB
67.3 / 24V_DORB
44.3 / 24V_EV
44.7 / 24V_EV1
45.1 / 24V_EV2
68.3 / 24V_ENCRB
68.7 / 0V_ENCRB
66.9 / 0V_DIRB
66.9 / 0V_DORB
47.9 / 0V_EVRB

24V_RB / 82.1
0V_RB / 82.1
24V_DIRB / 82.1
24V_DORB / 82.1
24V_EV / 82.1
24V_ENCRB / 82.1
0V_ENCRB / 82.1
0V_DIRB / 82.1
0V_DORB / 82.1
0V_EVRB / 82.1

13101 10006 11701 11702 9406 9414 9501 11802 0V8 0V1 0V2 9705 9705 PE1.RB1 / 1.4

XRB1 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 PE

10A Fuse

RB1-W3001
ÖLFLEX® CLASSIC 110
18G2.5

RB1-W3002
N2XH
1x25
1000 V

=H01/1901.1 / 24V_RB1
=H01/1901.1 / 0V_RB1
=H01/1901.2 / 24V_DIRB1
=H01/1901.2 / 24V_DORB1
=H01/1901.2 / 24V_EV_RB1
=H01/1901.2 / 24V_EV1_RB1
=H01/1901.2 / 24V_EV2_RB1
=H01/1901.3 / 24V_ENCRB1
=H01/1901.3 / 0V_ENCRB1
=H01/1901.3 / SP1RB1
=H01/1901.3 / SP2RB1
=H01/1901.3 / 0V_DIRB1
=H01/1901.4 / 0V_DORB1
=H01/1901.4 / 0V_EV1IRB1
=H01/1901.4 / 0V_EV2RB1
=H01/1901.5 / PE_RB1

45.3 / 24V_EV3

13101 10006 11701 11702 9406 9505 11802 0V8 0V1 0V2 9705 9705 PE1.RB2 / 1.4

XRB2 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 PE

SUPPLY 24Vdc
REMOTE CABINET RB1

SUPPLY 24Vdc
REMOTE CABINET RB2
SPARE

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	AUXILIARY CIRCUITS 24Vdc PLC	+ E15	= H00	81
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 131
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

81.9 / 24V_RB
81.9 / 0V_RB
81.9 / 24V_DIRB
81.9 / 24V_DORB
81.9 / 24V_EV
45.5 / 24V_EV4
47.5 / 24V_EV0
81.9 / 24V_ENCRB
81.9 / 0V_ENCRB
81.9 / 0V_DIRB
81.9 / 0V_DORB
81.9 / 0V_EVRB

24V_RB / 84.1
0V_RB / 84.1
24V_DIRB / 84.1
24V_DORB / 84.1
24V_EV / 84.1
24V_EV0 / 84.1
24V_ENCRB / 84.1
0V_ENCRB / 84.1
0V_DIRB / 84.1
0V_DORB / 84.1
0V_EVRB / 84.1

13101 10006 11701 11702 9406 9509 11802 0V8 0V1 0V2 9705 9705 PE1.RB3 / 1.5

XRB3 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 PE

10A Fuse

RB3-W3001
ÖLFLEX® CLASSIC 110
18G2.5

RB3-W3002
N2XH
1x25
1000 V

=H01/2101.1 / 24V_RB3
=H01/2101.1 / 0V_RB3
=H01/2101.2 / 24V_DIRB3
=H01/2101.2 / 24V_DORB3
=H01/2101.2 / 24V_EV_RB3
=H01/2101.2 / 24V_EV4_RB3
=H01/2101.2 / 24V_EV2_RB3
=H01/2101.3 / 24V_ENCRB3
=H01/2101.3 / 0V_ENCRB3
=H01/2101.3 / SP1RB3
=H01/2101.3 / SP2RB3
=H01/2101.3 / 0V_DIRB3
=H01/2101.4 / 0V_DORB3
=H01/2101.4 / 0V_EV1IRB3
=H01/2101.4 / 0V_EV2RB3
=H01/2101.5 / PE_RB3

SUPPLY 24Vdc
REMOTE RB3

81

13101 10006 11701 11702 9406 9509 9702 11802 0V8 0V1 0V2 9705 9705 PE1.RB4 / 1.5

XRB4 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 PE

RB4-W3001
ÖLFLEX® CLASSIC 110
18G2.5

RB4-W3002
N2XH
1x25
1000 V


=H01/2201.1 / 24V_RB4
=H01/2201.1 / 0V_RB4
=H01/2201.2 / 24V_DIRB4
=H01/2201.2 / 24V_DORB4
=H01/2201.2 / 24V_EV_RB4
=H01/2201.2 / 24V_EV4_RB4
=H01/2201.2 / 24V_EV0_RB4
=H01/2201.3 / 24V_ENCRB4
=H01/2201.3 / 0V_ENCRB4
=H01/2201.3 / SP1RB4
=H01/2201.3 / SP2RB4
=H01/2201.3 / 0V_DIRB4
=H01/2201.4 / 0V_DORB4
=H01/2201.4 / 0V_EV1IRB4
=H01/2201.4 / 0V_EV2RB4
=H01/2201.5 / PE_RB4

SUPPLY 24Vdc
REMOTE RB4

84

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY CIRCUITS 24Vdc PLC	POSIZ./LOCATION + E15 / GRUPPO/SECTION = H00 / PAGINE/PAGE 82
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 132
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da breveti o modelli.




SUPPLY 24Vdc
REMOTE RB5

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY CIRCUITS 24Vdc PLC	POSIZ./LOCATION + E15	GRUPPO/SECTION = H00	PAGINE/PAGE 84
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 134
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SPARE SUPPLY 400Vac




SUPPLY 230Vac
WEIGHING MACHINE

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION AUXILIARY INTERFACE	POSIZ./LOCATION + E15	GRUPPO/SECTION = H00	PAGINE/PAGE 86
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 136
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




SPARE SUPPLY 230Vac

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	AUXILIARY INTERFACE	+ E15	= H00	87
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 137
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



230VAC
AUXILIARY LINE

230VAC
UPS LINE

230VAC
CONDITIONING LINE


FEEDBCK
CONTECTORS

87

97

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION MAIN DESK SUPPLY	POSIZ./LOCATION + P00	GRUPPO/SECTION = H00	PAGINE/PAGE 96
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 146
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SERVICE SOCKET

+P00

UPS SOCKET


+P00

DESK FAN

+P00

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION MAIN DESK SUPPLY	POSIZ./LOCATION + P00	GRUPPO/SECTION = H00	PAGINE/PAGE 97
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 147
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SUPPLY 24Vdc
PLC INTERFACE MODULE

SUPPLY 24Vdc
DIGITAL INPUT


SUPPLY 24Vdc
DIGITAL OUTPUT

97

106

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: MAIN DESK PLC SUPPLY	POSIZ./LOCATION: + P00
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			GRUPPO/SECTION: = H00
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					PAGINE/PAGE: 99
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						SEL CTL4 LINE
									RIF./REFERNCE: 149

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



230VAC
AUXILIARY LINE

230VAC
UPS LINE

230VAC
CONDITIONING LINE

230VAC
SAFETY BARRIER


FEEDBCK
CONTECTORS

99

107

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENTRY DESK SUPPLY	POSIZ./LOCATION + P01	GRUPPO/SECTION = H00	PAGINE/PAGE 106
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 156
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



AUXILIARY SOCKET

+P01

106




DESK FAN

+P01

109

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENTRY DESK SUPPLY	POSIZ./LOCATION + P01	GRUPPO/SECTION = H00	PAGINE/PAGE 107
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 157
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




SUPPLY 24Vdc
PLC INTERFACE MODULE

SUPPLY 24Vdc
DIGITAL INPUT

SUPPLY 24Vdc
DIGITAL OUTPUT

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENTRY DESK PLC SUPPLY	POSIZ./LOCATION + P01 / GRUPPO/SECTION = H00 / PAGINE/PAGE 109
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 159
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						



230VAC
AUXILIARY LINE


230VAC
UPS LINE

230VAC
CONDITIONING LINE

FEEDBCK
CONTECTORS


INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STACKER DESK SUPPLY	POSIZ./LOCATION + P03	GRUPPO/SECTION = H00	PAGINE/PAGE 126
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 176
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



AUXILIARY SOCKET

126




DESK FAN

129


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STACKER DESK SUPPLY	POSIZ./LOCATION + P03	GRUPPO/SECTION = H00	PAGINE/PAGE 127
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 177
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STACKER DESK PLC SUPPLY	POSIZ./LOCATION + P03 / GRUPPO/SECTION = H00 / PAGINE/PAGE 129
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 179
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						



230VAC
AUXILIARY LINE

230VAC
UPS LINE


230VAC
CONDITIONING LINE

230VAC
SPARE


FEEDBCK
CONTECTORS

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION EXIT DESK SUPPLY	POSIZ./LOCATION + P04	GRUPPO/SECTION = H00	PAGINE/PAGE 136
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 186
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



AUXILIARY SOCKET



DESK FAN


136

138

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	EXIT DESK SUPPLY	+ P04	= H00	137
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 187
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SPARE SUPPLY 230Vac
FOR WEIGHING MACHINE

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION EXIT DESK AUXILIARY INTERFACE	POSIZ./LOCATION + P04	GRUPPO/SECTION = H00	PAGINE/PAGE 138
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 188
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

138

=G00/1

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION EXIT DESK PLC SUPPLY	POSIZ./LOCATION + P04	GRUPPO/SECTION = H00	PAGINE/PAGE 139
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 189
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								



CONTROL UNIT CU320 - 2PN

DC-BUS 1 ON

BRAKING 1 OVERTEMP.

BRAKING 2 OVERTEMP.

DC-BUS ON

DC-BUS 1/2 CONTACTORS CLOSED

=H00/139


2

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	INVERTER DC BUS CONTROL UNIT 1
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER		
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO				

RBF DMAT AUTOMATION TECHNOLOGY

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ E01	= G00	1
SEL CTL4 LINE		RIF./REFERNCE 201

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




1 3

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	CONTROL UNIT 2	+ E11 / = G00 / 2
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 202
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO					

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




CONTROL UNIT	G12	G28A	G41A	DC-BUS
CU320 - 2PN	SPARE			ON
	G28	G41		

2 4

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	CONTROL UNIT 3	+ E11 / = G00 / 3
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 203
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO					

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



CONTROL UNIT
CU320 - 2PN

G09 G31A G39
SPARE
G31 G34


DC-BUS
ON

3 5

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	CONTROL UNIT 4	+ E11	= G00	4
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 204
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



4 6

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONTROL UNIT 5	POSIZ./LOCATION + E11	GRUPPO/SECTION = G00	PAGINE/PAGE 5
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 205
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



5 7

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONTROL UNIT 6	POSIZ./LOCATION + E11 / GRUPPO/SECTION = G00 / PAGINE/PAGE 6
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 206
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



6

8

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONTROL UNIT 7	POSIZ./LOCATION + E10	GRUPPO/SECTION = G00	PAGINE/PAGE 7
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 207
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

7.9 / 24V_CU3 → 24Vdc
7.9 / 0V_CU3
7.9 / DC-BUS_CL3
24Vdc → 24V_CU3 / 9.1
0V_CU3 / 9.1
DC-BUS_CL3 / 9.1

10201
10205
20101
G05 / =H01/1243.6
G06 / =H01/1243.7
G07 / =H01/1243.8
G08 / =H01/1244.1

-A81
=N01/3.3

X124: + + M M — +24 V, M, M
X122: 1 DI 0, 2 DI 1, 3 DI 2, 4 DI 3, 5 DI 16, 6 DI 17, 7 M1, 8 M, 9 DI/DO 8, 10 DI/DO 9, 11 M, 12 DI/DO 10, 13 DI/DO 11, 14 M
X132: 1 DI 4, 2 DI 5, 3 DI 6, 4 DI 7, 5 DI 20, 6 DI 21, 7 M2, 8 M, 9 DI/DO 12, 10 DI/DO 13, 11 M, 12 DI/DO 14, 13 DI/DO 15, 14 M

SIEMENS
SINAMICS S120 CONTROL UNIT CU320-2 PN
6SL3040-1MA01-0AA0

RDY
DP
OPT
XMMC . MM-CARD BASIC

X150 P1 . PROFINET
X150 P2 . PROFINET
X127 . LAN (Ethernet)
X140 1 RxD, 2 TxD, 3 GND, 5
XBOP . BOP IF
XOPT . OPTION SLOT
SH PE
X100 . DRIVE-CLiQ
X101 . DRIVE-CLiQ
X102 . DRIVE-CLiQ
X103 . DRIVE-CLiQ

PN2_34 / 9.2
PN2_33 / 7.2

DRC008-04 / =G08/10.6
DRC008-03 / =G07/10.6
DRC008-02 / =G06/10.5
DRC008-01 / =G05/10.4

CONTROL UNIT
CU320 - 2PN

G05 G07
G06 G08


DC-BUS
ON

7 9

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONTROL UNIT 8
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER		
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ E10	= G00	8
SEL CTL4 LINE		RIF./REFERNCE 208

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



CONTROL UNIT
CU320 - 2PN

G15 G27

G16 G27A

DC-BUS
ON

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONTROL UNIT 9	POSIZ./LOCATION + E10 / GRUPPO/SECTION = G00 / PAGINE/PAGE 9
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 209
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

9.9 / 24V_CU3
24Vdc
9.9 / 0V_CU3
9.9 / DC-BUS_CL3
24Vdc
24V_CU3 /
0V_CU3 /
DC-BUS_CL3 / 11.1

10201
10205
20101

G17 / =H01/1244.6
G18 / =H01/1244.7
G19 / =H01/1244.8
G29 / =H01/1245.1

-A101
=N01/3.4

X124 + + M M
+24 V
M
M

X122 1 2 3 4 5 6 7 8 9 10 11 12 13 14
DI 0
DI 1
DI 2
DI 3
DI 16
DI 17
M1
M
DI/DO 8
DI/DO 9
M
DI/DO 10
DI/DO 11
M

X132 1 2 3 4 5 6 7 8 9 10 11 12 13 14
DI 4
DI 5
DI 6
DI 7
DI 20
DI 21
M2
M
DI/DO 12
DI/DO 13
M
DI/DO 14
DI/DO 15
M

SIEMENS
SINAMICS S120 CONTROL UNIT CU320-2 PN
6SL3040-1MA01-0AA0

RDY
DP
OPT

XMMC
MM-CARD
BASIC

PROFINET
PROFINET
LAN (Ethernet)
RxD
TxD
GND
BOP IF
OPTION SLOT
DRIVE-CLiQ
DRIVE-CLiQ
DRIVE-CLiQ
DRIVE-CLiQ

X150 P1
X150 P2
X127
X140
X240
X340
XBOP
XOPT
SH
PE
X100
X101
X102
X103

PN2_42 / 11.2
PN2_41 / =H03/2595.5

DRC010-03 / =G19/10.6
DRC010-02 / =G18/10.6
DRC010-01 / =G17/10.7

CONTROL UNIT
CU320 - 2PN

G17 G19
G18 G29


DC-BUS
ON

9 11

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONTROL UNIT 10
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER		
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ E10	= G00	10
SEL CTL4 LINE		RIF./REFERNCE 210

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



CONTROL UNIT
CU320 - 2PN

SPARE G35
G29A

SAPRE G36
G30


DC-BUS
ON

10

12

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONTROL UNIT 11	POSIZ./LOCATION + E10	GRUPPO/SECTION = G00	PAGINE/PAGE 11
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 211
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




11

13

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	CONTROL UNIT 12	+ E10	= G00	12
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 212
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



CONTROL UNIT
CU320 - 2PN

SPARE G02

G03 G04

DC-BUS
ON


12

15

INDICE REVIS. N° / REVIS. INDEX N°								
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONTROL UNIT 13	POSIZ./LOCATION + E05 / GRUPPO/SECTION = G00 / PAGINE/PAGE 13
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 213
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




13

20

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	CONTROL UNIT 15	+ E05 / = G00 / 15
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 215
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO					

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




RECTIFIER MODULE 1
LINE PRECHARGE

RECTIFIER MODULE 2
LINE PRECHARGE

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION DC BUS PRECHARGING LINE	POSIZ./LOCATION + E01 / GRUPPO/SECTION = G00 / PAGINE/PAGE 20
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 221
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendelo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



POWER SUPPLY
DC-BUS 1


DC-BUS 1 ON

20

23

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION DC BUS LINE 1	POSIZ./LOCATION + E01	GRUPPO/SECTION = G00	PAGINE/PAGE 21
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 221
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



RECTIFIER MODULE
CONTACTOR AUX RELAY


RECTIFIER MODULE
PRECHARGE CONTACTOR

21


24

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION DC BUS LINE 1	POSIZ./LOCATION + E01 / = G00 / PAGINE/PAGE 23
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 223
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




BRAKING RESISTOR
MODULE



BRAKING RESISTOR
OVERTEMPERATURE RELAY

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION DC BUS LINE BRAKING RESISTOR	POSIZ./LOCATION + E01	GRUPPO/SECTION = G00	PAGINE/PAGE 24
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 224
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



POWER SUPPLY
DC-BUS 2


DC-BUS 2 ON

24

27

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION DC BUS LINE 2	POSIZ./LOCATION + E02	GRUPPO/SECTION = G00	PAGINE/PAGE 25
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 225
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



RECTIFIER MODULE
CONTACTOR AUX RELAY


RECTIFIER MODULE
PRECHARGE CONTACTOR

25


28

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION DC BUS LINE 2	POSIZ./LOCATION + E02	GRUPPO/SECTION = G00	PAGINE/PAGE 27
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 227
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



BRAKING RESISTOR
MODULE




BRAKING RESISTOR
OVERTEMPERATURE RELAY

=G01/10

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION DC BUS LINE BRAKING RESISTOR	POSIZ./LOCATION + E02	GRUPPO/SECTION = G00	PAGINE/PAGE 28
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 228
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




STORAGE COIL CAR
TRANSLATION M1

=G00/28

11

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STORAGE COIL CAR TRANSLATION M1	POSIZ./LOCATION + E10	GRUPPO/SECTION = G01	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 240
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



BRAKE
STORAGE COIL CAR
TRANSLATION M1

FAN
SPARE

BRAKE
STORAGE COIL CAR
TRANSLATION M1

FAN
SPARE


10

=G01A/10

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	STORAGE COIL CAR TRANSLATION M1	+ E10	= G01	11
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 241
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




STORAGE COIL CAR
TRANSLATION M2

=G01/11

11

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STORAGE COIL CAR TRANSLATION M2	POSIZ./LOCATION + E10	GRUPPO/SECTION = G01A	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER					
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					SEL CTL4 LINE		RIF./REFERNCE 245
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




BRAKE
STORAGE COIL CAR
TRANSLATION M2

BRAKE
STORAGE COIL CAR
TRANSLATION M2

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STORAGE COIL CAR TRANSLATION M2	POSIZ./LOCATION + E10	GRUPPO/SECTION = G01A	PAGINE/PAGE 11
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 246
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




DECOILER
MANDREL
ROTATION

=G01A/11

11


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION DECOILER MOTOR	POSIZ./LOCATION + E06	GRUPPO/SECTION = G02	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 250
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



BRAKE
DECOILER
MANDREL ROTATION

FAN
DECOILER
MANDREL ROTATION




BRAKE
DECOILER
MANDREL ROTATION

FAN
DECOILER
MANDREL ROTATION


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION DECOILER MOTOR	POSIZ./LOCATION + E06	GRUPPO/SECTION = G02	PAGINE/PAGE 11
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 251
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: DECOILER MOTOR	POSIZ./LOCATION: + E06	GRUPPO/SECTION: = G02	PAGINE/PAGE: 12
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE: 252
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								



ENTRY PINCH ROLL


=G02/12

11

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	ENTRY PINCH ROLL	+ E06	= G03	10
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 255
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							


RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




BRAKE
ENTRY PINCH ROLL

FAN
ENTRY PINCH ROLL




BRAKE
ENTRY PINCH ROLL



FAN
ENTRY PINCH ROLL

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: ENTRY PINCH ROLL	POSIZ./LOCATION: + E06	GRUPPO/SECTION: = G03	PAGINE/PAGE: 11
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE: 256
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								



SMC 30 MOTOR ENCODER THERMIC PROBE

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENTRY PINCH ROLL	POSIZ./LOCATION + E06 / GRUPPO/SECTION = G03 / PAGINE/PAGE 12
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 257
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=G03/10.4 / DC-P
=G03/10.4 / DC-N
=G00/28.4 / 24_S120F
=G00/28.4 / 24N_S120F

600Vdc
600Vdc

DC-P / =G06/10.1
DC-N / =G06/10.1
24_S120F / =G14/10.1
24N_S120F / =G14/10.1

=G03/11.9 / L1.21
=G03/11.9 / L2.21
=G03/11.9 / L3.21

L1.21 / =G05/11.6
L2.21 / =G05/11.6
L3.21 / =G05/11.6

-F102
800A, aR
+E03
3NE3338-8
170H3006

-Q108
1,60...2,50A
+E05
MS132-2.5
HK1-20

=H01/1321.6

26001
26004
26007
26008
26009

-T102
+E03

DCP DCN
DC Link

X9 P24V M HS2 EP +24V VL1 VL2 HS1
Power Supply Board PSB

X47 VL_R M HS_R M
Control Interface Module CIM

XCI3 32 33 34
X51 4U1 4V1 4W1 PE

READY
DC Link
POWER OK

SIEMENS
SINAMICS S120 Chassis-2 MoMo 630kW
6SL3321-1TE41-2AA0

DC/AC
Motor connection
X2 U2 V2 W2 PE SH

Control Interface Module CIM
X41 EP M1 EP +24V Temp +Temp
X42 P24L P24L' M M'
X46 BR Out- BR Out+ FB In+ FB In-
X9 EP M1 BR Out- BR Out+ FB In+ FB In-

DRIVE-CLiQ
X400
X401
X402

PE

10805
10904
26204
26205

12.7 / K1+
12.8 / K1-

DRC013-01 / =G00/13.8

XCI3 31
XCI3 22

24Vdc
=G03/10.7 / 24V_EP21/2
=G03/10.7 / 0V_EP21/2
24V_EP21/2
0V_EP21/2

G04-W4001
2XSLCY-J
3x300+3x150/3

G04-W4002
2XSLCY-J
3x300+3x150/3

G04-W4003
2XSLCY-J
3x300+3x150/3

26002 26003 26005
26002 26003 26005
26002 26003 26005
26006 26006 26006

-M103
1PH8351-7DD40-1BU0-Z G14
525KW
1040A
400V
14.01.01

U V W
M 3~
PE

STRAIGHTENER


=G03/12

11

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	STRAIGHTENER	+ E03	= G04	10
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 260
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



BRAKE
STRAIGHTENER


FAN
STRAIGHTENER

BRAKE
STRAIGHTENER

FAN
STRAIGHTENER


INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: STRAIGHTENER	POSIZ./LOCATION: + E03	GRUPPO/SECTION: = G04	PAGINE/PAGE: 11
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE: 261
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: STRAIGHTENER	POSIZ./LOCATION: + E03 / GRUPPO/SECTION: = G04 / PAGINE/PAGE: 12
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE: 262
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




STRAIGHTENER
UPPER ROLL MOTOR

=G04/12

11

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STRAIGHTENER UPPER ROLL	POSIZ./LOCATION + E10	GRUPPO/SECTION = G05	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 265
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



BRAKE
STRAIGHTENER
UPPER ROLL MOTOR

BRAKE
STRAIGHTENER
UPPER ROLL MOTOR


10

=G06/10

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	STRAIGHTENER UPPER ROLL	+ E10	= G05	11
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 266
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




STRAIGHTENER
CORRECTOR ROLL MOTOR

=G05/11

=G07/10

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STRAIGHTENER CORRECTOR ROLL	POSIZ./LOCATION + E11	GRUPPO/SECTION = G06	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 270
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



BRUSHER 1
UPPER ROLL
MOTOR

BRUSHER 1
UPPER ROLL
THERMIC PROBE


=G06/10

=G08/10

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION BRUSHER 1 UPPER ROLL	POSIZ./LOCATION + E09	GRUPPO/SECTION = G07	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 275
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



BRUSHER 1
LOWER ROLL
MOTOR

BRUSHER 1
LOWER ROLL
THERMIC PROBE

=G07/10

=G14/10

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	BRUSHER 1 LOWER ROLL	+ E09	= G08	10
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 280
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

600Vdc

=G07/10.2 / DC-P

=G07/10.2 / DC-N

=G04/10.4 / 24_S120F

=G04/10.4 / 24N_S120F

600Vdc

DC-P / =G15/10.1

DC-N / =G15/10.1

24_S120F /

24N_S120F /

400V 50Hz

=G05/11.7 / L1.21

=G05/11.7 / L2.21

=G05/11.7 / L3.21

L1.21 / =G20/10.6

L2.21 / =G20/10.6

L3.21 / =G20/10.6

-Q106
1,60...2,50A
+E05
MS132-2.5
HK1-20

=H01/1322.2

-F102
800A, aR
+E03
3NE3338-8
170H3006

31001 31004 31007 31008 31009

XCI3 37 38 39

-T102
+E03

DCP DCN — DC Link

X9 1 2 P24V M — 6 7 HS2 3 EP +24V 4 VL1 5 VL2 HS1 — Power Supply Board PSB

X47 VL_R M HS_R M — Control Interface Module CIM

X51 4U1 4V1 4W1 PE

READY
DC Link
POWER OK

SIEMENS
SINAMICS S120 Chassis-2 MoMo 630kW
6SL3321-1TE41-2AA0

DC / AC
Motor connection
X2 U2 V2 W2 PE SH

Control Interface Module CIM
X41 1 EP M 2 EP +24V 3 Temp 4 +Temp
X42 1 P24L 2 P24L' 3 M 4 M'
X46 1 BR Out 2 BR Out 3 FB In+ 4 FB In-
X9 8 EP M 2 BR Out 3 FB In+ 4 FB In-

DRIVE-CLiQ
X400 X401 X402

PE

10805 10908 31203 31204

12.7 / K1+
12.8 / K1-

XCI3 82 23

DRC014-01 / =G00/15.8

G14-W4001
2XSLCY-J
3x300+3x150/3

G14-W4002
2XSLCY-J
3x300+3x150/3

G14-W4003
2XSLCY-J
3x300+3x150/3

31002 31003 31005 31006

U V W
M 3~
PE

-M103
1PH8351-7DD40-1BU0-Z G14
750KW
1040A
480V
34.01.01

=H00/59.7 / 24V_EP41/2 — 24Vdc — 24V_EP41/2 / =G20/10.5

=H00/59.7 / 0V_EP41/2 — 0V_EP41/2 / =G20/10.5

LEVELLER 1 MOTOR


=G08/10

11

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	LEVELLER 1 MOTOR	+ E03	= G14	10
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 310
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							


RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



BRAKE
LEVELLER 1 MOTOR

FAN
LEVELLER 1 MOTOR




BRAKE
LEVELLER 1 MOTOR

FAN
LEVELLER 1 MOTOR

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LEVELLER 1 MOTOR	POSIZ./LOCATION + E03 / GRUPPO/SECTION = G14 / PAGINE/PAGE 11
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 311
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




=G15/10

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	LEVELLER 1 MOTOR	+ E03	= G14	12
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 312
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




LEVELLER 1
ENTRY
RISE-LOWER MOTOR

=G14/12

=G16/10

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LEVELLER 1 ENTRY RISE-LOWER MOTOR	POSIZ./LOCATION + E09 / GRUPPO/SECTION = G15 / PAGINE/PAGE 10
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 315
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




LEVELLER 1
EXIT
RISE-LOWER MOTOR

=G15/10

=G17/10

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LEVELLER 1 EXIT RISE-LOWER MOTOR	POSIZ./LOCATION + E09	GRUPPO/SECTION = G16	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 320
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 1
CHANGE PACKAGE
CASSETTE EXTRAXTION CAR
FORWARD-BACKWARD


LEVELLER 2
CHANGE PACKAGE
CASSETTE EXTRAXTION CAR
FORWARD-BACKWARD


=G16/10

11

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STORAGE COIL CAR TRANSLATION	POSIZ./LOCATION + E11 / GRUPPO/SECTION = G17 / PAGINE/PAGE 10
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 325
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.





BRAKE LEVELLER 1
CHANGE PACKAGE
CASSETTE EXTRAXTION CAR
FORWARD-BACKWARD


BRAKE LEVELLER 1
CHANGE PACKAGE
CASSETTE EXTRACTION CAR
FORWARD-BACKWARD

10

=G18/10

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STORAGE COIL CAR TRANSLATION	POSIZ./LOCATION + E11	GRUPPO/SECTION = G17	PAGINE/PAGE 11
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 326
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



BRUSHER 2
UPPER ROLLER
MOTOR


BRUSHER 2
UPPER ROLLER
THERMIC PROBE

=G17/11

11


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION BRUSHER 2 UPPER ROLLER MOTOR	POSIZ./LOCATION + E09	GRUPPO/SECTION = G18	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 330
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION BRUSHER 2 UPPER ROLLER MOTOR	POSIZ./LOCATION + E09	GRUPPO/SECTION = G18	PAGINE/PAGE 11
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 331
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



BRUSHER 2
LOWER ROLLER
MOTOR

BRUSHER 2
LOWER ROLLER
MOTOR

=G18/11

=G20/10

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	BRUSHER 2 LOWER ROLLER MOTOR	+ E09	= G19	10
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 335
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

600Vdc

=G18/10.2 / DC-P
=G18/10.2 / DC-N
=G32/10.1 / 24_S120E
=G32/10.1 / 24N_S120E

DC-P / =G20A/10.1
DC-N / =G20A/10.1
24_S120E / =G20A/10.1
24N_S120E / =G20A/10.1

400V 50Hz

=G14/10.9 / L1.21
=G14/10.9 / L2.21
=G14/10.9 / L3.21

L1.21 / =G20A/10.6
L2.21 / =G20A/10.6
L3.21 / =G20A/10.6

-Q106
4,00...6,30A
+E05
MS132-6.3T
HK1-20
1 3 5 13 23
2 4 6 14 24
I> I> I>
34005 34007 34006
=H01/1322.3

-T103
745 A
+E04

DCP DCN — DC Link
DCPA DCNA — Braking Module Connection
DCPS DCNS — dv/dt filter Connection
X9 P24V M VL1 VL2 HS1 HS2 — 1 2 3 4 5 6 L1 L2 — Power Supply Board PSB

READY
DC Link
POWER OK

SIEMENS
SINAMICS S120 MOMO, DC 510V – DC 720V
6SL3320-1TE37-5AA3

DC/AC
Motor connection
U2 V2 W2 PE
X2

Control Interface Module CIM
X41 1 2 3 4 — EP M1 EP +24V Temp +Temp
X42 1 2 3 4 — P24L P24L M M'
X46 1 2 3 4 — BR Out- BR Out+ FB In+ FB In-
X400 X401 X402 — DRIVE-CLiQ
PE

12.7 / K1+
12.8 / K1-

DRC015-021 / =G20A/10.8
DRC015-02 / =G00/15.8

G20-W4001/1
2XSLCY-J
3x150+3x70/3
34001 34002 34003 34004

G20-W4001/2
2XSLCY-J
3x150+3x70/3
34001 34002 34003 34004

G20-W4001/3
2XSLCY-J
3x150+3x70/3
34001 34002 34003 34004

U V W
M 3~
PE

-M103
1PH8284-1DF40-1BU1-Z G14
319KW
620A
400V
40.01.01

24Vdc

=G14/10.6 / 24V_EP41/2
=G14/10.6 / 0V_EP41/2

24V_EP41/2 / =G20A/10.5
0V_EP41/2 / =G20A/10.5

LEVELLER 2 MOTOR 1


=G19/10

11

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	LEVELLER 2 MOTOR 1	+ E04	= G20	10
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 340
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							


RBF DMAT AUTOMATION TECHNOLOGY

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendeclo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



BRAKE
LEVELLER 2 MOTOR 1

FAN
LEVELLER 2 MOTOR 1




BRAKE
LEVELLER 2 MOTOR 1

FAN
LEVELLER 2 MOTOR 1

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LEVELLER 2 MOTOR 1	POSIZ./LOCATION + E04	GRUPPO/SECTION = G20	PAGINE/PAGE 11
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 341
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								



INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LEVELLER 2 MOTOR 1	POSIZ./LOCATION + E04 / GRUPPO/SECTION = G20 / PAGINE/PAGE 12
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 342
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

600Vdc

=G20/10.4 / DC-P
=G20/10.4 / DC-N
=G20/10.4 / 24_S120E
=G20/10.4 / 24N_S120E

DC-P / =G31/10.1
DC-N / =G31/10.1
24_S120E /
24N_S120E /

400V 50Hz

=G20/10.8 / L1.21
=G20/10.8 / L2.21
=G20/10.8 / L3.21

L1.21 / =G32/10.6
L2.21 / =G32/10.6
L3.21 / =G32/10.6

-Q106
4,00...6,30A
+E05
MS132-6.3T
HK1-20

1 3 5 13 23
2 4 6 14 24
I> I> I>
34505 34507 34506
=H01/1322.4

-T103
745 A
+E04

DCP DCN — DC Link
DCPA DCNA — Braking Module Connection
DCPS DCNS — dv/dt filter Connection
X9 1 P24V 2 M 3 VL1 4 VL2 5 HS1 6 HS2 — Power Supply Board PSB
L1 L2

READY
DC Link
POWER OK

SIEMENS
SINAMICS S120 MOMO, DC 510V – DC 720V
6SL3320-1TE37-5AA3

DC/AC
Motor connection
U2 V2 W2 PE
X2

Control Interface Module CIM
X41 1 EP M 2 EP + 3 24V 4 Temp + Temp
X42 1 P24L 2 P24L 3 M 4 M'
X46 1 BR Out- 2 BR Out+ 3 FB In+ 4 FB In-
X400 X401 X402
DRIVE-CLiQ
PE

12.7 / K1+
12.8 / K1-

DRC015-021 / =G20/10.8

G20A-W4001/1
G20A-W4001/1
3x150+3x70/3
G20A-W4001/2
2XSLCY-J
3x150+3x70/3
G20A-W4001/3
2XSLCY-J
3x150+3x70/3

34501 34502 34503 34504

U V W
-M103
1PH8284-1DF40-1BU1-Z G14
319KW
620A
400V
40.01.01
M 3~
PE

=G20/10.6 / 24V_EP41/2
=G20/10.6 / 0V_EP41/2
24Vdc
24V_EP41/2
0V_EP41/2

LEVELLER 2 MOTOR 2


=G20/12

11

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	LEVELLER 2 MOTOR 2	+ E04	= G20A	10
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 345
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							


RBF DMAT AUTOMATION TECHNOLOGY

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendederlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




BRAKE
LEVELLER 2 MOTOR 2

FAN
LEVELLER 2 MOTOR 2



BRAKE
LEVELLER 2 MOTOR 2




FAN
LEVELLER 2 MOTOR 2

10

12


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LEVELLER 2 MOTOR 2	POSIZ./LOCATION + E04	GRUPPO/SECTION = G20A	PAGINE/PAGE 11
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 346
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LEVELLER 2 MOTOR 2	POSIZ./LOCATION + E04	GRUPPO/SECTION = G20A	PAGINE/PAGE 12
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 347
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								




LEVELLER 2
ENTRY
RISE-LOWER MOTOR SIDE

=G20A/12

11

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LEVELLER 2 ENTRY RISE-LOWER MOTOR SIDE	POSIZ./LOCATION + E10	GRUPPO/SECTION = G27	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 370
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




BRAKE LEVELLER 2
ENTRY
RISE-LOWER MOTOR SIDE

BRAKE LEVELLER 2
ENTRY
RISE-LOWER MOTOR SIDE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LEVELLER 2 ENTRY RISE-LOWER MOTOR SIDE	POSIZ./LOCATION + E10	GRUPPO/SECTION = G27	PAGINE/PAGE 11
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 371
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




LEVELLER 2
ENTRY
RISE-LOWER OPERATOR SIDE

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	LEVELLER 2 ENTRY RISE-LOWER OPERATOR SIDE	+ E10	= G27A	10
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 375
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




BRAKE LEVELLER 2
ENTRY
RISE-LOWER OPERATOR SIDE

BRAKE LEVELLER 2
ENTRY
RISE-LOWER OPERATOR SIDE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LEVELLER 2 ENTRY RISE-LOWER OPERATOR SIDE	POSIZ./LOCATION + E10	GRUPPO/SECTION = G27A	PAGINE/PAGE 11
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 376
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




LEVELLER 2
EXIT
RISE-LOWER MOTOR SIDE

=G27A/11

11

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LEVELLER 2 EXIT RISE-LOWER MOTOR SIDE	POSIZ./LOCATION + E10	GRUPPO/SECTION = G28	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 380
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




BRAKE LEVELLER 2
EXIT
RISE-LOWER MOTOR SIDE

BRAKE LEVELLER 2
EXIT
RISE-LOWER MOTOR SIDE

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LEVELLER 2 EXIT RISE-LOWER MOTOR SIDE	POSIZ./LOCATION + E10 / GRUPPO/SECTION = G28 / PAGINE/PAGE 11
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 381
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




LEVELLER 2
EXIT
RISE-LOWER OPERATOR SIDE

=G28/11

11

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LEVELLER 2 EXIT RISE-LOWER OPERATOR SIDE	POSIZ./LOCATION + E10	GRUPPO/SECTION = G28A	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 385
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




BRAKE LEVELLER 2
EXIT
RISE-LOWER OPERATOR SIDE

BRAKE LEVELLER 2
EXIT
RISE-LOWER OPERATOR SIDE

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LEVELLER 2 EXIT RISE-LOWER OPERATOR SIDE	POSIZ./LOCATION + E10 / GRUPPO/SECTION = G28A / PAGINE/PAGE 11
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 386
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




LEVELLER 2
CHANGE PACKAGE
CASSETTE EXTRAXTION CAR
FORWARD-BACKWARD

=G28A/11

11

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STORAGE COIL CAR TRANSLATION	POSIZ./LOCATION + E11	GRUPPO/SECTION = G29	PAGINE/PAGE 10
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 390
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




BRAKE LEVELLER 2
CHANGE PACKAGE
CASSETTE EXTRAXTION CAR
FORWARD-BACKWARD

BRAKE LEVELLER 2
CHANGE PACKAGE
CASSETTE EXTRAXTION CAR
FORWARD-BACKWARD

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STORAGE COIL CAR TRANSLATION	POSIZ./LOCATION + E11	GRUPPO/SECTION = G29	PAGINE/PAGE 11
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 391
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ENTRY
SHEAR PINCH ROLL
ROTATION UP


ENTRY
SHEAR PINCH ROLL
ROTATION UP
THERMIC PROBE

=G29/11


11

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENTRY SHEAR PINCH ROLL ROTATION UP	POSIZ./LOCATION + E10	GRUPPO/SECTION = G31	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 405
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




FAN
ENTRY
SHEAR PINCH ROLL
ROTATION UP



FAN ENTRY
SHEAR PINCH ROLL
ROTATION UP

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENTRY SHEAR PINCH ROLL ROTATION UP	POSIZ./LOCATION + E10	GRUPPO/SECTION = G31	PAGINE/PAGE 11
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 406
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




ENTRY
SHEAR PINCH ROLL
ROTATION UP MOTOR ENCODER

11

=G31A/10

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENTRY SHEAR PINCH ROLL ROTATION UP	POSIZ./LOCATION + E10	GRUPPO/SECTION = G31	PAGINE/PAGE 12
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 407
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ENTRY
SHEAR PINCH ROLL
ROTATION LOWER


ENTRY
SHEAR PINCH ROLL
ROTATION LOWER
THERMIC PROBE

=G31/12

11


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENTRY SHEAR PINCH ROLL ROTATION LOWER	POSIZ./LOCATION + E10	GRUPPO/SECTION = G31A	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 410
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



FAN
ENTRY
SHEAR PINCH ROLL
ROTATION LOWER

10




FAN
ENTRY
SHEAR PINCH ROLL
ROTATION LOWER

12

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENTRY SHEAR PINCH ROLL ROTATION LOWER	POSIZ./LOCATION + E10	GRUPPO/SECTION = G31A	PAGINE/PAGE 11
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 411
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




ENTRY
SHEAR PINCH ROLL
ROTATION LOWER MOTOR ENCODER

11

=G32/10

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENTRY SHEAR PINCH ROLL ROTATION LOWER	POSIZ./LOCATION + E10	GRUPPO/SECTION = G31A	PAGINE/PAGE 12
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 412
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




=G31A/12

11


INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 210411 CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION FLYING SHEAR CARRIAGE MOTOR	POSIZ./LOCATION + E05	GRUPPO/SECTION = G32	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 415
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendeclo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




FAN
FLYING SHEAR
CARRIAGE MOTOR



FAN
FLYING SHEAR
CARRIAGE MOTOR


INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION FLYING SHEAR CARRIAGE MOTOR	POSIZ./LOCATION + E05	GRUPPO/SECTION = G32	PAGINE/PAGE 11
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 416
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION FLYING SHEAR CARRIAGE MOTOR	POSIZ./LOCATION + E05	GRUPPO/SECTION = G32	PAGINE/PAGE 12
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 417
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



12

14

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SIMOTION	POSIZ./LOCATION + E05	GRUPPO/SECTION = G32	PAGINE/PAGE 13
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 418
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

13.2 / 24_S120E → 24Vdc — COMAND SHEAR → 24_S120E / 15.4

13.2 / 24N_S120E → POWER ON — FLYING SHEAR ON — SHEAR CUTTING → 24N_S120E / 15.4

SIM1 / 18.1 — SIM2 / 18.2 — SIM3 / 18.3 — SIM4 / 18.4 — SIM5 / 18.5 — SIM6 / 19.1

122:12 / 14.4 — 122:13 / 14.5

-K131
/13.1

X122: 1 DI 0 — 2 DI 1 — 3 DI 2 — 4 DI 3 — 5 DI 16 — 6 DI 17 — 7 M1 — 8 M — 9 DI/DO 8 — 10 DI/DO 9 — 11 M — 12 DI/DO 10 — 13 DI/DO 11 — 14 M

41905 — 41907

(APERTURA TAVOLA) — I1 / =H01/1322.5

41908

O1 / =H01/1341.1 — O2 / =H01/1341.2

142:9 / 14.2 — 142:10 / 14.3

41901 — 41904

O3 / =H01/1341.3

X142: 1 RESERVED — 2 RESERVED — 3 IN/OUT 0 — 4 IN/OUT 1 — 5 M — 6 IN/OUT 2 — 7 IN/OUT 3 — 8 M — 9 IN/OUT 4 — 10 IN/OUT 5 — 11 M — 12 IN/OUT 6 — 13 IN/OUT 7 — 14 M

SIEMENS
6AU1435-2AD00-0AA0

X132: 1 DI 4 — 2 DI 5 — 3 DI 6 — 4 DI 7 — 5 DI 20 — 6 DI 21 — 7 M2 — 8 M — 9 DI/DO 12 — 10 DI/DO 13 — 11 M — 12 DI/DO 14 — 13 DI/DO 15 — 14 M


19.2 / SIM7 — 19.3 / SIM8 — 19.4 / SIM9 — 19.5 / SIM10 — 19.6 / SIM11 — =G00/15.9 / DC-BUS_CL2

142:9 / 14.7 — 142:10 / 14.7 — 122:12 / 14.4 — 122:13 / 14.4 — 41902 — 41903 — 41906

-K142 +E05	-K143 +E05	-K144 +E05	-K145 +E05	-K146 +E05	-K147 +E05	-K148 +E05
A1 / A2	A1 / A2	A1 / A2	A1 / A2	A1 / A2	A1 / A2	A1 / A2
PLC-OSC- 24DC/ 24DC/ 2	PLC-OSC- 24DC/ 24DC/ 2	PLC-OSC- 24DC/ 24DC/ 2	PLC-OSC- 24DC/ 24DC/ 2	PLC-OSC- 24DC/ 24DC/ 2	PLC-OSC- 24DC/ 24DC/ 2	PLC-OSC- 24DC/ 24DC/ 2
14 — 11 /20.1 — 12	14 — 11 /20.2 — 12	14 — 11 /20.3 — 12	14 — 11 /20.4 — 12			
FLYING SHEAR CUTTING CLUTCH INSERTION	PRESS COIL UP/DOWN SPARE	SPARE	SPARE	SPARE	SPARE	SPARE

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: SIMOTION	POSIZ./LOCATION: + E05	GRUPPO/SECTION: = G32	PAGINE/PAGE: 14
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE: 419
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



MEASURE WHEEL
LOWER ROLLER
MEASURING


SMC 30

14

17

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION MEASURE WHEEL LOWER ROLLER MEASURING	POSIZ./LOCATION + E05	GRUPPO/SECTION = G32	PAGINE/PAGE 15
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER					
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					SEL CTL4 LINE		RIF./REFERNCE 420
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



FLYING SHEAR
TAIL MEASURE ROLL
LENGHT MATERIAL MEASURE


SMC 30

15

18

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION FLYING SHEAR TAIL ROLL LENGHT MEASURE	POSIZ./LOCATION + E05	GRUPPO/SECTION = G32	PAGINE/PAGE 17
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER					
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					SEL CTL4 LINE		RIF./REFERNCE 422
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



17	18	19	20	21
FLYING SHEAR CARRIAGE CONTROL FWD POSITION	FLYING SHEAR CARRIAGE CONTROL MAX FWD	FLYING SHEAR CARRIAGE CONTROL BKW POSITION	FLYING SHEAR CARRIAGE CONTROL MAX BKW	SPARE FLYING SHEAR CARRIAGE CONTROL HOME POSITION


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°									
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION FLYING SHEAR TAIL ROLL LENGHT MEASURE	POSIZ./LOCATION + E05 / GRUPPO/SECTION = G32 / PAGINE/PAGE 18
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 423
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						



Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION FLYING SHEAR TAIL ROLL LENGHT MEASURE	POSIZ./LOCATION + E05	GRUPPO/SECTION = G32	PAGINE/PAGE 19
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 424
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								



FLYING SHEAR CUTTING CLUTCH INSERTION

SPARE

SPARE


SPARE

19

=G33/10

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION FLYING SHEAR TAIL ROLL LENGHT MEASURE	POSIZ./LOCATION + E05	GRUPPO/SECTION = G32	PAGINE/PAGE 20
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 425
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



FLYING SHEAR
CUTTING MOTOR


FLYING SHEAR
CUTTING MOTOR
THERMIC PROBE

=G32/20


11

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION FLYING SHEAR CUTTING MOTOR	POSIZ./LOCATION + E06	GRUPPO/SECTION = G33	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 430
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




FLYING SHAER
CUTTING MOTOR
FAN



FLYING SHAER
CUTTING MOTOR
FAN SUPPLY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION FLYING SHEAR CUTTING MOTOR	POSIZ./LOCATION + E06	GRUPPO/SECTION = G33	PAGINE/PAGE 11
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 431
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								



FLYING SHEAR
BELT CONVEYOR
BACKWARD-FORWARD

FLYING SHEAR
BELT CONVEYOR
BACKWARD-FORWARD
THERMIC PROBE


=G33/11

11

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	FLYING SHEAR BELT CONVEYOR BACKWARD-FORWARD	+ E09	= G34	10
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 435
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



BRAKE
FLYING SHEAR
BELT CONVEYOR


FAN
FLYING SHEAR
BELT CONVEYOR

SPARE FOR BRAKE
FLYING SHEAR
BELT CONVEYOR

SPARE FOR FAN
FLYING SHEAR
BELT CONVEYOR

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION FLYING SHEAR BELT CONVEYOR BACKWARD-FORWARD	POSIZ./LOCATION + E09	GRUPPO/SECTION = G34	PAGINE/PAGE 11
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 436
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



CONVEYOR DEFLECTOR


SPARE FOR
CONVEYOR DEFLECTOR
THERMIC PROBE

=G34/11

11

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONVEYOR DEFLECTOR	POSIZ./LOCATION + E09	GRUPPO/SECTION = G35	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER					
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					SEL CTL4 LINE		RIF./REFERNCE 440
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




FAN
CONVEYOR DEFLECTOR

SPARE FOR FAN
CONVEYOR DEFLECTOR

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONVEYOR DEFLECTOR	POSIZ./LOCATION + E09	GRUPPO/SECTION = G35	PAGINE/PAGE 11
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 441
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



CONVEYOR TO STACKER


SPARE FOR
CONVEYOR TO STACKER
THERMIC PROBE

=G35/11

11

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONVEYOR TO STACKER	POSIZ./LOCATION + E09	GRUPPO/SECTION = G36	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 445
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




FAN
CONVEYOR TO STACKER

SPARE FOR FAN
CONVEYOR TO STACKER

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONVEYOR TO STACKER	POSIZ./LOCATION + E09	GRUPPO/SECTION = G36	PAGINE/PAGE 11
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 446
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								




STACKER
RACKET M.S. BOX 1
OPEN-CLOSE

=G36/11

11


INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STACKER RACKET M.S. BOX 1 OPEN CLOSE	POSIZ./LOCATION + E11 / = G38 / PAGINE/PAGE 10
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 450
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



BRAKE STACKER
RACKET M.S. BOX 1
OPEN-CLOSE

10




BRAKE STACKER
RACKET M.S. BOX 1
OPEN-CLOSE

12

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STACKER RACKET M.S. BOX 1 OPEN CLOSE	POSIZ./LOCATION + E11	GRUPPO/SECTION = G38	PAGINE/PAGE 11
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 451
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STACKER
RACKET M.S. BOX 1
OPEN-CLOSE ENCODER


11

=G38A/10

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	STACKER RACKET M.S. BOX 1 OPEN CLOSE	+ E11	= G38	12
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							452

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




STACKER
RACKET O.S. BOX 1
OPEN-CLOSE

=G38/12

11


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STACKER TACKET O.S. BOX 1 OPEN CLOSE	POSIZ./LOCATION + E11	GRUPPO/SECTION = G38A	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 455
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



BRAKE STACKER
RACKET O.S. BOX 1
OPEN-CLOSE

10




BRAKE STACKER
RACKET O.S. BOX 1
OPEN-CLOSE

12

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STACKER TACKET O.S. BOX 1 OPEN CLOSE	POSIZ./LOCATION + E11	GRUPPO/SECTION = G38A	PAGINE/PAGE 11
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 456
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STACKER
RACKET O.S. BOX 1
OPEN-CLOSE
MOTOR ENCODER

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STACKER TACKET O.S. BOX 1 OPEN CLOSE	POSIZ./LOCATION + E11	GRUPPO/SECTION = G38A	PAGINE/PAGE 12
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 457
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




STACKER
HEAD STOP BOX 1
FORWARD-BACKWARD

=G38A/12

=G40/10

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STACKER HEAD STOP BOX 1 FORWARD BACKWARD	POSIZ./LOCATION + E11	GRUPPO/SECTION = G39	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 460
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STACKER
BELT CONVEYOR BOX 1
RAISE LOWER M.S.

STACKER
BELT CONVEYOR BOX 1
RAISE LOWER O.S.


=G39/10

=G40A/10

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	STACKER BELT CONVEYOR BOX 1 RAISE LOWER M.S.	+ E11	= G40	10
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 465
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




STACKER
BELT CONVEYOR BOX 1
RAISE LOWER O.S.

=G40/10

=G41/10

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STACKER BELT CONVEYOR BOX 1 RAISE LOWER O.S.	POSIZ./LOCATION + E11	GRUPPO/SECTION = G40A	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 470
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




STACKER
BELT CONVEYOR BOX 1
ROTATION M.S.

=G40A/10

=G41A/10

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STACKER BELT CONVEYOR BOX 1 ROTATION M.S.	POSIZ./LOCATION + E11	GRUPPO/SECTION = G41	PAGINE/PAGE 10
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 475
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




STACKER
BELT CONVEYOR BOX 1
ROTATION O.S.

=G41/10

=G42/10

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STACKER BELT CONVEYOR BOX 1 ROTATION O.S.	POSIZ./LOCATION + E11	GRUPPO/SECTION = G41A	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 480
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




STACKER
RACKET M.S. BOX 2
OPEN-CLOSE

=G41A/10


11

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STACKER RACKET M.S. BOX 2 OPEN CLOSE	POSIZ./LOCATION + E11	GRUPPO/SECTION = G42	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 485
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




BRAKE STACKER
RACKET M.S. BOX 2
OPEN-CLOSE



BRAKE STACKER
RACKET M.S. BOX 2
OPEN-CLOSE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STACKER RACKET M.S. BOX 2 OPEN CLOSE	POSIZ./LOCATION + E11	GRUPPO/SECTION = G42	PAGINE/PAGE 11
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 486
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								



STACKER
RACKET M.S. BOX 2
OPEN-CLOSE ENCODER

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STACKER RACKET M.S. BOX 2 OPEN CLOSE	POSIZ./LOCATION + E11	GRUPPO/SECTION = G42	PAGINE/PAGE 12
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 487
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




STACKER
RACKET O.S. BOX 2
OPEN-CLOSE

=G42/12

11


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STACKER TACKET O.S. BOX 2 OPEN CLOSE	POSIZ./LOCATION + E11	GRUPPO/SECTION = G42A	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 490
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



BRAKE STACKER
RACKET O.S. BOX 2
OPEN-CLOSE

10




BRAKE STACKER
RACKET O.S. BOX 2
OPEN-CLOSE

12

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STACKER TACKET O.S. BOX 2 OPEN CLOSE	POSIZ./LOCATION + E11	GRUPPO/SECTION = G42A	PAGINE/PAGE 11
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 491
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STACKER
RACKET O.S. BOX 2
OPEN-CLOSE ENCODER

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STACKER TACKET O.S. BOX 2 OPEN CLOSE	POSIZ./LOCATION + E11	GRUPPO/SECTION = G42A	PAGINE/PAGE 12
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 492
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




STACKER
HEAD STOP BOX 2
FORWARD-BACKWARD

=G42A/12

=G44/10

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION STACKER HEAD STOP BOX 2 FORWARD BACKWARD	POSIZ./LOCATION + E11	GRUPPO/SECTION = G43	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 495
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




PLATFORM BOX 1
ROLL ROTATION

=G43/10

=G44A/10

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLATFORM BOX 1 ROLL ROTATION	POSIZ./LOCATION + E10	GRUPPO/SECTION = G44	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 500
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




PLATFORM BOX 2
ROLL ROTATION

=G44/10

=G45/10

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLATFORM BOX 2 ROLL ROTATION	POSIZ./LOCATION + E10	GRUPPO/SECTION = G44A	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 505
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




MIDDLE EXIT
PLATFORM BOX 1
ROLL ROTATION

=G44A/10

=G45A/10

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION MIDDLE EXIT PLATFORM BOX 1 ROLL ROTATION	POSIZ./LOCATION + E10	GRUPPO/SECTION = G45	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 510
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




MIDDLE EXIT
PLATFORM BOX 2
ROLL ROTATION

=G45/10

=G46/10

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION MIDDLE EXIT PLATFORM BOX 2 ROLL ROTATION	POSIZ./LOCATION + E10	GRUPPO/SECTION = G45A	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 515
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




ROLLS AND CHAINS BOX 1 °90
ROLL ROTATION

=G45A/10

=G47/10

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ROLLS AND CHAINS BOX 1 °90 ROLL ROTATION	POSIZ./LOCATION + E10	GRUPPO/SECTION = G46	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 520
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




ROLLS AND CHAINS BOX 1 °90
CHAINS ROTATION

=G46/10

=G48/10

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ROLLS AND CHAINS BOX 1 °90 CHAINS ROTATION	POSIZ./LOCATION + E10	GRUPPO/SECTION = G47	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 525
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




ROLLS AND CHAINS BOX 2 °90
ROLL ROTATION

=G47/10

=G49/10

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ROLLS AND CHAINS BOX 2 °90 ROLL ROTATION	POSIZ./LOCATION + E11	GRUPPO/SECTION = G48	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 530
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ROLLS AND CHAINS BOX 2 °90
CHAINS ROTATION


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ROLLS AND CHAINS BOX 2 °90 CHAINS ROTATION	POSIZ./LOCATION + E10	GRUPPO/SECTION = G49	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 535
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ROLLS AND CHAINS BOX 2 °90 CHAINS ROTATION	POSIZ./LOCATION + E10	GRUPPO/SECTION = G49	PAGINE/PAGE 11
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 536
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								




CHAINS 1 ROTATION

=G49/11

=G50A/10

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CHAINS 1 ROTATION	POSIZ./LOCATION + E10	GRUPPO/SECTION = G50	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 540
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




CHAINS 2 ROTATION

=G50/10

=G51/10

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CHAINS 2 ROTATION	POSIZ./LOCATION + E10	GRUPPO/SECTION = G50A	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 545
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




CHAINS
EXIT 3
ROTATION

=G50A/10

=G51A/10

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CHAINS EXIT 3 ROTATION	POSIZ./LOCATION + E10	GRUPPO/SECTION = G51	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 550
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



CHAINS
EXIT 4
ROTATION

=G51/10

=H01/1001


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CHAINS EXIT 4 ROTATION	POSIZ./LOCATION + E10	GRUPPO/SECTION = G51A	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 555
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

=H00/76.9 / 24V_DI4 → 24V_DI4 / 1002.1

=H00/68.6 / 0V_DI4 → 0V_DI4 / 1002.1



EMERGENCY RELAY CONTROL

DELAYED EMERGENCY RELAY CONTROL

ZONE 1 EMERGENCY RELAY CONTROL

ZONE 2 EMERGENCY RELAY CONTROL

=G51A/10

1002


INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY INPUT SECT.4	POSIZ./LOCATION + E12	GRUPPO/SECTION = H01	PAGINE/PAGE 1001
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1001
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1001.9 / 24V_DI4 → 24V_DI4 / 1003.1

1001.9 / 0V_DI4 → 0V_DI4 / 1003.1



ZONE 3 EMERGENCY RELAY CONTROL

ZONE 4 EMERGENCY RELAY CONTROL

ZONE 5 EMERGENCY RELAY CONTROL

ZONE 6 EMERGENCY RELAY CONTROL

1001

1003

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: SAFETY INPUT SECT.4	POSIZ./LOCATION: + E12	GRUPPO/SECTION: = H01	PAGINE/PAGE: 1002
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE: 1002
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

1002.9 / 24V_DI4 — 24Vdc

1002.9 / 0V_DI4

24V_DI4 / 1005.1

0V_DI4 / 1005.1

100301

-K10131
/1013.1

61

62

100302

-K10132
/1013.2

62

61

100303

100304

-K10133
/1013.3

61

62

100305

-K10134
/1013.4

62

61

100306

XSI4 1 2

100307

100308

S_FB1 / 1004.0

S_FB / 1004.0

100401

100402

=H03-A25273
=H03/2527.3

1 3 5 7 2 4 6 8

E510.0 T0 E510.1 T1 E510.2 T2 E510.3 T3

SM 021

021-1SD00

YEC

ZONE 7 EMERGENCY
RELAY CONTROL

ZONE 8 EMERGENCY
RELAY CONTROL

EMERGENCY
INPUT

EMERGENCY
SAFETY FEEDBACK


1002

1004

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY INPUT SECT.4	POSIZ./LOCATION + E12	GRUPPO/SECTION = H01	PAGINE/PAGE 1003
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1003
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



1003 1005

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	SAFETY INPUT SECT.4	+ E12	= H01	1004
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1004
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							


RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1003.9 / 24V_DI4 → 24V_DI4 / 1020.1

1003.9 / 0V_DI4 → 0V_DI4 / 1020.1



SPARE EMERGENCY INPUT

SPARE EMERGENCY INPUT

SPARE EMERGENCY INPUT

SPARE EMERGENCY INPUT

1004

1011

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY INPUT SECT.4	POSIZ./LOCATION + E12	GRUPPO/SECTION = H01	PAGINE/PAGE 1005
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1005
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25274
=H03/2527.4

SM 022 — 022-1SD00 — YEC

A524.0 DC0V 1 2 — A524.1 DC0V 5 6 — A524.2 DC0V 3 4 — A524.3 DC0V 7 8

101101 101102 101103 101104 101105 101106 101107 101108

-K10111 A1 A2 24V +E12 — -K10112 A1 A2 24V +E12

3RH2262-1BB40
13 14 =H00/32.2
23 24 =H00/44.3
33 34 =H00/44.3
43 44
53 54
61 62 /1001.1
71 72
83 84

3RH2262-1BB40
13 14 =H00/32.2
23 24 =H00/44.3
33 34 =H00/44.3
43 44
53 54
62 61 /1001.1
71 72
83 84

EMERGENCY

-K10113 A1 A2 24V +E12 — -K10114 A1 A2 24V +E12

3RH2262-1BB40
13 14 =H00/32.4
23 24 =H00/44.5
33 34 =H00/44.5
43 44
53 54
61 62 /1001.3
71 72
83 84

3RH2262-1BB40
13 14 =H00/32.4
23 24 =H00/44.5
33 34 =H00/44.5
43 44
53 54
62 61 /1001.3
71 72
83 84

DELAYED EMERGENCY

-K10115 A1 A2 24V +E12 — -K10116 A1 A2 24V +E12

3RH2262-1BB40
13 14 =H00/32.6
23 24 =H00/44.7
33 34 =H00/44.7
43 44
53 54
61 62 /1001.5
71 72
83 84

3RH2262-1BB40
13 14 =H00/32.6
23 24 =H00/44.7
33 34 =H00/44.7
43 44
53 54
62 61 /1001.5
71 72
83 84

EMERGENCY AREA 1

-K10117 A1 A2 24V +E12 — -K10118 A1 A2 24V +E12

3RH2262-1BB40
13 14 =H00/32.8
23 24 =H00/45.1
33 34 =H00/45.1
43 44
53 54
61 62 /1001.7
71 72
83 84

3RH2262-1BB40
13 14 =H00/32.8
23 24 =H00/45.1
33 34 =H00/45.1
43 44
53 54
62 61 /1001.7
71 72
83 84

EMERGENCY AREA 2

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	SAFETY OUTPUT SECT.4	+ E12	= H01	1011
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1011
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25274.1
=H03/2527.4

SM 022 — 022-1SD00 — YEC

A528.0 DC0V 1 2 — A528.1 DC0V 5 6 — A528.2 DC0V 3 4 — A528.3 DC0V 7 8

101201 101202 101203 101204 101205 101206 101207 101208

-K10121 A1 A2 24V +E12 — -K10122 A1 A2 24V +E12 — -K10123 A1 A2 24V +E12 — -K10124 A1 A2 24V +E12 — -K10125 A1 A2 24V +E12 — -K10126 A1 A2 24V +E12 — -K10127 A1 A2 24V +E12 — -K10128 A1 A2 24V +E12

-K10121	-K10122	-K10123	-K10124	-K10125	-K10126	-K10127	-K10128
3RH2262-1BB40	3RH2262-1BB40	3RH2262-1BB40	3RH2262-1BB40	3RH2262-1BB40	3RH2262-1BB40	3RH2262-1BB40	3RH2262-1BB40
13 – 14 =H00/33.1	13 – 14 =H00/33.1	13 – 14 =H00/33.3	13 – 14 =H00/33.3	13 – 14 =H00/33.5	13 – 14 =H00/33.5	13 – 14 =H00/33.7	13 – 14 =H00/33.7
23 – 24 =H00/45.3	23 – 24 =H00/45.3	23 – 24 =H00/45.5	23 – 24 =H00/45.5	23 – 24 =H00/45.7	23 – 24 =H00/45.7	23 – 24 =H00/46.1	23 – 24 =H00/46.1
33 – 34 =H00/45.3	33 – 34 =H00/45.3	33 – 34 =H00/45.5	33 – 34 =H00/45.5	33 – 34 =H00/45.7	33 – 34 =H00/45.7	33 – 34 =H00/46.1	33 – 34 =H00/46.1
43 – 44	43 – 44	43 – 44	43 – 44	43 – 44	43 – 44	43 – 44	43 – 44
53 – 54	53 – 54	53 – 54	53 – 54	53 – 54	53 – 54	53 – 54	53 – 54
61 – 62 /1002.1	62 – 61 /1002.1	61 – 62 /1002.3	62 – 61 /1002.3	61 – 62 /1002.5	62 – 61 /1002.5	61 – 62 /1002.7	62 – 61 /1002.7
71 – 72	71 – 72	71 – 72	71 – 72	71 – 72	71 – 72	71 – 72	71 – 72
83 – 84	83 – 84	83 – 84	83 – 84	83 – 84	83 – 84	83 – 84	83 – 84

EMERGENCY AREA 3 — EMERGENCY AREA 4 — EMERGENCY AREA 5 — EMERGENCY AREA 6

1011 1013

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	SAFETY OUTPUT SECT.4	+ E12 / = H01 / 1012
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1012
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25274.2
=H03/2527.4

SM 022 — 022-1SD00 — YEC

A532.0 DC0V 1 2 — A532.1 DC0V 5 6 — A532.2 DC0V 3 4 — A532.3 DC0V 7 8

101301 101302 101303 101304 101305 101306 101307 101308

XSO4 1 2 3 4

-K10131 A1 24V +E12 A2
-K10132 A1 24V +E12 A2
-K10133 A1 24V +E12 A2
-K10134 A1 24V +E12 A2

3RH2262-1BB40

13 14 =H00/34.1	13 14 =H00/34.1	13 14 =H00/34.3	13 14 =H00/34.3
23 24 =H00/46.3	23 24 =H00/46.3	23 24 =H00/46.5	23 24 =H00/46.5
33 34 =H00/46.3	33 34 =H00/46.3	33 34 =H00/46.5	33 34 =H00/46.5
43 44	43 44	43 44	43 44
53 54	53 54	53 54 =H00/39.3	53 54
61 62 /1003.1	62 61 /1003.1	61 62 /1003.3	62 61 /1003.3
71 72	71 72	71 72	71 72
83 84	83 84	83 84 =H00/39.4	83 84


EMERGENCY AREA 7 — EMERGENCY AREA 8 — SPARE — SPARE

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY OUTPUT SECT.4	POSIZ./LOCATION + E12 / GRUPPO/SECTION = H01 / PAGINE/PAGE 1013
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1013
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25275
=H03/2527.5

SM 022 — 022-1SD00 — YEC




SPARE SPARE SPARE SPARE

1013 1020

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY OUTPUT SECT.4	POSIZ./LOCATION + E12	GRUPPO/SECTION = H01	PAGINE/PAGE 1014
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1014
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



MOTOR DIRECT AND FANS POWER SUPPLY FAULT

MOTORS AND DRIVE AUXILIARY POWER SUPPLY FAULT

PUMPS POWER SUPPLY FAULT

SPARE

AUX 230V 50HZ SUPPLY FAULT

AUX 230V 50HZ CABINET SUPPLY FAULT

AUX 230V 50HZ BRAKES AND FAN SUPPLY FAULT

SPARE


1014

1021

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT SECT.4	POSIZ./LOCATION + E12	GRUPPO/SECTION = H01	PAGINE/PAGE 1020
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1020
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



AUX 230V 50HZ CONTROL DESK FAN SUPPLY FAULT	AUXILIARY CIRCUIT INSERTION START	CABINET FAN SUPPLY POWER SUPPLY FAULT	UPS POWER SUPPLY FAULT	UPS POWER SUPPLY DRIVE FAULT


UPS 230V 50HZ MAIN DESK SUPPLY FAULT	UPS 230V 50HZ ENTRY DESK SUPPLY FAULT	UPS 230V 50HZ TRIMMING DESK SUPPLY FAULT

1020 1022

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC INPUT SECT.4	+ E12 / = H01 / 1021
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1021
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



AUX 230V 50HZ STACKER DESK FAN SUPPLY FAULT

UPS 230V 50HZ EXIT DESK SUPPLY FAULT

ELECTROVALVES POWER SUPPLY SUPPLY FAULT

ELECTROVALVES POWER SUPPLY DISTRIBUTION SUPPLY FAULT

ELECTROVALVES 24Vdc GENERAL EMERGENCY SUPPLY FAULT

ELECTROVALVES 24Vdc DELAYED EMERGENCY SUPPLY FAULT

ELECTROVALVES 24Vdc EMERGENCY ZONE 1 SUPPLY FAULT


ELECTROVALVES 24Vdc EMERGENCY ZONE 2 SUPPLY FAULT

1021

1023

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT SECT.4	POSIZ./LOCATION: + E12
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE		CLIENTE/CUSTOMER			GRUPPO/SECTION: = H01
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					PAGINE/PAGE: 1022
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						SEL CTL4 LINE
									RIF./REFERNCE: 1022

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ELECTROVALVES 24Vdc EMERGENCY ZONE 3 SUPPLY FAULT

ELECTROVALVES 24Vdc EMERGENCY ZONE 4 SUPPLY FAULT

ELECTROVALVES 24Vdc EMERGENCY ZONE 5 SUPPLY FAULT

ELECTROVALVES 24Vdc EMERGENCY ZONE 6 SUPPLY FAULT

ELECTROVALVES 24Vdc EMERGENCY ZONE 7 SUPPLY FAULT

ELECTROVALVES 24Vdc EMERGENCY ZONE 7 SUPPLY FAULT

UPS SUPPLY 24Vdc CPU FAULT


UPS SUPPLY 24Vdc ET200 REMOTE FAULT

1022

1024

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT SECT.4	POSIZ./LOCATION: + E12
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			GRUPPO/SECTION: = H01
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					PAGINE/PAGE: 1023
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					SEL CTL4 LINE	RIF./REFERNCE: 1023

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SUPPLY 24Vdc DIGITAL INPUT REMOTE DESK SUPPLY FAULT

SUPPLY 24Vdc DIGITAL OUTPUT REMOTE DESK SUPPLY FAULT

SUPPLY 24Vdc DIGITAL OUTPUT SECT.4 SUPPLY FAULT

SUPPLY 24Vdc GATE AND SAFETY DOOR SUPPLY FAULT

SUPPLY 24Vdc ENCODER SUPPLY FAULT

DRIVES POWER SUPPLY 24Vdc SUPPLY FAULT

SUPPLY 24Vdc DRIVES S120 SUPPLY FAULT


SUPPLY 24Vdc DRIVES S120 SUPPLY FAULT

1023

1025

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT SECT.4	POSIZ./LOCATION: + E12
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			GRUPPO/SECTION: = H01
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					PAGINE/PAGE: 1024
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					SEL CTL4 LINE	RIF./REFERNCE: 1024

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




SUPPLY 24Vdc DRIVES S120 SUPPLY FAULT	SUPPLY 24Vdc DRIVES S120 SUPPLY FAULT	UPS SUPPLY 24Vdc SCALANCE FAULT	SUPPLY 230Vac MAIN DESK P00 POWER SUPPLY FAULT	SUPPLY 230Vac ENTRY DESK P01 POWER SUPPLY FAULT	SUPPLY 230Vac TRIMMIN DESK P02 POWER SUPPLY FAULT	SUPPLY 230Vac STACKER DESK P03 POWER SUPPLY FAULT	SUPPLY 230Vac EXIT DESK P04 POWER SUPPLY FAULT

1024 1026

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT SECT.4
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER		
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ E12	= H01	1025
SEL CTL4 LINE		RIF./REFERNCE: 1025

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




SUPPLY 24Vdc DRIVES S120 SUPPLY FAULT	BOARD OVERTEMPERATURE	ELECTROVALVES 24Vdc DIRECT SUPPLY FAULT	SUPPLY 230Vac WEIGHING MACHINE 1 SUPPLY FAULT	SUPPLY 230Vac WEIGHING MACHINE 2 SUPPLY FAULT	SPARE	SPARE	SPARE

1025 1029

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC INPUT SECT.4	+ E12	= H01	1026
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1026
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STRAIGHTENER BRAKE SUPPLY FAULT	STRAIGHTENER MOTOR FAN SUPPLY FAULT	SPARE	SPARE	SPARE	SPARE	LEVELLER 1 BRAKE SUPPLY FAULT	LEVELLER 1 MOTOR FAN SUPPLY FAULT		

1026 1030

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT SECT.4	POSIZ./LOCATION: + E12 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 1029
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE: 1029
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




LEVELLER 2 BRAKE SUPPLY FAULT	LEVELLER 2 MOTOR FAN SUPPLY FAULT	LEVELLER 2 BRAKE SUPPLY FAULT	LEVELLER 2 MOTOR FAN SUPPLY FAULT	FAN SCRAP CUTTER MOTOR SIDE SUPPLY FAULT
SPARE	SPARE	SPARE		

1029 1031

INDICE REVIS. N° / REVIS. INDEX N°									
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	21041I CTL04	CTL4 LINE	PLC INPUT SECT.4	+ E12	= H01	1030
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1030


RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT SECT.4	POSIZ./LOCATION + E12	GRUPPO/SECTION = H01	PAGINE/PAGE 1031
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1031
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




FLYING SHEAR HYDRAULIC STATION OIL HEATING SUPPLY FAULT	FLYING SHEAR HYDRAULIC STATION OIL HEATING FEEDBACK	HYDRAULIC UNIT OIL HEATING SUPPLAY FAULT	HYDRAULIC UNIT OIL HEATING FEEDBACK	LEVELLER 1 OIL LUBRICATION PUMP SUPPLY FAULT	LEVELLER 1 OIL LUBRICATION PUMP FEEDBACK	LEVELLER 2 OIL LUBRICATION PUMP SUPPLY FAULT	LEVELLER 2 OIL LUBRICATION PUMP FEEDBACK

1031 1033

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT SECT.4
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER		
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ E12	= H01	1032
SEL CTL4 LINE		RIF./REFERNCE: 1032

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




FLYING SHEAR HYDRAULIC POWER STATION FOR CUTTING SUPPLY FAULT	FLYING SHEAR HYDRAULIC POWER STATION FOR CUTTING FEEDBACK	FLYING SHEAR HYDRAULIC POWER STATION OIL COOLING SUPPLY FAULT	FLYING SHEAR HYDRAULIC POWER STATION OIL COOLING FEEDBACK	FLYING SHEAR HYDRAULIC POWER STATION FAN SUPPLY FAULT	FLYING SHEAR HYDRAULIC POWER STATION FAN FEEDBACK	HYDRAULIC STATION PUMP 1 SUPPLY FAULT	HYDRAULIC STATION PUMP 1 FEEDBACK

1032 1034

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT SECT.4	POSIZ./LOCATION: + E12	GRUPPO/SECTION: = H01	PAGINE/PAGE: 1033
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE: 1033
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



HYDRAULIC STATION PUMP 2 SUPPLY FAULT	HYDRAULIC STATION PUMP 2 FEEDBACK	HYDRAULIC STATION OIL COOLING RECIRCULATION PUMP SUPPLY FAULT	HYDRAULIC STATION OIL COOLING RECIRCULATION PUMP FEEDBACK	HYDRAULIC STATION OIL COOLING PUMP SUPPLY FAULT
HYDRAULIC STATION OIL COOLING PUMP FEEDBACK	FLYING SHEAR BLADE CASSETTE PUMP SUPPLY FAULT	FLYING SHEAR BLADE CASSETTE PUMP FEEDBACK		


1033

1035

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC INPUT SECT.4	+ E12 / = H01 / 1034
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1034
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					


RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° / REVIS. INDEX N°									
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT SECT.4	POSIZ./LOCATION + E12 / GRUPPO/SECTION = H01 / PAGINE/PAGE 1035
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1035
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT SECT.4	POSIZ./LOCATION: + E12
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			GRUPPO/SECTION: = H01
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					PAGINE/PAGE: 1037
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					SEL CTL4 LINE	RIF./REFERNCE: 1037

1035

1038



LEVELLER 1
BACK UP ROLL 5
RAISE-LOWER
SUPPLY FAULT

LEVELLER 1
BACK UP ROLL 5
RAISE-LOWER
FEEDBACK

SPARE
SUPPLY FAULT

SPARE
FEEDBACK

SPARE
SUPPLY FAULT

SPARE
FEEDBACK

FLYING SHEAR
BLADE GAP
INCREASE-DECREASE
SUPPLY FAULT


FLYING SHEAR
BLADE GAP
INCREASE-DECREASE
FEEDBACK

1037

1039

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT SECT.4	POSIZ./LOCATION + E12	GRUPPO/SECTION = H01	PAGINE/PAGE 1038
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1038
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




SCRAP CARRIAGE TRANSLATION IN LINE-OUT LINE SUPPLY FAULT	SCRAP CARRIAGE TRANSLATION IN LINE-OUT LINE FEEDBACK	STACKER CAR RACKET BOX 1 O.S. OPEN-CLOSE SUPPLY FAULT	STACKER CAR RACKET BOX 1 O.S. OPEN-CLOSE FEEDBACK	STACKER CAR RACKET BOX 2 O.S. OPEN-CLOSE SUPPLY FAULT	STACKER CAR RACKET BOX 2 O.S. OPEN-CLOSE FEEDBACK	STACKER CAR RACKET BOX 1 M.S. OPEN-CLOSE SUPPLY FAULT	STACKER CAR RACKET BOX 1 M.S. OPEN-CLOSE SUPPLY FAULT

1038 1040


INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT SECT.4	POSIZ./LOCATION: + E12 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 1039
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE: 1039
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT SECT.4	POSIZ./LOCATION + E12 / GRUPPO/SECTION = H01 / PAGINE/PAGE 1040
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1040
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




STACKER SIDE GUIDE BOX 2 O.S. OPEN-CLOSE SUPPLY FAULT	STACKER SIDE GUIDE BOX 2 O.S. OPEN-CLOSE FEEDBACK	FAN FLYING SHEAR BELT CONVEYOR SUPPLY FAULT	SPARE	SPARE	SPARE	SPARE	SPARE

1040 1042

INDICE REVIS. N° / REVIS. INDEX N°									
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT SECT.4	POSIZ./LOCATION + E12 / GRUPPO/SECTION = H01 / PAGINE/PAGE 1041
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1041
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




GATE SPARE ENTRY REQUEST	GATE SPARE RESET	AREA 4 GATE G4.2 ENTRY REQUEST	LOCAL PANEL P4.2 GATE G4.1 RESET	AREA 5 GATE G5.2 ENTRY REQUEST	LOCAL PANEL P5.2 GATE G5.2 RESET	AREA 7 GATE G7.2 ENTRY REQUEST	LOCAL PANEL P7.2 GATE G7.2 RESET	

1041 1043

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT SECT.4
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER		
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ E12	= H01	1042
SEL CTL4 LINE		RIF./REFERNCE 1042

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SPARE MOTOR 24VDC SUPPLY FAULT	SPARE MOTOR 24VDC FEEDBACK	SPARE MOTOR 24VDC SUPPLY FAULT	SPARE MOTOR 24VDC FEEDBACK	SPARE MOTOR 24VDC SUPPLY FAULT	SPARE MOTOR 24VDC FEEDBACK	FLYING SHEAR GREASE LUBRICATION PUMP SYPPLY FAULT	FLYING SHEAR GREASE LUBRICATION PUMP FEEDBACK

1042 1044

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT SECT.4
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER		
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ E12	= H01	1043
SEL CTL4 LINE		RIF./REFERNCE 1043

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

1043.9 / 24V_DI4
1043.9 / 0V_DI4

24V_DI4 / 1071.1
0V_DI4 / 1071.1

LP1 LP1 LP1 LP1 LP1 0V3 LP1 0V3

XDI4 46 47 XDI4 50 51

=H02-Q271 33 / =H02/27.1 34
-K10635.1 21 / /1063.5 22
=H02-Q273 33 / =H02/27.3 34
-K10636.1 21 / /1063.6 22

XDI4 48 49 52 53

104401 104402 104403 104404 104405 104406 104407 104408

=H03-A25225.1
=H03/2522.5

1	5	2	6	3	7	4	8
E23.0	E23.1	E23.2	E23.3	E23.4	E23.5	E23.6	E23.7

SM 021 — 021-1BF00 — YEC

BRAKE SPARE SUPPLY	BRAKE SPARE SUPPLY FEEDBACK	BRAKE SPARE SUPPLY FAULT	BRAKE FEEDBACK	SPARE	SPARE	SPARE	SPARE

1043 1050


INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT SECT.4
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER		
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ E12	= H01	1044
SEL CTL4 LINE		RIF./REFERNCE 1044

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25253
=H03/2525.5

SM 022 — 022-1BF00 — YEC



BRAKE STRAIGHTENER ON	FAN STRAIGHTENER ON	SPARE	SPARE	SPARE	BRAKE LEVELLER 1 MOTOR ON	FAN LEVELLER 1 MOTOR ON	BRAKE LEVELLER 2 MOTOR 1 ON

1044 1051


INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC OUTPUT SECT.4	+ E12	= H01	1050
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1050
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

H03-A25253.1
=H03/2525.5

SM 022 — 022-1BF00 — YEC



FAN LEVELLER 2 MOTOR 1 ON	BRAKE LEVELLER 2 MOTOR 2 ON	FAN LEVELLER 2 MOTOR 2 ON	FAN FLYING SHEAR CARRIAGE MOTOR	SPARE	SPARE	SPARE	SPARE		

1050 1053

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC OUTPUT SECT.4	POSIZ./LOCATION: + E12 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 1051
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE: 1051
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

H03-A25254.1
=H03/2525.5

SM 022 — 022-1BF00 — YEC

A3.0 1 | A3.1 5 | A3.2 2 | A3.3 6 | A3.4 3 | A3.5 7 | A3.6 4 | A3.7 8

105301 | 105303 | 105305 | 105307 | 105309 | 105311 | 105313 | 105315

-K10531 -K10532 -K10533 -K10534 -K10535 -K10536 -K10537 -K10538
+E12 A1 A2

1051.9 / 0V_DO4 → 0V_DO4 / 1054.1
1051.9 / 24V_DO4 → 24V_DO4 / 1054.1

PLC-RSC- 24DC/21
14 12 — 11 .1 / .2 / .3 / .4 / .5 / .6 / .7 / .8

230V 50Hz
=G32/11.3 / 230_EME_Z5
=H00/32.5 / 230_EMED
=G20A/11.3 / 230_EME_Z4 → 230_EME_Z4 / 1057.1
230_EMED / 1054.1
230_EME_Z5 / 1054.5

-K10531 .1 | -K10532 .2 | -K10533 .3 | -K10534 .4 | -K10535 .5 | -K10536 .6 | -K10537 .7 | -K10538 .8
12 14 / 11

105302 | 105304 | 105306 | 105308 | 105310 | 105312 | 105314 | 105316

-K10531.1 4KW +E14 | -K10532.1 4KW +E14 | -K10533.1 4KW +E14 | -K10534.1 4KW +E14 | -K10535.1 5,5KW +E14 | -K10536.1 4KW +E14 | -K10537.1 4KW +E14 | -K10538.1 45 kW +E15
A1 A2

=G32/11.3 / 230N_EME → 230N_EME / 1054.1

3RT2016-1AP01 3RH2911-1HA11 | 3RT2016-1AP01 3RH2911-1HA11 | 3RT2016-1AP01 3RH2911-1HA11 | 3RT2016-1AP01 3RH2911-1HA11 | 3RT2017-1AP01 3RH2911-1HA11 | 3RT2016-1AP01 3RH2911-1HA11 | 3RT2016-1AP01 3RH2911-1HA11 | 3RT2046-1AL20 3RH2911-1FA22

1/L1 2/T1 =H02/10.1
3/L2 4/T2 =H02/10.1
5/L3 6/T3 =H02/10.1
13 14
21 22 /1032.2
33 34
A1 A2
1/L1 2/T1
3/L2 4/T2
5/L3 6/T3
13 14

1/L1 2/T1 =H02/10.3
3/L2 4/T2 =H02/10.3
5/L3 6/T3 =H02/10.3
13 14
21 22 /1032.4
33 34
A1 A2
1/L1 2/T1
3/L2 4/T2
5/L3 6/T3
13 14

1/L1 2/T1 =H02/13.7
3/L2 4/T2 =H02/13.7
5/L3 6/T3 =H02/13.7
13 14
21 22 /1032.6
33 34

1/L1 2/T1 =H02/11.3
3/L2 4/T2 =H02/11.3
5/L3 6/T3 =H02/11.3
13 14
21 22 /1032.8
33 34

1/L1 2/T1 =H02/11.5
3/L2 4/T2 =H02/11.5
5/L3 6/T3 =H02/11.5
13 14
21 22 /1033.2
33 34
A1 A2
1/L1 2/T1
3/L2 4/T2
5/L3 6/T3
13 14

1/L1 2/T1 =H02/11.7
3/L2 4/T2 =H02/11.7
5/L3 6/T3 =H02/11.7
13 14
21 22 /1033.4
33 34

1/L1 2/T1 =H02/12.1
3/L2 4/T2 =H02/12.1
5/L3 6/T3 =H02/12.1
13 14
21 22 /1033.6
33 34

1/L1 2/T1 =H02/12.3
3/L2 4/T2 =H02/12.3
5/L3 6/T3 =H02/12.3
13 14
21 22 /1033.8
33 34
41 42
51 52
63 64

FLYING SHEAR HYDRAULIC STATION OIL HEATING
HYDRAULIC UNIT OIL HEATING
LEVELLER 1 OIL LUBRICATION PUMP
LEVELLER 2 OIL LUBRICATION PUMP
FLYING SHEAR HYDRAULIC POWER STATION FOR CUTTING
FLYING SHEAR HYDRAULIC POWER STATION OIL COOLING
FLYING SHEAR HYDRAULIC POWER STATION FAN
HYDRAULIC STATION PUMP 1

1051 — 1054

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC OUTPUT SECT.4	+ E12 / = H01 / 1053
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1053
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25255
=H03/2525.6

SM 022 — 022-1BF00 — YEC

A4.0 1 — A4.1 5 — A4.2 2 — A4.3 6 — A4.4 3 — A4.5 7 — A4.6 4 — A4.7 8

105401 105403 105405 105407 105408 105409 105410 105411

-K10541 +E12 — -K10542 +E12 — -K10543 +E12 — -K10544 +E12 — -K10545 +E12 — -K10546 +E12 — -K10547 +E12 — -K10548 +E12

1053.9 / 0V_DO4 → 0V_DO4 / 1055.1

1053.9 / 24V_DO4 → 24V_DO4 / 1055.1

PLC-RSC- 24DC/21

14 – 12 — 11 .1 | 11 .2 | 11 .3 | 11 .4 | 11 .5 | 11 | 11 | 11

230V 50Hz

1053.8 / 230_EMED

1053.7 / 230_EME_Z5 → 230_EME_Z5 / 1058.5

=G04/11.3 / 230_EME_Z2 → 230_EME_Z2 / 1055.1

-K10541 .1 — -K10542 .2 — -K10543 .3 — -K10544 .4 — -K10545 .5

105402 105404 105406 105412 105413

-K10541.1 45 kW +E15 — -K10542.1 +E14 — -K10543.1 4KW +E14 — -K10544.1 4KW +E14 — -K10545.1 4KW +E14

AC3:30KW/400V, AC 220V

1053.9 / 230N_EME → 230N_EME / 1055.1

	3RT2046-1AL20 3RH2911-1FA22	3RT2037-1AP00 3RH2911-1HA11	3RT2016-1AP01 3RH2911-1HA11	3RT2016-1AP01 3RH2911-1HA11	3RT2016-1AP01 3RH2911-1HA11
1/L1 – 2/T1	=H02/12.5	=H02/12.7	=H02/13.1	=H02/13.3	=H02/13.5
3/L2 – 4/T2	=H02/12.5	=H02/12.7	=H02/13.1	=H02/13.3	=H02/13.5
5/L3 – 6/T3	=H02/12.5	=H02/12.7	=H02/13.1	=H02/13.3	=H02/13.5
13 – 14					
21 – 22	/1034.2	/1034.4	/1034.6	/1034.8	/1031.8
33 – 34					
41 – 42					
51 – 52					
63 – 64					

HYDRAULIC STATION PUMP 2

HYDRAULIC STATION OIL COOLING RECIRCULATION PUMP

HYDRAULIC STATION OIL COOLING PUMP

STRAIGHTENER OIL LUBRICATION PUMP

FLYING SHEAR OIL RECOVERY FOR DRAINS

SPARE

SPARE

SPARE

1053 1055

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.4	POSIZ./LOCATION + E12	GRUPPO/SECTION = H01	PAGINE/PAGE 1054
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1054
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

H03-A25255.1
=H03/2525.6

SM 022 — 022-1BF00 — YEC

A5.0 1 | A5.1 5 | A5.2 2 | A5.3 6 | A5.4 3 | A5.5 7 | A5.6 4 | A5.7 8

105501 | 105503 | 105505 | 105507 | 105509 | 105511 | 105513 | 105515

-K10551 +E12 | -K10552 +E12 | -K10553 +E12 | -K10554 +E12 | -K10555 +E12 | -K10556 +E12 | -K10557 +E12 | -K10558 +E12

A1 / A2

1054.9 / 0V_DO4 → 0V_DO4 / 1057.1

1054.9 / 24V_DO4 → 24V_DO4 / 1057.1

PLC-RSC- 24DC/21

14 – 11 .1 / 12 | 14 – 11 .2 / 12 | 14 – 11 .3 / 12 | 14 – 11 .4 / 12 | 14 – 11 / 12 | 14 – 11 / 12 | 14 – 11 / 12 | 14 – 11 / 12

230V 50Hz

1054.4 / 230_EME_Z2 → 230_EME_Z2 / 1060.1

12 14 / 11

-K10551 .1 | -K10552 .2 | -K10553 .3 | -K10554 .4

105502 | 105504 | 105506 | 105508

21 / 22

-K10552.1 .2 | -K10551.1 .1 | -K10554.1 .4 | -K10553.1 .3

A1 / A2

-K10551.1 3KW +E15 | -K10552.1 230V | -K10553.1 3KW +E15 | -K10554.1 230V

1054.9 / 230N_EME → 230N_EME / 1057.1

3RA2315-8XB30-1AP0
3RH2911-1FA22

1/L1 2/T1 =H02/14.1
3/L2 4/T2 =H02/14.1
5/L3 6/T3 =H02/14.1
21 22 .2
33 34
41 42
51 52 /1035.2
63 64

1/L1 2/T1 =H02/14.2
3/L2 4/T2 =H02/14.2
5/L3 6/T3 =H02/14.2
21 22 .1
33 34
41 42
51 52 /1035.2
63 64

3RA2315-8XB30-1AP0
3RH2911-1FA22

1/L1 2/T1 =H02/14.4
3/L2 4/T2 =H02/14.4
5/L3 6/T3 =H02/14.4
21 22 .4
33 34
41 42
51 52 /1035.4
63 64

1/L1 2/T1 =H02/14.5
3/L2 4/T2 =H02/14.5
5/L3 6/T3 =H02/14.5
21 22 .3
33 34
41 42
51 52 /1035.4
63 64

CROP SHEAR BLADE GAP INCREASE

CROP SHEAR BLADE GAP DECREASE

SCRAP CAR CROP SHEAR TRANSLATING BACKWARD

SCRAP CAR CROP SHEAR TRANSLATING FORWARD

1054 1057

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.4
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER		
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ E12	= H01	1055
SEL CTL4 LINE		RIF./REFERNCE 1055

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25257
=H03/2525.7

SM 022 — 022-1BF00 — YEC

A7.0 1 | A7.1 5 | A7.2 2 | A7.3 6 | A7.4 3 | A7.5 7 | A7.6 4 | A7.7 8

105701 | 105703 | 105705 | 105707 | 105709 | 105711 | 105713 | 105715

-K10571 +E12 | -K10572 +E12 | -K10573 +E12 | -K10574 +E12 | -K10575 +E12 | -K10576 +E12 | -K10577 +E12 | -K10578 +E12

1055.9 / 0V_DO4 → 0V_DO4 / 1058.1

1055.9 / 24V_DO4 → 24V_DO4 / 1058.1

PLC-RSC- 24DC/21

14 – 12 – 11 .1 | 11 .2 | 11 .3 | 11 .4 | 11 .5 | 11 .6 | 11 .7 | 11 .8

230V 50Hz

1053.4 / 230_EME_Z4 → 230_EME_Z4 / 1058.1

-K10571 .1 | -K10572 .2 | -K10573 .3 | -K10574 .4 | -K10575 .5 | -K10576 .6 | -K10577 .7 | -K10578 .8

12 14 / 11

105702 | 105704 | 105706 | 105708 | 105710 | 105712 | 105714 | 105716

-K10572.1 .2 | -K10571.1 .1 | -K10574.1 .4 | -K10573.1 .3 | -K10576.1 .6 | -K10575.1 .5 | -K10578.1 .8 | -K10577.1 .7

21 / 22 / A1 / A2

-K10571.1 230V +E15 | -K10572.1 230V | -K10573.1 230V +E15 | -K10574.1 230V | -K10575.1 230V +E15 | -K10576.1 230V | -K10577.1 230V +E15 | -K10578.1 230V

1055.9 / 230N_EME → 230N_EME / 1058.1

3RA2315-8XB30-1AP0
3RH2911-1FA22

1/L1 2/T1 =H02/16.7	1/L1 2/T1 =H02/16.8	1/L1 2/T1 =H02/17.1	1/L1 2/T1 =H02/17.2	1/L1 2/T1 =H02/17.4	1/L1 2/T1 =H02/17.5	1/L1 2/T1 =H02/17.7	1/L1 2/T1 =H02/17.8
3/L2 4/T2 =H02/16.7	3/L2 4/T2 =H02/16.8	3/L2 4/T2 =H02/17.1	3/L2 4/T2 =H02/17.2	3/L2 4/T2 =H02/17.4	3/L2 4/T2 =H02/17.5	3/L2 4/T2 =H02/17.7	3/L2 4/T2 =H02/17.8
5/L3 6/T3 =H02/16.7	5/L3 6/T3 =H02/16.8	5/L3 6/T3 =H02/17.1	5/L3 6/T3 =H02/17.2	5/L3 6/T3 =H02/17.4	5/L3 6/T3 =H02/17.5	5/L3 6/T3 =H02/17.7	5/L3 6/T3 =H02/17.8
21 22 .2	21 22 .1	21 22 .4	21 22 .3	21 22 .6	21 22 .5	21 22 .8	21 22 .7
33 34	33 34	33 34	33 34	33 34	33 34	33 34	33 34
41 42	41 42	41 42	41 42	41 42	41 42	41 42	41 42
51 52 /1037.2	51 52 /1037.2	51 52 /1037.4	51 52 /1037.4	51 52 /1037.6	51 52 /1037.6	51 52 /1037.8	51 52 /1037.8
63 64	63 64	63 64	63 64	63 64	63 64	63 64	63 64

LEVELLER 1 BACK UP ROLL 1 RAISE

LEVELLER 1 BACK UP ROLL 1 LOWER

LEVELLER 1 BACK UP ROLL 2 RAISE

LEVELLER 1 BACK UP ROLL 2 LOWER

LEVELLER 1 BACK UP ROLL 3 RAISE

LEVELLER 1 BACK UP ROLL 3 LOWER

LEVELLER 1 BACK UP ROLL 4 RAISE

LEVELLER 1 BACK UP ROLL 4 LOWER

1055 — 1058

INDICE REVIS. N° / REVIS. INDEX N°							
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO			DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.4	

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ E12	= H01	1057
SEL CTL4 LINE		RIF./REFERNCE 1057

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25258
=H03/2525.7

SM 022 | 022-1BF00 | YEC

A8.0 1 | A8.1 5 | A8.2 2 | A8.3 6 | A8.4 3 | A8.5 7 | A8.6 4 | A8.7 8

105801 | 105803 | 105805 | 105807 | 105809 | 105811 | 105813 | 105815

-K10581 +E12 | -K10582 +E12 | -K10583 +E12 | -K10584 +E12 | -K10585 +E12 | -K10586 +E12 | -K10587 +E12 | -K10588 +E12

1057.9 / 0V_DO4 → 0V_DO4 / 1059.1

1057.9 / 24V_DO4 → 24V_DO4 / 1059.1

PLC-RSC- 24DC/21: 14–12 → 11 .1 | 11 .2 | 11 .3 | 11 .4 | 11 .5 | 11 .6 | 11 .7 | 11 .8

230V 50Hz

1057.9 / 230_EME_Z4 → 230_EME_Z4 / 1075.1

1054.5 / 230_EME_Z5 → 230_EME_Z5 / 1063.4

-K10581 .1 | -K10582 .2 | -K10583 .3 | -K10584 .4 | -K10585 .5 | -K10586 .6 | -K10587 .7 | -K10588 .8

105802 | 105804 | 105806 | 105808 | 105810 | 105812 | 105814 | 105816

-K10582.1 .2 | -K10581.1 .1 | -K10584.1 .4 | -K10583.1 .3 | -K10586.1 .6 | -K10585.1 .5 | -K10588.1 .8 | -K10587.1 .7

-K10581.1 230V +E15 | -K10582.1 230V | -K10583.1 230V +E15 | -K10584.1 230V | -K10585.1 7,5KW +E15 | -K10586.1 230V | -K10587.1 230V +E15 | -K10588.1 230V

1057.9 / 230N_EME → 230N_EME / 1059.1

3RA2315-8XB30-1AP0 3RH2911-1FA22 | 3RA2315-8XB30-1AP0 3RH2911-1FA22 | 3RA2318-8XB30-1AP0 3RH2911-1FA22 | 3RA2315-8XB30-1AP0 3RH2911-1FA22

1/L1 2/T1	=H02/18.1	=H02/18.2	=H02/18.4	=H02/18.5	=H02/20.1	=H02/20.2	=H02/20.7	=H02/20.8
3/L2 4/T2	=H02/18.1	=H02/18.2	=H02/18.4	=H02/18.5	=H02/20.1	=H02/20.2	=H02/20.7	=H02/20.8
5/L3 6/T3	=H02/18.1	=H02/18.2	=H02/18.4	=H02/18.5	=H02/20.1	=H02/20.2	=H02/20.7	=H02/20.8
21–22	.2	.1	.4	.3	.6	.5	.8	.7
33–34								
41–42								
51–52	/1038.2	/1038.2	/1038.4	/1038.4	/1038.6	/1038.6	/1038.8	/1038.8
63–64								

LEVELLER 1 BACK UP ROLL 5 RAISE | LEVELLER 1 BACK UP ROLL 5 LOWER | SPARE | SPARE | HOLD DOWN PLATE CYLINDER RISE | HOLD DOWN PLATE CYLINDER LOWER | FLYING SHEAR BLADE GAP O.S. INCREASE | FLYING SHEAR BLADE GAP O.S. DECREASE


1057 1059

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.4	POSIZ./LOCATION + E12	GRUPPO/SECTION = H01	PAGINE/PAGE 1058
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1058
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

H03-A25258.1
=H03/2525.7

SM 022 — 022-1BF00 — YEC



SCRAP CARRIAGE TRANSLATION IN LINE	SCRAP CARRIAGE TRANSLATION OUT LINE	STACKER CAR RACKET BOX 1 O.S. OPEN	STACKER CAR RACKET BOX 1 O.S. CLOSE	STACKER CAR RACKET BOX 2 O.S. OPEN	STACKER CAR RACKET BOX 2 O.S. CLOSE	STACKER CAR RACKET BOX 1 M.S. OPEN	STACKER CAR RACKET BOX 1 M.S. CLOSE


1058 1060

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.4	POSIZ./LOCATION + E12	GRUPPO/SECTION = H01	PAGINE/PAGE 1059
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1059
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25259
=H03/2525.8

SM 022 — 022-1BF00 — YEC



STACKER CAR RACKET BOX 2 M.S. OPEN	STACKER CAR RACKET BOX 2 M.S. CLOSE	STACKER SIDE GUIDE BOX 1 M.S. OPEN	STACKER SIDE GUIDE BOX 1 M.S. CLOSE	STACKER SIDE GUIDE BOX 2 M.S. OPEN	STACKER SIDE GUIDE BOX 2 M.S. CLOSE	STACKER SIDE GUIDE BOX 1 O.S. OPEN	STACKER SIDE GUIDE BOX 1 O.S. CLOSE

1059 1061

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.4	POSIZ./LOCATION + E12	GRUPPO/SECTION = H01	PAGINE/PAGE 1060
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1060
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25261
=H03/2526.2

SM 022 — 022-1BF00 — YEC

A11.0 1 — A11.1 5 — A11.2 2 — A11.3 6 — A11.4 3 — A11.5 7 — A11.6 4 — A11.7 8

106101 106103 106105 106107 106109 106111 106113 106115

-K10611 +E12 A2 — -K10612 +E12 A2 — -K10613 +E12 A2 — -K10614 +E12 A2 — -K10615 +E12 A2 — -K10616 +E12 A2 — -K10617 +E12 A2 — -K10618 +E12 A2

1060.9 / 0V_DO4 → 0V_DO4 / 1062.1

1060.9 / 24V_DO4 → 24V_DO4 / 1062.1

PLC-RSC- 24DC/21

14 – 11 .1 / 12 — 14 – 11 .2 / 12 — 14 – 11 / 12 — 14 – 11 / 12 — 14 – 11 / 12 — 14 – 11 / 12 — 14 – 11 / 12 — 14 – 11 / 12

230V 50Hz

1059.9 / 230_EME_Z7 → 230_EME_Z7 / 1063.1

-K10611 .1 — 12 14 — 11 — 106102

-K10612 .2 — 12 14 — 11 — 106104

-K10612.1 .2 — 21 — 22 — A1 — -K10611.1 230V +E15 — A2

-K10611.1 .1 — 21 — 22 — A1 — -K10612.1 230V — A2

1060.9 / 230N_EME → 230N_EME / 1063.1

3RA2315-8XB30-1AP0
3RH2911-1FA22

1/L1	2/T1	=H02/24.1	
3/L2	4/T2	=H02/24.1	
5/L3	6/T3	=H02/24.1	
21	22	.2	
33	34		
41	42		
51	52	/1041.2	
63	64		

1/L1	2/T1	=H02/24.2	
3/L2	4/T2	=H02/24.2	
5/L3	6/T3	=H02/24.2	
21	22	.1	
33	34		
41	42		
51	52	/1041.2	
63	64		

STACKER SIDE GUIDE BOX 2 O.S. OPEN	STACKER SIDE GUIDE BOX 2 O.S. CLOSE	SPARE	SPARE	SPARE	SPARE	SPARE	SPARE	SPARE

1060 1062


INDICE REVIS. N° / REVIS. INDEX N°								
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.4
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER		
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					


POSIZ./LOCATION + E12	GRUPPO/SECTION = H01	PAGINE/PAGE 1061	
SEL CTL4 LINE		RIF./REFERNCE 1061	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25262
=H03/2526.2

SM 022 — 022-1BF00 — YEC





SPARE SPARE SPARE SPARE SPARE SPARE SPARE SPARE

1061 1063

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.4	POSIZ./LOCATION + E12 / GRUPPO/SECTION = H01 / PAGINE/PAGE 1062
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1062
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

H03-A25262.1
=H03/2526.2

SM 022 | 022-1BF00 | YEC

A13.0 1 — 106301 — -K10631 +E12 — 1062.9 / 0V_DO4 — 1062.9 / 24V_DO4 — PLC-RSC- 24DC/21 — 14 12 — 11 .1

A13.1 5 — 106303 — -K10632 +E12 — 11 .2

A13.2 2 — 106305 — -K10633 +E12 — 11 .3

A13.3 6 — 106307 — -K10634 +E12 — 11 .4

A13.4 3 — 106309 — -K10635 +E12 — 11 .5

A13.5 7 — 106311 — -K10636 +E12 — 11 .6

A13.6 4 — 106313 — -K10637 +E12 — 11 .7

A13.7 8 — 106316 — XP4.1 5 — 24V_DO4 / 1064.1

230V 50Hz

1061.1 / 230_EME_Z7 — 230_EME_Z7 / 1076.7

1058.9 / 230_EME_Z5 — 230_EME_Z5 / 1077.7

-K10631 .1 — 12 14 — 11

-K10632 .2 — 12 14 — 11

-K10633 .3 — 12 14 — 11

-K10634 .4 — 12 14 — 11

-K10635 .5 — 12 14 — 11

-K10636 .6 — 12 14 — 11

-K10637 .7 — 12 14 — 11 — 106315 — 106314 — XDO4 17 18

106302 — A1 — -K10631.1 5,5KW +E14 — A2 — 1061.9 / 230N_EME — 3RT2017-1AP01 3RH2911-1HA11

1/L1 2/T1 =H02/30.1
3/L2 4/T2 =H02/30.1
5/L3 6/T3 =H02/30.1
13 14
21 22 /1043.2
33 34

106304 — -K10632.1 5,5KW +E14 — 3RT2017-1AP01 3RH2911-1HA11

1/L1 2/T1 =H02/30.3
3/L2 4/T2 =H02/30.3
5/L3 6/T3 =H02/30.3
13 14
21 22 /1043.4
33 34

106306 — -K10633.1 4KW +E14 — 3RT2016-1AP01 3RH2911-1HA11

1/L1 2/T1 =H02/30.5
3/L2 4/T2 =H02/30.5
5/L3 6/T3 =H02/30.5
13 14
21 22 /1043.6
33 34

106308 — -K10634.1 4KW +E14 — 3RT2016-1AP01 3RH2911-1HA11

1/L1 2/T1 =H02/30.7
3/L2 4/T2 =H02/30.7
5/L3 6/T3 =H02/30.7
13 14
21 22 /1043.8
33 34

106310 — -K10635.1 4KW +E14 — 3RT2016-1AP01 3RH2911-1HA11

1/L1 2/T1 =H02/27.1
3/L2 4/T2 =H02/27.1
5/L3 6/T3 =H02/27.1
13 14
21 22 /1044.2
33 34

106312 — -K10636.1 4KW +E14 — 3RT2016-1AP01 3RH2911-1HA11

1/L1 2/T1 =H02/27.3
3/L2 4/T2 =H02/27.3
5/L3 6/T3 =H02/27.3
13 14
21 22 /1044.4
33 34

0V4 — XP4.1 2 — 0V_DO4 / 1064.1

230N_EME / 1075.1

SPARE

SPARE

SPARE

FLYING SHEAR GREASE LUBRICATION PUMP

BRAKE SPARE SUPPLY

BRAKE SPARE SUPPLY

SPARE

SPARE ENTRANCE REQUEST

1062 1064

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.4	POSIZ./LOCATION + E12	GRUPPO/SECTION = H01	PAGINE/PAGE 1063
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER					RIF./REFERNCE 1063
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					SEL CTL4 LINE		
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25263
=H03/2526.3

SM 022 | 022-1BF00 | YEC

A14.0 1 — 106401 — XP4.1 6
A14.1 5 — 106402 — 7
A14.2 2 — 106403 — XP4.2 5
A14.3 6 — 106404 — 6
A14.4 3 — 106405 — 7
A14.5 7 — 106406 — XP5.2 5
A14.6 4 — 106407 — 6
A14.7 8 — 106408 — 7

P4.2-W2001 /1042.3
XP4.2.1 5 6 7
P5.2-W2001 /1042.5
XP5.2.1 5 6 7

	-H10643	-S10423	-S10424	-H10646	-S10425	-S10426
	X1	X1	X1	X1	X1	X1
	RD	/1042.3	/1042.4	RD	/1042.5	/1042.6
	1	2	3	1	2	3
	+P4.2	WH	BU	+P5.2	WH	BU
	X2	X2	X2	X2	X2	X2

XP4.2.1 2
P4.2-W2001 /1042.3
XP4.2 2 — 0V4
XP5.2.1 2
P5.2-W2001 /1042.5
XP5.2 2 — 0V4

1063.9 / 0V_DO4 → 0V_DO4 / 1065.1
1063.9 / 24V_DO4 → 24V_DO4 / 1065.1

SPARE	LOCAL PANEL	GATE G4.2	AREA 4	AREA 4	GATE G5.2	AREA 5	AREA 5
SAFETY	SPARE	LOCKED	ENTRANCE	SAFETY	LOCKED	ENTRANCE	SAFETY
RESET			REQUEST	RESET		REQUEST	RESET

1063 1065


INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC OUTPUT SECT.4	+ E12	= H01	1064
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1064
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

H03-A25263.1
=H03/2526.3

SM 022 — 022-1BF00 — YEC




GATE G7.2 LOCKED	AREA 7 ENTRANCE REQUEST	AREA 7 SAFETY RESET	SPARE	SPARE	SPARE	SPARE	SPARE

1064 1071

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.4
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER		
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ E12	= H01	1065
SEL CTL4 LINE		RIF./REFERNCE 1065

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 2 BACK UP ROLL 1 RAISE-LOWER SUPPLY FAULT

LEVELLER 2 BACK UP ROLL 1 RAISE-LOWER FEEDBACK

LEVELLER 2 BACK UP ROLL 2 RAISE-LOWER SUPPLY FAULT

LEVELLER 2 BACK UP ROLL 2 RAISE-LOWER FEEDBACK

LEVELLER 2 BACK UP ROLL 3 RAISE-LOWER SUPPLY FAULT

LEVELLER 2 BACK UP ROLL 3 RAISE-LOWER FEEDBACK

LEVELLER 2 BACK UP ROLL 4 RAISE-LOWER SUPPLY FAULT

LEVELLER 2 BACK UP ROLL 4 RAISE-LOWER FEEDBACK


1065

1072

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC INPUT SECT.4	+ E12	= H01 / 1071
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE 1071
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 2 BACK UP ROLL 5 RAISE-LOWER SUPPLY FAULT

LEVELLER 2 BACK UP ROLL 5 RAISE-LOWER FEEDBACK

LEVELLER 2 BACK UP ROLL 6 RAISE-LOWER SUPPLY FAULT

LEVELLER 2 BACK UP ROLL 6 RAISE-LOWER FEEDBACK

LEVELLER 2 BACK UP ROLL 7 RAISE-LOWER SUPPLY FAULT

LEVELLER 2 BACK UP ROLL 7 RAISE-LOWER FEEDBACK

ROLLS AND CHAINS BOX 1 90° RISE-LOWER SUPPLY FAULT


ROLLS AND CHAINS BOX 1 90° RISE-LOWER FEEDBACK

1071

1073

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT SECT.4	POSIZ./LOCATION + E12 / GRUPPO/SECTION = H01 / PAGINE/PAGE 1072
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1072
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



1072									1074
ROLLS AND CHAINS BOX 2 90° RISE-LOWER SUPPLY FAULT	ROLLS AND CHAINS BOX 2 90° RISE-LOWER FEEDBACK	ROLLS AND CHAINS EXIT 3 STRUT LIFTING RISE-LOWER SUPPLY FAULT	ROLLS AND CHAINS EXIT 3 STRUT LIFTING RISE-LOWER FEEDBACK	ROLLS AND CHAINS EXIT 4 STRUT LIFTING RISE-LOWER SUPPLY FAULT	ROLLS AND CHAINS EXIT 4 STRUT LIFTING RISE-LOWER FEEDBACK	FLYINH SHEAR BLADE CASSETTE OPEN-CLOSE SUPPLY FAULT	FLYINH SHEAR BLADE CASSETTE OPEN-CLOSE FEEDBACK		

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT SECT.4	POSIZ./LOCATION: + E12
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			GRUPPO/SECTION: = H01
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					PAGINE/PAGE: 1073
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						SEL CTL4 LINE
									RIF./REFERNCE: 1073

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ROLLER AND CHAINS BOX 1 90° CHAINS UP RAISE-LOWER SUPPLY FAULT

ROLLER AND CHAINS BOX 1 90° CHAINS UP RAISE-LOWER FEEDBACK

ROLLER AND CHAINS BOX 2 90° CHAINS UP RAISE-LOWER SUPPLY FAULT

ROLLER AND CHAINS BOX 2 90° CHAINS UP RAISE-LOWER FEEDBACK

ROLLER AND CHAIN EXIT 3 RISE_LOWER SUPPLY FAULT

ROLLER AND CHAIN EXIT 3 RISE_LOWER FEEDBACK

ROLLER AND CHAIN EXIT 4 RISE_LOWER SUPPLY FAULT

ROLLER AND CHAIN EXIT 4 RISE_LOWER FEEDBACK

1073

1075

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT SECT.4	POSIZ./LOCATION: + E12
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			GRUPPO/SECTION: = H01
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					PAGINE/PAGE: 1074
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					SEL CTL4 LINE	RIF./REFERNCE: 1074

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SM 022 | 022-1BF00 | YEC

A16.0 1 | A16.1 5 | A16.2 2 | A16.3 6 | A16.4 3 | A16.5 7 | A16.6 4 | A16.7 8

107501 | 107503 | 107505 | 107507 | 107509 | 107511 | 107513 | 107515

-K10751 +E12 | -K10752 +E12 | -K10753 +E12 | -K10754 +E12 | -K10755 +E12 | -K10756 +E12 | -K10757 +E12 | -K10758 +E12

1065.9 / 0V_DO4 → 0V_DO4 / 1076.1

1065.9 / 24V_DO4 → 24V_DO4 / 1076.1

PLC-RSC- 24DC/21

14 – 12 – 11 .1 | 11 .2 | 11 .3 | 11 .4 | 11 .5 | 11 .6 | 11 .7 | 11 .8

230V 50Hz

1058.3 / 230_EME_Z4 → 230_EME_Z4 / 1076.1

-K10751 .1 | -K10752 .2 | -K10753 .3 | -K10754 .4 | -K10755 .5 | -K10756 .6 | -K10757 .7 | -K10758 .8

12 14 11

107502 | 107504 | 107506 | 107508 | 107510 | 107512 | 107514 | 107516

-K10752.1 .2 | -K10751.1 .1 | -K10754.1 .4 | -K10753.1 .3 | -K10756.1 .6 | -K10755.1 .5 | -K10758.1 .8 | -K10757.1 .7

21 22

-K10751.1 230V +E15 | -K10752.1 230V | -K10753.1 230V +E15 | -K10754.1 230V | -K10755.1 230V +E15 | -K10756.1 230V | -K10757.1 230V +E15 | -K10758.1 230V

A1 A2

1063.9 / 230N_EME → 230N_EME / 1076.1

3RA2315-8XB30-1AP0
3RH2911-1FA22

1/L1 2/T1 =H02/33.4	1/L1 2/T1 =H02/33.5	1/L1 2/T1 =H02/33.7	1/L1 2/T1 =H02/33.8	1/L1 2/T1 =H02/35.1	1/L1 2/T1 =H02/35.2	1/L1 2/T1 =H02/35.4	1/L1 2/T1 =H02/35.5
3/L2 4/T2 =H02/33.4	3/L2 4/T2 =H02/33.5	3/L2 4/T2 =H02/33.7	3/L2 4/T2 =H02/33.8	3/L2 4/T2 =H02/35.1	3/L2 4/T2 =H02/35.2	3/L2 4/T2 =H02/35.4	3/L2 4/T2 =H02/35.5
5/L3 6/T3 =H02/33.4	5/L3 6/T3 =H02/33.5	5/L3 6/T3 =H02/33.7	5/L3 6/T3 =H02/33.8	5/L3 6/T3 =H02/35.1	5/L3 6/T3 =H02/35.2	5/L3 6/T3 =H02/35.4	5/L3 6/T3 =H02/35.5
21 22 .2	21 22 .1	21 22 .4	21 22 .3	21 22 .6	21 22 .5	21 22 .8	21 22 .7
33 34	33 34	33 34	33 34	33 34	33 34	33 34	33 34
41 42	41 42	41 42	41 42	41 42	41 42	41 42	41 42
51 52 /1071.2	51 52 /1071.2	51 52 /1071.4	51 52 /1071.4	51 52 /1071.6	51 52 /1071.6	51 52 /1071.8	51 52 /1071.8
63 64	63 64	63 64	63 64	63 64	63 64	63 64	63 64

LEVELLER 2 BACK UP ROLL 1 RAISE | LEVELLER 2 BACK UP ROLL 1 LOWER | LEVELLER 2 BACK UP ROLL 2 RAISE | LEVELLER 2 BACK UP ROLL 2 LOWER | LEVELLER 2 BACK UP ROLL 3 RAISE | LEVELLER 2 BACK UP ROLL 3 LOWER | LEVELLER 2 BACK UP ROLL 4 RAISE | LEVELLER 2 BACK UP ROLL 4 LOWER

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.4	POSIZ./LOCATION + E12	GRUPPO/SECTION = H01	PAGINE/PAGE 1075
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1075
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

H03-A25264.1
=H03/2526.4

SM 022 — 022-1BF00 — YEC

A17.0 1 | A17.1 5 | A17.2 2 | A17.3 6 | A17.4 3 | A17.5 7 | A17.6 4 | A17.7 8

107601 | 107603 | 107605 | 107607 | 107609 | 107611 | 107613 | 107615

-K10761 +E12 | -K10762 +E12 | -K10763 +E12 | -K10764 +E12 | -K10765 +E12 | -K10766 +E12 | -K10767 +E12 | -K10768 +E12

1075.9 / 0V_DO4 → 0V_DO4 / 1077.1

1075.9 / 24V_DO4 → 24V_DO4 / 1077.1

PLC-RSC- 24DC/21

14 – 11 .1 / 12 | 14 – 11 .2 / 12 | 14 – 11 .3 / 12 | 14 – 11 .4 / 12 | 14 – 11 .5 / 12 | 14 – 11 .6 / 12 | 14 – 11 .7 / 12 | 14 – 11 .8 / 12

230V 50Hz

1075.9 / 230_EME_Z4

1063.3 / 230_EME_Z7 → 230_EME_Z7 / 1077.1

-K10761 .1 | -K10762 .2 | -K10763 .3 | -K10764 .4 | -K10765 .5 | -K10766 .6 | -K10767 .7 | -K10768 .8

107602 | 107604 | 107606 | 107608 | 107610 | 107612 | 107614 | 107616

-K10762.1 .2 | -K10761.1 .1 | -K10764.1 .4 | -K10763.1 .3 | -K10766.1 .6 | -K10765.1 .5 | -K10768.1 .8 | -K10767.1 .7

-K10761.1 230V +E15 | -K10762.1 230V | -K10763.1 230V +E15 | -K10764.1 230V | -K10765.1 230V +E15 | -K10766.1 230V | -K10767.1 230V +E14 | -K10768.1 230V

1075.9 / 230N_EME → 230N_EME / 1077.1

3RA2315-8XB30-1AP0 3RH2911-1FA22 | 3RA2315-8XB30-1AP0 3RH2911-1FA22 | 3RA2315-8XB30-1AP0 3RH2911-1FA22 | 3RA2316-8XB30-1AP0 3RH2911-1FA22

1/L1 2/T1 =H02/35.7	1/L1 2/T1 =H02/35.8	1/L1 2/T1 =H02/36.1	1/L1 2/T1 =H02/36.2	1/L1 2/T1 =H02/36.4	1/L1 2/T1 =H02/36.5	1/L1 2/T1 =H02/37.1	1/L1 2/T1 =H02/37.2
3/L2 4/T2 =H02/35.7	3/L2 4/T2 =H02/35.8	3/L2 4/T2 =H02/36.1	3/L2 4/T2 =H02/36.2	3/L2 4/T2 =H02/36.4	3/L2 4/T2 =H02/36.5	3/L2 4/T2 =H02/37.1	3/L2 4/T2 =H02/37.2
5/L3 6/T3 =H02/35.7	5/L3 6/T3 =H02/35.8	5/L3 6/T3 =H02/36.1	5/L3 6/T3 =H02/36.2	5/L3 6/T3 =H02/36.4	5/L3 6/T3 =H02/36.5	5/L3 6/T3 =H02/37.1	5/L3 6/T3 =H02/37.2
21 22 .2	21 22 .1	21 22 .4	21 22 .3	21 22 .6	21 22 .5	21 22 .8	21 22 .7
33 34	33 34	33 34	33 34	33 34	33 34	33 34	33 34
41 42	41 42	41 42	41 42	41 42	41 42	41 42	41 42
51 52 /1072.2	51 52 /1072.2	51 52 /1072.4	51 52 /1072.4	51 52 /1072.6	51 52 /1072.6	51 52 /1072.8	51 52 /1072.8
63 64	63 64	63 64	63 64	63 64	63 64	63 64	63 64

LEVELLER 2 BACK UP ROLL 5 RAISE

LEVELLER 2 BACK UP ROLL 5 LOWER

LEVELLER 2 BACK UP ROLL 6 RAISE

LEVELLER 2 BACK UP ROLL 6 LOWER

LEVELLER 2 BACK UP ROLL 7 RAISE

LEVELLER 2 BACK UP ROLL 7 LOWER

ROLLS AND CHAINS BOX 1 90° RISE

ROLLS AND CHAINS BOX 1 90° LOWER


1075 — 1077

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.4	POSIZ./LOCATION + E12	GRUPPO/SECTION = H01	PAGINE/PAGE 1076
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1076
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25265
=H03/2526.4

SM 022 — 022-1BF00 — YEC



ROLLS AND CHAINS BOX 2 90° RISE

ROLLS AND CHAINS BOX 2 90° LOWER

ROLLS AND CHAINS EXIT 3 STRUT LIFTING RISE

ROLLS AND CHAINS EXIT 3 STRUT LIFTING LOWER

ROLLS AND CHAINS EXIT 4 STRUT LIFTING RISE

ROLLS AND CHAINS EXIT 4 STRUT LIFTING LOWER

FLYINH SHEAR BLADE CASSETTE OPEN

FLYINH SHEAR BLADE CASSETTE CLOSE

1076 — 1078

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC OUTPUT SECT.4
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER		
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO				

RBF DMAT AUTOMATION TECHNOLOGY

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ E12	= H01	1077
SEL CTL4 LINE		RIF./REFERNCE 1077

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

H03-A25265.1
=H03/2526.5

SM 022 — 022-1BF00 — YEC

A19.0 1 | A19.1 5 | A19.2 2 | A19.3 6 | A19.4 3 | A19.5 7 | A19.6 4 | A19.7 8

107801 | 107803 | 107805 | 107807 | 107809 | 107811 | 107813 | 107815

-K10781 +E12 | -K10782 +E12 | -K10783 +E12 | -K10784 +E12 | -K10785 +E12 | -K10786 +E12 | -K10787 +E12 | -K10788 +E12

1077.9 / 0V_DO4 → 0V_DO4 / =H03/2526.5

1077.9 / 24V_DO4 → 24V_DO4 / =H03/2526.5

PLC-RSC- 24DC/21

14 – 12 – 11 .1 | 11 .2 | 11 .3 | 11 .4 | 11 .5 | 11 .6 | 11 .7 | 11 .8

1077.5 / 230_EME_Z7 — 230V 50Hz

-K10781 .1 | -K10782 .2 | -K10783 .3 | -K10784 .4 | -K10785 .5 | -K10786 .6 | -K10787 .7 | -K10788 .8

107802 | 107804 | 107806 | 107808 | 107810 | 107812 | 107814 | 107816

-K10782.1 .2 | -K10781.1 .1 | -K10784.1 .4 | -K10783.1 .3 | -K10786.1 .6 | -K10785.1 .5 | -K10788.1 .8 | -K10787.1 .7

-K10781.1 230V +E15 | -K10782.1 230V | -K10783.1 230V +E15 | -K10784.1 230V | -K10785.1 230V +E15 | -K10786.1 230V | -K10787.1 230V +E15 | -K10788.1 230V

1077.9 / 230N_EME → 230N_EME /

3RA2316-8XB30-1AP0 3RH2911-1FA22

1/L1 2/T1 =H02/39.4
3/L2 4/T2 =H02/39.4
5/L3 6/T3 =H02/39.4
21 22 .2
33 34
41 42
51 52 /1074.2
63 64

3RA2316-8XB30-1AP0 3RH2911-1FA22

1/L1 2/T1 =H02/39.5
3/L2 4/T2 =H02/39.5
5/L3 6/T3 =H02/39.5
21 22 .1
33 34
41 42
51 52 /1074.2
63 64

3RA2315-8XB30-1AP0 3RH2911-1FA22

1/L1 2/T1 =H02/39.7
3/L2 4/T2 =H02/39.7
5/L3 6/T3 =H02/39.7
21 22 .4
33 34
41 42
51 52 /1074.4
63 64

3RA2316-8XB30-1AP0 3RH2911-1FA22

1/L1 2/T1 =H02/39.8
3/L2 4/T2 =H02/39.8
5/L3 6/T3 =H02/39.8
21 22 .3
33 34
41 42
51 52 /1074.4
63 64

3RA2316-8XB30-1AP0 3RH2911-1FA22

1/L1 2/T1 =H02/40.1
3/L2 4/T2 =H02/40.1
5/L3 6/T3 =H02/40.1
21 22 .6
33 34
41 42
51 52 /1074.6
63 64

3RA2316-8XB30-1AP0 3RH2911-1FA22

1/L1 2/T1 =H02/40.2
3/L2 4/T2 =H02/40.2
5/L3 6/T3 =H02/40.2
21 22 .5
33 34
41 42
51 52 /1074.6
63 64

3RA2315-8XB30-1AP0 3RH2911-1FA22

1/L1 2/T1 =H02/40.4
3/L2 4/T2 =H02/40.4
5/L3 6/T3 =H02/40.4
21 22 .8
33 34
41 42
51 52 /1074.8
63 64

3RA2315-8XB30-1AP0 3RH2911-1FA22

1/L1 2/T1 =H02/40.5
3/L2 4/T2 =H02/40.5
5/L3 6/T3 =H02/40.5
21 22 .7
33 34
41 42
51 52 /1074.8
63 64

ROLLER AND CHAINS BOX 1 90° CHAINS UP RAISE	ROLLER AND CHAINS BOX 1 90° CHAINS UP LOWER	ROLLER AND CHAINS BOX 2 90° CHAINS UP RAISE	ROLLER AND CHAINS BOX 2 90° CHAINS UP LOWER	ROLLER AND CHAIN EXIT 3 RAISE	ROLLER AND CHAIN EXIT 3 LOWER	ROLLER AND CHAIN EXIT 4 RAISE	ROLLER AND CHAIN EXIT 4 LOWER

1077 — 1101

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	PLC OUTPUT SECT.4
CLIENTE/CUSTOMER					


POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+ E12	= H01	1078	
SEL CTL4 LINE		RIF./REFERNCE	1078

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. Tutti i diritti derivati da brevetti o modelli.

24Vdc

=H00/66.5 / 24V_DI4.1 → 24V_DI4.1 / 1103.1

=H00/68.7 / 0V_DI4.1 → 0V_DI4.1 / 1103.1



SPARE ACCESS GATE 4.1
HOLDING ACTUATOR
LOCKED

SPARE ACCESS GATE 4.1
HOLDING ACTUATOR
LOCKED

ACCESS GATE 4.2
HOLDING ACTUATOR
LOCKED


ACCESS GATE 4.2
HOLDING ACTUATOR
LOCKED

1078

1102

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY INPUT SECT.4.1	POSIZ./LOCATION + E13	GRUPPO/SECTION = H01	PAGINE/PAGE 1101
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1101
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ACCESS GATE 5.2
HOLDING ACTUATOR
LOCKED

ACCESS GATE 5.2
HOLDING ACTUATOR
LOCKED

ACCESS GATE 7.2
HOLDING ACTUATOR
LOCKED

ACCESS GATE 7.2
HOLDING ACTUATOR
LOCKED

1101

1103


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY INPUT SECT.4.1	POSIZ./LOCATION + E13	GRUPPO/SECTION = H01	PAGINE/PAGE 1102
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1102
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1101.9 / 24V_DI4.1 → 24V_DI4.1 / 1111.1

1101.9 / 0V_DI4.1 → 0V_DI4.1 / 1111.1



EMERGENCY

DELAYED EMERGENCY

EMERGENCY AREA 1

EMERGENCY AREA 2

1102


1105

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY INPUT SECT.4.1	POSIZ./LOCATION + E13	GRUPPO/SECTION = H01	PAGINE/PAGE 1103
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1103
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25563
=H03/2556.3

SM 022 — 022-1SD00 — YEC



ACCESS GATE SPARE
HOLDING ACTUATOR
LOCK

ACCESS GATE 4.2
HOLDING ACTUATOR
LOCK

ACCESS GATE 5.2
HOLDING ACTUATOR
LOCK

ACCESS GATE 7.2
HOLDING ACTUATOR
LOCK

1103

1106

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY OUTPUT SECT.4.1	POSIZ./LOCATION + E13	GRUPPO/SECTION = H01	PAGINE/PAGE 1105
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1105
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25564
=H03/2556.4

SM 022 — 022-1SD00 — YEC

A620.0 DC0V 1 2 — A620.1 DC0V 5 6 — A620.2 DC0V 3 4 — A620.3 DC0V 7 8

110601 110602 110603 110604 110605 110606 110607 110608

	-K11061	-K11062	-K11063	-K11064	-K11065	-K11066	-K11067	-K11068
	A1	A1	A1	A1	A1	A1	A1	A1
	24V +E13	24V +E13	24V +E13	24V +E13	24V +E13	24V +E13	24V +E13	24V +E13
	A2	A2	A2	A2	A2	A2	A2	A2
	3RH2262-1BB40	3RH2262-1BB40	3RH2262-1BB40	3RH2262-1BB40	3RH2262-1BB40	3RH2262-1BB40	3RH2262-1BB40	3RH2262-1BB40
13 – 14								
23 – 24								
33 – 34								
43 – 44								
53 – 54								
61 – 62	/1103.1	/1103.1	/1103.3	/1103.3	/1103.5	/1103.5	/1103.7	/1103.7
71 – 72								
83 – 84								

EMERGENCY

DELAYED EMERGENCY

EMERGENCY AREA 1

EMERGENCY AREA 2

1105

1107


INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	SAFETY OUTPUT SECT.4.1	+ E13	= H01	1106
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1106
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25564.1
=H03/2556.4


SM 022 — 022-1SD00 — YEC



SPARE SPARE SPARE SPARE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY OUTPUT SECT.4.1	POSIZ./LOCATION + E13	GRUPPO/SECTION = H01	PAGINE/PAGE 1107
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1107
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




MEASURE WHEEL UP ROLLER MAX UP	MEASURE WHEEL UP ROLLER MAX DOWN	MEASURE WHEEL LOWER ROLLER MAX UP	MEASURE WHEEL CONTROL MATERIAL PRESENCE	ENTRU SHEAR P.R. UPPER ROLLER MAX OPEN	ENTRU SHEAR P.R. UPPER ROLLER MAX DOWN	SPARE	SPARE

1107 1112

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT SECT.4.1
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER		
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

POSIZ./LOCATION + E13	GRUPPO/SECTION = H01	PAGINE/PAGE 1111	
SEL CTL4 LINE		RIF./REFERNCE 1111	

Copying of this document and giving it to others and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



CONVEYOR DEFLECTOR UP-DOWN MAX HIGH

CONVEYOR DEFLECTOR UP-DOWN MAX LOWER

SPARE

CONVEYOR TO ENTRY STACKER P.R. CONTROL OPEN

CONVEYOR TO ENTRY STACKER P.R. CONTROL CLOSE

CONVEYOR TO STACKER AUX. CONTROL BOX 1

SPARE

SCRAP CARRIAGE TRANSLATION MAX IN LINE

1111


1116

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC INPUT SECT.4.1
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER		
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO				

RBF DMAT AUTOMATION TECHNOLOGY

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ E13	= H01	1112
SEL CTL4 LINE		RIF./REFERNCE 1112

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SCRAP CARRIAGE TRANSLATION MAX OUT LINE	SPARE	CHAINS 1 CONTROL ENTRY	CHAINS 1 CONTROL EXIT	SPARE	CHAINS 2 OVERPASSING CHAIN MAX UP	CHAINS 2 OVERPASSING CHAINS MAX DOWN	CHAINS 2 CONTROL ENTRY

1112 1117

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC INPUT SECT.4.1	+ E13	= H01	1116
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1116
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1116.9 / 24V_DI4.1 → 24V_DI4.1 / 1118.1

1116.9 / 0V_DI4.1 → 0V_DI4.1 / 1118.1

LP2 *0V5*

JB530-W2001 X210 1 11
.3 /1124.7
/1125.1
ÖLFLEX® CLASSIC 110
16G1,5

1116.9 / XJB520- → XJB520- / 1124.3
1116.9 / XJB520+ → XJB520+ / 1124.3

XJB530- / 1124.7
XJB530+ / 1124.7

XJB520 4 13 5 14

XJB530 1 11 2 12 3 13 4 14 5 15 6 16

-U11171
UM18-21212A212
74.01.03
L+ M 1 3 NC 2 4 Q 5 MF

-B11173
IME18-05BPS-ZC0S
76.01.02
1 3 + - 4

-B11174
IME18-05BPS-ZC0S
76.01.03
1 3 + - 4

-U11175
UM18-21212A212
76.02.02
L+ M 1 3 NC 2 4 Q 5 MF

-U11176
UM18-21212A212
76.02.03
L+ M 1 3 NC 2 4 Q 5 MF

XJB520 22 23

XJB530 21 22 23 24 25 26

JB520-W2001
/1116.6

JB530-W2001
.3

X200 22 23

X210 21 22 23 24 25 26

111701 *111710* *111702* *111703* *111704* *111705* *111706* *111707*

=H03-A25516
=H03/2551.6

1 5 2 6 3 7 4 8

E33.0 E33.1 E33.2 E33.3 E33.4 E33.5 E33.6 E33.7

SM 021 021-1BF00 YEC

CHAINS 2
CONTROL EXIT

SPARE

ROLLER + EXIT CHAIN 1
LIFTING PIN
MAX LOWER

ROLLER + EXIT CHAIN 1
LIFTING PIN
MAX UP

ROLLER + EXIT CHAIN 1
CONTROL ENTRY

ROLLER + EXIT CHAIN 1
CONTROL EXIT

SPARE

SPARE


1116

1118

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC INPUT SECT.4.1	+ E13	= H01	1117
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1117
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ROLLER + EXIT CHAIN 2 LIFTING PIN MAX LOWER	ROLLER + EXIT CHAIN 2 LIFTING PIN MAX UP	ROLLER + EXIT CHAIN 2 CONTROL ENTRY	ROLLER + EXIT CHAIN 2 CONTROL EXIT	SPARE	SPARE	SPARE	SPARE

1117 1119

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC INPUT SECT.4.1	+ E13	= H01	1118
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1118
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1118.9 / 24V_DI4.1 →

1118.9 / 0V_DI4.1 →

→ 24V_DI4.1 / 1120.1

→ 0V_DI4.1 / 1120.1

LP2

0V5

X230 1 9

JB800-W2001

.1

ÖLFLEX® CLASSIC 110

14G1.5

XJB800 1 9 2 10 3 11 4 12 5 13 6 14 7 15 8 16

-S11191	-S11192	-S11193	-S11194	-S11195	-S11196	-S11197
81.03.02	81.03.04	81.04.02	81.05.01	81.05.02	81.05.03	81.05.04
11 / 12	21 / 22	21 / 22	21 / 22	13 / 14	13 / 14	11 / 12

XJB800 17 18 19 20 21 22 23 24

JB800-W2001

.1

X230 17 18 19 20 21 22 23 24

111901 *111902* *111903* *111904* *111905* *111906* *111907* *111908*

=H03-A25517

=H03/2551.7


1	5	2	6	3	7	4	8
E35.0	E35.1	E35.2	E35.3	E35.4	E35.5	E35.6	E35.7
HYDRAULIC UNIT COOLING CIRCUIT FILTER CLOGGED	HYDRAULIC UNIT COOLING CIRCUIT START COMMAND	HYDRAULIC UNIT COOLING CIRCUIT HEATING OIL	HYDRAULIC UNIT AUXILAIRY OIL TEMPERATURE	HYDRAULIC UNIT AUXILAIRY MIN. OIL LEVEL	HYDRAULIC UNIT AUXILAIRY ABSOLUTE MINIMUN OIL LEVEL	HYDRAULIC UNIT AUXILAIRY RETURN FILTER CLOGGED	SPARE


SM 021 | 021-1BF00 | YEC

1118 1120

INDICE REVIS. N° / REVIS. INDEX N°						COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	21041I CTL04	CTL4 LINE	PLC INPUT SECT.4.1	+ E13	= H01	1119
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1119
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.






SPARE SPARE SPARE SPARE SPARE SPARE SPARE SPARE

1119 1121

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT SECT.4.1	POSIZ./LOCATION + E13	GRUPPO/SECTION = H01	PAGINE/PAGE 1120
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1120
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




PNEUMATIC CIRCUIT AUXILIARY PRESSURE CONTROL	STRAIGHTENER OIL LUBRICATION PRESSURE CONTROL	STRAIGHTENER OIL LUBRICATION FILTER CLOGGED	SPARE	SPARE	SPARE	SPARE	SPARE

1120 1122

INDICE REVIS. N° / REVIS. INDEX N°								
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT SECT.4.1
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER		
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ E13	= H01	1121
SEL CTL4 LINE		RIF./REFERNCE: 1121

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.





1121

1123

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT SECT.4.1	POSIZ./LOCATION + E13	GRUPPO/SECTION = H01	PAGINE/PAGE 1122
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1122
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.






SPARE SPARE SPARE SPARE SPARE SPARE SPARE SPARE

1122 1124

INDICE REVIS. N° / REVIS. INDEX N°									
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT SECT.4.1	POSIZ./LOCATION + E13 / GRUPPO/SECTION = H01 / PAGINE/PAGE 1123
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1123
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



CHAINS 5 CONTROL ENTRY

CHAINS 5 CONTROL EXIT

CHAINS 6 CONTROL ENTRY

CHAINS 6 CONTROL EXIT

CHAINS 6 OVERPASSING CHAINS MAX UP

CHAINS 6 OVERPASSING CHAINS MAX DOWN

ROLLS AND CHAINS EXIT 7 LIFTING STRUT MAX LOW

ROLLS AND CHAINS EXIT 7 LIFTING STRUT MAX UP


1123

1125

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC INPUT SECT.4.1	+ E13	= H01 / 1124
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE 1124
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ROLLS AND CHAINS EXIT 7 CHAINS CONTROL ENTRY	ROLLS AND CHAINS EXIT 7 CHAINS CONTROL EXIT	ROLLS AND CHAINS EXIT 8 LIFTING STRUT MAX LOW	ROLLS AND CHAINS EXIT 8 LIFTING STRUT MAX UP	ROLLS AND CHAINS EXIT 8 CHAINS CONTROL ENTRY	ROLLS AND CHAINS EXIT 8 CHAINS CONTROL EXIT	SPARE	SPARE

1124 1131

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT SECT.4.1
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER		
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ E13	= H01	1125
SEL CTL4 LINE		RIF./REFERNCE 1125

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25535
=H03/2553.5

SM 022 — 022-1BD20 — YEC

A30.0 DC0V 1 2
A30.1 DC0V 5 4
A30.2 DC0V 3 6
A30.3 DC0V 7 8

=H00/45.5 / 24V_EV4 → 24V_EV4 / 1132.1
=H00/47.8 / 0V_EV → 0V_EV / 1132.1

113101 X140 34
113102 35
113103 36
113104 37
9703 32

JB360-W3001
/1132.1
ÖLFLEX® CLASSIC 110
12G1.5

XJB360.0V / 1132.1

XJB360 34 35 31 36 37 32

113101 113102 9703 113103 113104 9703

-Y11311
45.01.01
L
A1 A2 PE B1 B2 PE

-Y11315
45.02.01
L
A1 A2 PE B1 B2 PE

MEASURE WHEEL
UPPER ROLLER
RISE

MEASURE WHEEL
UPPER ROLLER
LOWER

MEASURE WHEEL
LOWER ROLLER
RISE


MEASURE WHEEL
LOWER ROLLER
LOWER

1125 1132

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.4.1	POSIZ./LOCATION + E13 / GRUPPO/SECTION = H01 / PAGINE/PAGE 1131
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1131
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ENTRY SHEAR
PINCH ROLL
UP ROLLER
RISE

ENTRY SHEAR
PINCH ROLL
UP ROLLER
LOWER

SPARE

SPARE


1131

1133

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.4.1	POSIZ./LOCATION + E13	GRUPPO/SECTION = H01	PAGINE/PAGE 1132
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1132
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti diritti derivati da brevetti o modelli.



CONVEYOR DEFLECTOR UP-DOWN UP

CONVEYOR DEFLECTOR UP-DOWN DOWN

SPARE


SPARE

1132

1134

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.4.1	POSIZ./LOCATION + E13	GRUPPO/SECTION = H01	PAGINE/PAGE 1133
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1133
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti diritti derivati da brevetti o modelli.



CONVEYOR TO STACKER ENTRY STACKER P.R. OPEN	CONVEYOR TO STACKER ENTRY STACKER P.R. CLOSE	SPARE	SPARE
1133			1136

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC OUTPUT SECT.4.1	POSIZ./LOCATION: + E13	GRUPPO/SECTION: = H01	PAGINE/PAGE: 1134
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE: 1134
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25542
=H03/2554.2

SM 022 — 022-1BD20 — YEC

A35.0 DC0V A35.1 DC0V A35.2 DC0V A35.3 DC0V
1 2 5 4 3 6 7 8

1134.9 / 0V_EV →

→ 0V_EV / 1137.1

113601 113602 9703 113603 113604 9703

X191 8 9 1 10 11 2

JB500.10-W3001
/1140.1
ÖLFLEX® CLASSIC 110
16G1,5

XJB500.10 4 5 1 6 7 2

113601 113602 9703

-Y11361
76.01.01
L
A1 A2 PE B1 B2 PE

ROLLER + EXIT CHAINS 1
LIFTING PINS
RISE

ROLLER + EXIT CHAINS 1
LIFTING PINS
LOWER

SPARE


SPARE

1134 1137

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.4.1	POSIZ./LOCATION + E13	GRUPPO/SECTION = H01	PAGINE/PAGE 1136
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1136
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



HYDRAULIC UNIT
PUMP 1
BY-PASS

HYDRAULIC UNIT
PUMP 2
BY-PASS

SPARE

SPARE


1136

1138

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.4.1	POSIZ./LOCATION + E13	GRUPPO/SECTION = H01	PAGINE/PAGE 1137
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1137
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




SPARE SPARE SPARE SPARE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.4.1	POSIZ./LOCATION + E13	GRUPPO/SECTION = H01	PAGINE/PAGE 1138
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1138
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti diritti derivati da brevetti o modelli.

=H00/68.3 / 24V_ENC — 24Vdc → 24V_ENC / 1144.1

=H00/68.7 / 0V_ENC → 0V_ENC / 1144.1



CONVEYOR TO STACKER
AUXILIARY
CONTROL PINCH ROLL ROTATION

1138

CONVEYOR TO STACKER
AUXILIARY
CONTROL PINCH ROLL ROTATION

1140

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: ENCODER SECT.4.1	POSIZ./LOCATION: + E13 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 1139
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE: 1139
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25547
=H03/2554.7

SM 022 | 022-1BD20 | YEC

A38.0 1 DC0V 2
A38.1 5 DC0V 4
A38.2 3 DC0V 6
A38.3 7 DC0V 8

1138.9 / 0V_EV

0V_EV / 1141.1

114001 X191 12
114002 13
9703 3
114003 X180 15
114004 16
9703 14

JB500.10-W3001
/1136.1
ÖLFLEX® CLASSIC 110
16G1,5

XJB500.10 8 9 3

114001 114002 9703

-Y11401
74.02.01
L
A1 A2 PE
B1 B2 PE

CHAINS 2
OVERPASSING CHAINS
RISE

CHAINS 2
OVERPASSING CHAINS
LOWER

SPARE


SPARE

1139

1141

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.4.1	POSIZ./LOCATION + E13 / GRUPPO/SECTION = H01 / PAGINE/PAGE 1140
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1140
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SPARE SPARE SPARE SPARE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.4.1	POSIZ./LOCATION + E13	GRUPPO/SECTION = H01	PAGINE/PAGE 1141
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1141
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




EMG ENCODER SUPPLY


SPARE ENCODER SUPPLY

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENCODER SECT.4.1	POSIZ./LOCATION + E13	GRUPPO/SECTION = H01	PAGINE/PAGE 1144
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1144
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




ACCESS GATE
SPARE




ACCESS GATE
G4.2

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY ACCESS GATE	POSIZ./LOCATION + E13	GRUPPO/SECTION = H01	PAGINE/PAGE 1145
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1145
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ACCESS GATE
G5.2



ACCESS GATE
G7.2

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY ACCESS GATE	POSIZ./LOCATION + E13	GRUPPO/SECTION = H01	PAGINE/PAGE 1146
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1146
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

0	1	2	3	4	5	6	7	8	9

24Vdc

=H00/66.6 / 24V_DI3 → 24V_DI3 / 1202.1

=H00/68.9 / 0V_DI3 → 0V_DI3 / 1202.1



EMERGENCY RELAY CONTROL

DELAYED EMERGENCY RELAY CONTROL

ZONE 1 EMERGENCY RELAY CONTROL

ZONE 2 EMERGENCY RELAY CONTROL


INDICE REVIS. N° / REVIS. INDEX N°									
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	21041I CTL04	CTL4 LINE	SAFETY INPUT SECT.3	+ E11	= H01	1201
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1201

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

1201.9 / 24V_DI3 — 24Vdc → 24V_DI3 / 1203.1

1201.9 / 0V_DI3 → 0V_DI3 / 1203.1



ZONE 3 EMERGENCY RELAY CONTROL

ZONE 4 EMERGENCY RELAY CONTROL

ZONE 5 EMERGENCY RELAY CONTROL

ZONE 6 EMERGENCY RELAY CONTROL

1201 1203


INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: SAFETY INPUT SECT.3	POSIZ./LOCATION: + E11
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			GRUPPO/SECTION: = H01
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					PAGINE/PAGE: 1202
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					SEL CTL4 LINE	RIF./REFERNCE: 1202

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1202.9 / 24V_DI3 → 24V_DI3 / 1220.1

1202.9 / 0V_DI3 → 0V_DI3 / 1220.1



ZONE 7 EMERGENCY RELAY CONTROL

ZONE 8 EMERGENCY RELAY CONTROL


ZONE 9 EMERGENCY RELAY CONTROL

SUPPLY FEEDBACK

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	SAFETY INPUT SECT.3	+ E11	= H01	1203
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1203
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



1203

1210

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY INPUT SECT.3	POSIZ./LOCATION + E11	GRUPPO/SECTION = H01	PAGINE/PAGE 1204
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER					
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					SEL CTL4 LINE		RIF./REFERNCE 1204
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9

=H03-A25853.1
=H03/2585.3

SM 022 — 022-1SD00 — YEC

A721.0 DC0V 1 2 — A721.1 DC0V 5 6 — A721.2 DC0V 3 4 — A721.3 DC0V 7 8

121001 121002 121003 121004 121005 121006 121007 121008

-K12101 A1 A2 24V +E11 — -K12102 A1 A2 24V +E11

-K12103 A1 A2 24V +E11 — -K12104 A1 A2 24V +E11

-K12105 A1 A2 24V +E09 — -K12106 A1 A2 24V +E09

-K12107 A1 A2 24V +E09 — -K12108 A1 A2 24V +E09

3RH2262-1BB40

13 – 14	13 – 14	13 – 14	13 – 14	13 – 14 =H00/53.1	13 – 14 =H00/53.1	13 – 14 =H00/53.3	13 – 14 =H00/53.3
23 – 24 =H00/35.2	23 – 24 =H00/35.2	23 – 24 =H00/35.4	23 – 24 =H00/35.4	23 – 24 =H00/35.6	23 – 24 =H00/35.6	23 – 24 =H00/35.8	23 – 24 =H00/35.8
33 – 34	33 – 34	33 – 34	33 – 34	33 – 34	33 – 34	33 – 34	33 – 34
43 – 44	43 – 44	43 – 44	43 – 44	43 – 44	43 – 44	43 – 44	43 – 44
53 – 54	53 – 54	53 – 54	53 – 54	53 – 54	53 – 54	53 – 54	53 – 54
61 – 62 /1201.1	62 – 61 /1201.1	61 – 62 /1201.3	62 – 61 /1201.3	61 – 62 /1201.5	62 – 61 /1201.5	61 – 62 /1201.7	62 – 61 /1201.7
71 – 72	71 – 72	71 – 72	71 – 72	71 – 72	71 – 72	71 – 72	71 – 72
83 – 84	83 – 84	83 – 84	83 – 84	83 – 84	83 – 84	83 – 84	83 – 84

EMERGENCY

DELAYED EMERGENCY

EMERGENCY AREA 1

EMERGENCY AREA 2

1204

1211

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	SAFETY OUTPUT SECT.3	+ E11	= H01	1210
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1210
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25854
=H03/2585.4

SM 022 — 022-1SD00 — YEC

A726.0 DC0V 1 2 — A726.1 DC0V 5 6 — A726.2 DC0V 3 4 — A726.3 DC0V 7 8

121101 121102 121103 121104 121105 121106 121107 121108

-K12111 A1 A2 24V +E10
-K12112 A1 A2 24V +E10
-K12113 A1 A2 24V +E10
-K12114 A1 A2 24V +E10
-K12115 A1 A2 24V +E09
-K12116 A1 A2 24V +E09
-K12117 A1 A2 24V +E09
-K12118 A1 A2 24V +E09

3RH2262-1BB40
13 14 =H00/53.5
23 24 =H00/36.1
33 34
43 44
53 54
61 62 /1202.1
71 72
83 84

3RH2262-1BB40
13 14 =H00/53.5
23 24 =H00/36.1
33 34
43 44
53 54
62 61 /1202.1
71 72
83 84

3RH2262-1BB40
13 14 =H00/53.7
23 24 =H00/36.3
33 34
43 44
53 54
61 62 /1202.3
71 72
83 84

3RH2262-1BB40
13 14 =H00/53.7
23 24 =H00/36.3
33 34
43 44
53 54
62 61 /1202.3
71 72
83 84

3RH2262-1BB40
13 14 =H00/54.1
23 24 =H00/36.5
33 34
43 44
53 54
61 62 /1202.5
71 72
83 84

3RH2262-1BB40
13 14 =H00/54.1
23 24 =H00/36.5
33 34
43 44
53 54
62 61 /1202.5
71 72
83 84

3RH2262-1BB40
13 14 =H00/54.3
23 24 =H00/36.7
33 34
43 44
53 54
61 62 /1202.7
71 72
83 84

3RH2262-1BB40
13 14 =H00/54.3
23 24 =H00/36.7
33 34
43 44
53 54
62 61 /1202.7
71 72
83 84

EMERGENCY AREA 3 — EMERGENCY AREA 4 — EMERGENCY AREA 5 — EMERGENCY AREA 6

1210 1212

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY OUTPUT SECT.3	POSIZ./LOCATION + E11	GRUPPO/SECTION = H01	PAGINE/PAGE 1211
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1211
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25854.1
=H03/2585.4

SM 022 — 022-1SD00 — YEC

A731.0 DC0V 1 2
A731.1 DC0V 5 6
A731.2 DC0V 3 4
A731.3 DC0V 7 8

121201 121202 121203 121204 121205 121206 121207 121208

XSO3 1 2

-K12121 A1 24V +E10 A2
-K12122 A1 24V +E10 A2
-K12123 A1 24V +E10 A2
-K12124 A1 24V +E10 A2
-K12125 A1 24V +E09 A2
-K12126 A1 24V +E09 A2

3RH2262-1BB40
13 14 =H00/54.5
23 24 =H00/37.1
33 34
43 44
53 54
61 62 /1203.1
71 72
83 84

3RH2262-1BB40
13 14 =H00/54.5
23 24 =H00/37.1
33 34
43 44
53 54
62 61 /1203.1
71 72
83 84

3RH2262-1BB40
13 14 =H00/54.7
23 24 =H00/37.3
33 34
43 44
53 54
61 62 /1203.3
71 72
83 84

3RH2262-1BB40
13 14 =H00/54.7
23 24 =H00/37.3
33 34
43 44
53 54
62 61 /1203.3
71 72
83 84

3RH2262-1BB40
13 14 =H00/55.1
23 24 =H00/37.5
33 34
43 44
53 54
61 62 /1203.5
71 72
83 84

3RH2262-1BB40
13 14 =H00/55.1
23 24 =H00/37.5
33 34
43 44
53 54
62 61 /1203.5
71 72
83 84

EMERGENCY AREA 7

EMERGENCY AREA 8

EMERGENCY AREA 9

SPARE


1211

1220

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	SAFETY OUTPUT SECT.3	+ E11	= H01	1212
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1212
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							


RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT SECT.3	POSIZ./LOCATION + E11	GRUPPO/SECTION = H01	PAGINE/PAGE 1220
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1220
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




SPARE	SPARE	BRAKE LEVELLER 1 CHANGE PACKAGE SUPPLY FAULT	FAN BRUSHER 2 UPPER ROLLER MOTOR SUPPLY FAULT	BRAKE LEVELLER 2 CHANGE PACKAGE SUPPLY FAULT	FAN ENTRY SHEAR PINCH ROLL ROTATION UP SUPPLY FAULT	FAN ENTRY SHEAR PINCH ROLL ROTATION LOW SUPPLY FAULT	BRAKE FLYING SHEAR BELT CONVEYOR SUPPLY FAULT	

1220 1222

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT SECT.3
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER		
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ E11	= H01	1221
SEL CTL4 LINE		RIF./REFERNCE: 1221

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




BRAKE STACKER RACKET M.S. BOX 1 SUPPLY FAULT	BRAKE STACKER RACKET O.S. BOX 1 SUPPLY FAULT	BRAKE STACKER RACKET O.S. BOX 1 SUPPLY FAULT	BRAKE STACKER RACKET O.S. BOX 2 SUPPLY FAULT	SPARE
ROLLS AND CHAINS BOX 2 °90 CHAINS ROTATION SUPPLY FAULT	FLYING SHEAR CARRIAGE MOTOR SUPPLY FAULT	BOARD OVERTEMPERATURE		

1221

1223


INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT SECT.3	POSIZ./LOCATION: + E11 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 1222
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE: 1222
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT SECT.3	POSIZ./LOCATION + E11 / GRUPPO/SECTION = H01 / PAGINE/PAGE 1223
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1223
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




BRAKE LEVELLER 2 ENTRY M.S. SUPPLY FAULT	BRAKE LEVELLER 2 ENTRY O.S. SUPPLY FAULT	BRAKE LEVELLER 2 EXIT M.S. SUPPLY FAULT	BRAKE LEVELLER 2 EXIT O.S. SUPPLY FAULT	SPARE	SPARE	SPARE	SPARE

1223 1225

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT SECT.3
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER		
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ E11	= H01	1224
SEL CTL4 LINE		RIF./REFERNCE 1224

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT SECT.3	POSIZ./LOCATION + E11	GRUPPO/SECTION = H01	PAGINE/PAGE 1225
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1225
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25835
=H03/2583.5

SM 022 | 022-1BF00 | YEC

	A60.0	A60.1	A60.2	A60.3	A60.4	A60.5	A60.6	A60.7
	1	5	2	6	3	7	4	8
	20201	*20202*	*20203*	*20204*	*20205*	*20206*	*20301*	*20302*
	=G00/2.2 / G38	=G00/2.2 / G38A	=G00/6.3 / G40	=G00/6.3 / G40A	=G00/3.3 / G41	=G00/3.3 / G41A	=G00/3.2 / G12	=G00/3.2 / G28
	STACKER RACKET M.S. BOX 1 ENABLE	STACKER RACKET O.S. BOX 1 ENABLE	STACKER BELT CONVEYOR BOX 1 RAISE LOWER M.S. ENABLE	STACKER BELT CONVEYOR BOX 1 RAISE LOWER O.S. ENABLE	STACKER BELT CONVEYOR BOX 1 ROTATION M.S. ENABLE	STACKER BELT CONVEYOR BOX 1 ROTATION O.S. ENABLE	SPARE FOR DRIVE	LEVELLER 2 EXIT RISE-LOWER M.S. ENABLE

=H00/68.9 / 0V_DO3 → 0V_DO3 / 1241
=H00/66.8 / 24V_DO3 → 24V_DO3 / 1241

1225 1241

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC OUTPUT SECT.3	+ E11	= H01	1240
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1240
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

H03-A25835.1
=H03/2583.5

SM 022 — 022-1BF00 — YEC

A61.0	A61.1	A61.2	A61.3	A61.4	A61.5	A61.6	A61.7
1	5	2	6	3	7	4	8
20303	20304	20305	20401	20402	20403	20404	20405
=G00/3.3 / G28A	=G00/2.3 / G42	=G00/2.3 / G42A	=G00/4.2 / G09	=G00/4.2 / G31	=G00/4.3 / G31A	=G00/4.3 / G34	=G00/4.3 / G39
LEVELLER 2 EXIT RISE-LOWER O.S. ENABLE	STACKER RACKET M.S. BOX 2 ENABLE	STACKER RACKET O.S. BOX 2 ENABLE	ENTRY TRIMMING SHEAR PINCH ROLL LOWER ROLLER ENABLE	ENTRY SHEAR PINCH ROLL ROTATION UP ENABLE	ENTRY SHEAR PINCH ROLL ROTATION LOWER ENABLE	FLYING SHEAR BELT CONVEYOR ENABLE	STACKER HEAD STOP BOX 1 ENABLE

1240.9 / 0V_DO3 → 0V_DO3 / 1242
1240.9 / 24V_DO3 → 24V_DO3 / 1242

1240 1242

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC OUTPUT SECT.3	+ E11	= H01	1241
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1241
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendetlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

H03-A25835.2
=H03/2583.5

SM 022 — 022-1BF00 — YEC

A62.0	A62.1	A62.2	A62.3	A62.4	A62.5	A62.6	A62.7
1	5	2	6	3	7	4	8
20501	20502	20503	20504	20505	20601	20602	20603
=G00/5.2 / G43	=G00/5.2 / G44	=G00/5.3 / G44A	=G00/5.3 / G45	=G00/5.3 / G45A	=G00/6.2 / G46	=G00/6.2 / G47	=G00/6.3 / G48
STACKER HEAD STOP BOX 2 ENABLE	PLATFORM BOX 1 ROLL ROTATION ENABLE	PLATFORM BOX 2 ROLL ROTATION ENABLE	MIDDLE EXIT PLATFORM BOX 1 ROLL ROTATION ENABLE	MIDDLE EXIT PLATFORM BOX 2 ROLL ROTATION ENABLE	ROLLS AND CHAINS BOX 1 °90 ROLL ROTATION ENABLE	ROLLS AND CHAINS BOX 1 °90 CHAINS ROTATION ENABLE	ROLLS AND CHAINS BOX 2 °90 ROLL ROTATION ENABLE

1241.9 / 0V_DO3 → 0V_DO3 / 1243
1241.9 / 24V_DO3 → 24V_DO3 / 1243

1241 1243

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC OUTPUT SECT.3	+ E11	= H01	1242
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1242
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25836
=H03/2583.6

SM 022 — 022-1BF00 — YEC

	A63.0	A63.1	A63.2	A63.3	A63.4	A63.5	A63.6	A63.7
	1	5	2	6	3	7	4	8
	20604	*20701*	*20702*	*20703*	*20704*	*20801*	*20802*	*20803*
	=G00/6.3 / G49	=G00/7.2 / G50	=G00/7.2 / G50A	=G00/7.3 / G51	=G00/7.3 / G51A	=G00/8.2 / G05	=G00/8.2 / G06	=G00/8.3 / G07
	ROLLS AND CHAINS BOX 2 °90 CHAINS ROTATION ENABLE	CHAINS 1 ROTATION ENABLE	CHAINS 2 ROTATION ENABLE	ROLL + CHAINS EXIT 1 ROTATION ENABLE	ROLL + CHAINS EXIT 2 ROTATION ENABLE	STRAIGHTENER UPPER ROLL MOTOR ENABLE	STRAIGHTENER CORRECTOR ROLL MOTOR ENABLE	BRUSHER 1 UPPER ROLL MOTOR ENABLE

1242.9 / 0V_DO3 → 0V_DO3 / 1244.1
1242.9 / 24V_DO3 → 24V_DO3 / 1244.1

1242 1244

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC OUTPUT SECT.3	+ E11	= H01	1243
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1243
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendetlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

H03-A25836.1
=H03/2583.6

SM 022 — 022-1BF00 — YEC

A64.0	A64.1	A64.2	A64.3	A64.4	A64.5	A64.6	A64.7
1	5	2	6	3	7	4	8
20804	20901	20902	20903	20904	21001	21002	21003
=G00/8.3 / G08	=G00/9.2 / G15	=G00/9.2 / G16	=G00/9.3 / G27	=G00/9.3 / G27A	=G00/10.2 / G17	=G00/10.2 / G18	=G00/10.3 / G19
BRUSHER 1 LOWER ROLL MOTOR ENABLE	LEVELLER 1 ENTRY RISE-LOWER MOTOR ENABLE	LEVELLER 1 EXIT RISE-LOWER MOTOR ENABLE	LEVELLER 2 ENTRY RISE-LOWER MOTOR ENABLE	LEVELLER 2 EXIT RISE-LOWER MOTOR ENABLE	LEVELLER 1 CHANGE PACKAGE CASSETTE EXTRAXTION CAR FW-BW ENABLE	BRUSHER 2 UPPER ROLLER MOTOR ENABLE	BRUSHER 2 LOWER ROLLER MOTOR ENABLE

1243.9 / 0V_DO3 → 0V_DO3 / 1245.1
1243.9 / 24V_DO3 → 24V_DO3 / 1245.2

1243 1245

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC OUTPUT SECT.3	+ E11	= H01	1244
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1244
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendetlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25837
=H03/2583.7

SM 022 — 022-1BF00 — YEC

	A65.0	A65.1	A65.2	A65.3	A65.4	A65.5	A65.6	A65.7
	1	5	2	6	3	7	4	8
	21004	*21101*	*21102*	*21103*	*21104*	*21201*	*21202*	*21203*
	=G00/10.3 / G29	=G00/11.2 / G29A	=G00/11.2 / G30	=G00/11.3 / G35	=G00/11.3 / G36	=G00/12.2 / G01	=G00/12.2 / G01A	=G00/12.3 / G02
	LEVELLER 2 CHANGE PACKAGE CASSETTE EXTRAXTION CAR ENABLE	SPARE	SPARE	CONVEYOR DEFLECTOR DRIVE ENABLE	CONVEYOR TO STACKER DRIVE ENABLE	STORAGE COIL CAR TRANSLATION M1 ENABLE	STORAGE COIL CAR TRANSLATION M2 ENABLE	SPARE

1244.9 / 0V_DO3 → 0V_DO3 / 1246
1244.9 / 24V_DO3 → 24V_DO3 / 1246

1244 1246

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC OUTPUT SECT.3	POSIZ./LOCATION: + E11 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 1245
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE: 1245
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendetlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

H03-A25837.1
=H03/2583.7

SM 022 — 022-1BF00 — YEC

	A66.0	A66.1	A66.2	A66.3	A66.4	A66.5	A66.6	A66.7
	1	5	2	6	3	7	4	8
	21204	*124601*	*124602*	*124603*	*124604*	*124605*	*124606*	*124607*
	=G00/12.3 / G03	=G00/12.3 / G33	XDO3 1	XDO3 3	XDO3 4	XDO3 6	XDO3 7	XDO3 9
			XDO3 2	XDO3 5	XDO3 8			
			0V12	*0V12*	*0V12*			
			1245.9 / 0V_DO3					0V_DO3 / 1247
			1245.9 / 24V_DO3					24V_DO3 / 1247
	ENTRY PINCH ROLL ENABLE	FLYING SHEAR ENABLE	SPARE	SPARE	SPARE	SPARE	SPARE	SPARE


1245 1247

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		21041I CTL04	CTL4 LINE	PLC OUTPUT SECT.3	+ E11	= H01	1246
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1246
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

H03-A25837.2
=H03/2583.7

SM 022 — 022-1BF00 — YEC




1246									1248
BRAKE STORAGE COIL CAR TRANSLATION M1 ON	FAN STORAGE COIL CAR TRANSLATION M1 ON	BRAKE STORAGE COIL CAR TRANSLATION M2 ON	SPARE	BRAKE LEVELLER 2 ENTRY RISE-LOWER MOTOR SIDE	BRAKE LEVELLER 2 ENTRY RISE-LOWER OPERATOR SIDE	BRAKE LEVELLER 2 EXIT RISE-LOWER MOTOR SIDE	BRAKE LEVELLER 2 EXIT RISE-LOWER OPERATOR SIDE		

INDICE REVIS. N° / REVIS. INDEX N°									
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.3	POSIZ./LOCATION + E11 / GRUPPO/SECTION = H01 / PAGINE/PAGE 1247
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1247
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25838
=H03/2583.8

SM 022 — 022-1BF00 — YEC



BRAKE STRAIGHTENER UPPER ROLL MOTOR	SPARE	SPARE	BRAKE LEVELLER 1 CHANGE PACKAGE ON	FAN BRUSHER 2 UPPER ROLLER MOTOR ON	BRAKE BRAKE LEVELLER 2 CHANGE PACKAGE ON	FAN ENTRY SHEAR PINCH ROLL ROTATION UP ON	FAN ENTRY SHEAR PINCH ROLL ROTATION LOWER ON

1247 1249

INDICE REVIS. N° / REVIS. INDEX N°								
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE				
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT AUTOMATION TECHNOLOGY


COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC OUTPUT SECT.3	POSIZ./LOCATION: + E11	GRUPPO/SECTION: = H01
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE: 1248

PAGINE/PAGE: 1248

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

H03-A25838.1
=H03/2583.8

SM 022 — 022-1BF00 — YEC



BRAKE FLYING SHEAR BELT CONVEYOR ON	BRAKE STACKER RACKET M.S. BOX 1 ON	BRAKE STACKER RACKET O.S. BOX 1 ON	BRAKE STACKER RACKET M.S. BOX 2 ON	BRAKE STACKER RACKET O.S. BOX 2 ON	SPARE	FAN ROLLS AND CHAINS BOX 2 °90 CHAINS ROTATION ON	SPARE

1248 1250

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC OUTPUT SECT.3	+ E11	= H01
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

RBF DMAT AUTOMATION TECHNOLOGY

PAGINE/PAGE	RIF./REFERNCE
1249	SEL CTL4 LINE 1249

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25839
=H03/2583.9

SM 022 — 022-1BF00 — YEC

	A70.0	A70.1	A70.2	A70.3	A70.4	A70.5	A70.6	A70.7
	1	5	2	6	3	7	4	8
	125001	125002	125003	125004	125005	125006	125007	125008
	A1	A1	A1	A1	A1	A1	A1	A1
	-K12501	-K12502	-K12503	-K12504	-K12505	-K12506	-K12507	-K12508
	+E09	+E09	+E09	+E09	+E09	+E09	+E09	+E09
	A2	A2	A2	A2	A2	A2	A2	A2
	PLC-RSC- 24DC/21	PLC-RSC- 24DC/21	PLC-RSC- 24DC/21	PLC-RSC- 24DC/21	PLC-RSC- 24DC/21	PLC-RSC- 24DC/21	PLC-RSC- 24DC/21	PLC-RSC- 24DC/21
	14 11 =G34/11.2	14 11 =G35/11.2	14 11 =G36/11.2	14 11	14 11	14 11	14 11	14 11
	12	12	12	12	12	12	12	12
	FAN FLYING SHEAR BELT CONVEYOR	FAN CONVEYOR DEFLECTOR	FAN CONVEYOR TO STACKER	SPARE	SPARE	SPARE	SPARE	SPARE

1249.9 / 0V_DO3 → 0V_DO3 / 1259.1

1249.9 / 24V_DO3 → 24V_DO3 / 1259.2

1249 1259

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC OUTPUT SECT.3	+ E11	= H01	1250
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1250
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25841
=H03/2584.1

SM 022 — 022-1BF00 — YEC

A71.0	A71.1	A71.2	A71.3	A71.4	A71.5	A71.6	A71.7
1	5	2	6	3	7	4	8
125901	125902	125903	125904	125905	125906	125907	125908
XDO3 10	12	13	15	16	18	19	21
XDO3 11	XDO3 14	XDO3 17	XDO3 20				
0V12	0V12	0V12	0V12				
SPARE	SPARE	SPARE	SPARE	SPARE	SPARE	SPARE	SPARE

1250.9 / 0V_DO3 → 0V_DO3 / =H03/2583.1
1250.9 / 24V_DO3 → 24V_DO3 / =H03/2583.

1250 1301


INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC OUTPUT SECT.3	POSIZ./LOCATION: + E11	GRUPPO/SECTION: = H01	PAGINE/PAGE: 1259
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE: 1259
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes therof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendere noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

=G32/19.9 / 24V_DI1/2 → 24V_DI1/2 / 1302.1

=G32/19.9 / 0V_DI1/2 → 0V_DI1/2 / 1302.1



DELAYED EMERGENCY RELAY CONTROL.

ZONE 2 EMERGENCY RELAY CONTROL

ZONE 3 EMERGENCY RELAY CONTROL

ZONE 4 EMERGENCY RELAY CONTROL


INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY INPUT SECT.1-2	POSIZ./LOCATION + E05 / GRUPPO/SECTION = H01 / PAGINE/PAGE 1301
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1301
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1301.9 / 24V_DI1/2 → 24V_DI1/2 / 1305.1

1301.9 / 0V_DI1/2 → 0V_DI1/2 / 1305.1



ZONE 5 EMERGENCY RELAY CONTROL

SPARE EMERGENCY RELAY CONTROL

SPARE


SPARE

1301

1303

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: SAFETY INPUT SECT.1-2	POSIZ./LOCATION: + E05 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 1302
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE: 1302
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



EMERGENCY
PUSHBUTTON FRONT

EMERGENCY
SAFETY FEEDBACK

PROTECTIONS
SAFETY FEEDBACK


SPARE

1302

1304

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY INPUT SECT.1-2	POSIZ./LOCATION + E05	GRUPPO/SECTION = H01	PAGINE/PAGE 1303
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1303
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY INPUT SECT.1-2	POSIZ./LOCATION + E05	GRUPPO/SECTION = H01	PAGINE/PAGE 1304
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1304
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1302.9 / 24V_DI1/2 → 24V_DI1/2 / 1320.1

1302.9 / 0V_DI1/2 → 0V_DI1/2 / 1320.1

XSI1/2 7 8 9 10 11 12 13 14

130501 130502 130503 130504 130505 130506 130507 130508

=H03-A26153
=H03/2615.3

1 3 5 7 2 4 6 8


E815.0 T0 E815.1 T1 E815.2 T2 E815.3 T3

SM 021 021-1SD00 YEC

SPARE SPARE SPARE SPARE

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY INPUT SECT.1-2	POSIZ./LOCATION + E05	GRUPPO/SECTION = H01	PAGINE/PAGE 1305
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1305
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



1305

1310

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY INPUT SECT.1-2	POSIZ./LOCATION + E05	GRUPPO/SECTION = H01	PAGINE/PAGE 1306
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1306
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A26154
=H03/2615.4

SM 022 — 022-1SD00 — YEC

A818.0 DC0V 1 2 — 131001 131002 — -K13101 A1 24V +E05 A2 — -K13102 A1 24V +E05 A2

3RH2262-1BB40
13 14 =H00/59.1
23 24 =H00/48.1
33 34 =H00/48.1
43 44
53 54
61 62 /1301.1
71 72
83 84

3RH2262-1BB40
13 14 =H00/59.1
23 24 =H00/48.1
33 34 =H00/48.1
43 44
53 54
62 61 /1301.1
71 72
83 84

DELAYED EMERGENCY

A818.1 DC0V 5 6 — 131003 131004 — -K13103 A1 24V +E05 A2 — -K13104 A1 24V +E05 A2

3RH2262-1BB40
13 14 =H00/59.3
23 24 =H00/48.3
33 34 =H00/48.3
43 44
53 54
61 62 /1301.3
71 72
83 84

3RH2262-1BB40
13 14 =H00/59.3
23 24 =H00/48.3
33 34 =H00/48.3
43 44
53 54
62 61 /1301.3
71 72
83 84

EMERGENCY AREA 2

A818.2 DC0V 3 4 — 131005 131006 — -K13105 A1 24V +E05 A2 — -K13106 A1 24V +E05 A2

3RH2262-1BB40
13 14 =H00/59.5
23 24
33 34
43 44
53 54
61 62 /1301.5
71 72
83 84

3RH2262-1BB40
13 14 =H00/59.5
23 24
33 34
43 44
53 54
62 61 /1301.5
71 72
83 84

EMERGENCY AREA 3

A818.3 DC0V 7 8 — 131007 131008 — -K13107 A1 24V +E05 A2 — -K13108 A1 24V +E05 A2

3RH2262-1BB40
13 14 =H00/59.7
23 24 =H00/48.5
33 34 =H00/48.5
43 44
53 54
61 62 /1301.7
71 72
83 84

3RH2262-1BB40
13 14 =H00/59.7
23 24 =H00/48.5
33 34 =H00/48.5
43 44
53 54
62 61 /1301.7
71 72
83 84

EMERGENCY AREA 4

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY OUTPUT SECT.1-2	POSIZ./LOCATION + E05 / GRUPPO/SECTION = H01 / PAGINE/PAGE 1310
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1310
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A26154.1
=H03/2615.4

SM 022 — 022-1SD00 — YEC

A822.0 DC0V 1 2 — A822.1 DC0V 5 6 — A822.2 DC0V 3 4 — A822.3 DC0V 7 8

131101 131102 131103 131104 131105 131106 131107 131108

XSO1/2 1 2 3 4

-K13111 A1 24V +E05 A2
-K13112 A1 24V +E05 A2
-K13113 A1 24V +E05 A2
-K13114 A1 24V +E05 A2

3RH2262-1BB40

13 – 14	=H00/60.1	=H00/60.1	=H00/60.3
23 – 24	=H00/48.7	=H00/48.7	
33 – 34	=H00/48.7	=H00/48.7	
43 – 44			
53 – 54			
61 – 62	/1302.1	/1302.1	/1302.3
71 – 72			
83 – 84			

13 – 14	=H00/60.1	=H00/60.3	=H00/60.3
23 – 24	=H00/48.7		
33 – 34	=H00/48.7		
43 – 44			
53 – 54			
62 – 61	/1302.1	/1302.3	/1302.3
71 – 72			
83 – 84			

EMERGENCY AREA 5 | EMERGENCY SPARE | EMERGENCY SPARE | EMERGENCY SPARE


1310 1312

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY OUTPUT SECT.1-2	POSIZ./LOCATION + E05	GRUPPO/SECTION = H01	PAGINE/PAGE 1311
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1311
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A26154.2
=H03/2615.4

SM 022 — 022-1SD00 — YEC



EMERGENCY SPARE

EMERGENCY SPARE

EMERGENCY SPARE


EMERGENCY SPARE

1311

1320

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY OUTPUT SECT.1-2	POSIZ./LOCATION + E05	GRUPPO/SECTION = H01	PAGINE/PAGE 1312
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1312
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



DC BUS ON

MAIN CONTACTOR 1 READY TO CLOSE

DC BUS 1 ON

PRECHARGE LINE 1 ON

BRAKING RESISTOR MODULE 1 FAULT

MAIN CONTACTOR 2 READY TO CLOSE

DC BUS 2 ON

PRECHARGE LINE 2 ON

1312

1321

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC INPUT SECT.1-2	+ E05	= H01	1320
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1320
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1320.9 / 24V_DI1/2 →
1320.9 / 0V_DI1/2 →
1320.9 / 24V_DI1/2.3 →

→ 24V_DI1/2 / 1322.1
→ 0V_DI1/2 / 1322.1
→ 24V_DI1/2.3 / 1322.8

LP3

BRKF2 / =G00/28.3

=G04-Q108
=G04/10.8
13
14

XCI3
60 61 62 63 64

XDI1/2
1 2

132101 132102 132103 132104 132105 132106 132107 132108

=H03-A26115.2
=H03/2611.6

1	5	2	6	3	7	4	8
E91.0	E91.1	E91.2	E91.3	E91.4	E91.5	E91.6	E91.7

SM 021 — 021-1BF00 — YEC

BRAKING RESISTOR MODULE 2 FAULT	SPARE	SPARE	SPARE	SPARE	STRAIGHTENER INVERTER FAN SUPPLY FAULT	SPARE	SPARE

1320 1322

INDICE REVIS. N° / REVIS. INDEX N°								
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	21041I CTL04	CTL4 LINE	PLC INPUT SECT.1-2	+ E05
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		CLIENTE/CUSTOMER			SEL CTL4 LINE

RBF DMAT AUTOMATION TECHNOLOGY

GRUPPO/SECTION = H01 — PAGINE/PAGE 1321 — RIF./REFERNCE 1321

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of damages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1321.9 / 24V_DI1/2
1321.9 / 0V_DI1/2

24V_DI1/2 / 1323.1
0V_DI1/2 / 1323.1

1321.5 / 24V_DI1/2.3

24V_DI1/2.3 / 1324.1

LP3

=G14-Q106
=G14/10.8
13
14

=G20-Q106
=G20/10.7
13
14

=G20A-Q106
=G20A/10.7
13
14

I1 / =G32/14.5

=H00-Q587
=H00/58.7
13
14

-S13227
0-60 °C
+E05
1
2

=H00-K203
=H00/20.3
13
14

XDI1/2 3

XCI3 65

132201
132202
132203
132204
41908
132205
132206
132207

=H03-A26116
=H03/2611.6

1	5	2	6	3	7	4	8
E92.0	E92.1	E92.2	E92.3	E92.4	E92.5	E92.6	E92.7


SM 021 021-1BF00 YEC

SPARE	LEVELLER 1 INVERTER FAN SUPPLY FAULT	LEVELLER 2 INVERTER FAN SUPPLY FAULT	LEVELLER 2 INVERTER FAN SUPPLY FAULT	FLYING SHEAR POWER ON	SWITCH POWER SUPPLY DRIVE FAULT	BOARD OVERTEMPERATURE	LINE RELEASING RELAY

1321 1323

INDICE REVIS. N° REVIS. INDEX N°						COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	21041I CTL04	CTL4 LINE	PLC INPUT SECT.1-2	+ E05 / = H01 / 1322
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1322
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ELECTROVALVES 24Vdc GENERAL EMERGENCY SUPPLY FAULT	ELECTROVALVES 24Vdc DELAYED EMERGENCY SUPPLY FAULT	ELECTROVALVES 24Vdc EMERGENCY ZONE 4 SUPPLY FAULT	ELECTROVALVES 24Vdc EMERGENCY ZONE 5 SUPPLY FAULT	AUXILIARY CIRCUIT INSERTION START
CABINET FAN SUPPLY POWER SUPPLY FAULT	SPARE	SPARE		

1322 1324

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC INPUT SECT.1-2	+ E05	= H01	1323
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1323
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1323.9 / 24V_DI1/2 → 24V_DI1/2 / 1325.1

1323.9 / 0V_DI1/2 → 0V_DI1/2 / 1325.1

1322.8 / 24V_DI1/2.3 →

LP3 / =H00/21.7 LP3.

LP3

=H00-K75
=H00/7.5
33
34

6808 / =H00/21.7

XCI3 66 67 68 69 70 71 72

132411 *132401* *132402* *132403* *132404* *132405* *132406* *132407*

=H03-A26117
=H03/2611.7

1	5	2	6	3	7	4	8
E94.0	E94.1	E94.2	E94.3	E94.4	E94.5	E94.6	E94.7


SM 021 | 021-1BF00 | YEC

FIRE FIGHTING SYSTEM INTERVENTION	CABINET SAFETY BY-PASS AUX RELAY	SPARE	SPARE	SPARE	SPARE	SPARE	SPARE

1323 1325

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT SECT.1-2	POSIZ./LOCATION + E05 / GRUPPO/SECTION = H01 / PAGINE/PAGE 1324
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1324
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




SPARE FLYING SHEAR BELT CONVEYOR CONTROL LOW | SPARE | SPARE | FLYING SHEAR CUTTING WORKING PRESSURE | SPARE FLYING SHEAR TAIL MEASURE CONTROL UP | OIL CENTRAL OIL LEVEL | SPARE | SPARE

1324 1326

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT SECT.1-2	POSIZ./LOCATION + E05 / GRUPPO/SECTION = H01 / PAGINE/PAGE 1325
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1325
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



FLYING SHEAR HYDRAULIC STATION FAN TEMPERATURE	FLYING SHEAR HYDRAULIC STATION FAN TEMPERATURE	FLYING SHEAR HYDRAULIC STATION MAX TEMPERATURE	FLYING SHEAR HYDRAULIC STATION OIL LEVEL	SPARE FLYING SHEAR HYDRAULIC STATION COOLING OIL LEVEL	HOLD DOWN PLATE CYLINDER PRESSURE	SPARE	SPARE

1325 1327

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT SECT.1-2
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER		
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ E05	= H01	1326
SEL CTL4 LINE		RIF./REFERNCE 1326

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1326.9 / 24V_DI1/2 → 24V_DI1/2 / 1328.1

1326.9 / 0V_DI1/2 → 0V_DI1/2 / 1328.1

=G32/19.7 / JB380.4- → JB380.4- / 1328.1

=G32/19.7 / JB380.4+ → JB380.4+ / 1328.1

XJB380.4 7 26 | 8 27 | 9 28 | 10 29 | 11 30 | 12 31 | 13 32 | 14 33

-U13275 IFM PK6521 49.04.02 — L+ 1, M 3, NO 4, NC 2

-U13276 IFM PK6521 49.04.06 — L+ 1, M 3, NO 4, NC 2

-U13277 IFM PK6521 49.05.06 — L+ 1, M 3, NO 4, NC 2

-S13278 — 13 / 14

XJB380.4 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52

JB380.4-W2002
=G32/19.1

X154 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52

132701 | 132702 | 132703 | 132704 | 132705 | 132706 | 132707 | 132708

=H03-A26118
=H03/2612.1

1 E97.0 | 5 E97.1 | 2 E97.2 | 6 E97.3 | 3 E97.4 | 7 E97.5 | 4 E97.6 | 8 E97.7

SM 021 | 021-1BF00 | YEC

FLYING SHEAR BLADE CASSETTE WORKING PRESSION UPPER BOX	FLYING SHEAR BLADE CASSETTE WORKING PRESSION LOWER BOX	FLYING SHEAR BLADE GAP PRESSURE CONTROL	SPARE FLYING SHEAR GREASE LUBRICATION SHOULDER LEFT	SPARE FLYING SHEAR GREASE LUBRICATION SHOULDER RIGHT	SPARE FLYING SHEAR GREASE LUBRICATION ROD LEFT	SPARE FLYING SHEAR GREASE LUBRICATION ROD RIGHT	FLYING SHEAR MIN. OIL LEVEL BLOCKING CENTRAL

1326 1328


INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	PLC INPUT SECT.1-2
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+ E05	= H01	1327	
SEL CTL4 LINE		RIF./REFERNCE	1327

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SPARE FLYING SHEAR GREASE LUBRICATION DROPSA LEVEL

FLYING SHEAR GREASE LUBRICATION SHOULDER LEFT

FLYING SHEAR GREASE LUBRICATION SHOULDER RIGHT

FLYING SHEAR GREASE LUBRICATION SHOULDER ROD LEFT

FLYING SHEAR GREASE LUBRICATION ROD RIGHT

FLYING SHEAR GREASE LUBRICATION DROPSA CYCLE CONTROL

SPARE

SPARE


1327


1329

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC INPUT SECT.1-2	+ E05	= H01	1328
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1328
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.





SPARE SPARE SPARE SPARE SPARE SPARE SPARE SPARE

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT SECT.1-2	POSIZ./LOCATION + E05 / GRUPPO/SECTION = H01 / PAGINE/PAGE 1329
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1329
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A26135
=H03/2613.5

SM 022 | 022-1BF00 | YEC

	A90.0	A90.1	A90.2	A90.3	A90.4	A90.5	A90.6	A90.7
	1	5	2	6	3	7	4	8
	20108	*21301*	*21302*	*21402*	*21401*	*21403*	*21501*	*21502*
	=G00/1.2 / PLC_DO11	=G00/13.2 / G10EN	=G00/13.2 / G03EN	=G00/13.3 / G04EN	=G00/15.3 / G33EN	=G00/15.3 / G14EN	=G00/15.2 / G20EN	=G00/15.2 / G20AEN
	DC BUS LINE ON	SPARE FOR DRIVE	ENTRY PINCH ROLL DRIVE ENABLE	STRAIGHTENER DRIVE ENABLE	FLYING SHEAR CUTTING DRIVE ENABLE	LEVELLER 1 DRIVE ENABLE	LEVELLER 2 DRIVE 1 ENABLE	LEVELLER 2 DRIVE 2 ENABLE

=H00/68.9 / 0V_DO1/2 → 0V_DO1/2 / 1341
=H00/66.8 / 24V_DO1/2 → 24V_DO1/2 / 1341

1329 1341

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC OUTPUT SECT.1-2	+ E05	= H01	1340
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1340
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes therof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendere noto comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

H03-A26135.1
=H03/2613.5

SM 022 — 022-1BF00 — YEC

A91.0	A91.1	A91.2	A91.3	A91.4	A91.5	A91.6	A91.7
1	5	2	6	3	7	4	8
41909	41910	134101	134102	134103	134104	134105	134106
=G32/14.6 / O1	=G32/14.7 / O2	=G32/14.8 / O3	=G00/13.3 / G02EN	XDO1/2 26	27		
				XDO1/2 25			
				0V10			
						-K13417 A1 24V A2 +E05	-K13418 A1 24V A2 +E05
1340.9 / 0V_DO1/2							0V_DO1/2 / 1342
1340.9 / 24V_DO1/2							24V_DO1/2 / 1342.21
						PLC-RSC- 24DC/21	PLC-RSC- 24DC/21
FLYING SHEAR COMMAND	FLYING SHEAR ENABLE	SHEAR CUTTING ON	DECOILER DRIVE ENABLE	SPARE	SPARE	SPARE	SPARE

1340 1342

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.1-2	POSIZ./LOCATION + E05	GRUPPO/SECTION = H01	PAGINE/PAGE 1341
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1341
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes therefor, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendere comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

H03-A26135.2
=H03/2613.5

SM 022 | 022-1BF00 | YEC

	A92.0	A92.1	A92.2	A92.3	A92.4	A92.5	A92.6	A92.7
	1	5	2	6	3	7	4	8
	134201	134202	134203	134204	134205	134206	134207	134208
XCI3	73	75	76	77	78	79	80	81
	A1	A1	A1	A1			A1	A1
	-K13421	-K13422	-K13423	-K13424			-K13427	-K13428
	24V	24V	24V	24V			24V	24V
	+E00	+E00	+E00	+E00			+E00	+E00
	A2	A2	A2	A2			A2	A2
XCI3	74							
	0V10							
1341.9 / 0V_DO1/2	→							→ 0V_DO1/2 / 1343
1341.9 / 24V_DO1/2	→							→ 24V_DO1/2 / 1343
	PLC-RSC- 24DC/21	PLC-RSC- 24DC/21	PLC-RSC- 24DC/21	PLC-RSC- 24DC/21			PLC-RSC- 24DC/21	PLC-RSC- 24DC/21
	14 – 11 =G00/21.7	14 – 11 =G00/24.2	14 – 11 =G00/25.7	14 – 11 =G00/28.2			14 – 11 =H00/21.8	
	12	12	12	12			12	
	DC-BUS 1 LINE ON	DC-BUS 1 BRAKING RESISTOR ON	DC-BUS 2 LINE ON	DC-BUS 2 BRAKING RESISTOR ON	SPARE	SPARE	MAIN POWER CONTACTOR RELEASE	SPARE

1341 1343

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT SECT.1-2	POSIZ./LOCATION + E05	GRUPPO/SECTION = H01	PAGINE/PAGE 1342
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1342
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendere noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A26136
=H03/2613.6

SM 022 — 022-1BF00 — YEC

A93.0 1 | A93.1 5 | A93.2 2 | A93.3 6 | A93.4 3 | A93.5 7 | A93.6 4 | A93.7 8

134301 | 134303 | 134305 | 134307 | 134309 | 134311 | 134313 | 134315

-K13431 +E05 | -K13432 +E05 | -K13433 +E05 | -K13434 +E05 | -K13435 +E05 | -K13436 +E05 | -K13437 +E05 | -K13438 +E05

A1 / A2

1342.9 / 0V_DO1/2 → 0V_DO1/2 / 1344.1

1342.9 / 24V_DO1/2 → 24V_DO1/2 / 1344.1

PLC-RSC- 24DC/21

14 – 11 .1 / 12 | 14 – 11 .2 / 12 | 14 – 11 .3 / 12 | 14 – 11 .4 / 12 | 14 – 11 .5 / 12 | 14 – 11 .6 / 12 | 14 – 11 .7 / 12 | 14 – 11 .8 / 12

=G32/20.5 / 24V_EV51/2 → 24V_EV51/2 / 1344.1

-K13431 .1 | -K13432 .2 | -K13433 .3 | -K13434 .4 | -K13435 .5 | -K13436 .6 | -K13437 .7 | -K13438 .8

14 12 / 11

134302 | 134304 | 134306 | 134308 | 134310 | 134312 | 134314 | 134316

X150 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32

JB380-W3001 .1

XJB380 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32

-Y13431 49.07.06 — A1 / A2 / PE

-Y13435 49.07.04 L — A1 / A2 / PE — B1 / B2 / PE

XJB380 33 | 34 | 35 | 36 | 37 | 38

JB380-W3001 .1 14G1.5

X150 33

9701

=G32/20.8 / 0V_EV1/2 → 0V_EV1/2 / 1344.1

FLYING SHEAR GREASE LUBRICATION FIXED PART	FLYING SHEAR GREASE LUBRICATION TAIL MEASURE LIFT	FLYING SHEAR GREASE LUBRICATION TAIL MEASURE LOWER	SPARE FLYING SHEAR BELT CONVEYOR LIFT	SPARE FLYING SHEAR BELT CONVEYOR LOWER	SPARE	SPARE	SPARE

1342 — 1344

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC OUTPUT SECT.1-2	POSIZ./LOCATION: + E05	GRUPPO/SECTION: = H01	PAGINE/PAGE: 1343
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE: 1343
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

H03-A26136.1
=H03/2613.6

SM 022 — 022-1BF00 — YEC

A94.0 1 | A94.1 5 | A94.2 2 | A94.3 6 | A94.4 3 | A94.5 7 | A94.6 4 | A94.7 8

134401 | 134403 | 134405 | 134407 | 134409 | 134411 | 134413 | 134415

-K13441 +E05 | -K13442 +E05 | -K13443 +E05 | -K13444 +E05 | -K13445 +E05 | -K13446 +E05 | -K13447 +E05 | -K13448 +E05

A1 / A2

1343.9 / 0V_DO1/2 → 0V_DO1/2 / 1345.1

1343.9 / 24V_DO1/2 → 24V_DO1/2 / 1345.1

PLC-RSC- 24DC/21

14 – 11 .1 / 12 | 14 – 11 .2 / 12 | 14 – 11 .3 / 12 | 14 – 11 .4 / 12 | 14 – 11 .5 / 12 | 14 – 11 .6 / 12 | 14 – 11 .7 / 12 | 14 – 11 .8 / 12

1343.9 / 24V_EV51/2 → 24V_EV51/2 / 1345.1

-K13441 .1 | -K13442 .2 | -K13443 .3 | -K13444 .4 | -K13445 .5 | -K13446 .6 | -K13447 .7 | -K13448 .8

14 12 / 11

134402 | 134404 | 134406 | 134408 | 134410 | 134412 | 134414 | 134416

X153 46 | 47 | 48 | 49 | 50 | 51 — JB380.3-W3003 .1

X154 67 | 68 — JB380.4-W3002 .7

XJB380.3 46 | 47 | 48 | 49 | 50 | 51

XJB380.4 67 | 68

-Y13442 49.09.02 | -Y13443 49.09.04 | -Y13444A 49.07.06 | -Y13444B 49.07.06 | -Y13445 49.07.06

-Y13447 49.04.01 | -Y13448 49.04.04

A1 / A2 / PE

XJB380.3 40 | 41 | 42 | 43 | 44 | 45

JB380.3-W3003 .1 10G1.5

XJB380.4 58 | 59 → JB380.4.0V / 1345.1

JB380.4-W3002 .7 /1345.1 14G1.5

X153 40 — 9701 — 1343.9 / 0V_EV1/2 →

X154 58 | 59 — 9701 → 0V_EV1/2 /

HOLD DOWN PLATE CYLINDER BY - PASS	HOLD DOWN PLATE CYLINDER COMMAND	FLYING SHEAR TAIL MEASURE ROLL UP	FLYING SHEAR TAIL MEASURE ROLL DOWN	BY-PASS TAIL MEASURE ROLL UP	SPARE BY-PASS TAIL MEASURE ROLL DOWN	FLYING SHEAR BLADE CASSETTE LOCK UPPER	FLYING SHEAR BLADE CASSETTE UNLOCK UPPER

1343 — 1345

INDICE REVIS. N° / REVIS. INDEX N°				
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO	

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC OUTPUT SECT.1-2	POSIZ./LOCATION: + E05 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 1344
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE: 1344

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A26137
=H03/2613.7

SM 022 — 022-1BF00 — YEC

A95.0 1 — A95.1 5 — A95.2 2 — A95.3 6 — A95.4 3 — A95.5 7 — A95.6 4 — A95.7 8

134501 — 134503 — 134505 — 134507 — 134509 — 134511 — 134513 — 134515

-K13451 +E05 — -K13452 +E05 — -K13453 +E05 — -K13454 +E05 — -K13455 +E05 — -K13456 +E05 — -K13457 +E05 — -K13458 +E05

A1 / A2

1344.9 / 0V_DO1/2 →

1344.9 / 24V_DO1/2 →

0V_DO1/2 / 1346.1 →

24V_DO1/2 / 1346.1 →

PLC-RSC- 24DC/21

14 – 12 — 11 .1 — 11 .2 — 11 .3 — 11 .4 — 11 .5 — 11 .6 — 11 .7 — 11

1344.9 / 24V_EV51/2 →

14 12

-K13451 .1 — -K13452 .2 — -K13453 .3 — -K13454 .4 — -K13455 .5 — -K13456 .6 — -K13457 .7

11

134502 — 134504 — 134506 — 134508 — 134510 — 134512 — 134514

X154 69 — 70 — 71 — X154 72 — 73 — 74 — 75

JB380.4-W3002
/1344.7

XJB380.4 69 — 70 — 71 — 72 — 73 — 74 — 75

-Y13456.1 49.04.05 — -Y13457A 49.05.05 — -Y13457B 49.05.05 — -Y13459 — -Y134510 — -Y134511

A1 / A2 / PE

XJB380.4 60 — 61 — 62 — 63 — 64 — 65 — 66

1344.8 / JB380.4.0V →

FLYING SHEAR BLADE CASSETTE LOCK - UNLOCK BY-PASS	FLYING SHEAR BLADE GAP PALLET BLOKING	FLYING SHEAR BLADE GAP PALLET UNBLOKING	SPARE FLYING SHEAR GREASE LUBRICATION SHOULDER M.S.	FLYING SHEAR GREASE LUBRICATION DROPSA	FLYING SHEAR BLADE CASSETTE LOCK LOWER	FLYING SHEAR BLADE CASSETTE UNLOCK LOWER	SPARE

1344 — 1346

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC OUTPUT SECT.1-2
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER		
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ E05	= H01	1345
SEL CTL4 LINE		RIF./REFERNCE 1345

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

H03-A26137.1
=H03/2613.7

SM 022 — 022-1BF00 — YEC

	A96.0	A96.1	A96.2	A96.3	A96.4	A96.5	A96.6	A96.7
	1	5	2	6	3	7	4	8
	134601	134602	134603	134604	134605	134606	134607	134608
	A1	A1	A1	A1	A1	A1	A1	A1
	-K13461	-K13462	-K13463	-K13464	-K13465	-K13466	-K13467	-K13468
	+E05	+E05	+E05	+E05	+E05	+E05	+E05	+E05
	A2	A2	A2	A2	A2	A2	A2	A2
	BRAKE DECOILER MANDREL ROTATION	FAN DECOILER MANDREL ROTATION	BRAKE ENTRY PINCH ROLL	FAN ENTRY PINCH ROLL	FLYING SHAER CUTTING MOTOR FAN	SPARE	SPARE	SPARE

1345.9 / 0V_DO1/2 → 0V_DO1/2 / 1347.1

1345.9 / 24V_DO1/2 → 24V_DO1/2 / 1347

	PLC-RSC- 24DC/21	PLC-RSC- 24DC/21	PLC-RSC- 24DC/21	PLC-RSC- 24DC/21	PLC-RSC- 24DC/21	PLC-RSC- 24DC/21	PLC-RSC- 24DC/21	PLC-RSC- 24DC/21
14	11 =G02/11.1	11 =G02/11.2	11 =G03/11.1	11 =G03/11.2	11 =G33/11.2	11	11	11
12								

1345 1347

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC OUTPUT SECT.1-2	POSIZ./LOCATION: + E05 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 1346
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE: 1346
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

H03-A26137.2
=H03/2613.7

SM 022 | 022-1BF00 | YEC

	A97.0	A97.1	A97.2	A97.3	A97.4	A97.5	A97.6	A97.7
	1	5	2	6	3	7	4	8
	134701	134702	134703	134704	134705	134706	134707	134708
XDO1/2	1	3	4	6	7	9	10	12

XDO1/2	2	5	8	11
	0V10	0V10	0V10	0V10

1346.9 / 0V_DO1/2 ▶ 0V_DO1/2 / 1348.1
1346.9 / 24V_DO1/2 ▶ 24V_DO1/2 / 1348.1

SPARE SPARE SPARE SPARE SPARE SPARE SPARE SPARE

1346 1348

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC OUTPUT SECT.1-2	+ E05	= H01	1347
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1347
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento e utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A26138
=H03/2613.8

SM 022 — 022-1BF00 — YEC

A98.0	A98.1	A98.2	A98.3	A98.4	A98.5	A98.6	A98.7
1	5	2	6	3	7	4	8
134801	134802	134803	134804	134805	134806	134807	134808
XDO1/2 13	XDO1/2 15	XDO1/2 16	XDO1/2 18	XDO1/2 19	XDO1/2 21	XDO1/2 22	XDO1/2 24


XDO1/2 14	XDO1/2 17	XDO1/2 20	XDO1/2 23
0V10	0V10	0V10	0V10
1347.9 / 0V_DO1/2			0V_DO1/2 / 1351.1
1347.9 / 24V_DO1/2			24V_DO1/2 / 1351.1
SPARE	SPARE	SPARE	SPARE	SPARE	SPARE	SPARE	SPARE

1347 1350


INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC OUTPUT SECT.1-2	+ E05 / = H01 / 1348
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1348
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT AUTOMATION TECHNOLOGY

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento e utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



FLYING SHEAR
CUTTING POSITION
CONTROL POSITION



FLYING SHEAR
BLADE GAP
CONTROL POSITION

1348

1355

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENCODER SECT.1-2	POSIZ./LOCATION + E05	GRUPPO/SECTION = H01	PAGINE/PAGE 1350
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1350
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A26141
=H03/2614.1

SM 032 — 032-1BB70 — YEC

AO0+ PAW1392 -
1 2 3 4

AO1+ PAW1394 -
5 6 7 8

1348.9 / 24V_DO1/2
1348.9 / 0V_DO1/2

24V_DO1/2 / =H03/2613.1
0V_DO1/2 / =H03/2613.1

135501 135502 LP7 0V10

X153 54 55 52 53 SH

135503 135504 LP7 0V10

X153 58 59 56 57 SH

JB380.3-W1001
UNITRONIC® LiYCY
4x1

XJB380.3 54 55 52 53 SH

-Y13551
REXROTH
49.07.02

V+ E5 | V- D4 | 24L A1 | 0V B2 | PE G7

FLYING SHEAR
GREASE LUBRICATION
TAIL MEASURE
SLOW/FAST FORWARD - BACKWARD

SPARE


1350

1360

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	SERVOVALVES SECT.1-2	+ E05	= H01	1355
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1355
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



BRAKE DECOILER MANDREL ROTATION SUPPLY FAULT	FAN DECOILER MANDREL ROTATION SUPPLY FAULT	BRAKE ENTRY PINCH ROLL SUPPLY FAULT	FAN ENTRY PINCH ROLL SUPPLY FAULT	SPARE
SPARE	SPARE	SPARE	SPARE	

1355

1401

INDICE REVIS. N° / REVIS. INDEX N°									
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE					
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	PLC INPUT SECT.1-2	+ E05	= H01	1360
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 1360

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

=H00/99.7 / 24V_DIP00 → 24V_DIP00 / 1403.1

=H00/99.7 / 0V_DIP00 → 0V_DIP00 / 1403.1

G5.1SI1 / 1421.1 — 142101
G5.1SI2 / 1421.2 — 142102
G5.1SI3 / 1421.1 — 142103
G5.1SI4 / 1421.3 — 142104
FTC4.1SI1 / 1422.2 — 142205
FTC4.1SI2 / 1422.2 — 142206

=H03-K26523.1
=H03/2652.4

1	3	5	7	2	4	6	8
E850.0	T0	E850.1	T1	E850.2	T2	E850.3	T3

SM 021 — 021-1SD00 — YEC

ACCESS GATE 5.1
HOLDING ACTUATOR
LOCKED


ACCESS GATE 5.1
HOLDING ACTUATOR
LOCKED

LIGHT BARRIER FTC4.1

LIGHT BARRIER FTC4.1

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: P00 PLC SAFE INPUT	POSIZ./LOCATION: + P00 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 1401
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE / RIF./REFERNCE: 1401
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SAFETY AREA 4
OFF - ON

SAFETY AREA 4
OFF - ON

SAFETY AREA 5
OFF - ON

SAFETY AREA 5
OFF - ON

1401

1403

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	P00 PLC SAFE INPUT	+ P00	= H01	1402
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1402
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							


RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1401.9 / 24V_DIP00 → 24V_DIP00 / 1406.1

1401.9 / 0V_DIP00 → 0V_DIP00 / 1406.1



SAFETY AREA 6
OFF - ON

SAFETY AREA 6
OFF - ON

SPARE


SPARE

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PLC SAFE INPUT	POSIZ./LOCATION + P00 / GRUPPO/SECTION = H01 / PAGINE/PAGE 1403
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE / RIF./REFERNCE 1403
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A26522
=H03/2652.5

SM 022 — 022-1SD00 — YEC



ACCESS GATE 5.1
HOLDING ACTUATOR
LOCK

SPARE

SPARE


SPARE

1403

1406

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PLC SAFE OUTPUT	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1404
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1404
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




LINE JOG INTRODUCTION FORWARD	LINE JOG INTRODUCTION BACKWARD	LINE JOG EXTRACTION FORWARD	LINE JOG EXTRACTION BACKWARD	LEVELLER JOG FORWARD	LEVELLER JOG BACKWARD	CONVEYOR JOG FORWARD	CONVEYOR JOG BACKWARD

1404 1407

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: P00 PLC INPUT
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER: DAMING		
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ P00	= H01	1406
SEL CTL4 LINE		RIF./REFERNCE: 1406

Copying this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



1406


1412

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PLC INPUT	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1407
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1407
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A26523
=H03/2652.3

SM 022 — 022-1BH00 — YEC



LOCAL PANEL P5.1 GATE G5.1 LOCKED	AREA 5 ENTRANCE REQUEST	AREA 5 SAFETY RESET	SPARE	SPARE	SPARE	SPARE	SPARE	SPARE

1407 1413

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PLC OUTPUT
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING		
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ P00	= H01	1412
SEL CTL4 LINE		RIF./REFERNCE 1412

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendedlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A26523
=H03/2652.3

SM 022 — 022-1BH00 — YEC

A111.0	A111.1	A111.2	A111.3	A111.4	A111.5	A111.6	A111.7
5	13	6	14	7	15	8	16
141301	141302	141303	141304	141305	141306	141307	141308
XCD00 23	25	26	28	29	31	32	34

XCD00 24 — 27 — 30 — 33

14910

1412.9 / 0V_DOP00 → 0V_DOP00 / 1422.9


1412.9 / 24V_DOP00 → 24V_DOP00 / 1422.9

SPARE SPARE SPARE SPARE SPARE SPARE SPARE SPARE

1412 1421

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PLC OUTPUT	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1413
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1413
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendello comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ACCESS GATE
G5.1

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION GATE 5.1	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1421
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1421
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




LIGHT BARRIER FTC4.1

1421

1431

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LIGHT BARRIER FTC4.1	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1422
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1422
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



EMERGENCY

LINE
FAULT RESET


EMERGENCY
RESET

1422

1432

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1431
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1431
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



EMG
AUTOMATIC

EMG
MANUAL

DECOILER
TENSION ON


DECOILER
TENSION OFF

1431

1433

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1432
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1432
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 1
BACK UP ROLL 1
RAISE -0- LOWER

LEVELLER 1
BACK UP ROLL 4
RAISE -0- LOWER


(TBD)
LEVELLER 1
ENTRY TABLE
RAISE -0- LOWER

1432

1434

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1433
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1433
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 1
BACK UP ROLL 2
RAISE -0- LOWER

LEVELLER 1
BACK UP ROLL 5
RAISE -0- LOWER

LEVELLER 1
SCREWS ENTRY
RAISE -0- LOWER


LEVELLER 1
SCREWS
RAISE -0- LOWER

1433

1435

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1434
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1434
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 1
BACK UP ROLL 3
RAISE -0- LOWER

LEVELLER 1
SCREWS EXIT
RAISE -0- LOWER


LEVELLER 1 JOG
SELECTED

1434

1436

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1435
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1435
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 2
ENTRY TABLE
RAISE -0- LOWER


LEVELLER 1
AUTO POSITION
START / STOP

1435

1437

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1436
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1436
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 2
BACK UP ROLL 1
RAISE -0- LOWER

LEVELLER 2
BACK UP ROLL 5
RAISE -0- LOWER


LEVELLER 2
SCREWS 1 ENTRY M.S.
RAISE -0- LOWER

1436

1438

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1437
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1437
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 2
BACK UP ROLL 2
RAISE -0- LOWER

LEVELLER 2
BACK UP ROLL 6
RAISE -0- LOWER


LEVELLER 2
SCREWS 2 ENTRY O.S.
RAISE -0- LOWER

1437

1439

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1438
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1438
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 2
BACK UP ROLL 3
RAISE -0- LOWER

LEVELLER 2
BACK UP ROLL 7
RAISE -0- LOWER

LEVELLER 2
SCREWS 3 EXIT M.S.
RAISE -0- LOWER


LEVELLER 2
SCREWS
RAISE -0- LOWER

1438

1440

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1439
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1439
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 2
BACK UP ROLL 4
RAISE -0- LOWER

LEVELLER 2
SCREWS 4 EXIT O.S.
RAISE -0- LOWER


LEVELLER 2
JOG SELECTED

1439

1441

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1440
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1440
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 2
AUTO POSITION
START - STOP

TENSION PINCH ROLL
JOG SELECTED


LEVELLER 2
SCREW
RAISE -0- LOWER

1440

1442

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1441
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1441
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ENTRY SHEAR
PINCH ROLL
FORWARD -0- BACKWARD

BRUSH 2
START - STOP

BRUSHING MACHINE 2
TRANSLATION
INLINE -0- OUTLINE


BRUSHING MACHINE 2
FORWARD-0-BACKWARD

1441

1443

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1442
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1442
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




ENTRY SHEAR
PINCH ROLL
UP -0- DOWN

1442

1444

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1443
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1443
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




SAFETY AREA 4
RESET

1443

1445

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1444
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1444
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LINE SPEED
INCREASE -0- DECREASE

LINE
START


1444

1446

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1445
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1445
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9



LINE
SLOW DOWN


1445

1447

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1446
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1446
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9




LINE
FAST STOP

1446

1448

INDICE REVIS. N° REVIS. INDEX N°						COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	21041I CTL04	CTL4 LINE	P00 PN COMMANDS	+ P00	= H01	1447
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1447
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LAMP TEST


LINE STOP

1447

1449

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1448
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1448
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



CONVEYOR
START


CONVEYOR
STOP

1448

1450

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1449
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1449
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




EXHAUST FAN
START

EXHAUST FAN
STOP

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1450
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1450
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




EMERGENCY

1450

1452

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1451
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1451
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



FLYING SHEAR
AUTOMATIC

FLYING SHEAR
MANUAL

FLYING SHEAR
BELT CONVEYOR
RAISE -0- LOWER


FLYING SHEAR
BELT CONVEYOR
JOG SELECTED

1451

1453

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1452
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1452
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



FLYING SHEAR
MANUAL CUT

FLYING SHEAR
CYCLE ADJUSTEMENT

TAIL
PINCH ROLL
FORWARD -0- BACKWARD


FLYING SHEAR
CARRIAGE
FORWARD -0- BACKWARD

1452

1454

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1453
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1453
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SAFETY AREA 5
RESET

TAIL
PINCH ROLL
UP -0- DOWN


BELT CONVEYOR JOG
BELT CONVEYOR 1
SELECTED

1453

1455

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1454
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1454
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



FLYING SHEAR
BLADE CLEAR
INCREASE -0- DECREASE

SCRAP BOX
IN -0- OUT

DEFLECTOR CONVEYOR
UP -0- DOWN


BELT CONVEYOR JOG
BELT CONVEYOR 2
SELECTED

1454

1456

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1455
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1455
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




SAFETY AREA 6
RESET

1455

1460

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 PN COMMANDS	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1456
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1456
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



EMERGENCY

LEVELLER 1
SCREWS MOVEMENTS
SINGLE - COUPLED


LEVELLER 1
SCREWS
RAISE -0- LOWER

1456

1461

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P15 PN INTERFACE	POSIZ./LOCATION + P15	GRUPPO/SECTION = H01	PAGINE/PAGE 1460
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1460
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 1
SCREWS ENTRY
RAISE -0- LOWER


LEVELLER 1
SCREWS EXIT
RAISE -0- LOWER

1460

1462

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P15 PN INTERFACE	POSIZ./LOCATION + P15	GRUPPO/SECTION = H01	PAGINE/PAGE 1461
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1461
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 1
UP PACKAGE
LOCK -0- UNLOCK


LEVELLER 1
LOWER PACKAGE
LOCK -0- UNLOCK

1461

1463

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P15 PN INTERFACE	POSIZ./LOCATION + P15	GRUPPO/SECTION = H01	PAGINE/PAGE 1462
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1462
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 1
PACKAGE CHANGE RAIL
RAISE -0- LOWER

LEVELLER 1
CARRIAGE EXTRACTION
IN -0- OUT


P15 COMMANDS
ON - OFF

1462

1465

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P15 PN INTERFACE	POSIZ./LOCATION + P15	GRUPPO/SECTION = H01	PAGINE/PAGE 1463
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1463
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



EMERGENCY

LEVELLER 2
SCREWS
RAISE -0- LOWER


LEVELLER 2
SCREWS MOVEMENTS
SINGLE - COUPLED

1463

1466

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P16 PN INTERFACE	POSIZ./LOCATION + P16	GRUPPO/SECTION = H01	PAGINE/PAGE 1465
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1465
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 2
SCREWS 1 ENTRY M.S.
RAISE -0- LOWER

LEVELLER 2
SCREWS 2 ENTRY O.S.
RAISE -0- LOWER

LEVELLER 2
SCREWS 3 EXIT M.S.
RAISE -0- LOWER


LEVELLER 2
SCREWS 4 EXIT O.S.
RAISE -0- LOWER

1465

1467

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P16 PN INTERFACE	POSIZ./LOCATION + P16	GRUPPO/SECTION = H01	PAGINE/PAGE 1466
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1466
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 2
UP PACKAGE
LOCK -0- UNLOCK


LEVELLER 2
LOWER PACKAGE
LOCK -0- UNLOCK

1466

1468

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P16 PN INTERFACE	POSIZ./LOCATION + P16	GRUPPO/SECTION = H01	PAGINE/PAGE 1467
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1467
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 2
PACKAGE CHANGE RAIL
RAISE -0- LOWER

LEVELLER 2
CARRIAGE EXTRACTION
IN -0- OUT

P16 COMMANDS
ON - OFF

1467

1469

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P16 PN INTERFACE	POSIZ./LOCATION + P16	GRUPPO/SECTION = H01	PAGINE/PAGE 1468
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1468
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

-A14692.1
ACER MONITOR 22"
+P00
290

MONITOR

-A14695
ACER MONITOR 22"
+P00
291

MONITOR

-A14692
=N01/13.4

ETHERNET
=H03/2663.4 / ETH00-01
ETH1

PC

X921.1 / =H00/97.3
X921.2 / =H00/97.4
X921.3 / =H00/97.4

-A14692.2
K TRONIC TASTIERA
+P00

KEYBOARD

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 HMI COMPUTER	POSIZ./LOCATION + P00	GRUPPO/SECTION = H01	PAGINE/PAGE 1469
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1469
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

=H00/109.7 / 24V_DIP01 → 24V_DIP01 / 1502.1

=H00/109.7 / 0V_DIP01 → 0V_DIP01 / 1502.1

G1.1SI1 / 1521.1 — 152101 — =H03-K26824 =H03/2682.4 — 1 — E900.0 — T0

G1.1SI2 / 1521.2 — 152102 — 3

G1.1SI3 / 1521.1 — 152103 — 5 — E900.1 — T1

G1.1SI4 / 1521.3 — 152104 — 7

FTC1.1SI1 / 1522.2 — 152201 — 2 — E900.2 — T2

FTC1.1SI2 / 1522.2 — 152202 — 6 — E900.3 — T3

4

8

SM 021

021-1SD00

YEC

ACCESS GATE 1.1
HOLDING ACTUATOR
LOCKED

ACCESS GATE 1.1
HOLDING ACTUATOR
LOCKED

LIGHT BARRIER FTC1.1

LIGHT BARRIER FTC1.1


1469

1501

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	P01 PLC SAFE INPUT	+ P01	= H01	1500
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		DAMING					1500

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LIGHT BARRIER FTC2.1

LIGHT BARRIER FTC2.1

SAFETY BARRIER
BA2.1
CLOSED

SAFETY BARRIER
BA2.1
CLOSED

1500

1502

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	P01 PLC SAFE INPUT	+ P01	= H01	1501
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1501
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							


RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1500.9 / 24V_DIP01 → 24V_DIP01 / 1506.1

1500.9 / 0V_DIP01 → 0V_DIP01 / 1506.1



SAFETY AREA 1
OFF - ON

SAFETY AREA 1
OFF - ON

SAFETY AREA 2
OFF - ON


SAFETY AREA 2
OFF - ON

1501

1503

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: P01 PLC SAFE INPUT	POSIZ./LOCATION: + P01	GRUPPO/SECTION: = H01	PAGINE/PAGE: 1502
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE		RIF./REFERNCE: 1502
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SAFETY AREA 1
OFF - ON

SAFETY AREA 1
OFF - ON

SPARE

SPARE

1502

1504

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P01 PLC SAFE INPUT	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1503
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1503
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A26826
=H03/2682.6

SM 022 — 022-1SD00 — YEC

A912.0 DC0V 1 2
A912.1 DC0V 5 6
A912.2 DC0V 3 4
A912.3 DC0V 7 8

150401 → 1521.1 / G1.1A
150402 → 1521.1 / G1.1B
150403
150404
150405 → XCD01 5
150406 → XCD01 6
150407 → XCD01 7
150408 → XCD01 8

-K15043
24V
+P02
A1
A2

3RH2262-1BB40
13 — 14 /1524.1
23 — 24
33 — 34
43 — 44
53 — 54
61 — 62
71 — 72
83 — 84

ACCESS GATE 5.1
HOLDING ACTUATOR
LOCK

BARRIER ENABLE

SPARE


SPARE

1503

1506

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P01 PLC SAFE OUTPUT	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1504
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1504
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




LINE JOG INTRODUCTION FORWARD	LINE JOG INTRODUCTION BACKWARD	LINE JOG SELECTED FORWARD	LINE JOG SELECTED BACKWARD	SPARE	SPARE	SPARE	SPARE


1504

1507

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: P01 PLC INPUT	POSIZ./LOCATION: + P01	GRUPPO/SECTION: = H01	PAGINE/PAGE: 1506
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE		RIF./REFERNCE: 1506
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.






SPARE SPARE SPARE SPARE SPARE SPARE SPARE SPARE

1506 1508

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	P01 PLC INPUT	+ P01	= H01	1507
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		DAMING					1507

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




1507

1509

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P01 PLC INPUT	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1508
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1508
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



1508

1512


INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	P01 PLC INPUT	+ P01	= H01	1509
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1509
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A26823
=H03/2682.3

SM 022 | 022-1BH00 | YEC



LOCAL PANEL P1.1 GATE G1.1 LOCKED	AREA 1 ENTRANCE REQUEST	AREA 1 SAFETY RESET	SPARE	SPARE	SPARE	SPARE	SPARE

1509 1513

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P01 PLC OUTPUT	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1512
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1512
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendello comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A26823
=H03/2682.3

SM 022 | 022-1BH00 | YEC


	A111.0	A111.1	A111.2	A111.3	A111.4	A111.5	A111.6	A111.7
	5	13	6	14	7	15	8	16
	151301	151302	151303	151304	151305	151306	151307	151308
			XCD01 57	59	60	62	63	65
	-K15131 A1	-K15132 A1	XCD01 58	61			64	
	24V	24V	15910	15910			15910	
	+P02 A2	+P02 A2						
	1512.9 / 0V_DOP01							0V_DOP01 / 1522.1
	1512.9 / 24V_DOP01							24V_DOP01 / 1522.1
	PLC-RSC- 24DC/21	PLC-RSC- 24DC/21						
	14 — 11 /1524.3							
	12							
	BARRIER OPEN	SPARE	SPARE	SPARE	SPARE	SPARE	SPARE	SPARE

1512 1521

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	P01 PLC OUTPUT	+ P01	= H01	1513
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		DAMING					1513

RBF DMAT AUTOMATION TECHNOLOGY


Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ACCESS GATE
G1.1

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION GATE 1.1	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1521
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1521
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




LIGHT BARRIER FTC1.1

1521

1523

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LIGHT BARRIER FTC1.1	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1522
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1522
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




LIGHT BARRIER FTC2.1

1522


1524

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LIGHT BARRIER FTC2.1	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1523
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1523
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



BA2.1
SAFETY BARRIER
OPEN - CLOSE




BA2.1
SAFETY BARRIER
CLOSED

1523 1531

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SAFETY BARRIER BA2.1	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1524
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1524
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



COIL CAR
IN -0- OUT


SAFETY AREA 1
RESET

1524

1532

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P01 PN COMMANDS	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1531
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1531
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



COIL CAR
AUTOLOAD
START


COIL CAR ROLL
FORWARD -0- BACKWARD

1531

1533

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P01 PN COMMANDS	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1532
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1532
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



COIL CAR
AUTOLOAD
STOP

COIL CAR
UP -0- DOWN


RAIL
OPEN -0- CLOSE

1532

1534

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P01 PN COMMANDS	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1533
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1533
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



MANDREL
MANDREL POSITION

MANDREL SUPPORT
RAISE -0- LOWER

MANDREL
EXPAND -0- COLLAPSE


MANDREL EXPANDED

1533

1535

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P01 PN COMMANDS	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1534
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1534
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



PORTAL PRESSURE ROLL
RAISE -0- LOWER

PORTAL PRESSURE ROLL
FORWARD -0- BACKWARD


DECOILER JOG
SELECTED

1534

1536

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P01 PN COMMANDS	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1535
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1535
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



DECOILER
TENSION ON


DECOILER
TENSION OFF

1535

1537

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P01 PN COMMANDS	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1536
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1536
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



DECOILER CENTER

EMG AUTOMATIC

EMG MANUAL

1536

1538

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P01 PN COMMANDS	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1537
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1537
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




COIL OPENING TABLE
RAISE -0- LOWER

1537

1539

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P01 PN COMMANDS	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1538
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1538
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



COIL OPENING TABLE
RETURN START

COIL OPENING BLADE
RAISE -0- LOWER


COIL OPENING TABLE
FORWARD -0- BACKWARD

1538

1540

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P01 PN COMMANDS	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1539
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1539
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



UP PRESSURE ROLL
UP -0- DOWN

ENTRY PINCH ROLL
UP -0- DOWN


ENTRY PINCH ROLL
JOG SELECTED

1539

1541

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P01 PN COMMANDS	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1540
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1540
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STRAIGHTENER
AUTO POSITION
START / STOP


STRAIGHTENER
JOG SELECTED

1540

1542

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P01 PN COMMANDS	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1541
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1541
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



CORRECTOR ROLL
UP -0- DOWN

STRAIGHTENER
UP ROLL
UP -0- DOWN


BRUSHING MACHINE 1
FORWARD -0- BACKWARD

1541

1543

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P01 PN COMMANDS	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1542
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1542
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



EMERGENCY


1542

1544

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	P01 PN COMMANDS	+ P01	= H01	1543
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1543
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



BRUSH 1
START / STOP

CROP SHEAR
CUT

CROP SHEAR
EXIT TABLE
RAISE -0- LOWER


BRUSH 1
TRASLATION
M.S. -0- O.S.

1543

1545

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P01 PN COMMANDS	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1544
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1544
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SAFETY AREA 2
BARRIER OPEN / CLOSE


BLADE GAP
INCREASE -0- DECREASE

1544

1546

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P01 PN COMMANDS	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1545
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1545
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



CROP SHEAR
UP BLADE
RAISE -0- LOWER

SCRAP CAR
IN -0- OUT


CROP SHEAR
TAIL ROLL (SPARE)
FORWARD -0- BACKWARD

1545

1547

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P01 PN COMMANDS	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1546
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1546
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




SAFETY AREA 2
RESET

1546

1548

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P01 PN COMMANDS	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1547
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1547
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LAMP TEST

LINE
SLOW DOWN

LINE STOP


LINE
FAST STOP

1547

1551

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P01 PN COMMANDS	POSIZ./LOCATION + P01	GRUPPO/SECTION = H01	PAGINE/PAGE 1548
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1548
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




1548

1552

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P10 PN COMMANDS	POSIZ./LOCATION + P10	GRUPPO/SECTION = H01	PAGINE/PAGE 1551
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1551
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STOCKING CARRIAGE
STOP

STOCKING CARRIAGE
FORWARD -0- BACKWARD

COIL CAR
UP -0- DOWN


COIL CAR ROLL
FORWARD -0- BACKWARD

1551

1553

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P10 PN COMMANDS	POSIZ./LOCATION + P10	GRUPPO/SECTION = H01	PAGINE/PAGE 1552
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1552
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



RAIL
OPEN -0- CLOSE


COIL CAR
IN -0- OUT

1552

1554

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P10 PN COMMANDS	POSIZ./LOCATION + P10	GRUPPO/SECTION = H01	PAGINE/PAGE 1553
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1553
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STOCKING CARRIAGE
POSITION 1

STOCKING CARRIAGE
POSITION 2

STOCKING CARRIAGE
POSITION 3

1553

1701

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P10 PN COMMANDS	POSIZ./LOCATION + P10	GRUPPO/SECTION = H01	PAGINE/PAGE 1554
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1554
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

=H00/129.7 / 24V_DIP03 → 24V_DIP03 / 1703.1

=H00/129.7 / 0V_DIP03 → 0V_DIP03 / 1703.1

G7.1SI1 / 1721.1 — 172101 — 1

G7.1SI2 / 1721.2 — 172102 — 3

G7.1SI3 / 1721.1 — 172103 — 5

G7.1SI4 / 1721.3 — 172104 — 7

FTC6.1SI1 / 1722.2 — 172201 — 2

FTC6.1SI2 / 1722.2 — 172202 — 6

=H03-K27424
=H03/2742.4

1	3	5	7
E1000.0	T0	E1000.1	T1

2	4	6	8
E1000.2	T2	E1000.3	T3

SM 021 — 021-1SD00 — YEC

ACCESS GATE 7.1
HOLDING ACTUATOR
LOCKED

ACCESS GATE 7.1
HOLDING ACTUATOR
LOCKED

LIGHT BARRIER FTC6.1

LIGHT BARRIER FTC6.1


1554

1702

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PLC SAFE INPUT	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1701
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1701
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SAFETY AREA 7
OFF - ON

SAFETY AREA 7
OFF - ON

SAFETY AREA 6
OFF - ON

SAFETY AREA 6
OFF - ON

1701

1703


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PLC SAFE INPUT	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1702
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1702
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1701.9 / 24V_DIP03 → 24V_DIP03 / 1706.1

1701.9 / 0V_DIP03 → 0V_DIP03 / 1706.1



1702

1704

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: P03 PLC SAFE INPUT	POSIZ./LOCATION: + P03
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE		CLIENTE/CUSTOMER: DAMING			GRUPPO/SECTION: = H01
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					PAGINE/PAGE: 1703
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					SEL CTL4 LINE	RIF./REFERNCE: 1703

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A27426
=H03/2742.6

SM 022 | 022-1SD00 | YEC

A1012.0 DC0V
1 2

A1012.1 DC0V
5 6

A1012.2 DC0V
3 4

A1012.3 DC0V
7 8

170401 170402 170403 170404 170405 170406 170407 170408

XCD03 9 10 XCD03 11 12 XCD03 13 14

1721.1 / G7.1A 1721.1 / G7.1B

ACCESS GATE 7.1
HOLDING ACTUATOR
LOCK

SPARE

SPARE

SPARE


1703

1706

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	P03 PLC SAFE OUTPUT	+ P03	= H01	1704
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1704
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.





1704

1707

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: P03 PLC INPUT	POSIZ./LOCATION: + P03
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE					GRUPPO/SECTION: = H01
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER: DAMING			PAGINE/PAGE: 1706
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						SEL CTL4 LINE
									RIF./REFERNCE: 1706

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.






SPARE | SPARE | SPARE | SPARE | SPARE | SPARE | SPARE | SPARE

1706 1708

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PLC INPUT	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1707
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1707
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	P03 PLC INPUT	+ P03	= H01	1708
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1708
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PLC INPUT	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1709
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1709
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A27423
=H03/2742.3

SM 022 | 022-1BH00 | YEC



LOCAL PANEL P7.1 GATE G7.1	AREA 7 ENTRANCE REQUEST	AREA 7 SAFETY RESET	SPARE	SPARE	SPARE	SPARE	SPARE	SPARE

1709 1713

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PLC OUTPUT
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING		
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ P03	= H01	1712
SEL CTL4 LINE		RIF./REFERNCE 1712

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendetlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A27423
=H03/2742.3


SM 022 | 022-1BH00 | YEC

	A141.0	A141.1	A141.2	A141.3	A141.4	A141.5	A141.6	A141.7
	5	13	6	14	7	15	8	16
	171301	171302	171303	171304	171305	171306	171307	171308
			XCD03 61	63	64	66	67	69
	X1 -S17067 /1706.7 3 BU X2	X1 -S17068 /1706.8 13 BU X2						
	17910	17910	XCD03 62 17910	65 17910		68 17910		
	1712.9 / 0V_DOP03	1712.9 / 24V_DOP03						
	0V_DOP03 / 1722.1	24V_DOP03 / 1722.1						
	SAFETY AREA 7 RESET	SAFETY AREA 6 RESET	SPARE	SPARE	SPARE	SPARE	SPARE	SPARE

1712 1721

INDICE REVIS. N° / REVIS. INDEX N°						COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	21041I CTL04	CTL4 LINE	P03 PLC OUTPUT	+ P03 / = H01 / 1713
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 1713
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO			DAMING			


Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendello comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ACCESS GATE
G7.1

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION GATE 7.1	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1721
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1721
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




LIGHT BARRIER FTC6.1

1721

1731

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LIGHT BARRIER FTC6.1	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1722
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1722
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




EMERGENCY

1722

1733

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PN COMMANDS	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1731
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1731
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LAMP TEST

LINE
SLOW DOWN

LINE STOP


LINE
FAST STOP

1731

1735

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PN COMMANDS	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1733
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1733
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



CONVEYORS
START


CONVEYORS
STOP

1733

1736

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PN COMMANDS	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1735
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1735
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



FLYING SHEAR
CONVEYOR JOG
SELECTED

BELT CONVEYOR 1
JOG SELECTED


BELT CONVEYOR 2
JOG SELECTED

1735

1737

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PN COMMANDS	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1736
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1736
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STACKER BOX 1
AUTO POSITION
START

STACKER BOX 1
AUTO POSITION
STOP

STACKER BOX 1
AUTO POSITION
MANAUL / AUTOMATIC

STACKER BOX 1
PLATFORM
RAISE -0- LOWER

1736

1738

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PN COMMANDS	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1737
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1737
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1731.2 / 24V_DOP03 → 24V_DOP03 / 1744.0

1731.2 / 0V_DOP03 → 0V_DOP03 / 1744.0

17909

17910

-K17380
=N01/9.3
54

-X2 1 2 3 4
L+ L+ M M

SIEMENS
3SU1400-1LK10-1BA1
3SU1550-0AA10-0AA0
3SU1052-2BM10-0AA0

LINK

OUT → PN_P03_2 / 1739.0

PROFINET
-X1 LAN

=H03/2761.4 / PN4_P03


STACKER BOX 1
HEAD STOP
FORWARD -0- BACKWARD

1737

1739

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PN COMMANDS	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1738
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1738
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STACKER BOX 1
RACKET M.S.
OPEN -0- CLOSE

STACKER BOX 1
SIDE GUIDE M.S.
OPEN -0- CLOSE

STACKER BOX 1
OVERPASSING BELTS M.S.
RAISE -0- LOWER


STACKER BOX 1
HEAD STOP
JOGGING

1738

1740

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PN COMMANDS	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1739
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1739
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STACKER BOX 1
RACKET O.S.
OPEN -0- CLOSE

STACKER BOX 1
SIDE GUIDE O.S.
OPEN -0- CLOSE


STACKER BOX 1
OVERPASSING BELTS O.S.
RAISE -0- LOWER

1739

1741

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PN COMMANDS	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1740
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1740
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STACKER BOX 1
RACKET CIRCLE
OPEN -0- CLOSE

STACKER BOX 1
OVERPASSING BELTS
FORWARD -0- BACKWARD


STACKER BOX 1
SIDE GUIDE
JOGGING

1740

1742

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PN COMMANDS	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1741
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1741
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STACKER BOX 2
AUTO POSITION
START

STACKER BOX 2
AUTO POSITION
STOP

STACKER BOX 2
AUTO POSITION
MANAUL / AUTOMATIC


STACKER BOX 2
HEAD STOP
FORWARD -0- BACKWARD

1741

1743

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PN COMMANDS	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1742
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1742
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STACKER BOX 2
RACKET M.S.
OPEN -0- CLOSE

STACKER BOX 2
SIDE GUIDE M.S.
OPEN -0- CLOSE

STACKER BOX 2
HEAD STOP
JOGGING

1742

1744

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PN COMMANDS	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1743
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1743
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1738.2 / 24V_DOP03 → 24V_DOP03 / 1750.0

1738.2 / 0V_DOP03 → 0V_DOP03 / 1750.0

17909

17910

-K17440
=N01/9.4
92

-X2 1 2 3 4
L+ L+ M M

SIEMENS
3SU1400-1LK10-1BA1
3SU1550-0AA10-0AA0
3SU1052-2BM10-0AA0

LINK

OUT → PN_P03_3 / 1745.0

PROFINET
-X1 LAN

=H03/2761.5 / PN5_P03

STACKER BOX 2
SIDE GUIDE O.S.
OPEN -0- CLOSE

1743

1745

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PN COMMANDS	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1744
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1744
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




STACKER BOX 2
RACKET O.S.
OPEN -0- CLOSE

1744

1746

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PN COMMANDS	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1745
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1745
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STACKER BOX 2
RACKET CIRCLE
OPEN -0- CLOSE

STACKER BOX 2
SIDE GUIDE
JOGGING


STACKER BOX 2
PLATFORM
RAISE -0- LOWER

1745

1747

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PN COMMANDS	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1746
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1746
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



UNLOADING
BOX 1 UNLOAD
AUTO START

UNLOADING
BOX 1 UNLOAD
AUTO STOP

UNLOADING
BOX 2 UNLOAD
AUTO START


UNLOADING
BOX 2 UNLOAD
AUTO STOP

1746

1748

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PN COMMANDS	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1747
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1747
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



UNLOADING
PLATFORM BOX 1
JOG SELECTED

UNLOADING
MIDDLE PLATFORM BOX 1
JOG SELECTED

UNLOADING
ROLL & CHAIN PLATFORM BOX 1
JOG SELECTED


UNLOADING
PACKAGE CENTERD ON
CHAIN 1 SELECTED

1747

1749

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PN COMMANDS	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1748
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1748
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



UNLOADING
PLATFORM BOX 2
JOG SELECTED

UNLOADING
MIDDLE PLATFORM BOX 2
JOG SELECTED

UNLOADING
ROLL & CHAIN PLATFORM BOX 2
JOG SELECTED

UNLOADING
PACKAGE CENTERD ON
CHAIN 2 SELECTED

1748

1750

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PN COMMANDS	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1749
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1749
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




UNLOADING
ROLL & CHAIN PLATFORM
BOX 2 CHAINS
RAISE -0- LOWER

1749

1751

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PN COMMANDS	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1750
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1750
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



UNLOADING
ROLL & CHAIN PLATFORM
BOX 1 CHAINS
FORWARD -0- BACKWARD

UNLOADING
ROLL & CHAIN PLATFORM
BOX 2 CHAINS
FORWARD -0- BACKWARD

UNLOADING
ROLL & CHAIN PLATFORM
BOX 1 CHAINS
RAISE -0- LOWER

1750

1801

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 PN COMMANDS	POSIZ./LOCATION + P03	GRUPPO/SECTION = H01	PAGINE/PAGE 1751
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1751
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

=H00/139.7 / 24V_DIP04 → 24V_DIP04 / 1806.1

=H00/139.7 / 0V_DIP04 → 0V_DIP04 / 1806.1

G8.1SI1 / 1821.1 — 182101 — 1 — E1050.0 — T0

G8.1SI2 / 1821.2 — 182102 — 3

G8.1SI3 / 1821.1 — 182103 — 5 — E1050.1 — T1

G8.1SI4 / 1821.3 — 182104 — 7

G8.2SI1 / 1821.5 — 182105 — 2 — E1050.2 — T2

G8.2SI2 / 1821.6 — 182106 — 4

G8.2SI3 / 1821.5 — 182107 — 6 — E1050.3 — T3

G8.2SI4 / 1821.7 — 182108 — 8

=H03-A27724
=H03/2772.4

SM 021 — 021-1SD00 — YEC

ACCESS GATE 8.1
HOLDING ACTUATOR
LOCKED

ACCESS GATE 8.1
HOLDING ACTUATOR
LOCKED

ACCESS GATE 8.2
HOLDING ACTUATOR
LOCKED

ACCESS GATE 8.2
HOLDING ACTUATOR
LOCKED


1751

1802

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	P04 PLC SAFE INPUT	+ P04	= H01	1801
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		DAMING					1801

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LIGHT BARRIER FTC8.1

LIGHT BARRIER FTC8.1

SAFETY AREA 8
OFF - ON

SAFETY AREA 8
OFF - ON

1801

1803


INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P04 PLC SAFE INPUT	POSIZ./LOCATION + P04	GRUPPO/SECTION = H01	PAGINE/PAGE 1802
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1802
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1709.9 / 24V_DIP03 → 24V_DIP03 / =H03/2741.1

1709.9 / 0V_DIP03 → 0V_DIP03 / =H03/2741.1



SAFETY AREA 9
OFF - ON

SAFETY AREA 9
OFF - ON

SPARE


SPARE

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: P04 PLC SAFE INPUT	POSIZ./LOCATION: + P04	GRUPPO/SECTION: = H01	PAGINE/PAGE: 1803
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE		RIF./REFERNCE: 1803
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A27725.1
=H03/2772.5

SM 022 — 022-1SD00 — YEC



ACCESS GATE 8.1
HOLDING ACTUATOR
LOCK

ACCESS GATE 8.2
HOLDING ACTUATOR
LOCK

SPARE

SPARE

1803

1806

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P04 PLC SAFE OUTPUT	POSIZ./LOCATION + P04	GRUPPO/SECTION = H01	PAGINE/PAGE 1804
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1804
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1801.9 / 24V_DIP04

1801.9 / 0V_DIP04

24V_DIP04 / 1807.1

0V_DIP04 / 1807.1

18907 — XCD04 9

18907 — XCD04 12

18908 — 13

18907 — 16

13

3'

-S18061

55

14

4'

+P04

1

0

2

180601 — 1 — E151.0 — CHAIN SELECTED FORWARD

180602 — 9 — E151.1 — CHAIN SELECTED BACKWARD

XCD04 10 — 180603 — 2 — E151.2 — SPARE

11 — 180604 — 10 — E151.3 — SPARE

XCD04 14 — 180605 — 3 — E151.4 — SPARE

15 — 180606 — 11 — E151.5 — SPARE

17 — 180607 — 4 — E151.6 — SPARE

18 — 180608 — 12 — E151.7 — SPARE

=H03-A27715

=H03/2771.5

SM 021

021-1BH00


YEC

1804

1807

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P04 PLC INPUT	POSIZ./LOCATION + P04	GRUPPO/SECTION = H01	PAGINE/PAGE 1806
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1806
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




1806 1808

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P04 PLC INPUT	POSIZ./LOCATION + P04 / GRUPPO/SECTION = H01 / PAGINE/PAGE 1807
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE / RIF./REFERNCE 1807
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.






SPARE P17 | SPARE P17 | SPARE P17 | SPARE P17 | SPARE P17 | SPARE P17 | SPARE | SPARE

1807 1809

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P04 PLC INPUT	POSIZ./LOCATION + P04	GRUPPO/SECTION = H01	PAGINE/PAGE 1808
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1808
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



1808

1812


INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	P04 PLC INPUT	+ P04	= H01	1809
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1809
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A27723
=H03/2772.3

SM 022 | 022-1BH00 | YEC



LOCAL PANEL P8.1 GATE G8.1	AREA 8 ENTRANCE REQUEST	AREA 8 SAFETY RESET	LOCAL PANEL P8.2 GATE G8.2	AREA 8 ENTRANCE REQUEST	AREA 8 SAFETY RESET	SPARE	SPARE

1809 1813

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P04 PLC OUTPUT	POSIZ./LOCATION + P04	GRUPPO/SECTION = H01	PAGINE/PAGE 1812
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1812
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendelo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A27723
=H03/2772.3


SM 022 | 022-1BH00 | YEC

A151.0	A151.1	A151.2	A151.3	A151.4	A151.5	A151.6	A151.7
5	13	6	14	7	15	8	16
181301	181302	181303	181304	181305	181306	181307	181308
		XCD04 45	47	48	50	51	53
-K18131 A1	-K18132 A1	XCD04 46	49			52	
24V A2	24V A2	18910	18910			18910	
1812.9 / 0V_DOP04							0V_DOP04 / 1822.1
1812.9 / 24V_DOP04							24V_DOP04 / 1822.1
PLC-RSC- 24DC/21	PLC-RSC- 24DC/21						
SPARE	SPARE	SPARE	SPARE	SPARE	SPARE	SPARE	SPARE


1812 1821

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: P04 PLC OUTPUT	POSIZ./LOCATION: + P04 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 1813
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE / RIF./REFERNCE: 1813
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendelo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




ACCESS GATE
G8.1



ACCESS GATE
G8.2

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION GATE 8.1 / 8.2	POSIZ./LOCATION + P04	GRUPPO/SECTION = H01	PAGINE/PAGE 1821
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1821
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								




LIGHT BARRIER FTC8.1

1821

1831

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION LIGHT BARRIER FTC8.1	POSIZ./LOCATION + P04	GRUPPO/SECTION = H01	PAGINE/PAGE 1822
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1822
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




EMERGENCY

1822

1832

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P04 PN COMMANDS	POSIZ./LOCATION + P04	GRUPPO/SECTION = H01	PAGINE/PAGE 1831
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1831
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SAFETY AREA 8
RESET


LAMP TEST

1831

1833

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P04 PN COMMANDS	POSIZ./LOCATION + P04	GRUPPO/SECTION = H01	PAGINE/PAGE 1832
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1832
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



AUTO EVACUATION & STRAPPING
CHAIN WAY EVACUATION
CYCLE ON


1832

AUTO EVACUATION & STRAPPING
CHAIN WAY EVACUATION
CYCLE OFF

1834

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P04 PN COMMANDS	POSIZ./LOCATION + P04	GRUPPO/SECTION = H01	PAGINE/PAGE 1833
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1833
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



AUTO EVACUATION & STRAPPING
STRAPPING MACHINE
AUTO ON


1833

AUTO EVACUATION & STRAPPING
STRAPPING MACHINE
AUTO OFF

1835

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P04 PN COMMANDS	POSIZ./LOCATION + P04	GRUPPO/SECTION = H01	PAGINE/PAGE 1834
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1834
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



CHAINS
ROLL & CHAIN PLATFORM
BOX 1
RAISE -0- LOWER


1834

CHAINS
ROLL & CHAIN PLATFORM
BOX 1
CHAIN SELECTED

1836

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P04 PN COMMANDS	POSIZ./LOCATION + P04	GRUPPO/SECTION = H01	PAGINE/PAGE 1835
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1835
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



CHAINS
ROLL & CHAIN PLATFORM
BOX 2
RAISE -0- LOWER


1835

CHAINS
ROLL & CHAIN PLATFORM
BOX 2
CHAIN SELECTED

1837

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P04 PN COMMANDS	POSIZ./LOCATION + P04	GRUPPO/SECTION = H01	PAGINE/PAGE 1836
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1836
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



CHAINS
ROLL & CHAIN EXIT 1
RAISE -0- LOWER

CHAINS
CHAIN 2 OVERPASSING
RAISE -0- LOWER

CHAINS
CHAIN 1 SELECTED

CHAINS
CHAIN 2 SELECTED

1836

1838

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P04 PN COMMANDS	POSIZ./LOCATION + P04	GRUPPO/SECTION = H01	PAGINE/PAGE 1837
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1837
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1831.2 / 24V_DOP04 → 24V_DOP04 / 1845.7

1831.2 / 0V_DOP04 → 0V_DOP04 / 1845.7

18909

18910

-K18380
=N01/10.3
83

-X2 1 2 3 4
L+ L+ M M

SIEMENS
3SU1400-1LK10-1AA1
3SU1550-0AA10-0AA0
3SU1052-2BM10-0AA0

LINK

OUT → PN_P04_2 / 1839.0

PROFINET
-X1 LAN

=H03/2790.4 / PN3_P04

CHAINS
ROLL & CHAIN EXIT 2
RAISE -0- LOWER

1837

1839

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P04 PN COMMANDS	POSIZ./LOCATION + P04	GRUPPO/SECTION = H01	PAGINE/PAGE 1838
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1838
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



CHAINS
ROLL & CHAIN
EXIT 1 CHAINS
FORWARD -0- BACKWARD


1838

1840

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	P04 PN COMMANDS	+ P04	= H01	1839
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1839
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




CHAINS
ROLL & CHAIN
EXIT 2 CHAINS
FORWARD -0- BACKWARD

1839

1845

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P04 PN COMMANDS	POSIZ./LOCATION + P04	GRUPPO/SECTION = H01	PAGINE/PAGE 1840
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1840
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




1840

1846

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P04 PN COMMANDS	POSIZ./LOCATION + P04	GRUPPO/SECTION = H01	PAGINE/PAGE 1845
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1845
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



CYCLE 1 START

CYCLE 2 START


1845

1848

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P04 PN COMMANDS	POSIZ./LOCATION + P04	GRUPPO/SECTION = H01	PAGINE/PAGE 1846
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1846
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9



SAFETY AREA
RESET


1846

1901

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	P04 PN COMMANDS	+ P04	= H01	1848
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1848
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							


RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION RIO01 ENTRY LINE	POSIZ./LOCATION + RB1	GRUPPO/SECTION = H01	PAGINE/PAGE 1901
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1901
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STORAGE COIL CAR TRANSLATION MAX BACKWARD

STORAGE COIL CAR TRANSLATION MAX FORWARD

STORAGE COIL CAR TRANSLATION POSITION 1

STORAGE COIL CAR TRANSLATION POSITION 2

STORAGE COIL CAR TRANSLATION POSITION 3

STORAGE COIL CAR TRANSLATION SLOWDOWN


STORAGE COIL CAR RAIL MAX OPEN

STORAGE COIL CAR RAIL MAX CLOSE

1901 1906

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT RIO01	POSIZ./LOCATION + RB1 / GRUPPO/SECTION = H01 / PAGINE/PAGE 1905
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE / RIF./REFERNCE 1905
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



COIL VERTICAL HORIZONTAL CENTERING DEVICE DIAMETER READING

COIL VERTICAL HORIZONTAL CENTERING DEVICE DIAMETER READING

COIL VERTICAL HORIZONTAL CENTERING DEVICE DIAMETER READING

COIL CAR HORIZONTAL TRANSLATION MAX IN

COIL CAR HORIZONTAL TRANSLATION MAX OUT

COIL CAR VERTICAL MOVEMENT MAX DOWN


COIL CAR VERTICAL MOVEMENT MAX UP

DECOILER DRIVING CONTROL FILTER OIL

1905 1907

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT RIO01	POSIZ./LOCATION: + RB1 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 1906
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE / RIF./REFERNCE: 1906
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT RIO01	POSIZ./LOCATION: + RB1 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 1907
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE / RIF./REFERNCE: 1907
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9

24Vdc

1907.9 / 24V.DIRB1 → 24V.DIRB1 / 1909.1

1907.9 / 0V.DIRB1 → 0V.DIRB1 / 1909.1

1907.9 / XJB120- → XJB120- / 1909.1

1907.9 / XJB120+ → XJB120+ / 1909.1

XJB120 5 24 | 6 25 | 7 26 | 8 27 | 9 28 | 10 29 | 11 30 | 12 31

	-B19081	-B19082	-B19083	-B19084	-B19085	-B19086	-S19087	-S19088
	IME18-05BPS-ZC0S	IME18-05BPS-ZC0S	IME18-05BPS-ZC0S	IME18-05BPS-ZC0S	IME18-05BPS-ZC0S	IME18-05BPS-ZC0S	3SE5114-0CA00-1AC5	3SE5114-0CA00-1AC5
	10.02.03	10.03.02	10.04.02	12.02.03	12.02.04	12.02.05	14.02.02	14.03.02
	1 3	1 3	1 3	1 3	1 3	1 3	3 13 1 21	3 13 1 21
	4	4	4	4	4	4	14 4 22 2	14 4 22 2

XJB120 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50

JB120-W2001
/1907.6
26G1.5

X409 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50

190801 | 190802 | 190803 | 190804 | 190805 | 190806 | 190807 | 190808

=H03-A28026.1
=H03/2802.2

1 | 5 | 2 | 6 | 3 | 7 | 4 | 8

E163.0 | E163.1 | E163.2 | E163.3 | E163.4 | E163.5 | E163.6 | E163.7

SM 021 — 021-1BF00 — YEC

COIL OPENING TABLE VERTICAL TRANSLATION MIDDLE POSITION	COIL OPENING TABLE OPENING BLADE MAX UP	COIL OPENING TABLE OPENING BLADE MAX UP	ENTRY PINCH ROLL UP ROLLER MAX UP	ENTRY PINCH ROLL UP ROLLER WORK POSITION	ENTRY PINCH ROLL UP ROLLER MAX DOWN	STRAIGHTENER UP ROLLER MAX UP	STRAIGHTENER CORRECTOR MAX UP

1907 — 1909

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT RIO01	POSIZ./LOCATION: + RB1 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 1908
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE / RIF./REFERNCE: 1908
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1908.9 / 24V.DIRB1 →
1908.9 / 0V.DIRB1 →
→ 24V.DIRB1 / 1910.1
→ 0V.DIRB1 / 1910.1

-B19091
WS/WE260-F470(S)
14.04.01

1908.9 / XJB120- →
1908.9 / XJB120+ →
→ XJB140- / 1910.1
→ XJB140+ / 1910.1

JB120-W2001
/1907.6
ÖLFLEX® CLASSIC 110
26G1.5
300/500 V

JB140-W2001
.7 /1910.1
ÖLFLEX® CLASSIC 110
7G1,5

11701 0V1 11701 0V1

X409 19 38 X410 1 4

XJB120 13 32 14 33 15 34 16 35 17 36 18 37 19 38
XJB140 1 4 2 5

-B19091.1 WS/WE260-F470(R) 14.04.01
-B19092 IME18-05BPS-ZC0S 16.01.02
-B19093 IME18-05BPS-ZC0S 16.01.03
-B19094 IME18-05BPS-ZC0S 16.01.04
-B19095 IME18-05BPS-ZC0S 16.02.02
-B19096 IME18-05BPS-ZC0S 16.02.03
-B19097 IME18-05BPS-ZC0S 16.03.02
-B19098 IME18-05BPS-ZC0S 16.03.03

XJB120 51 52 53 54 55 56 57
XJB140 7 8

JB120-W2001
/1907.6
26G1.5

JB140-W2001
.7
7G1,5

X409 51 52 53 54 55 56 57
X410 7 8

190901 190902 190903 190904 190905 190906 190907 190908

=H03-A28027
=H03/2802.2

1 5 2 6 3 7 4 8
E164.0 E164.1 E164.2 E164.3 E164.4 E164.5 E164.6 E164.7

SM 021 021-1BF00 YEC

STRAIGHTENER AUXILIARY MATERIAL PRESENT	CROP SHEAR UP BLADE MAX UP	CROP SHEAR UP BLADE MAX DOWN	CROP SHEAR UP BLADE SAFETY PIN POSITION	CROP SHEAR BLADE GAP DECREASE MAX	CROP SHEAR BLADE GAP INCREASE MAX	CROP SHEAR EXIT TABLE CUTTING POSITION	CROP SHEAR EXIT TABLE PASS LINE POSITION

1908 1910

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT RIO01
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER: DAMING		POSIZ./LOCATION: + RB1 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 1909
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				SEL CTL4 LINE / RIF./REFERNCE: 1909
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9

24Vdc

1909.9 / 24V.DIRB1 → 24V.DIRB1 / 1911.1
1909.9 / 0V.DIRB1 → 0V.DIRB1 / 1911.1

11701 0V1

X411 4 6
JB150-W2001
.2
ÖLFLEX® CLASSIC 110
7G1,5

11701 0V1

X412 1 8
JB160-W2001
.4 /1911.1
ÖLFLEX® CLASSIC 110
14G1.5

1909.9 / XJB140-
1909.9 / XJB140+
XJB160- / 1911.1
XJB160+ / 1911.1

XJB140 3 6
XJB150 4 6 5 7
XJB160 1 8 2 9 3 10 4 11 5 12

-B19101	-S19102	-S19103	-B19104	-B19105	-B19106	-B19107	-B19108
IME18-05BPS-ZC0S	3SE5114-0CH01-1AC5	3SE5114-0CH01-1AC5	IME18-05BPS-ZC0S	IME18-05BPS-ZC0S	IME18-05BPS-ZC0S	IME18-05BPS-ZC0S	IME18-05BPS-ZC0S
16.03.04	18.01.02	18.01.03	20.01.04	20.02.04	20.03.02	20.03.03	20.03.04
1 3 4	13 21 14 22	13 21 14 22	1 3 4	1 3 4	1 3 4	1 3 4	1 3 4

XJB140 9
XJB150 8 9
XJB160 15 16 17 18 19

JB140-W2001
/1909.7
7G1,5
JB150-W2001
.2
7G1,5
JB160-W2001
.4
14G1.5

X410 9
X411 8 9
X412 15 16 17 18 19

191001 191002 191003 191004 191005 191006 191007 191008

=H03-A28027.1
=H03/2802.3

1	5	2	6	3	7	4	8
E165.0	E165.1	E165.2	E165.3	E165.4	E165.5	E165.6	E165.7

SM 021 021-1BF00 YEC

CROP SHEAR EXIT TABLE MAX DOWN	SCRAP CAR CROP SHEAR TRANSLATION MAX FORWARD	SCRAP CAR CROP SHEAR TRANSLATION MAX BACKWARD	BRUSHER 1 UP ROLLER MAX UP	BRUSHER 1 LOWER ROLLER MAX DOWN	BRUSHER 1 TRANSLATION CENTRE POSITION	BRUSHER 1 TRANSLATION MAX IN LINE	BRUSHER 1 TRANSLATION MAX OUT LINE

1909 1911

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT RIO01	POSIZ./LOCATION: + RB1 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 1910
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE / RIF./REFERNCE: 1910
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1910.9 / 24V.DIRB1 → 24V.DIRB1 / 1912.1

1910.9 / 0V.DIRB1 → 0V.DIRB1 / 1912.1

F19113 1

191109 0V1

XRIO1 1 2 | XRIO1 4 5 | XRIO1 7 8 | XRIO1 10 11 | XRIO1 13 14 | XRIO1 16 17

1910.9 / XJB160-

1910.9 / XJB160+

XJB160 6 13 7 14

-U19111 UM18-21212A212 20.03.05 — L+ 1, M 3, NC 2, Q 4, MF 5

-U19112 UM18-21212A212 20.03.06 — L+ 1, M 3, NC 2, Q 4, MF 5

XJB160 20 21

JB160-W2001 /1910.4 14G1.5

X412 20 21

191101 191102

XRIO1 3 6 9 12 15 18

191103 191104 191105 191106 191107 191108

=H03-A28027.2 =H03/2802.3

1 5 2 6 3 7 4 8

E166.0 E166.1 E166.2 E166.3 E166.4 E166.5 E166.6 E166.7

SM 021 021-1BF00 YEC

BRUSHER 1 TRANSLATION CONTROL M.S.


BRUSHER 1 TRANSLATION CONTROL M.S.


SPARE SPARE SPARE SPARE SPARE SPARE

1910 1912

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT RIO01	POSIZ./LOCATION: + RB1 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 1911
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE / RIF./REFERNCE: 1911
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.





INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT RIO01	POSIZ./LOCATION + RB1	GRUPPO/SECTION = H01	PAGINE/PAGE 1912
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1912
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A28032
=H03/2803.1

SM 022 — 022-1BD20 — YEC

A160.0 DC0V 1 2 | A160.1 DC0V 5 4 | A160.2 DC0V 3 6 | A160.3 DC0V 7 8

1901.2 / 24V.EV1_RB1 → 24V.EV1_RB1 / 1926.1
1901.4 / 0V.EVRB1 → 0V.EVRB1 / 1926.1

192501 9705 192502 192503 192504 9705

X404 13 15 14 | X405 1 2 17

JB030-W2001
ÖLFLEX® CLASSIC 110
7G1,5

JB030.10-W3001
/1926.1 /1927.1
/1928.1 /1929.1
ÖLFLEX® CLASSIC 110
26G1.5

XJB030 13 15 | XJB030 14 16 | XJB030.10 1 2 17 → XJB030.1.0V / 1926.1

192501 9705 192503 192504 9705

-Y19251
04.03.03
L
A1 A2 PE

-Y19255
01.02.01
L
A1 A2 PE B1 B2 PE

COIL CAR
VERTICAL MOVEMENT
UP SLOW

SPARE

STORAGE COIL CAR
RAIL OPEN

STORAGE COIL CAR
RAIL CLOSE

1912 1926

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC OUTPUT RIO01	+ RB1	= H01	1925
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		DAMING					1925

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A28032.1
=H03/2803.2

SM 022 — 022-1BD20 — YEC

A161.0	DC0V	A161.1	DC0V	A161.2	DC0V	A161.3	DC0V
1	2	5	4	3	6	7	8

1925.9 / 24V.EV1_RB1 → 24V.EV1_RB1 / 1927.1
1925.9 / 0V.EVRB1 → 0V.EVRB1 / 1927.1

192601 — X405 3 — JB030.10-W3001 /1925.5 — ÖLFLEX® CLASSIC 110 26G1.5 300/500 V
192602 — 4
192603 — 5
192604 — 6
9705 — 20

1925.9 / XJB030.1.0V → XJB030.1.0V / 1927.1

XJB030.10 3	XJB030.10 5	XJB030.10 6	18
192601	192603	192604	9705
-Y19261 04.02.01 L (A1, A2, B1, B2, PE)	-Y19265 04.02.02 (A1, A2, PE)	-Y19267 04.02.03 (A1, A2, PE)	19 / 20

COIL CAR HORIZONTAL TRANSLATION SLOW	COIL CAR HORIZONTAL TRANSLATION SLOW	COIL CAR HORIZONTAL TRANSLATION FAST	COIL CAR HORIZONTAL TRANSLATION ENABLE

1925 1927

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC OUTPUT RIO01	+ RB1 / = H01 / 1926
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE / RIF./REFERNCE 1926
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A28035
=H03/2803.4

SM 022 — 022-1BD20 — YEC

A162.0 DC0V 1 2
A162.1 DC0V 5 4
A162.2 DC0V 3 6
A162.3 DC0V 7 8

1926.9 / 24V.EV1_RB1 → 24V.EV1_RB1 / 1928.1
1926.9 / 0V.EVRB1 → 0V.EVRB1 / 1928.1

192701 192702 192703 192704 9705

X405 7 8 9 10 22
JB030.10-W3001
/1925.5
ÖLFLEX® CLASSIC 110
26G1.5
300/500 V

1926.9 / XJB030.1.0V → XJB030.1.0V / 1928.1

XJB030.10 7 8 21
192701 192702 9705
-Y19271
04.03.01
L
A1 A2 B1 B2 PE PE

XJB030.10 9 10 22
192703 192704 9705
-Y19275
04.03.02
L
A1 A2 B1 B2 PE PE

COIL CAR
VERTICAL MOVEMENT
FAST UP

COIL CAR
VERTICAL MOVEMENT
FAST DOWN

COIL CAR
VERTICAL MOVEMENT
SLOW UP

COIL CAR
VERTICAL MOVEMENT
SLOW UP

1926 1928

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO01	POSIZ./LOCATION + RB1 / GRUPPO/SECTION = H01 / PAGINE/PAGE 1927
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE / RIF./REFERNCE 1927
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A28035.1
=H03/2803.4

SM 022 — 022-1BD20 — YEC

A163.0	DC0V	A163.1	DC0V	A163.2	DC0V	A163.3	DC0V
1	2	5	4	3	6	7	8

1927.9 / 24V.EV1_RB1 → 24V.EV1_RB1 / 1928.3
1927.9 / 0V.EVRB1 → 0V.EVRB1 / 1928.3

192801 — X405 11 — JB030.10-W3001 /1925.5 — ÖLFLEX® CLASSIC 110 26G1.5 300/500 V — 12
192802 — 12
192803 — 13
192804 — 14
9705 — 24

1927.9 / XJB030.1.0V → XJB030.1.0V / 1929.1

XJB030.10 11 — 192801 — A1 -Y19281 04.04.01 L A2 PE
XJB030.10 12 — 192802 — B1 B2 PE
XJB030.10 23 — 9705
XJB030.10 13
XJB030.10 14
XJB030.10 24

COIL CAR ROLLER ROTATION FORWARD	COIL CAR ROLLER ROTATION BACKWARD	SPARE	SPARE

1927 1929

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO01	POSIZ./LOCATION + RB1	GRUPPO/SECTION = H01	PAGINE/PAGE 1928
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1928
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of a patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A28037
=H03/2803.6

SM 022 — 022-1BD20 — YEC

A164.0 DC0V 1 | 2
A164.1 DC0V 5 | 4
A164.2 DC0V 3 | 6
A164.3 DC0V 7 | 8

1901.2 / 24V.EV2_RB1 → 24V.EV2_RB1 / 1930.1
1928.9 / 0V.EVRB1 → 0V.EVRB1 / 1930.1

192901 192902 9705 192903 9705 192904

X405 15 16 25
JB030.10-W3001
/1925.5
ÖLFLEX® CLASSIC 110
26G1.5
300/500 V

X406 10 14
JB040-W3001
/1930.1
ÖLFLEX® CLASSIC 110
7G1,5

X405 11

1928.9 / XJB030.1.0V → XJB040.0V / 1930.1

XJB030.10 15 16 25
XJB040 10 14
XJB040 11 15

192901 192902 9705

-Y19291
06.04.01
L
A1 A2 PE B1 B2 PE

192903 9705

-Y19295
06.02.02
A1 A2 PE

DECOILER
MANDREL SUPPORT
UP

DECOILER
MANDREL SUPPORT
DOWN

DECOILER
EMG
TRANSLATION ENABLE

SPARE

1928 1930

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO01	POSIZ./LOCATION + RB1	GRUPPO/SECTION = H01	PAGINE/PAGE 1929
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1929
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A28037.1
=H03/2803.6

SM 022 — 022-1BD20 — YEC

A165.0 DC0V 1 2
A165.1 DC0V 5 4
A165.2 DC0V 3 6
A165.3 DC0V 7 8

1929.9 / 24V.EV2_RB1 → 24V.EV2_RB1 / 1931.1
1929.9 / 0V.EVRB1 → 0V.EVRB1 / 1931.1

193001 193002 193003 193004 9705

JB040-W3001
/1929.5
ÖLFLEX® CLASSIC 110
7G1,5
300/500V
X406 12 13

JB080-W3001
/1931.1
ÖLFLEX® CLASSIC 110
7G1,5
X408 4 5 8

1929.9 / XJB040.0V → XJB080.0V / 1931.1

XJB040 12 13 16
XJB080 4 5 8

193001 193002 9705
193003 193004 9705

-Y19301
06.03.01
L
A1 A2 B1 B2 PE PE

-Y19305
06.05.01
L
A1 A2 B1 B2 PE PE

DECOILER MANDREL EXPAND

DECOILER MANDREL COLLAPSE

DECOILER PORTAL PRESSURE ROLL UP

DECOILER PORTAL PRESSURE ROLL DOWN

1929 1931

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO01	POSIZ./LOCATION + RB1	GRUPPO/SECTION = H01	PAGINE/PAGE 1930
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1930
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A28039
=H03/2803.8

SM 022 — 022-1BD20 — YEC

A166.0 DC0V 1 2
A166.1 DC0V 5 4
A166.2 DC0V 3 6
A166.3 DC0V 7 8

1930.9 / 24V.EV2_RB1 → 24V.EV2_RB1 / 1932.1
1930.9 / 0V.EVRB1 → 0V.EVRB1 / 1932.1

193101 193102 193103 193104 9705

JB080-W3001
/1930.5
ÖLFLEX® CLASSIC 110
7G1,5
300/500V

X408 6 7

JB120-W3002
/1932.1 /1933.1
/1934.1 /1935.1
ÖLFLEX® CLASSIC 110
26G1.5

X409 58 59 74

1930.9 / XJB080.0V → XJB120.0V / 1932.1

XJB080 6 7 9
XJB120 58 59 74

193101 193102 9705
193103 193104 9705

-Y19311
06.05.03
L
A1 A2 B1 B2 PE PE

-Y19315
10.01.01
L
A1 A2 B1 B2 PE PE

DECOILER
PORTAL PRESSURE ROLL
FORWARD

DECOILER
PORTAL PRESSURE ROLL
BACKWARD

COIL OPENING TABLE
VERTICAL TRANSLATION
FORWARD

COIL OPENING TABLE
VERTICAL TRANSLATION
BACKWARD

1930 1932

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC OUTPUT RIO01	POSIZ./LOCATION: + RB1 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 1931
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE / RIF./REFERNCE: 1931
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A28039.1
=H03/2803.9

SM 022 — 022-1BD20 — YEC

A167.0 1 — DC0V 2
A167.1 5 — DC0V 4
A167.2 3 — DC0V 6
A167.3 7 — DC0V 8

1931.9 / 24V.EV2_RB1 → 24V.EV2_RB1 / 1933.1
1931.9 / 0V.EVRB1 → 0V.EVRB1 / 1933.1

193201 — X409 60 — JB120-W3002 /1931.5 ÖLFLEX® CLASSIC 110 26G1.5 300/500 V
193202 — 61
193203 — X409 62
193204 — 63

1931.9 / XJB120.0V → XJB120.0V / 1933.1

XJB120 60 — 193201 — -Y19321 10.02.01 L — A1 A2 PE — B1 B2 PE — 193202 — 61 — 9705 — 75
XJB120 62 — 193203 — -Y19325 10.03.01 L — A1 A2 PE — B1 B2 PE — 193204 — 63 — 9705 — 76

COIL OPENING TABLE
VERTICAL TRANSLATION
UP

COIL OPENING TABLE
VERTICAL TRANSLATION
DOWN

COIL OPENING TABLE
OPENING BLADE
UP

COIL OPENING TABLE
OPENING BLADE
DOWN

1931 1933

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO01	POSIZ./LOCATION + RB1	GRUPPO/SECTION = H01	PAGINE/PAGE 1932
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1932
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A28052
=H03/2805.1

SM 022 — 022-1BD20 — YEC

A168.0 DC0V 1 2
A168.1 DC0V 5 4
A168.2 DC0V 3 6
A168.3 DC0V 7 8

1932.9 / 24V.EV2_RB1 → 24V.EV2_RB1 / 1934.1
1932.9 / 0V.EVRB1 → 0V.EVRB1 / 1934.1

193301 193302 9705 193303 193304

X409 64 65 78 66 67

JB120-W3002
/1931.5
ÖLFLEX® CLASSIC 110
26G1.5
300/500 V

1932.9 / XJB120.0V → XJB120.0V / 1934.1

XJB120 64 65 77 66 67 78

193301 193302 9705 193303 193304

-Y19331
10.04.01
L
A1 A2 PE B1 B2 PE

-Y19335
12.02.01
L
A1 A2 PE B1 B2 PE

COIL OPENING TABLE UP PRESSURE ROLLER UP	COIL OPENING TABLE UP PRESSURE ROLLER DOWN	ENTRY PICH ROLL UP ROLLER UP (HIGH PRESSURE)	ENTRY PICH ROLL UP ROLLER DOWN (HIGH PRESSURE)
1932			1934

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO01	POSIZ./LOCATION + RB1	GRUPPO/SECTION = H01	PAGINE/PAGE 1933
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1933
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A28052.1
=H03/2805.2

SM 022 — 022-1BD20 — YEC

A169.0 DC0V 1 2
A169.1 DC0V 5 4
A169.2 DC0V 3 6
A169.3 DC0V 7 8

1933.9 / 24V.EV2_RB1 → 24V.EV2_RB1 / 1935.1
1933.9 / 0V.EVRB1 → 0V.EVRB1 / 1935.1

193401 — X409 68 — JB120-W3002 /1931.5 ÖLFLEX® CLASSIC 110 26G1.5 300/500 V
193402 — X409 69
193403 — X409 70
193404 — X409 71

1933.9 / XJB120.0V → XJB120.0V / 1935.1

XJB120 68 — 193401 — -Y19341 12.02.02 L — A1 A2 PE — B1 B2 PE
XJB120 69 — 193402
XJB120 79 — 9705
XJB120 70 — 193403 — -Y19345 16.01.01 L — A1 A2 PE — B1 B2 PE
XJB120 71 — 193404
XJB120 80 — 9705

ENTRY PICH ROLL
UP ROLLER
UP
(LOWER PRESSURE)

ENTRY PICH ROLL
UP ROLLER
DOWN
(LOWER PRESSURE)

CROP SHEAR
UP BLADE
UP


CROP SHEAR
UP BLADE
DOWN

1933 1935

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO01	POSIZ./LOCATION + RB1	GRUPPO/SECTION = H01	PAGINE/PAGE 1934
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1934
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01						
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



CROP SHEAR
EXIT TABLE OF CROP
UP

CROP SHEAR
EXIT TABLE OF CROP
DOWN

SPARE

SPARE

1934

1936

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO01	POSIZ./LOCATION + RB1	GRUPPO/SECTION = H01	PAGINE/PAGE 1935
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1935
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A28054.1
=H03/2805.4

SM 022 — 022-1BD20 — YEC

A171.0 1 — DC0V 2
A171.1 5 — DC0V 4
A171.2 3 — DC0V 6
A171.3 7 — DC0V 8

1935.9 / 24V.EV2_RB1 → 24V.EV2_RB1 / 1937.1
1935.9 / 0V.EVRB1 → 0V.EVRB1 / 1937.1

193601 — X412 27 — JB160-W3001 /1937.1 ÖLFLEX® CLASSIC 110 10G1.5
193602 — 28
9705 — 33
193603 — 29
193604 — 30

XJB160.0V / 1937.1

XJB160 27 — 193601 — -Y19361 20.01.03 L — A1 A2 PE — B1 B2 PE
XJB160 28 — 193602 — -Y19361 — B1 B2 PE
9705 — 33
XJB160 29 — 193603 — -Y19365 20.02.03 L — A1 A2 PE — B1 B2 PE
XJB160 30 — 193604 — -Y19365 — B1 B2 PE
XJB160 34 — 9705

BRUSHER 1 UP ROLLER UP

BRUSHER 1 UP ROLLER DOWN


BRUSHER 1 LOWER ROLLER UP

BRUSHER 1 LOWER ROLLER DOWN

1935 1937

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO01	POSIZ./LOCATION + RB1 / GRUPPO/SECTION = H01 / PAGINE/PAGE 1936
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE / RIF./REFERNCE 1936
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



BRUSHER 1
TRANSLATION
BACKWARD

BRUSHER 1
TRANSLATION
FORWAWARD

SPARE

SPARE

1936


1938


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO01	POSIZ./LOCATION + RB1	GRUPPO/SECTION = H01	PAGINE/PAGE 1937
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1937
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9










SPARE SPARE SPARE SPARE

1937 1987

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC OUTPUT RIO01	+ RB1	= H01	1938
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1938
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



COIL CAR
HORIZONTAL TRANSLATION
POSITION

COIL CAR
VERTICAL MOVEMENT
POSITION

1938

1988

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENCODER PROFIBUS RIO01	POSIZ./LOCATION + RB1	GRUPPO/SECTION = H01	PAGINE/PAGE 1987
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1987
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

1987.9 / 24V.ENCRB1 → 24V.ENCRB1 / 1989.1

1987.9 / 0V.ENCRB1 → 0V.ENCRB1 / 1989.1

11802

0V8

X409 84 87 PE PE

JB120-W2002
ÖLFLEX® CLASSIC 110
3G1.5

XJB120PE / 1989.1
XJB120- / 1989.1
XJB120+ / 1989.1

XJB120 84 87 PE

XJB120 85 88 PE

PB1-28 / 1989.3

PB1-30 / 1144.3

-BG19882
=N01/15.1
BTL5-T110-M0250-P-S103
Encoder Profibus
14.02.03

+Vdc 0V SH PN1 PN2
1 3 4 DP1 DP2

-BG19886
=N01/15.2
BTL5-T110-M0250-P-S103
Encoder Profibus
14.03.03

+Vdc 0V SH PN1 PN2
1 3 4 DP1 DP2

STRAIGHTENER
UP ROLLER
POSITION


STRAIGHTENER
CORRECTOR POSITION


1987

1989

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENCODER PROFIBUS RIO01	POSIZ./LOCATION + RB1	GRUPPO/SECTION = H01	PAGINE/PAGE 1988
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1988
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.





CROP SHEAR
BLADE GAP
GAP POSITION

SPARE

1988

2101

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENCODER PROFIBUS RIO01	POSIZ./LOCATION + RB1	GRUPPO/SECTION = H01	PAGINE/PAGE 1989
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 1989
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

1989

2102

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION RIO03 ENTRY LINE	POSIZ./LOCATION + RB3	GRUPPO/SECTION = H01	PAGINE/PAGE 2101
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2101
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								



BRUSHER 2 UP ROLLER MAX UP

BRUSHER 2 LOWER ROLLER MAX DOWN

BRUSHER 2 TRANSLATION CENTRE POSITION

BRUSHER 2 TRANSLATION MAX IN LINE

BRUSHER 2 TRANSLATION MAX OUT LINE

BRUSHER 2 TRANSLATION CONTROL M.S.

BRUSHER 2 TRANSLATION CONTROL M.S.


LEVELLER 1 CHANGE PACKAGE EXTRACTION CAR MAX IN

2101

2103

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT RIO03	POSIZ./LOCATION: + RB3 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 2102
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE / RIF./REFERNCE: 2102
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT RIO03	POSIZ./LOCATION + RB3 / GRUPPO/SECTION = H01 / PAGINE/PAGE 2103
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE / RIF./REFERNCE 2103
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

2103.9 / 24V.DIRB3 → 24V.DIRB3 / 2105.1

2103.9 / 0V.DIRB3 → 0V.DIRB3 / 2105.1

F21041 1

X433: 16, 17, 19, 20, 22, 23, 25, 26, 28, 29, 31, 32, 34, 35, 37, 38, 40, 41, 43, 44

210409	0V1	210409	0V1	210409	0V1	210409	0V1	210409	0V1
RB3-W2006 .1 3x1	RB3-W2007 .2 3x1	RB3-W2008 .3 3x1	RB3-W2009 .4 3x1	RB3-W2010 .5 3x1	RB3-W2011 .6 3x1	RB3-W2013 .7 3x1	RB3-W2015 .8 3x1	RB3-W2012 3x1	RB3-W2014 3x1
ÖLFLEX® CLASSIC 110	ÖLFLEX® CLASSIC 110	ÖLFLEX® CLASSIC 110	ÖLFLEX® CLASSIC 110	ÖLFLEX® CLASSIC 110	ÖLFLEX® CLASSIC 110	ÖLFLEX® CLASSIC 110	ÖLFLEX® CLASSIC 110	ÖLFLEX® CLASSIC 110	ÖLFLEX® CLASSIC 110

-B2104 — WS/WE260-F470(S) — 34.13.01

-B21048 — WS/WE260-F470(S) — 34.13.02

-S21041 P — HED80A-20/200K14S — REXROTH — 34.10.03

-S21042 P — XMLA004A2C11 — 34.11.03

-B21043 — IME18-05BPS-ZC0S — 34.10.05

-S21044 P — VM 5 C.0 — HYDAC — 34.11.02

-B21044 — DROPSA — PN1655308 — 34.12.02

-S21046 — 34.12.03

-B2104.1 — WS/WE260-F470(R) — 34.13.01

-B21048.1 — WS/WE260-F470(R) — 34.13.02

RB3-W2006 .1 3x1	RB3-W2007 .2 3x1	RB3-W2008 .3 3x1	RB3-W2009 .4 3x1	RB3-W2010 .5 3x1	RB3-W2011 .6 3x1	RB3-W2013 .7 3x1	RB3-W2015 .8 3x1	
X433: 18	21	24	27	30	33	36	39	42	45
210401	210402	210403	210404	210405	210406	210407	210408	

=H03-A28522
=H03/2852.2

1	5	2	6	3	7	4	8
E192.0	E192.1	E192.2	E192.3	E192.4	E192.5	E192.6	E192.7

SM 021 — 021-1BF00 — YEC

LEVELLER 1 LOWER PACKAGE CONTROL PRESSURE	LEVELLER 1 OIL LUBRICATION CONTROL PRESSURE	LEVELLER 1 LOWER PACKAGE CONTROL RAIL UP	LEVELLER 1 OIL LUBRICATION FILTER CLOGGED	LEVELLER 1 GREASE LURICATION LUBRICATION OK	LEVELLER 1 GREASE LURICATION CONTROL LEVEL	LEVELLER 1 AUXILIARY MATERIAL PRESENT ENTRY SIDE	LEVELLER 1 AUXILIARY MATERIAL PRESENT EXIT SIDE

2103 — 2105

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC INPUT RIO03	+ RB3	= H01 / 2104
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE	RIF./REFERNCE: 2104
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

2104.9 / 24V.DIRB3 → 24V.DIRB3 / =H03/2851.1

2104.9 / 0V.DIRB3 → 0V.DIRB3 / =H03/2851.1

F21051 1

	210509	0V1	210509	0V1	210509	0V1	210509	0V1	210509	0V1	210509	0V1	210509	0V1
X433	46	47												
XRIO3			1	2	4	5	7	8	10	11	13	14	16	17	19	20

RB3-W2016
.1
ÖLFLEX® CLASSIC 110
3x1

13 21
-S21051
3SE5114-0CA00-1AC5
34.13.03
14 22

RB3-W2016
.1
3x1

	210501	210502	210503	210504	210505	210506	210507	210508
X433	48							
XRIO3		3	6	9	12	15	18	21

=H03-A28522.1
=H03/2852.2

	1	5	2	6	3	7	4	8
	E193.0	E193.1	E193.2	E193.3	E193.4	E193.5	E193.6	E193.7

SM 021 | 021-1BF00 | YEC

LEVELLER 1 AUXILIARY SHAFT SUPPORT LOW | SPARE | SPARE | SPARE | SPARE | SPARE | SPARE | SPARE

2104 2125

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT RIO03	POSIZ./LOCATION: + RB3 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 2105
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE / RIF./REFERNCE: 2105
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A28531
=H03/2853.1

SM 022 — 022-1BD20 — YEC

A190.0 DC0V 1 2
A190.1 DC0V 5 4
A190.2 DC0V 3 6
A190.3 DC0V 7 8

2101.2 / 24V.EV4_RB3 → 24V.EV4_RB3 / 2126.1
2101.4 / 0V.EVRB3 → 0V.EVRB3 / 2126.1

212501 — X431 23 — JB310-W3001 /2126.1 ÖLFLEX® CLASSIC 110 10G1.5 — XJB310 23 — 212501 — A1 -Y21251 38.01.03 L A2 PE
212502 — 24 — XJB310 24 — 212502 — B1 B2 PE
9705 — 29 — XJB310 29 — 9705
212503 — X431 25 — XJB310 25 — 212503 — A1 -Y21255 38.02.03 L A2 PE
212504 — 26 — XJB310 26 — 212504 — B1 B2 PE
XJB310 30 — 9705
XJB310.0V / 2126.1

BRUSHER 2 UP ROLLER UP

BRUSHER 2 UP ROLLER DOWN

BRUSHER 2 LOWER ROLLER UP

BRUSHER 2 LOWER ROLLER DOWN

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO03	POSIZ./LOCATION + RB3	GRUPPO/SECTION = H01	PAGINE/PAGE 2125
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2125
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti diritti derivati da brevetti o modelli.

=H03-A28532
=H03/2853.2

SM 022 — 022-1BD20 — YEC

A191.0 DC0V 1 2
A191.1 DC0V 5 4
A191.2 DC0V 3 6
A191.3 DC0V 7 8

2125.9 / 24V.EV4_RB3 → 24V.EV4_RB3 / 2127.1
2125.9 / 0V.EVRB3 → 0V.EVRB3 / 2127.1

212601 212602 212603 212604 9705

JB310-W3001
/2125.1
ÖLFLEX® CLASSIC 110
10G1.5
300/500 V

X431 27 28
X433 49 50 51

2125.9 / XJB310.0V

XJB310 27 28 31

212601 212602 9705

-Y21261
38.03.01
L
A1 A2 B1 B2 PE PE

RB3-W3003
ÖLFLEX® CLASSIC 110
4G1

-Y21265
34.09.01
L
A1 A2 B1 B2 PE PE

BRUSHER 2
TRANSLATION
BACKWARD

BRUSHER 2
TRANSLATION
FORWARD

LEVELLER 1
UP PACKAGE
LOCK

LEVELLER 1
UP PACKAGE
UNLOCK

2125 2127

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC OUTPUT RIO03	+ RB3	= H01	2126
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		DAMING					2126

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A28534
=H03/2853.4

SM 022 — 022-1BD20 — YEC

A192.0 DC0V A192.1 DC0V A192.2 DC0V A192.3 DC0V
1 2 5 4 3 6 7 8

2126.9 / 24V.EV4_RB3 → 24V.EV4_RB3 / 2128.1
2126.9 / 0V.EVRB3 → 0V.EVRB3 / 2128.1

212701 9705 212702 9705 212703 212704 9705

X433 52 53 54 55 X433 56 57 58

RB3-W3004
ÖLFLEX® CLASSIC 110
3G1

-Y21271
34.09.02
A1 A2 PE

RB3-W3005
ÖLFLEX® CLASSIC 110
4G1

-Y21275
34.10.01
L
A1 A2 PE B1 B2 PE

LEVELLER 1
UP PACKAGE
BY-PASS

SPARE


LEVELLER 1
LOWER PACKAGE
LOCK

LEVELLER 1
LOWER PACKAGE
UNLOCK

2126 2128

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO03	POSIZ./LOCATION + RB3	GRUPPO/SECTION = H01	PAGINE/PAGE 2127
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2127
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti diritti derivati da brevetti o modelli.



LEVELLER 1
LOWER PACKAGE
RAIL UP

LEVELLER 1
LOWER PACKAGE
RAIL DOWN

LEVELLER 1
GREASE LUBRICATION


SPARE

2127

2129

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO03	POSIZ./LOCATION + RB3	GRUPPO/SECTION = H01	PAGINE/PAGE 2128
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2128
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SPARE SPARE SPARE SPARE

2128 2180

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO03	POSIZ./LOCATION + RB3	GRUPPO/SECTION = H01	PAGINE/PAGE 2129
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2129
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti diritti derivati da brevetti o modelli.




SPARE

SPARE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION OUTPUT RIO03	POSIZ./LOCATION + RB3	GRUPPO/SECTION = H01	PAGINE/PAGE 2180
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2180
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 1
ENTRY POSITION

LEVELLER 1
EXIT POSITION

2180

2188

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENCODER PROFIBUS RIO03	POSIZ./LOCATION + RB3	GRUPPO/SECTION = H01	PAGINE/PAGE 2187
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2187
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

2187.9 / 24V.ENCRB3 → 24V.ENCRB3 / 2189.1

2187.9 / 0V.ENCRB3 → 0V.ENCRB3 / 2189.1

11802 0V8

X433 70 71 PE PE

RB3-W2019
ÖLFLEX® CLASSIC 110
3G1

PB1-13 / =H03/2867.8

-BG21882
=N01/14.2
A3M60B-S4PB013X13 (1038826)
Encoder Profibus
34.04.02

+Vdc 0V SH PN1 PN2
1 3 SH DP1 DP2

LEVELLER 1
BACK UP ROLL 1
POSITION

11802 0V8

X433 72 73 PE PE

RB3-W2020
ÖLFLEX® CLASSIC 110
3G1

PB1-15 / 2189.3

-BG21886
=N01/14.4
A3M60B-S4PB013X13 (1038826)
Encoder Profibus
34.05.02

+Vdc 0V SH PN1 PN2
1 3 SH DP1 DP2


LEVELLER 1
BACK UP ROLL 2
POSITION

2187 2189

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	ENCODER PROFIBUS RIO03	+ RB3	= H01	2188
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		DAMING					2188

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 1
BACK UP ROLL 3
POSITION


LEVELLER 1
BACK UP ROLL 4
POSITION

2188

2190

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENCODER PROFIBUS RIO03	POSIZ./LOCATION + RB3	GRUPPO/SECTION = H01	PAGINE/PAGE 2189
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2189
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 1
BACK UP ROLL 5
POSITION


SPARE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENCODER PROFIBUS RIO03	POSIZ./LOCATION + RB3	GRUPPO/SECTION = H01	PAGINE/PAGE 2190
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2190
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION RIO04 ENTRY LINE	POSIZ./LOCATION + RB4	GRUPPO/SECTION = H01	PAGINE/PAGE 2201
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2201
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT RIO04	POSIZ./LOCATION + RB4	GRUPPO/SECTION = H01	PAGINE/PAGE 2202
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2202
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

2202.9 / 24V.DIRB4 → 24V.DIRB4 / 2204.1

2202.9 / 0V.DIRB4 → 0V.DIRB4 / 2204.1

F22034 1

X443 1 2 4 5 7 8 10 11 13 14

220309 0V1 220309 0V1 220309 0V1 220309 0V1 220309 0V1

RB4-W2001 .4 ÖLFLEX® CLASSIC 110 3x1

RB4-W2002 .5 ÖLFLEX® CLASSIC 110 3x1

RB4-W2003 .6 ÖLFLEX® CLASSIC 110 3x1

RB4-W2004 .7 ÖLFLEX® CLASSIC 110 3x1

RB4-W2005 .8 ÖLFLEX® CLASSIC 110 3x1

2202.9 / XJBX2330-

2202.9 / XJBX330+

XJBX330 2 6 3 7 4 8

-S22031 3SE5114-0CH01-1AC5 41.16.04 — 13 14 21 22

-B22032 IME18-05BPS-ZC0S 41.16.05 — 1 3 4

-B22033 IME18-05BPS-ZC0S 41.16.06 — 1 3 4

-B22034 IME18-05BPS-ZC0S 40.02.02 — 1 3 4

-B22035 IME18-05BPS-ZC0S 40.02.05 — 1 3 4

-B22036 IME18-05BPS-ZC0S 40.03.02 — 1 3 4

-B22037 IME18-05BPS-ZC0S 40.03.05 — 1 3 4

-S22038 P HED8OA-20/200K14S REXROTH 40.11.03 — 2 3 1

XJBX330 10 11 12

JB330-W2001 /2202.8 10G1.5

RB4-W2001 .4 3x1

RB4-W2002 .5 3x1

RB4-W2003 .6 3x1

RB4-W2004 .7 3x1

RB4-W2005 .8 3x1

X442 10 11 12

X443 3 6 9 12 15

220301 220302 220303 220304 220305 220306 220307 220308

=H03-A28821.1

=H03/2882.1

1 5 2 6 3 7 4 8

E201.0 E201.1 E201.2 E201.3 E201.4 E201.5 E201.6 E201.7

SM 021 021-1BF00 YEC

LEVELLER 2 CHANGE PACKAGE EXTRACTION CAR MAX OUT

LEVELLER 2 CHANGE PACKAGE EXTRACTION CAR SLOW DOWN

LEVELLER 2 CHANGE PACKAGE EXTRACTION CAR SAFETY PIN

LEVELLER 2 ENTRY MAX UP

LEVELLER 2 ENTRY MAX UP

LEVELLER 2 EXIT MAX UP

LEVELLER 2 EXIT MAX UP

LEVELLER 2 UP PACKAGE CONTROL PRESSURE

2202 2204

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT RIO04	POSIZ./LOCATION: + RB4 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 2203
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE				
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE / RIF./REFERNCE: 2203

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

24Vdc

2203.9 / 24V.DIRB4 → 24V.DIRB4 / 2205.0

2203.9 / 0V.DIRB4 → 0V.DIRB4 / 2205.0

F22041 1

X443 16 17 19 20 22 23 25 26 28 29 31 32 34 35 37 38

220409 0V1 220409 0V1 220409 0V1 220409 0V1 220409 0V1 220409 0V1 220409 0V1 220409

RB4-W2006	RB4-W2007	RB4-W2008	RB4-W2009	RB4-W2010	RB4-W2011	RB4-W2012	RB4-W2013
.1	.2	.3	.4	.5	.6	.7	.8
ÖLFLEX® CLASSIC 110	ÖLFLEX® CLASSIC 110	ÖLFLEX® CLASSIC 110	ÖLFLEX® CLASSIC 110	ÖLFLEX® CLASSIC 110	ÖLFLEX® CLASSIC 110	ÖLFLEX® CLASSIC 110	ÖLFLEX® CLASSIC 110
3x1	3x1	3x1	3x1	3x1	3x1	3x1	3x1

-S22041 P	-S22042 P	-S22043 P	-B22044	-S22045 P	-S22043.1 P	-B22047	-S22048
HED80A-20/200K14S	HED80A-20/200K14S	HED80A-20/200K14S	IME18-05BPS-ZC0S	VM 5 C.0	XMLA004A2C11	40.14.02	40.14.03
REXROTH	REXROTH	REXROTH	40.12.05	HYDAC	40.13.03		
40.11.04	40.12.02	40.12.03		40.13.02			

2 3 | 1 | 2 3 | 1 | 2 3 | 1 | 1 3 | 4 | 2 3 | 1 | 13 11 | 14 12 | 1 3 | 4 | 13 | 14

RB4-W2006	RB4-W2007	RB4-W2008	RB4-W2009	RB4-W2010	RB4-W2011	RB4-W2012	RB4-W2013
.1	.2	.3	.4	.5	.6	.7	.8
3x1	3x1	3x1	3x1	3x1	3x1	3x1	3x1

X443 18 21 24 27 30 33 36 39

220401 220402 220403 220404 220405 220406 220407 220408

=H03-A28822
=H03/2882.2

1 5 2 6 3 7 4 8

E202.0 E202.1 E202.2 E202.3 E202.4 E202.5 E202.6 E202.7


SM 021 021-1BF00 YEC

LEVELLER 2 UP PACKAGE CONTROL PRESSURE	LEVELLER 2 LOWER PACKAGE CONTROL PRESSURE	LEVELLER 2 LOWER PACKAGE CONTROL PRESSURE	LEVELLER 2 LOWER PACKAGE COTROL RAIL UP	LEVELLER 2 OIL LUBRICATION FILTER CLOGGED	LEVELLER 2 OIL LUBRICATION CONTROL PRESSURE	LEVELLER 2 GREASE LURICATION CONTROL OK	LEVELLER 2 GREASE LURICATION CONTROL LEVEL

2203 2205

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT RIO04	POSIZ./LOCATION: + RB4 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 2204
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE / RIF./REFERNCE: 2204
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.





2204 2206

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC INPUT RIO04	+ RB4	= H01 / 2205
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		DAMING				2205

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.





SPARE SPARE SPARE SPARE SPARE SPARE SPARE SPARE


2205 2225

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT RIO04	POSIZ./LOCATION + RB4	GRUPPO/SECTION = H01	PAGINE/PAGE 2206
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2206
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A28831
=H03/2883.1

SM 022 — 022-1BF00 — YEC



SPARE SPARE SPARE SPARE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO04	POSIZ./LOCATION + RB4	GRUPPO/SECTION = H01	PAGINE/PAGE 2225
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2225
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di diritti derivati da brevetti o modelli.

=H03-A28831
=H03/2883.1

SM 022 — 022-1BF00 — YEC

A200.4 3 — A200.5 7 — A200.6 4 — A200.7 8

2225.9 / 24V.EV4_RB4 → 24V.EV4_RB4 / 2229.1
2225.9 / 0V.EVRB4 → 0V.EVRB4 / 2229.1


222601 — X441 26
222602 — 27
9705 — 30
222603 — X443 55
222604 — 56
9705 — 57

SPARE SPARE SPARE SPARE

2225 2229

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO04	POSIZ./LOCATION + RB4	GRUPPO/SECTION = H01	PAGINE/PAGE 2226
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2226
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SPARE SPARE SPARE SPARE

2226 2230

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO04	POSIZ./LOCATION + RB4	GRUPPO/SECTION = H01	PAGINE/PAGE 2229
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2229
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A28834.1
=H03/2883.4

SM 022 — 022-1BD20 — YEC

A205.0 DC0V A205.1 DC0V A205.2 DC0V A205.3 DC0V
1 2 5 4 3 6 7 8

2229.9 / 24V.EV4_RB4 → 24V.EV4_RB4 / 2231.1
2229.9 / 0V.EVRB4 → 0V.EVRB4 / 2231.1

223001 223002 9705 223003 9705 223004 9705

X443 64 65 66 X443 67 68 69 70

RB4-W3013
ÖLFLEX® CLASSIC 110
4G1

-Y22301
40.11.01
L
A1 A2 PE B1 B2 PE

RB4-W3014
ÖLFLEX® CLASSIC 110
3G1

-Y22305
40.11.02
A1 A2 PE

RB4-W3015
ÖLFLEX® CLASSIC 110
3G1
223004 1 9705 2

-M22307
40.14.01
1 2
M

LEVELLER 2
UP PACKAGE
LOCK

LEVELLER 2
UP PACKAGE
UNLOCK

LEVELLER 2
UP PACKAGE
BY-PASS

LEVELLER 2
GREASE LUBRICATION

2229 2231

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO04	POSIZ./LOCATION + RB4	GRUPPO/SECTION = H01	PAGINE/PAGE 2230
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2230
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A28836
=H03/2883.6

SM 022 — 022-1BD20 — YEC

A206.0 DC0V 1 2
A206.1 DC0V 5 4
A206.2 DC0V 3 6
A206.3 DC0V 7 8

2230.9 / 24V.EV4_RB4 → 24V.EV4_RB4 / 2232.1
2230.9 / 0V.EVRB4 → 0V.EVRB4 / 2232.1

223101 — X443 71
223102 — 72
9705 — 73
223103 — X443 74
223104 — 75
9705 — 76

RB4-W3016
ÖLFLEX® CLASSIC 110
4G1

-Y22311
40.12.01
L
A1 A2 PE B1 B2 PE

RB4-W3017
ÖLFLEX® CLASSIC 110
4G1

-Y22315
40.12.04
L
A1 A2 PE B1 B2 PE

LEVELLER 2
LOWER PACKAGE
LOCK

LEVELLER 2
LOWER PACKAGE
UNLOCK

LEVELLER 2
LOWER PACKAGE
RAIL UP


LEVELLER 2
LOWER PACKAGE
RAIL DOWN

2230

2232

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO04	POSIZ./LOCATION + RB4	GRUPPO/SECTION = H01	PAGINE/PAGE 2231
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2231
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of a patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SPARE SPARE SPARE SPARE

2231 2233

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO04	POSIZ./LOCATION + RB4	GRUPPO/SECTION = H01	PAGINE/PAGE 2232
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2232
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di diritti derivati da brevetti o modelli.

=H03-A28838
=H03/2883.8

SM 022 — 022-1BD20 — YEC

A208.0	DC0V	A208.1	DC0V	A208.2	DC0V	A208.3	DC0V
1	2	5	4	3	6	7	8

2201.2 / 24V.EV0_RB4 → 24V.EV0_RB4 / =H03/2
2232.9 / 0V.EVRB4 → 0V.EVRB4 / 2280.9

223301 — X443 99
223302 — 100
223303 — X443 101
9705 — 102
223304 — 103
9705 — 104

RB4-W2030
ÖLFLEX® CLASSIC 110
7G1,5

-U22331
WERMA
975.840.10
40.15.04

1	2	3	0
x1	x1	x1	
x2	x2	x2	

LAMP 1 | LAMP 2 | LAMP 3 | SPARE

2232 2280

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC OUTPUT RIO04	+ RB4	= H01	2233
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		DAMING					2233

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di diritti derivati da brevetti o modelli.




SPARE

SPARE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION OUTPUT RIO04	POSIZ./LOCATION + RB4	GRUPPO/SECTION = H01	PAGINE/PAGE 2280
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2280
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 2
ENTRY POSITION O.S.


LEVELLER 2
ENTRY POSITION M.S.

2280

2288

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENCODER PROFIBUS RIO04	POSIZ./LOCATION + RB4	GRUPPO/SECTION = H01	PAGINE/PAGE 2287
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2287
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 2
EXIT POSITION O.S.


LEVELLER 2
EXIT POSITION M.S.

2287

2289

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENCODER PROFIBUS RIO04	POSIZ./LOCATION + RB4	GRUPPO/SECTION = H01	PAGINE/PAGE 2288
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2288
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 2
BACK UP ROLL 1
POSITION


LEVELLER 2
BACK UP ROLL 2
POSITION

2288

2290

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENCODER PROFIBUS RIO04	POSIZ./LOCATION + RB4	GRUPPO/SECTION = H01	PAGINE/PAGE 2289
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2289
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 2
BACK UP ROLL 3
POSITION


LEVELLER 2
BACK UP ROLL 4
POSITION

2289

2291

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENCODER PROFIBUS RIO04	POSIZ./LOCATION + RB4	GRUPPO/SECTION = H01	PAGINE/PAGE 2290
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2290
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 2
BACK UP ROLL 5
POSITION

LEVELLER 2
BACK UP ROLL 6
POSITION


2290

2292

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	ENCODER PROFIBUS RIO04	+ RB4	= H01	2291
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2291
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 2
BACK UP ROLL 7
POSITION


SPARE

2291

2301

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENCODER PROFIBUS RIO04	POSIZ./LOCATION + RB4	GRUPPO/SECTION = H01	PAGINE/PAGE 2292
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2292
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



2292

2303

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION RIO05 ENTRY LINE	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2301
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2301
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9

24Vdc

2301.2 / 24V.DIRB5 →
2301.3 / 0V.DIRB5 →

→ 24V.DIRB5 / 2309.1
→ 0V.DIRB5 / 2309.1

11701

-R23034
ELAP
PLS-150-5K
56.09.04
x2 x3 x1

JB450.1-W1001
UNITRONIC® LiYCY
3x0,75

XJB450.1 1 2 3 SH
X451 1 2 3 SH

230301 0N 10P

-R23036
ELAP
PLS-150-5K
56.09.08
x2 x3 x1

JB450.1-W1002
UNITRONIC® LiYCY
3x0,75

XJB450.1 4 5 6 SH
X451 4 5 6 SH

230303 0N 10P

10Vdc
2301.7 / 10P →
2301.8 / 0V →

-T23031
2902040
MINI MCR-SL-UI-UI-NC
IN U I+ GND1 +24V GND3
1 2 7 8
5 6 3 4
OUT U I+ GND2 +24V GND3

0-10V -> 4-20mA
S2 _ _ _ _ _ _ -
S1 _ _

-T23035
2902040
MINI MCR-SL-UI-UI-NC
IN U I+ GND1 +24V GND3
1 2 7 8
5 6 3 4
OUT U I+ GND2 +24V GND3

230302 0V1

230304 0V1

=H03-A29122.1
=H03/2912.2

1	2	3	4	5	6	7	8
AI0+ PEW230	-			AI1+ PEW232	-		

SM 031 — 031-1CB40 — YEC

STACKER
BELT CONVEYOR BOX 1
POSITION M.S.

STACKER
BELT CONVEYOR BOX 1
POSITION O.S.

2301 2306

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC ANALOG INPUT RIO05	+ RB5	= H01	2303
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2303
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A29122.2
=H03/2912.2

SM 032 — 032-1BB70 — YEC

AO0+ PAW230 -
1 2 3 4

AO1+ PAW232 -
5 6 7 8

2301.2 / 24V.EV7_RB5
2301.4 / 0V.EVRB5

24V.EV7_RB5 / 2325.1
0V.EVRB5 / 2325.3

230601 230602 9605 9705

X454 3 4 1 2 SH

JB460.10-W1001
UNITRONIC® LiYCY
4x1

XJB460.10 3 4 1 2 SH

-Y23061
REXROTH
58.01.01
V+ V- 24L 0V PE

PLATFORM BOX 1
PLATFORM RAISE
UP -0- DOWN

230603 230604 9605 9705

X454 7 8 5 6 SH

JB460.10-W1002
UNITRONIC® LiYCY
4x1

XJB460.10 7 8 5 6 SH

-Y23065
REXROTH
60.01.01
V+ V- 24L 0V PE


PLATFORM BOX 2
PLATFORM RAISE
UP -0- DOWN

2303

2309

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC ANALOG OUTPUT RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2306
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2306
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STACKER CAR RACKET MAX CLOSE BOX 1

STACKER CAR RACKET MAX OPEN BOX 1

STACKER CAR RACKET MAX CLOSE BOX 1

STACKER CAR RACKET MAX OPEN BOX 1

STACKER SIDE GUIDE M.S. MAX CLOSE BOX 1

STACKER SIDE GUIDE M.S. MAX OPEN BOX 1

STACKER SIDE GUIDE O.S. MAX CLOSE BOX 1

STACKER SIDE GUIDE O.S. MAX OPEN BOX 1


2306

2310

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC INPUT RIO05	+ RB5 / = H01 / 2309
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		DAMING			2309

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




STACKER RACKET M.S. BOX 1 HOME POSITION	STACKER RACKET M.S. BOX 1 OPEN POSITION	STACKER RACKET M.S. BOX 1 CLOSE POSITION	STACKER RACKET O.S. BOX 1 OPEN POSITION	STACKER RACKET O.S. BOX 1 CLOSE POSITION	STACKER RACKET O.S. BOX 1 HOME POSITION	STACKER SIDE GUIDE PUSH M.S. BOX 1 EXTENSION CONTROL	STACKER SIDE GUIDE PUSH M.S. BOX 1 RETREAT CONTROL

2309 2311

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT RIO05
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING		
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ RB5	= H01	2310
SEL CTL4 LINE		RIF./REFERNCE 2310

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




STACKER SIDE GUIDE PUSH O.S. BOX 1 EXTENSION CONTROL	STACKER SIDE GUIDE PUSH O.S. BOX 1 RETREAT CONTROL	STACKER HEAD STOP BOX 1 MAX FORWARD	STACKER HEAD STOP BOX 1 MAX BACKWARD	STACKER HEAD STOP BOX 1 EXTENSION CONTROL	STACKER HEAD STOP BOX 1 RETREAT CONTROL	STACKER HEAD STOP BOX 1 MAX UP	STACKER HEAD STOP BOX 1 MAX DOWN		

2310 2312

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT RIO05	POSIZ./LOCATION: + RB5 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 2311
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE / RIF./REFERNCE: 2311
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STACKER HEAD STOP BOX 1 CONTROL LOCK

STACKER HEAD STOP BOX 1 CONTROL UNLOCK

STACKER BELT CONVEYOR BOX 1 MAX UP M.S.

STACKER BELT CONVEYOR BOX 1 MAX DOWN M.S.

STACKER BELT CONVEYOR BOX 1 MAX UP O.S.

STACKER BELT CONVEYOR BOX 1 MAX DOWN O.S.

STACKER AUXILIARY BOX 1 PLATFORM AUTO DOWN

STACKER AUXILIARY BOX 1 PLATFORM MAX UP


2311

2313

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC INPUT RIO05	+ RB5 / = H01 / 2312
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE / RIF./REFERNCE: 2312
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STACKER RACKET M.S. BOX 2 OPEN POSITION

STACKER RACKET M.S. BOX 2 CLOSE POSITION

STACKER RACKET O.S. BOX 2 OPEN POSITION

STACKER RACKET O.S. BOX 2 CLOSE POSITION

STACKER RACKET M.S. BOX 2 MAX CLOSE

STACKER RACKET M.S. BOX 2 MAX OPEN

STACKER RACKET M.S. BOX 2 MAX CLOSE


STACKER RACKET M.S. BOX 2 MAX OPEN

2312

2314

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT RIO05	POSIZ./LOCATION + RB5 / GRUPPO/SECTION = H01 / PAGINE/PAGE 2313
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE / RIF./REFERNCE 2313
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STACKER SIDE GUIDE M.S. BOX 2 MAX CLOSE

STACKER SIDE GUIDE M.S. BOX 2 MAX OPEN

STACKER SIDE GUIDE O.S. BOX 2 MAX CLOSE

STACKER SIDE GUIDE O.S. BOX 2 MAX OPEN

STACKER RACKET M.S. BOX 2 HOME POSITION

STACKER RACKET O.S. BOX 2 HOME POSITION

STACKER SIDE GUIDE PUSH M.S. BOX 2 EXTENSION CONTROL


STACKER SIDE GUIDE PUSH M.S. BOX 2 RETREAT CONTROL

2313

2315


INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT RIO05	POSIZ./LOCATION: + RB5 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 2314
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE		CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE / RIF./REFERNCE: 2314
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT RIO05	POSIZ./LOCATION: + RB5 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 2315
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE / RIF./REFERNCE: 2315
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




STACKER HEADSTOP BOX 2 CONTROL LOCK	STACKER HEADSTOP BOX 2 CONTROL UNLOCK	STACKER AUXILIARY BOX 2 PLATFORM AUTO DOWN	STACKER AUXILIARY BOX 2 PLATFORM MAX UP
STACKER AUXILIARY BOX 2 CONTROL SET	PLATFORM BOX 1 PLATFORM RAISE UP MAX DOWN	PLATFORM BOX 1 ROLL CONTROL ENTRY	PLATFORM BOX 1 ROLL CONTROL EXIT

2315 2317

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC INPUT RIO05	+ RB5 / = H01 / 2316
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE / RIF./REFERNCE: 2316
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




PLATFORM BOX 1 SUPPORT AIR CONTROL LOWER	PLATFORM BOX 1 SUPPORT AIR CONTROL LOWER	PLATFORM BOX 1 SUPPORT AIR CONTROL LOWER	PLATFORM BOX 1 PLATFORM RAISE UP CONTROL FILTER	PLATFORM BOX 2 PLATFORM RAISE UP MAX DOWN	PLATFORM BOX 2 ROLL CONTROL ENTRY	PLATFORM BOX 2 ROLL CONTROL EXIT	PLATFORM BOX 2 SUPPORT AIR BAR CONTROL LOWER
2316							2318

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC INPUT RIO05	+ RB5	= H01	2317
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		DAMING					2317

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




PLATFORM BOX 2 SUPPORT AIR BAR CONTROL LOWER	PLATFORM BOX 2 SUPPORT AIR BAR CONTROL LOWER	MIDDLE EXIT PLATFORM BOX 1 ROLL CONTROL ENTRY	MIDDLE EXIT PLATFORM BOX 1 ROLL CONTROL EXIT	MIDDLE EXIT PLATFORM BOX 2 ROLL CONTROL ENTRY	MIDDLE EXIT PLATFORM BOX 2 ROLL CONTROL EXIT	ROLLS AND CHAINS BOX 1 90° ROLL CONTROL ENTRY	ROLLS AND CHAINS BOX 1 90° ROLL CONTROL EXIT

2317

2319

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT RIO05	POSIZ./LOCATION: + RB5 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 2318
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE / RIF./REFERNCE: 2318
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ROLLS AND CHAINS BOX 1 90° CHAINS UP CONTROL MAX DOWN

ROLLS AND CHAINS BOX 1 90° CHAINS UP CONTROL MAX UP

ROLLS AND CHAINS BOX 1 90° CHAINS CONTROL ENTRY

ROLLS AND CHAINS BOX 1 90° CHAINS CONTROL EXIT

ROLLS AND CHAINS BOX 2 90° ROLL CONTROL ENTRY

ROLLS AND CHAINS BOX 2 90° ROLL CONTROL EXIT

ROLLS AND CHAINS BOX 2 90° CHAINS UP CONTROL MAX DOWN


ROLLS AND CHAINS BOX 2 90° CHAINS UP CONTROL MAX UP

2318

2320

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT RIO05	POSIZ./LOCATION: + RB5 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 2319
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE / RIF./REFERNCE: 2319
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ROLLS AND CHAINS BOX 2 90° CHAINS CONTROL ENTRY	ROLLS AND CHAINS BOX 2 90° CHAINS CONTROL EXIT	SPARE	SPARE	SPARE	SPARE	SPARE	SPARE	SPARE


2319


2321

INDICE REVIS. N° / REVIS. INDEX N°								
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC INPUT RIO05
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER: DAMING		
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ RB5	= H01	2320
SEL CTL4 LINE		RIF./REFERNCE: 2320

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.





SPARE SPARE SPARE SPARE SPARE SPARE SPARE SPARE

2320 2325

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC INPUT RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2321
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2321
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A29141
=H03/2914.1

SM 022 — 022-1BD20 — YEC

A210.0 DC0V 1 2
A210.1 DC0V 5 4
A210.2 DC0V 3 6
A210.3 DC0V 7 8

2306.9 / 24V.EV7_RB5 → 24V.EV7_RB5 / 2326.1
2306.9 / 0V.EVRB5 → 0V.EVRB5 / 2326.1

232501 X451 118 — JB450.1-W3001 /2326.1 /2327.1 /2328.1 ÖLFLEX® CLASSIC 110 26G1.5 — XJB450.1 118 — 232501 — A1 -Y23251 56.06.01 L A2 PE
232502 119 — XJB450.1 119 — 232502 — B1 B2 PE
9705 134 — XJB450.1 134 — 9705
232503 X451 120 — XJB450.1 120 — 232503 — A1 -Y23255 56.06.04 L A2 PE
232504 121 — XJB450.1 121 — 232504 — B1 B2 PE
135 — XJB450.1 135 — 9705

XJB450.1V / 2326.1

STACKER
SIDE GUIDE PUSH M.S. BOX 1
EXTENSION

STACKER
SIDE GUIDE PUSH M.S. BOX 1
RETREAT

STACKER
SIDE GUIDE PUSH M.S. BOX 1
EXTENSION

STACKER
SIDE GUIDE PUSH M.S. BOX 1
RETREAT

2321 2326

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO05	POSIZ./LOCATION + RB5 / GRUPPO/SECTION = H01 / PAGINE/PAGE 2325
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE / RIF./REFERNCE 2325
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of a patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A29142
=H03/2914.2

SM 022 — 022-1BD20 — YEC

A211.0 DC0V 1 2
A211.1 DC0V 5 4
A211.2 DC0V 3 6
A211.3 DC0V 7 8

2325.9 / 24V.EV7_RB5 → 24V.EV7_RB5 / 2327.1
2325.9 / 0V.EVRB5 → 0V.EVRB5 / 2327.1

232601 X451 122 — JB450.1-W3001 /2325.1 ÖLFLEX® CLASSIC 110 26G1.5 300/500 V — 123
232602 X451 123 — 124
232603 X451 124 — 125
232604 X451 125 — 137
9705 137

2325.9 / XJB450.1V → XJB450.1V / 2327.1

XJB450.1 122 — 123 — 136
232601 — 232602 — 9705
-Y23261 56.06.05 L: A1 A2 B1 B2 PE PE

XJB450.1 124 — 125 — 137
232603 — 232604 — 9705
-Y23265 56.07.01 L: A1 A2 B1 B2 PE PE

STACKER
SIDE GUIDE PUSH M.S. BOX 1
EXTENSION

STACKER
SIDE GUIDE PUSH M.S. BOX 1
RETREAT

STACKER
SIDE GUIDE PUSH O.S. BOX 1
EXTENSION

STACKER
SIDE GUIDE PUSH O.S. BOX 1
RETREAT

2325 2327

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2326
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2326
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A29144
=H03/2914.4

SM 022 — 022-1BD20 — YEC

A212.0 DC0V 1 2
A212.1 DC0V 5 4
A212.2 DC0V 3 6
A212.3 DC0V 7 8

2326.9 / 24V.EV7_RB5 → 24V.EV7_RB5 / 2328.1
2326.9 / 0V.EVRB5 → 0V.EVRB5 / 2328.1

232701 232702 9705 232703 232704

JB450.1-W3001
/2325.1
ÖLFLEX® CLASSIC 110
26G1.5
300/500 V

X451 126 127 138 128 129

2326.9 / XJB450.1V → XJB450.1V / 2328.1

XJB450.1 126 127 138 128 129 139

232701 232702 9705 232703 232704 9705

-Y23271
56.07.04
L
A1 A2 B1 B2 PE PE

-Y23275
56.07.05
L
A1 A2 B1 B2 PE PE

STACKER
SIDE GUIDE PUSH O.S. BOX 1
EXTENSION

STACKER
SIDE GUIDE PUSH O.S. BOX 1
RETREAT

STACKER
SIDE GUIDE PUSH O.S. BOX 1
EXTENSION

STACKER
SIDE GUIDE PUSH O.S. BOX 1
RETREAT

2326 2328

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO05	POSIZ./LOCATION + RB5 / GRUPPO/SECTION = H01 / PAGINE/PAGE 2327
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE / RIF./REFERNCE 2327
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A29144.1
=H03/2914.4

SM 022 — 022-1BD20 — YEC

A213.0 DC0V 1 2
A213.1 DC0V 5 4
A213.2 DC0V 3 6
A213.3 DC0V 7 8

2327.9 / 24V.EV7_RB5 → 24V.EV7_RB5 / 2329.1
2327.9 / 0V.EVRB5 → 0V.EVRB5 / 2329.1

232801 X451 130
232802 131
232803 X451 132
232804 133
9705 143

JB450.1-W3001
/2325.1
ÖLFLEX® CLASSIC 110
26G1.5
300/500 V

2327.9 / XJB450.1V →

XJB450.1 130 140 — 232801 — 9705
-Y23281 56.08.05 A1 A2 PE

131 141 — 232802
132 — 232803
-Y23283 56.08.11 L A1 A2 PE B1 B2 PE

142 — 9705

133 143 — 232804 — 9705
-Y23287 56.08.08 A1 A2 PE

STACKER
HEAD STOP BOX 1
EXTENSION - RETREAT

STACKER
HEAD STOP BOX 1
LOCK

STACKER
HEAD STOP BOX 1
UNLOCK

STACKER
HEAD STOP BOX 1
RISE-LOWER

2327 2329

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2328
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2328
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A29146
=H03/2914.6

SM 022 — 022-1BD20 — YEC

A214.0 DC0V 1 2
A214.1 DC0V 5 4
A214.2 DC0V 3 6
A214.3 DC0V 7 8

2328.9 / 24V.EV7_RB5 → 24V.EV7_RB5 / 2330.1
2328.9 / 0V.EVRB5 → 0V.EVRB5 / 2330.1

232901 232902 9705 232903 232904

X452 79 80 97 81 82
JB450.2-W3001
/2330.1 /2331.1
/2332.1 /2333.1
ÖLFLEX® CLASSIC 110
26G1.5

XJB450.2V / 2330.1

XJB450.2 79 80 97 81 82 98

232901 232902 9705 232903 232904 9705

-Y23291
56.13.01
L
A1 A2 PE B1 B2 PE

-Y23295
56.13.04
L
A1 A2 PE B1 B2 PE

STACKER
SIDE GUIDE PUSH M.S. BOX 2
EXTENSION

STACKER
SIDE GUIDE PUSH M.S. BOX 2
RETREAT

STACKER
SIDE GUIDE PUSH M.S. BOX 2
EXTENSION

STACKER
SIDE GUIDE PUSH M.S. BOX 2
RETREAT

2328 2330

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2329
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2329
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A29146.1
=H03/2914.6

SM 022 — 022-1BD20 — YEC

A215.0 DC0V 1 2 | A215.1 DC0V 5 4 | A215.2 DC0V 3 6 | A215.3 DC0V 7 8

2329.9 / 24V.EV7_RB5 → 24V.EV7_RB5 / 2331.1
2329.9 / 0V.EVRB5 → 0V.EVRB5 / 2331.1

233001 | 233002 | 9705 | 233003 | 233004

X452 83 | 84 | 99 | X452 85 | 86

JB450.2-W3001
/2329.1
ÖLFLEX® CLASSIC 110
26G1.5

2329.9 / XJB450.2V → XJB450.2V / 2331.1

XJB450.2 83 | 84 | 99 | XJB450.2 85 | 86 | 100

233001 | 233002 | 9705 | 233003 | 233004 | 9705

-Y23301
56.13.05
L
A1 A2 PE B1 B2 PE

-Y23305
56.14.01
L
A1 A2 PE B1 B2 PE

STACKER
SIDE GUIDE PUSH M.S. BOX 2
EXTENSION

STACKER
SIDE GUIDE PUSH M.S. BOX 2
RETREAT

STACKER
SIDE GUIDE PUSH O.S. BOX 2
EXTENSION

STACKER
SIDE GUIDE PUSH O.S. BOX 2
RETREAT

2329 2331

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC OUTPUT RIO05	POSIZ./LOCATION: + RB5 / GRUPPO/SECTION: = H01 / PAGINE/PAGE: 2330
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE / RIF./REFERNCE: 2330
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A29148
=H03/2914.8

SM 022 — 022-1SD00 — YEC

A216.0 DC0V 1 2
A216.1 DC0V 5 4
A216.2 DC0V 3 6
A216.3 DC0V 7 8

2330.9 / 24V.EV7_RB5 → 24V.EV7_RB5 / 2332.1
2330.9 / 0V.EVRB5 → 0V.EVRB5 / 2332.1

233101 233102 9705 233103 233104

JB450.2-W3001
/2329.1
ÖLFLEX® CLASSIC 110
26G1.5
300/500 V

X452 87 88 101 89 90

2330.9 / XJB450.2V → XJB450.2V / 2332.1

XJB450.2 87 88 101 89 90 102

233101 233102 9705 233103 233104 9705

-Y23311
56.14.04
L
A1 A2 B1 B2 PE PE

-Y23315
56.14.05
L
A1 A2 B1 B2 PE PE

STACKER
SIDE GUIDE PUSH O.S. BOX 2
EXTENSION

STACKER
SIDE GUIDE PUSH O.S. BOX 2
RETREAT

STACKER
SIDE GUIDE PUSH O.S. BOX 2
EXTENSION

STACKER
SIDE GUIDE PUSH O.S. BOX 2
RETREAT

2330 2332

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2331
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2331
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of a patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A29149
=H03/2914.9

SM 022 — 022-1SD00 — YEC

A217.0	DC0V	A217.1	DC0V	A217.2	DC0V	A217.3	DC0V				
1	2	5	4	3	6	7	8				

2331.9 / 24V.EV7_RB5 → 24V.EV7_RB5 / 2333.1
2331.9 / 0V.EVRB5 → 0V.EVRB5 / 2333.1

JB450.2-W3001
/2329.1
ÖLFLEX® CLASSIC 110
26G1.5
300/500 V

233201		233202		9705		233203		233204			
X452	91		92		103	X452	93		94		

2331.9 / XJB450.2V → XJB450.2V / 2333.1

XJB450.2	91		92		103	XJB450.2	93	104		94	105
233201		233202		9705		233203		9705			

-Y23321
56.15.01
L

A1	B1		
A2	PE	B2	PE

-Y23325
56.15.08

A1	
A2	PE

STACKER
HEAD STOP BOX 2
RISE

STACKER
HEAD STOP BOX 2
LOWER


STACKER
HEAD STOP BOX 2
EXTENSION - RETREAT

SPARE

2331 2333

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2332
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2332
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of a patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti diritti derivati da brevetti o modelli.



STACKER
HEAD STOP BOX 2
LOCK BOX 1

STACKER
HEAD STOP BOX 2
UNLOCK BOX 1

PLATFORM BOX 1
SUPPORT AIR BAR
RAISE - LOWER

PLATFORM BOX 1
SUPPORT AIR BAR
RAISE - LOWER

2332

2334

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC OUTPUT RIO05	+ RB5	= H01 / 2333
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		DAMING				2333

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A29152
=H03/2915.2

SM 022 — 022-1SD00 — YEC

A219.0 DC0V 1 2 | A219.1 DC0V 5 4 | A219.2 DC0V 3 6 | A219.3 DC0V 7 8

2333.9 / 24V.EV7_RB5 → 24V.EV7_RB5 / 2335.1
2333.9 / 0V.EVRB5 → 0V.EVRB5 / 2335.1

233401 | 233402 | 9705 | 233403 | 9705 | 233404

JB460-W3001
/2333.5
ÖLFLEX® CLASSIC 110
7G1,5
300/500V
X453 21 22 26

JB460.10-W3001
/2335.1
ÖLFLEX® CLASSIC 110
7G1,5
X454 12 16 13

2333.9 / XJB460V → XJB460.10V / 2335.1

XJB460 21 25 22 26
233401 | 9705
A1 -Y23341 A2 PE
58.03.05

XJB460.10 12 16 13 17
233403 | 9705 | 233404 | 9705
A1 -Y23345 A2 PE
58.01.05

A1 -Y23347 A2 PE
58.01.02

PLATFORM BOX 1
SUPPORT AIR BAR
RAISE - LOWER

SPARE FOR
OVERPASS HEAD
FLATFOR UP

PLATFORM BOX 1
PLATFORM RISE UP

PLATFORM BOX 1
PLATFORM RAISE
RAISE ENABLE

2333 2335

INDICE REVIS. N° / REVIS. INDEX N°										
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2334
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2334
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of a patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A29154
=H03/2915.4

SM 022 — 022-1BD20 — YEC

A220.0 DC0V 1 2 | A220.1 DC0V 5 4 | A220.2 DC0V 3 6 | A220.3 DC0V 7 8

2334.9 / 24V.EV7_RB5 → 24V.EV7_RB5 / 2336.1
2334.9 / 0V.EVRB5 → 0V.EVRB5 / 2336.1

PLATFORM BOX 2 PLATFORM RAISE RAISE ENABLE

JB460.10-W3001
/2334.5
ÖLFLEX® CLASSIC 110
7G1,5
300/500V

X454: 14 (233501), 15 (233502), 19 (9705)

2334.9 / XJB460.10V →

XJB460.10: 14 (233501), 18 (9705)

-Y23351
60.01.02
A1 A2 PE

SPARE FOR OVERPASS HEAD FLATFOR DOWN

PLATFORM BOX 2 SUPPORT AIR BAR RAISE - LOWER

JB465-W3001
/2336.1
ÖLFLEX® CLASSIC 110
7G1,5

X455: 19 (233503), 23 (9705)

XJB465V / 2336.1

XJB465: 19 (233503), 23 (9705)

-Y23355
60.03.01
A1 A2 PE

PLATFORM BOX 2 SUPPORT AIR BAR RAISE - LOWER

X455: 20 (233504)

XJB465: 20 (233504), 24 (9705)


-Y23357
60.03.03
A1 A2 PE

2334 2336

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC OUTPUT RIO05	+ RB5	= H01	2335
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		DAMING					2335

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



PLATFORM BOX 1
SUPPORT AIR BAR
RAISE - LOWER

SPARE

SPARE


SPARE

2335

2337

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2336
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2336
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of a patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




SPARE SPARE SPARE SPARE

2336 2338

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2337
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2337
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




SPARE SPARE SPARE SPARE

2337 2339

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2338
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2338
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SPARE SPARE SPARE SPARE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2339
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2339
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SPARE SPARE SPARE SPARE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC OUTPUT RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2340
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2340
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A29171
=H03/2917.1

SM 022 — 022-1BD20 — YEC

A226.0	1	DC0V	2	A226.1	5	DC0V	4	A226.2	3	DC0V	6
A226.3	7	DC0V	8								

2301.2 / 24V.EV0_RB5 → 24V.EV0_RB5 / =H03/2917
2340.9 / 0V.EVRB5 → 0V.EVRB5 / 2380.1

	234101	234102	234103	9705	234104	9705
X451	144	145	146	147	148	149

JB450.1-W2003
ÖLFLEX® CLASSIC 110
7G1,5

XJB450.1	144	145	146	147

-U23291
WERMA
975.840.10
56.10.03

	1	2	3	0
	x1	x1	x1	
	x2	x2	x2	


LAMP 1 — LAMP 2 — LAMP 3 — SPARE

2340 — 2380

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC OUTPUT RIO05	+ RB5 / = H01 / 2341
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER: DAMING			SEL CTL4 LINE / RIF./REFERNCE 2341
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




SPARE

SPARE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION OUTPUT RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2380
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2380
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STACKER
CAR RACKET O.S.
RACKET POSITION BOX 1


STACKER
CAR RACKET M.S.
RACKET POSITION BOX 1

2380

2388

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENCODER PROFIBUS RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2387
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2387
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STACKER
SIDE GUIDE M.S.
RACKET POSITION BOX 1


STACKER
SIDE GUIDE O.S.
RACKET POSITION BOX 1

2387

2389

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENCODER PROFIBUS RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2388
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2388
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STACKER
HEAD STOP BOX 1
POSITION

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENCODER PROFIBUS RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2389
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2389
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STACKER
CAR RACKET O.S.
RACKET POSITION BOX 2


STACKER
CAR RACKET M.S.
RACKET POSITION BOX 2

2389

2391

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENCODER PROFIBUS RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2390
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2390
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STACKER
SIDE GUIDE M.S.
RACKET POSITION BOX 2


STACKER
SIDE GUIDE O.S.
RACKET POSITION BOX 2

2390

2392

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENCODER PROFIBUS RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2391
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2391
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




STACKER
HEAD STOP BOX 2
POSITION

2391

2393

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENCODER PROFIBUS RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2392
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2392
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



PLATFORM BOX 1
PLATFORM RAISE
CONTROL POSITION

PLATFORM BOX 2
PLATFORM RAISE
CONTROL POSITION


2392

2394

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	ENCODER PROFIBUS RIO05	+ RB5	= H01	2393
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2393
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SPARE


SPARE

2393

2395

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENCODER PROFIBUS RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2394
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2394
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




SPARE FOR CONVEYOR ENCODER

2394

2398

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENCODER PROFIBUS RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2395
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2395
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SPARE


SPARE

2395

=H02/10

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ENCODER PROFIBUS RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H01	PAGINE/PAGE 2398
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2398
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



FLYING SHEAR
HYDRAULIC STATION
OIL HEATING

HYDRAULIC UNIT
OIL HEATING


=H01/2398

11

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	HEATERS	+ E13 / = H02 / 10
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 2410
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




LEVELLER 2
OIL LUBRICATION PUMP

FLYING SHEAR
HYDRAULIC POWER STATION
FOR CUTTING
COOL UNIT

FLYING SHEAR
HYDRAULIC POWER STATION
OIL COOLING MAIN PUMP

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PUMPS	POSIZ./LOCATION + E13	GRUPPO/SECTION = H02	PAGINE/PAGE 11
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2411
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								



SPARE

HYDRAULIC STATION
PUMP 1

HYDRAULIC STATION
PUMP 2

HYDRAULIC STATION
OIL COOLING
RECIRCULATION PUMP


11

13

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PUMPS	+ E13	= H02	12
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2412
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							


RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°											
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PUMPS	POSIZ./LOCATION + E13	GRUPPO/SECTION = H02	PAGINE/PAGE 13
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2413
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								



CROP SHEAR
BLADE GAP
INCREASE-DECREASE


SPARE

13

16

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION MOTORS	POSIZ./LOCATION + E13	GRUPPO/SECTION = H02	PAGINE/PAGE 14
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2414
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




LEVELLER 1
BACK UP ROLL 1
RAISE-LOWER

14

17

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION MOTORS	POSIZ./LOCATION + E13	GRUPPO/SECTION = H02	PAGINE/PAGE 16
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2416
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



LEVELLER 1
BACK UP ROLL 2
RAISE-LOWER


LEVELLER 1
BACK UP ROLL 3
RAISE-LOWER

LEVELLER 1
BACK UP ROLL 4
RAISE-LOWER

16 18

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: MOTORS	POSIZ./LOCATION: + E13
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			GRUPPO/SECTION: = H02
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					PAGINE/PAGE: 17
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						SEL CTL4 LINE
									RIF./REFERNCE: 2417


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



17 20

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION MOTORS	POSIZ./LOCATION + E13	GRUPPO/SECTION = H02	PAGINE/PAGE 18
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2418
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




SPARE

FLYING SHEAR
BLADE GAP
INCREASE-DECREASE

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION MOTORS	POSIZ./LOCATION + E13	GRUPPO/SECTION = H02	PAGINE/PAGE 20
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2420
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SCRAP CARRIAGE
TRANSLATION
IN LINE-OUT LINE

STACKER
CAR RACKET BOX 1 O.S.
OPEN-CLOSE


STACKER
CAR RACKET BOX 2 O.S.
OPEN-CLOSE

20

22

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION MOTORS	POSIZ./LOCATION + E13	GRUPPO/SECTION = H02	PAGINE/PAGE 21
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2421
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




STACKER
CAR RACKET BOX 1 M.S.
OPEN-CLOSE

STACKER
CAR RACKET BOX 2 M.S.
OPEN-CLOSE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION MOTORS	POSIZ./LOCATION + E13	GRUPPO/SECTION = H02	PAGINE/PAGE 22
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2422
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




STACKER
SIDE GUIDE BOX 1 M.S.
OPEN-CLOSE

STACKER
SIDE GUIDE BOX 2 M.S.
OPEN-CLOSE

STACKER
SIDE GUIDE BOX 1 O.S.
OPEN-CLOSE

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION MOTORS	POSIZ./LOCATION + E13	GRUPPO/SECTION = H02	PAGINE/PAGE 23
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2423
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



STACKER
SIDE GUIDE BOX 2 O.S.
OPEN-CLOSE

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION MOTORS	POSIZ./LOCATION + E13	GRUPPO/SECTION = H02	PAGINE/PAGE 24
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2423
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								




BRAKE
SPARE SUPPLY

BRAKE
SPARE SUPPLY

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION BRAKES	POSIZ./LOCATION + E14	GRUPPO/SECTION = H02	PAGINE/PAGE 27
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2426
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SPARE

SPARE

SPARE

FLYING SHEAR
GREASE LUBRICATION
PUMP

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION MOTORS	POSIZ./LOCATION + E13	GRUPPO/SECTION = H02	PAGINE/PAGE 30
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2430
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

400V 50Hz

27.9 / L1.1
27.9 / L2.1
27.9 / L3.1

L1.1 / 35.1
L2.1 / 35.1
L3.1 / 35.1

-Q334
2.5 ... 4.0 A
+E15
MS132-4.0
HK1-20
1 3 5 33 43
I> I> I>
2 4 6 34 44
=H01/1071.1

243301 243303 243305

=H01-K10751.1
=H01/1075.1
1/L1 3/L2 5/L3
2/T1 4/T2 6/T3

=H01-K10752.1
=H01/1075.2
1/L1 3/L2 5/L3
2/T1 4/T2 6/T3

243302 243304 243306

X15 95 96 97
+E15

DB01-W3038
ÖLFLEX® CLASSIC 110
4G1,5

243302 243304 243306 243307

U V W
M
3~
PE

-M334
MR ICI 81 UO3A 90L4
1.1KW
2.5A
400V
40.04.01

LEVELLER 2
BACK UP ROLL 1
RAISE-LOWER

-Q337
2.5 ... 4.0 A
+E15
MS132-4.0
HK1-20
1 3 5 33 43
I> I> I>
2 4 6 34 44
=H01/1071.3

243308 243310 243312

=H01-K10753.1
=H01/1075.3
1/L1 3/L2 5/L3
2/T1 4/T2 6/T3

=H01-K10754.1
=H01/1075.4
1/L1 3/L2 5/L3
2/T1 4/T2 6/T3

243309 243311 243313

X15 98 99 100
+E15

DB01-W3039
ÖLFLEX® CLASSIC 110
4G1,5

243309 243311 243313 243314

U V W
M
3~
PE

-M337
MR ICI 81 UO3A 90L4
1.1KW
2.5A
400V
40.05.01

LEVELLER 2
BACK UP ROLL 2
RAISE-LOWER


30

35

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION MOTORS	POSIZ./LOCATION + E13	GRUPPO/SECTION = H02	PAGINE/PAGE 33
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2433
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




LEVELLER 2
BACK UP ROLL 3
RAISE-LOWER

LEVELLER 2
BACK UP ROLL 4
RAISE-LOWER

LEVELLER 2
BACK UP ROLL 5
RAISE-LOWER

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION MOTORS	POSIZ./LOCATION + E13	GRUPPO/SECTION = H02	PAGINE/PAGE 35
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2435
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




LEVELLER 2
BACK UP ROLL 6
RAISE-LOWER

LEVELLER 2
BACK UP ROLL 7
RAISE-LOWER

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION MOTORS	POSIZ./LOCATION + E13	GRUPPO/SECTION = H02	PAGINE/PAGE 36
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2436
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




ROLLS AND CHAINS BOX 1 90°
RISE-LOWER

ROLLS AND CHAINS BOX 2 90°
RISE-LOWER

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION MOTORS	POSIZ./LOCATION + E13	GRUPPO/SECTION = H02	PAGINE/PAGE 37
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2437
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



CHAINS EXIT 3
STRUT LIFTING
RISE-LOWER


CHAINS EXIT 4
STRUT LIFTING
RISE-LOWER

37

39

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION MOTORS	POSIZ./LOCATION + E13	GRUPPO/SECTION = H02	PAGINE/PAGE 38
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2438
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




SPARE

SPARE

SPARE

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION MOTORS	POSIZ./LOCATION + E13	GRUPPO/SECTION = H02	PAGINE/PAGE 39
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2439
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



39

=H03/2501

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION MOTORS	POSIZ./LOCATION + E13	GRUPPO/SECTION = H02	PAGINE/PAGE 40
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2440
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9

-K25011

=N01/2.7

+E12



-X25013

PB2-01 / =H01/2387.3


PB1-01 / =H01/2289.3

=H02/40

2505

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION MAIN RACK CPU	POSIZ./LOCATION + E12	GRUPPO/SECTION = H03	PAGINE/PAGE 2501
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2501
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



2501 2506


INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SCALANCE SWITCH SECT.4	POSIZ./LOCATION + E12	GRUPPO/SECTION = H03	PAGINE/PAGE 2505
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2505
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SCALANCE SWITCH SECT.4	POSIZ./LOCATION + E12 / GRUPPO/SECTION = H03 / PAGINE/PAGE 2506
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 2506
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



2506


2522

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK SECT.4	POSIZ./LOCATION + E12	GRUPPO/SECTION = H03	PAGINE/PAGE 2521
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2521
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9


-A25218
=H01/1031.0




-A25218.1
=H01/1032.0




-A25221
=H01/1033.0




-A25221.1
=H01/1034.0




-A25222
=H01/1035.0




-A25222.2
=H01/1037.0




-A25223
=H01/1038.0




-A25223.1
=H01/1039.0




-A25224
=H01/1040.0




-A25224.1
=H01/1041.0




-A25224.2
=H01/1042.0



-A25225
=H01/1043.0




-A25225.1
=H01/1044.0



INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK SECT.4	POSIZ./LOCATION + E12	GRUPPO/SECTION = H03	PAGINE/PAGE 2522
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2522
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.


0	1	2	3	4	5	6	7	8	9



INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK SECT.4	POSIZ./LOCATION + E12	GRUPPO/SECTION = H03	PAGINE/PAGE 2523
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2523
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




2523

2526

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK SECT.4	POSIZ./LOCATION + E12	GRUPPO/SECTION = H03	PAGINE/PAGE 2525
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2525
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




2525

2527

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK SECT.4	POSIZ./LOCATION + E12	GRUPPO/SECTION = H03	PAGINE/PAGE 2526
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2526
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK SECT.4	POSIZ./LOCATION + E12	GRUPPO/SECTION = H03	PAGINE/PAGE 2527
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2526
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25211

	1	/2521.2
DC24V	2	/2521.2
DC0V	3	/2521.2
SYS_DC24V	4	/2521.2
	5	/2521.2
DC24V	6	/2521.2
DC0V	7	/2521.2
SYS_DC0V	8	/2521.2

-A25214

=H00-F121	E0.0	1	=H01/1020.1 MOTOR DIRECT AND FANS POWER SUPPLY FAULT
=H00-F126	E0.2	2	=H01/1020.3 PUMPS POWER SUPPLY FAULT
=H00-Q241:14	E0.4	3	=H01/1020.5 AUX 230V 50HZ SUPPLY FAULT
=H00-Q251:14	E0.6	4	=H01/1020.7 AUX 230V 50HZ BRAKES AND FAN SUPPLY FAULT
=H00-F123	E0.1	5	=H01/1020.2 MOTORS AND DRIVE AUXILIARY POWER SUPPLY FAULT
XDI4:1	E0.3	6	=H01/1020.4 SPARE
=H00-Q245:14	E0.5	7	=H01/1020.6 AUX 230V 50HZ CABINET SUPPLY FAULT
XDI4:2	E0.7	8	=H01/1020.8 SPARE

-A25214.2

=H00-Q255:14	E1.0	1	=H01/1021.1 AUX 230V 50HZ CONTROL DESK FAN SUPPLY FAULT
=H00-Q301:14	E1.2	2	=H01/1021.3 CABINET FAN SUPPLY POWER SUPPLY FAULT
=H00-Q405:14	E1.4	3	=H01/1021.5 UPS POWER SUPPLY DRIVE FAULT
=H00-Q423:14	E1.6	4	=H01/1021.7 UPS 230V 50HZ ENTRY DESK SUPPLY FAULT
=H00-K274:34	E1.1	5	=H01/1021.2 AUXILIARY CIRCUIT INSERTION START
=H00-Q401:14	E1.3	6	=H01/1021.4 UPS POWER SUPPLY FAULT
=H00-Q421:14	E1.5	7	=H01/1021.6 UPS 230V 50HZ MAIN DESK SUPPLY FAULT
=H00-Q425:14	E1.7	8	=H01/1021.8 UPS 230V 50HZ TRIMMING DESK SUPPLY FAULT

2527

2529

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25211 - =H03-A25214.2	POSIZ./LOCATION + E12	GRUPPO/SECTION = H03	PAGINE/PAGE 2528
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25215

=H00-Q427:14	E2.0	1
=H00-Q441:14	E2.2	2
=H00-Q443:14	E2.4	3
=H00-Q447:14	E2.6	4
=H00-Q431:14	E2.1	5
=H00-Q441.1:14	E2.3	6
=H00-Q445:14	E2.5	7
=H00-Q451:14	E2.7	8

=H01/1022.1
AUX 230V 50HZ STACKER DESK FAN SUPPLY FAULT

=H01/1022.3
ELECTROVALVES POWER SUPPLY SUPPLY FAULT

=H01/1022.5
ELECTROVALVES 24Vdc GENERAL EMERGENCY SUPPLY FAULT
=H01/1022.7
ELECTROVALVES 24Vdc EMERGENCY ZONE 1 SUPPLY FAULT
=H01/1022.2
UPS 230V 50HZ EXIT DESK SUPPLY FAULT

=H01/1022.4
ELECTROVALVES POWER SUPPLY DISTRIBUTION SUPPLY FAULT
=H01/1022.6
ELECTROVALVES 24Vdc DELAYED EMERGENCY SUPPLY FAULT
=H01/1022.8
ELECTROVALVES 24Vdc EMERGENCY ZONE 2 SUPPLY FAULT

-A25215.1

=H00-Q453:14	E3.0	1
=H00-Q457:14	E3.2	2
=H00-Q463:14	E3.4	3
=H00-Q497:14	E3.6	4
=H00-Q455:14	E3.1	5
=H00-Q461:14	E3.3	6
=H00-Q465:14	E3.5	7
=H00-Q501:14	E3.7	8

=H01/1023.1
ELECTROVALVES 24Vdc EMERGENCY ZONE 3 SUPPLY FAULT
=H01/1023.3
ELECTROVALVES 24Vdc EMERGENCY ZONE 5 SUPPLY FAULT
=H01/1023.5
ELECTROVALVES 24Vdc EMERGENCY ZONE 7 SUPPLY FAULT
=H01/1023.7
UPS SUPPLY 24Vdc CPU FAULT

=H01/1023.2
ELECTROVALVES 24Vdc EMERGENCY ZONE 4 SUPPLY FAULT
=H01/1023.4
ELECTROVALVES 24Vdc EMERGENCY ZONE 6 SUPPLY FAULT
=H01/1023.6
ELECTROVALVES 24Vdc EMERGENCY ZONE 7 SUPPLY FAULT
=H01/1023.8
UPS SUPPLY 24Vdc ET200 REMOTE FAULT

-A25215.2

=H00-Q671:14	E4.0	1
=H00-Q667:14	E4.2	2
=H00-Q683:14	E4.4	3
=H00-Q695:14	E4.6	4
=H00-Q673:14	E4.1	5
=H00-Q681:14	E4.3	6
=H00-Q691:14	E4.5	7
=H00-Q697:14	E4.7	8

=H01/1024.1
SUPPLY 24Vdc DIGITAL INPUT REMOTE DESK SUPPLY FAULT
=H01/1024.3
SUPPLY 24Vdc DIGITAL OUTPUT SECT.4 SUPPLY FAULT
=H01/1024.5
SUPPLY 24Vdc ENCODER SUPPLY FAULT

=H01/1024.7
SUPPLY 24Vdc DRIVES S120 SUPPLY FAULT

=H01/1024.2
SUPPLY 24Vdc DIGITAL OUTPUT REMOTE DESK SUPPLY FAULT
=H01/1024.4
SUPPLY 24Vdc GATE AND SAFETY DOOR SUPPLY FAULT
=H01/1024.6
DRIVES POWER SUPPLY 24Vdc SUPPLY FAULT

=H01/1024.8
SUPPLY 24Vdc DRIVES S120 SUPPLY FAULT

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC card overview : =H03-A25215 - =H03-A25215.2	+ E12 / = H03 / 2529
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25216

=H00-Q701:14	E5.0	1	=H01/1025.1 SUPPLY 24Vdc DRIVES S120 SUPPLY FAULT
=H00-Q503:14	E5.2	2	=H01/1025.3 UPS SUPPLY 24Vdc SCALANCE FAULT
=H00-T1091:13	E5.4	3	=H01/1025.5 SUPPLY 230Vac ENTRY DESK P01 POWER SUPPLY FAULT
=H00-T1291:13	E5.6	4	=H01/1025.7 SUPPLY 230Vac STACKER DESK P03 POWER SUPPLY FAULT
=H00-Q703:14	E5.1	5	=H01/1025.2 SUPPLY 24Vdc DRIVES S120 SUPPLY FAULT
=H00-T991:13	E5.3	6	=H01/1025.4 SUPPLY 230Vac MAIN DESK P00 POWER SUPPLY FAULT
XP02:10	E5.5	7	=H01/1025.6 SUPPLY 230Vac TRIMMIN DESK P02 POWER SUPPLY FAULT
=H00-T1391:13	E5.7	8	=H01/1025.8 SUPPLY 230Vac EXIT DESK P04 POWER SUPPLY FAULT

-A25216.1

=H00-Q705:14	E6.0	1	=H01/1026.1 SUPPLY 24Vdc DRIVES S120 SUPPLY FAULT
=H00-Q475:14	E6.2	2	=H01/1026.3 ELECTROVALVES 24Vdc DIRECT SUPPLY FAULT
=H00-Q871:14	E6.4	3	=H01/1026.5 SUPPLY 230Vac WEIGHING MACHINE 2 SUPPLY FAULT
XDI4:6	E6.6	4	=H01/1026.7 SPARE
=H01-S10262:2	E6.1	5	=H01/1026.2 BOARD OVERTEMPERATURE
=H00-Q867:14	E6.3	6	=H01/1026.4 SUPPLY 230Vac WEIGHING MACHINE 1 SUPPLY FAULT
XDI4:5	E6.5	7	=H01/1026.6 SPARE
XDI4:7	E6.7	8	=H01/1026.8 SPARE

-A25217.1

=G04-Q116:44	E8.0	1	=H01/1029.1 STRAIGHTENER BRAKE SUPPLY FAULT
XDI4:10	E8.2	2	=H01/1029.3 SPARE
XDI4:14	E8.4	3	=H01/1029.5 SPARE
=G14-Q116:24	E8.6	4	=H01/1029.7 LEVELLER 1 BRAKE SUPPLY FAULT
=G04-Q118:24	E8.1	5	=H01/1029.2 STRAIGHTENER MOTOR FAN SUPPLY FAULT
XDI4:11	E8.3	6	=H01/1029.4 SPARE
XDI4:15	E8.5	7	=H01/1029.6
=G14-Q118:24	E8.7	8	=H01/1029.8 LEVELLER 1 MOTOR FAN SUPPLY FAULT

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25216 - =H03-A25217.1	POSIZ./LOCATION + E12	GRUPPO/SECTION = H03	PAGINE/PAGE 2530
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25217.2

=G20-Q116:24	E9.0	1	=H01/1030.1 LEVELLER 2 BRAKE SUPPLY FAULT
=G20A-Q116:24	E9.2	2	=H01/1030.3 LEVELLER 2 BRAKE SUPPLY FAULT
=G32-Q118:44	E9.4	3	=H01/1030.5 FAN SCRAP CUTTER MOTOR SIDE SUPPLY FAULT
XDI4:17	E9.6	4	=H01/1030.7 SPARE
=G20-Q118:24	E9.1	5	=H01/1030.2 LEVELLER 2 MOTOR FAN SUPPLY FAULT
=G20A-Q118:24	E9.3	6	=H01/1030.4 LEVELLER 2 MOTOR FAN SUPPLY FAULT
XDI4:16	E9.5	7	=H01/1030.6 SPARE
XDI4:18	E9.7	8	=H01/1030.8 SPARE

-A25218

XDI4:21	E10.0	1	=H01/1031.1 SPARE
XDI4:25	E10.2	2	=H01/1031.3 SPARE
XDI4:27	E10.4	3	=H01/1031.5 SPARE
=H02-Q135:34	E10.6	4	=H01/1031.7 FLYING SHEAR OIL RECOVERY FOR DRAINS SUPPLY FAULT
XDI4:22	E10.1	5	=H01/1031.2 SPARE
XDI4:26	E10.3	6	=H01/1031.4 SPARE
XDI4:28	E10.5	7	=H01/1031.6
=H01-K10545.1:22	E10.7	8	=H01/1031.8 FLYING SHEAR OIL RECOVERY FOR DRAINS FEEDBACK

-A25218.1

=H02-Q101:34	E11.0	1	=H01/1032.1 FLYING SHEAR HYDRAULIC STATION OIL HEATING SUPPLY FAULT
=H02-Q103:34	E11.2	2	=H01/1032.3 HYDRAULIC UNIT OIL HEATING SUPPLAY FAULT
=H02-Q137:34	E11.4	3	=H01/1032.5 LEVELLER 1 OIL LUBRICATION PUMP SUPPLY FAULT
=H02-Q113:34	E11.6	4	=H01/1032.7 LEVELLER 2 OIL LUBRICATION PUMP SUPPLY FAULT
=H01-K10531.1:22	E11.1	5	=H01/1032.2 FLYING SHEAR HYDRAULIC STATION OIL HEATING FEEDBACK
=H01-K10532.1:22	E11.3	6	=H01/1032.4 HYDRAULIC UNIT OIL HEATING FEEDBACK
=H01-K10533.1:22	E11.5	7	=H01/1032.6 LEVELLER 1 OIL LUBRICATION PUMP FEEDBACK
=H01-K10534.1:22	E11.7	8	=H01/1032.8 LEVELLER 2 OIL LUBRICATION PUMP FEEDBACK

2530

2532

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25217.2 - =H03-A25218.1	POSIZ./LOCATION + E12	GRUPPO/SECTION = H03	PAGINE/PAGE 2531
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25221

=H02-Q115:34	E12.0	1
=H02-Q117:14	E12.2	2
=H02-Q121:34	E12.4	3
=H02-Q123:14	E12.6	4
=H01-K10535.1:22	E12.1	5
=H01-K10536.1:22	E12.3	6
=H01-K10537.1:22	E12.5	7
=H01-K10538.1:22	E12.7	8

=H01/1033.1
FLYING SHEAR HYDRAULIC POWER STATION FOR CUTTING SUPPLY FAULT
=H01/1033.3
FLYING SHEAR HYDRAULIC POWER STATION OIL COOLING SUPPLY FAULT
=H01/1033.5
FLYING SHEAR HYDRAULIC POWER STATION FAN SUPPLY FAULT
=H01/1033.7
HYDRAULIC STATION PUMP 1 SUPPLY FAULT

=H01/1033.2
FLYING SHEAR HYDRAULIC POWER STATION FOR CUTTING FEEDBACK
=H01/1033.4
FLYING SHEAR HYDRAULIC POWER STATION OIL COOLING FEEDBACK
=H01/1033.6
FLYING SHEAR HYDRAULIC POWER STATION FAN FEEDBACK
=H01/1033.8
HYDRAULIC STATION PUMP 1 FEEDBACK

-A25221.1

=H02-Q125:14	E13.0	1
=H02-Q127:34	E13.2	2
=H02-Q131:34	E13.4	3
=H02-Q133:34	E13.6	4
=H01-K10541.1:22	E13.1	5
=H01-K10542.1:22	E13.3	6
=H01-K10543.1:22	E13.5	7
=H01-K10544.1:22	E13.7	8

=H01/1034.1
HYDRAULIC STATION PUMP 2 SUPPLY FAULT

=H01/1034.3
HYDRAULIC STATION OIL COOLING RECIRCULATION PUMP SUPPLY FAULT
=H01/1034.5
HYDRAULIC STATION OIL COOLING PUMP SUPPLY FAULT
=H01/1034.7
FLYING SHEAR BLADE CASSETTE PUMP SUPPLY FAULT
=H01/1034.2
HYDRAULIC STATION PUMP 2 FEEDBACK

=H01/1034.4
HYDRAULIC STATION OIL COOLING RECIRCULATION PUMP FEEDBACK
=H01/1034.6
HYDRAULIC STATION OIL COOLING PUMP FEEDBACK
=H01/1034.8
FLYING SHEAR BLADE CASSETTE PUMP FEEDBACK

-A25222

=H02-Q141:34	E14.0	1
=H02-Q144:34	E14.2	2
XDI4:31	E14.4	3
XDI4:35	E14.6	4
=H01-K10552.1:52	E14.1	5
=H01-K10554.1:52	E14.3	6
XDI4:32	E14.5	7
XDI4:36	E14.7	8

=H01/1035.1
CROP SHEAR BLADE GAP INCREASE-DECREASE SUPPLY FAULT
=H01/1035.3
SCRAP CAR CROP SHEAR TRANSLATING SUPPLY FAULT
=H01/1035.5
SPARE

=H01/1035.7
SPARE

=H01/1035.2
CROP SHEAR BLADE GAP INCREASE-DECREASE FEEDBACK
=H01/1035.4
SCRAP CAR CROP SHEAR TRANSLATING FEEDBACK

=H01/1035.6
SPARE

=H01/1035.8
SPARE

2531

2533

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC card overview : =H03-A25221 - =H03-A25222	+ E12 / = H03 / 2532
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25222.2

=H02-Q167:34	E16.0	1
=H02-Q171:34	E16.2	2
=H02-Q174:34	E16.4	3
=H02-Q177:34	E16.6	4
=H01-K10572.1:52	E16.1	5
=H01-K10574.1:52	E16.3	6
=H01-K10576.1:52	E16.5	7
=H01-K10578.1:52	E16.7	8

=H01/1037.1
LEVELLER 1 BACK UP ROLL 1 RAISE-LOWER SUPPLY FAULT
=H01/1037.3
LEVELLER 1 BACK UP ROLL 2 RAISE-LOWER SUPPLY FAULT
=H01/1037.5
LEVELLER 1 BACK UP ROLL 3 RAISE-LOWER SUPPLY FAULT
=H01/1037.7
LEVELLER 1 BACK UP ROLL 4 RAISE-LOWER SUPPLY FAULT
=H01/1037.2
LEVELLER 1 BACK UP ROLL 1 RAISE-LOWER FEEDBACK
=H01/1037.4
LEVELLER 1 BACK UP ROLL 2 RAISE-LOWER FEEDBACK
=H01/1037.6
LEVELLER 1 BACK UP ROLL 3 RAISE-LOWER FEEDBACK
=H01/1037.8
LEVELLER 1 BACK UP ROLL 4 RAISE-LOWER FEEDBACK

-A25223

=H02-Q181:34	E17.0	1
=H02-Q184:34	E17.2	2
=H02-Q201:14	E17.4	3
=H02-Q207:34	E17.6	4
=H01-K10582.1:52	E17.1	5
=H01-K10584.1:52	E17.3	6
=H01-K10586.1:52	E17.5	7
=H01-K10588.1:52	E17.7	8

=H01/1038.1
LEVELLER 1 BACK UP ROLL 5 RAISE-LOWER SUPPLY FAULT
=H01/1038.3
SPARE SUPPLY FAULT

=H01/1038.5
SPARE SUPPLY FAULT

=H01/1038.7
FLYING SHEAR BLADE GAP INCREASE-DECREASE SUPPLY FAULT
=H01/1038.2
LEVELLER 1 BACK UP ROLL 5 RAISE-LOWER FEEDBACK
=H01/1038.4
SPARE FEEDBACK

=H01/1038.6
SPARE FEEDBACK

=H01/1038.8
FLYING SHEAR BLADE GAP INCREASE-DECREASE FEEDBACK

-A25223.1

=H02-Q211:34	E18.0	1
=H02-Q214:34	E18.2	2
=H02-Q217:34	E18.4	3
=H02-Q221:34	E18.6	4
=H01-K10592.1:52	E18.1	5
=H01-K10594.1:52	E18.3	6
=H01-K10596.1:52	E18.5	7
=H01-K10598.1:52	E18.7	8

=H01/1039.1
SCRAP CARRIAGE TRANSLATION IN LINE-OUT LINE SUPPLY FAULT
=H01/1039.3
STACKER CAR RACKET BOX 1 O.S. OPEN-CLOSE SUPPLY FAULT
=H01/1039.5
STACKER CAR RACKET BOX 2 O.S. OPEN-CLOSE SUPPLY FAULT
=H01/1039.7
STACKER CAR RACKET BOX 1 M.S. OPEN-CLOSE SUPPLY FAULT
=H01/1039.2
SCRAP CARRIAGE TRANSLATION IN LINE-OUT LINE FEEDBACK
=H01/1039.4
STACKER CAR RACKET BOX 1 O.S. OPEN-CLOSE FEEDBACK
=H01/1039.6
STACKER CAR RACKET BOX 2 O.S. OPEN-CLOSE FEEDBACK
=H01/1039.8
STACKER CAR RACKET BOX 1 M.S. OPEN-CLOSE SUPPLY FAULT

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC card overview : =H03-A25222.2 - =H03-A25223.1	POSIZ./LOCATION: + E12 / GRUPPO/SECTION: = H03 / PAGINE/PAGE: 2533
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25224

=H02-Q224:34	E19.0	1
=H02-Q231:34	E19.2	2
=H02-Q234:34	E19.4	3
=H02-Q237:34	E19.6	4
=H01-K10602.1:52	E19.1	5
=H01-K10604.1:52	E19.3	6
=H01-K10606.1:52	E19.5	7
=H01-K10608.1:52	E19.7	8

=H01/1040.1
STACKER CAR RACKET BOX 2 M.S. OPEN-CLOSE SUPPLY FAULT
=H01/1040.3
STACKER SIDE GUIDE BOX 1 M.S. OPEN-CLOSE SUPPLY FAULT
=H01/1040.5
STACKER SIDE GUIDE BOX 2 M.S. OPEN-CLOSE SUPPLY FAULT
=H01/1040.7
STACKER SIDE GUIDE BOX 1 O.S. OPEN-CLOSE SUPPLY FAULT
=H01/1040.2
STACKER CAR RACKET BOX 2 M.S. OPEN-CLOSE FEEDBACK
=H01/1040.4
STACKER SIDE GUIDE BOX 1 M.S. OPEN-CLOSE FEEDBACK
=H01/1040.6
STACKER SIDE GUIDE BOX 2 M.S. OPEN-CLOSE FEEDBACK
=H01/1040.8
STACKER SIDE GUIDE BOX 1 O.S. OPEN-CLOSE FEEDBACK

-A25224.1

=H02-Q241:34	E20.0	1
=G33-Q118:44	E20.2	2
XDI4:40	E20.4	3
XDI4:44	E20.6	4
=H01-K10612.1:52	E20.1	5
XDI4:39	E20.3	6
XDI4:43	E20.5	7
XDI4:45	E20.7	8

=H01/1041.1
STACKER SIDE GUIDE BOX 2 O.S. OPEN-CLOSE SUPPLY FAULT
=H01/1041.3
FAN FLYING SHEAR BELT CONVEYOR SUPPLY FAULT

=H01/1041.5
SPARE

=H01/1041.7
SPARE

=H01/1041.2
STACKER SIDE GUIDE BOX 2 O.S. OPEN-CLOSE FEEDBACK
=H01/1041.4
SPARE

=H01/1041.6
SPARE

=H01/1041.8
SPARE

-A25224.2

XP4.1:3	E21.0	1
=H01-S10423:4	E21.2	2
=H01-S10425:4	E21.4	3
=H01-S10427:4	E21.6	4
XP4.1:4	E21.1	5
=H01-S10424:4	E21.3	6
=H01-S10426:4	E21.5	7
=H01-S10428:4	E21.7	8

=H01/1042.1
GATE SPARE ENTRY REQUEST
=H01/1042.3
AREA 4 GATE G4.2 ENTRY REQUEST
=H01/1042.5
AREA 5 GATE G5.2 ENTRY REQUEST
=H01/1042.7
AREA 7 GATE G7.2 ENTRY REQUEST
=H01/1042.2
GATE SPARE RESET
=H01/1042.4
LOCAL PANEL P4.2 GATE G4.1 RESET
=H01/1042.6
LOCAL PANEL P5.2 GATE G5.2 RESET
=H01/1042.8
LOCAL PANEL P7.2 GATE G7.2 RESET

2533

2535

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC card overview : =H03-A25224 - =H03-A25224.2	+ E12	= H03	2534
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25225

=H02-Q301:14	E22.0	1
=H02-Q303:14	E22.2	2
=H02-Q305:14	E22.4	3
=H02-Q307:14	E22.6	4
=H01-K10631.1:22	E22.1	5
=H01-K10632.1:22	E22.3	6
=H01-K10633.1:22	E22.5	7
=H01-K10634.1:22	E22.7	8

=H01/1043.1
SPARE MOTOR 24VDC SUPPLY FAULT

=H01/1043.3
SPARE MOTOR 24VDC SUPPLY FAULT

=H01/1043.5
SPARE MOTOR 24VDC SUPPLY FAULT

=H01/1043.7
FLYING SHEAR GREASE LUBRICATION PUMP SYPPLY FAULT

=H01/1043.2
SPARE MOTOR 24VDC FEEDBACK

=H01/1043.4
SPARE MOTOR 24VDC FEEDBACK

=H01/1043.6
SPARE MOTOR 24VDC FEEDBACK

=H01/1043.8
FLYING SHEAR GREASE LUBRICATION PUMP FEEDBACK

-A25225.1

=H02-Q271:34	E23.0	1
=H02-Q273:34	E23.2	2
XDI4:48	E23.4	3
XDI4:52	E23.6	4
=H01-K10635.1:22	E23.1	5
=H01-K10636.1:22	E23.3	6
XDI4:49	E23.5	7
XDI4:53	E23.7	8

=H01/1044.1
BRAKE SCRAP CUTTER POSITION SPARE SUPPLY FAULT

=H01/1044.3
BRAKE SPARE SUPPLY FAULT

=H01/1044.5
SPARE

=H01/1044.7
SPARE

=H01/1044.2
BRAKE SCRAP CUTTER POSITION FEEDBACK

=H01/1044.4
BRAKE FEEDBACK

=H01/1044.6
SPARE

=H01/1044.8
SPARE

-A25231

=H02-Q334:34	E24.0	1
=H02-Q337:34	E24.2	2
=H02-Q351:34	E24.4	3
=H02-Q354:34	E24.6	4
=H01-K10752.1:52	E24.1	5
=H01-K10754.1:52	E24.3	6
=H01-K10756.1:52	E24.5	7
=H01-K10758.1:52	E24.7	8

=H01/1071.1
LEVELLER 2 BACK UP ROLL 1 RAISE-LOWER SUPPLY FAULT

=H01/1071.3
LEVELLER 2 BACK UP ROLL 2 RAISE-LOWER SUPPLY FAULT

=H01/1071.5
LEVELLER 2 BACK UP ROLL 3 RAISE-LOWER SUPPLY FAULT

=H01/1071.7
LEVELLER 2 BACK UP ROLL 4 RAISE-LOWER SUPPLY FAULT

=H01/1071.2
LEVELLER 2 BACK UP ROLL 1 RAISE-LOWER FEEDBACK

=H01/1071.4
LEVELLER 2 BACK UP ROLL 2 RAISE-LOWER FEEDBACK

=H01/1071.6
LEVELLER 2 BACK UP ROLL 3 RAISE-LOWER FEEDBACK

=H01/1071.8
LEVELLER 2 BACK UP ROLL 4 RAISE-LOWER FEEDBACK

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC card overview : =H03-A25225 - =H03-A25231	POSIZ./LOCATION: + E12 / GRUPPO/SECTION: = H03 / PAGINE/PAGE: 2535
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25231.1

=H02-Q357:34	E25.0	1
=H02-Q361:34	E25.2	2
=H02-Q364:34	E25.4	3
=H02-Q371:34	E25.6	4
=H01-K10762.1:52	E25.1	5
=H01-K10764.1:52	E25.3	6
=H01-K10766.1:52	E25.5	7
=H01-K10768.1:52	E25.7	8

=H01/1072.1
LEVELLER 2 BACK UP ROLL 5 RAISE-LOWER SUPPLY FAULT
=H01/1072.3
LEVELLER 2 BACK UP ROLL 6 RAISE-LOWER SUPPLY FAULT
=H01/1072.5
LEVELLER 2 BACK UP ROLL 7 RAISE-LOWER SUPPLY FAULT
=H01/1072.7
ROLLS AND CHAINS BOX 1 90° RISE-LOWER SUPPLY FAULT
=H01/1072.2
LEVELLER 2 BACK UP ROLL 5 RAISE-LOWER FEEDBACK
=H01/1072.4
LEVELLER 2 BACK UP ROLL 6 RAISE-LOWER FEEDBACK
=H01/1072.6
LEVELLER 2 BACK UP ROLL 7 RAISE-LOWER FEEDBACK
=H01/1072.8
ROLLS AND CHAINS BOX 1 90° RISE-LOWER FEEDBACK

-A25232

=H02-Q374:34	E26.0	1
=H02-Q381:34	E26.2	2
=H02-Q384:34	E26.4	3
=H02-Q391:34	E26.6	4
=H01-K10772.1:52	E26.1	5
=H01-K10774.1:52	E26.3	6
=H01-K10776.1:52	E26.5	7
=H01-K10778.1:52	E26.7	8

=H01/1073.1
ROLLS AND CHAINS BOX 2 90° RISE-LOWER SUPPLY FAULT
=H01/1073.3
ROLLS AND CHAINS EXIT 3 STRUT LIFTING RISE-LOWER SUPPLY FAULT
=H01/1073.5
ROLLS AND CHAINS EXIT 4 STRUT LIFTING RISE-LOWER SUPPLY FAULT
=H01/1073.7
FLYINH SHEAR BLADE CASSETTE OPEN-CLOSE SUPPLY FAULT
=H01/1073.2
ROLLS AND CHAINS BOX 2 90° RISE-LOWER FEEDBACK
=H01/1073.4
ROLLS AND CHAINS EXIT 3 STRUT LIFTING RISE-LOWER FEEDBACK
=H01/1073.6
ROLLS AND CHAINS EXIT 4 STRUT LIFTING RISE-LOWER FEEDBACK
=H01/1073.8
FLYINH SHEAR BLADE CASSETTE OPEN-CLOSE FEEDBACK

-A25232.1

=H02-Q394:34	E27.0	1
=H02-Q397:34	E27.2	2
=H02-Q401:34	E27.4	3
=H02-Q404:34	E27.6	4
=H01-K10782.1:52	E27.1	5
=H01-K10784.1:52	E27.3	6
=H01-K10786.1:52	E27.5	7
=H01-K10788.1:52	E27.7	8

=H01/1074.1
ROLLER AND CHAINS BOX 1 90° CHAINS UP RAISE-LOWER SUPPLY FAULT
=H01/1074.3
ROLLER AND CHAINS BOX 2 90° CHAINS UP RAISE-LOWER SUPPLY FAULT
=H01/1074.5
ROLLER AND CHAIN EXIT 3 RISE_LOWER SUPPLY FAULT
=H01/1074.7
ROLLER AND CHAIN EXIT 4 RISE_LOWER SUPPLY FAULT
=H01/1074.2
ROLLER AND CHAINS BOX 1 90° CHAINS UP RAISE-LOWER FEEDBACK
=H01/1074.4
ROLLER AND CHAINS BOX 2 90° CHAINS UP RAISE-LOWER FEEDBACK
=H01/1074.6
ROLLER AND CHAIN EXIT 3 RISE_LOWER FEEDBACK
=H01/1074.8
ROLLER AND CHAIN EXIT 4 RISE_LOWER FEEDBACK

2535

2537

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25231.1 - =H03-A25232.1	POSIZ./LOCATION + E12	GRUPPO/SECTION = H03	PAGINE/PAGE 2536
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25253

=H01-K10501:A1	A0.0	1	=H01/1050.1 BRAKE STRAIGHTENER ON
=H01-K10503:A1	A0.2	2	=H01/1050.3 SPARE
=H01-K10505:A1	A0.4	3	=H01/1050.5 SPARE
=H01-K10507:A1	A0.6	4	=H01/1050.7 FAN LEVELLER 1 MOTOR ON
=H01-K10502:A1	A0.1	5	=H01/1050.2 FAN STRAIGHTENER ON
=H01-K10504:A1	A0.3	6	=H01/1050.4 SPARE
=H01-K10506:A1	A0.5	7	=H01/1050.6 BRAKE LEVELLER 1 MOTOR ON
=H01-K10508:A1	A0.7	8	=H01/1050.8 BRAKE LEVELLER 2 MOTOR 1 ON

-A25253.1

=H01-K10511:A1	A1.0	1	=H01/1051.1 FAN LEVELLER 2 MOTOR 1 ON
=H01-K10513:A1	A1.2	2	=H01/1051.3 FAN LEVELLER 2 MOTOR 2 ON
=H01-K10515:A1	A1.4	3	=H01/1051.5
=H01-K10517:A1	A1.6	4	=H01/1051.7 SPARE
=H01-K10512:A1	A1.1	5	=H01/1051.2 BRAKE LEVELLER 2 MOTOR 2 ON
=H01-K10514:A1	A1.3	6	=H01/1051.4 FAN SCRAP CUTTER MOTOR SIDE ON
=H01-K10516:A1	A1.5	7	=H01/1051.6 SPARE
=H01-K10518:A1	A1.7	8	=H01/1051.8 SPARE

-A25253.2

	1	/2525.4
DC24V	2	/2525.4
DC0V	3	/2525.4
	4	/2525.4
	5	/2525.4
DC24V	6	/2525.4
DC0V	7	/2525.4
	8	/2525.4

2536

2538

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25253 - =H03-A25253.2	POSIZ./LOCATION + E12	GRUPPO/SECTION = H03	PAGINE/PAGE 2537
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25254.1

=H01-K10531:A1	A3.0	1	=H01/1053.1 FLYING SHEAR HYDRAULIC STATION OIL HEATING
=H01-K10533:A1	A3.2	2	=H01/1053.3 LEVELLER 1 OIL LUBRICATION PUMP
=H01-K10535:A1	A3.4	3	=H01/1053.5 FLYING SHEAR HYDRAULIC POWER STATION FOR CUTTING
=H01-K10537:A1	A3.6	4	=H01/1053.7 FLYING SHEAR HYDRAULIC POWER STATION FAN
=H01-K10532:A1	A3.1	5	=H01/1053.2 HYDRAULIC UNIT OIL HEATING
=H01-K10534:A1	A3.3	6	=H01/1053.4 LEVELLER 2 OIL LUBRICATION PUMP
=H01-K10536:A1	A3.5	7	=H01/1053.6 FLYING SHEAR HYDRAULIC POWER STATION OIL COOLING
=H01-K10538:A1	A3.7	8	=H01/1053.8 HYDRAULIC STATION PUMP 1

-A25255

=H01-K10541:A1	A4.0	1	=H01/1054.1 HYDRAULIC STATION PUMP 2
=H01-K10543:A1	A4.2	2	=H01/1054.3 HYDRAULIC STATION OIL COOLING PUMP
=H01-K10545:A1	A4.4	3	=H01/1054.5 FLYING SHEAR OIL RECOVERY FOR DRAINS
=H01-K10547:A1	A4.6	4	=H01/1054.7 SPARE
=H01-K10542:A1	A4.1	5	=H01/1054.2 HYDRAULIC STATION OIL COOLING RECIRCULATION PUMP
=H01-K10544:A1	A4.3	6	=H01/1054.4 STRAIGHTENER OIL LUBRICATION PUMP
=H01-K10546:A1	A4.5	7	=H01/1054.6 SPARE
=H01-K10548:A1	A4.7	8	=H01/1054.8 SPARE

-A25255.1

=H01-K10551:A1	A5.0	1	=H01/1055.1 CROP SHEAR BLADE GAP INCREASE
=H01-K10553:A1	A5.2	2	=H01/1055.3 SCRAP CAR CROP SHEAR TRANSLATING BACKWARD
=H01-K10555:A1	A5.4	3	=H01/1055.5 SCRAP CAR CROP SHEAR TRANSLATING FORWARD
=H01-K10557:A1	A5.6	4	=H01/1055.7 SCRAP CAR CROP SHEAR TRANSLATING FORWARD
=H01-K10552:A1	A5.1	5	=H01/1055.2 CROP SHEAR BLADE GAP DECREASE
=H01-K10554:A1	A5.3	6	=H01/1055.4 SCRAP CAR CROP SHEAR TRANSLATING FORWARD
=H01-K10556:A1	A5.5	7	=H01/1055.6 SCRAP CAR CROP SHEAR TRANSLATING FORWARD
=H01-K10558:A1	A5.7	8	=H01/1055.8 SCRAP CAR CROP SHEAR TRANSLATING FORWARD

2537

2539

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25254.1 - =H03-A25255.1	POSIZ./LOCATION + E12	GRUPPO/SECTION = H03	PAGINE/PAGE 2538
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25257

=H01-K10571:A1	A7.0	1	=H01/1057.1 LEVELLER 1 BACK UP ROLL 1 RAISE
=H01-K10573:A1	A7.2	2	=H01/1057.3 LEVELLER 1 BACK UP ROLL 2 RAISE
=H01-K10575:A1	A7.4	3	=H01/1057.5 LEVELLER 1 BACK UP ROLL 3 RAISE
=H01-K10577:A1	A7.6	4	=H01/1057.7 LEVELLER 1 BACK UP ROLL 4 RAISE
=H01-K10572:A1	A7.1	5	=H01/1057.2 LEVELLER 1 BACK UP ROLL 1 LOWER
=H01-K10574:A1	A7.3	6	=H01/1057.4 LEVELLER 1 BACK UP ROLL 2 LOWER
=H01-K10576:A1	A7.5	7	=H01/1057.6 LEVELLER 1 BACK UP ROLL 3 LOWER
=H01-K10578:A1	A7.7	8	=H01/1057.8 LEVELLER 1 BACK UP ROLL 4 LOWER

-A25258

=H01-K10581:A1	A8.0	1	=H01/1058.1 LEVELLER 1 BACK UP ROLL 5 RAISE
=H01-K10583:A1	A8.2	2	=H01/1058.3 SPARE
=H01-K10585:A1	A8.4	3	=H01/1058.5 HOLD DOWN PLATE CYLINDER RISE
=H01-K10587:A1	A8.6	4	=H01/1058.7 TRIMMING SHEAR BLADE GAP O.S. INCREASE
=H01-K10582:A1	A8.1	5	=H01/1058.2 LEVELLER 1 BACK UP ROLL 5 LOWER
=H01-K10584:A1	A8.3	6	=H01/1058.4 SPARE
=H01-K10586:A1	A8.5	7	=H01/1058.6 HOLD DOWN PLATE CYLINDER LOWER
=H01-K10588:A1	A8.7	8	=H01/1058.8 TRIMMING SHEAR BLADE GAP O.S. DECREASE

-A25258.1

=H01-K10591:A1	A9.0	1	=H01/1059.1 SCRAP CARRIAGE TRANSLATION IN LINE
=H01-K10593:A1	A9.2	2	=H01/1059.3 STACKER CAR RACKET BOX 1 O.S. OPEN
=H01-K10595:A1	A9.4	3	=H01/1059.5 STACKER CAR RACKET BOX 2 O.S. OPEN
=H01-K10597:A1	A9.6	4	=H01/1059.7 STACKER CAR RACKET BOX 1 M.S. OPEN
=H01-K10592:A1	A9.1	5	=H01/1059.2 SCRAP CARRIAGE TRANSLATION OUT LINE
=H01-K10594:A1	A9.3	6	=H01/1059.4 STACKER CAR RACKET BOX 1 O.S. CLOSE
=H01-K10596:A1	A9.5	7	=H01/1059.6 STACKER CAR RACKET BOX 2 O.S. CLOSE
=H01-K10598:A1	A9.7	8	=H01/1059.8 STACKER CAR RACKET BOX 1 M.S. CLOSE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25257 - =H03-A25258.1	POSIZ./LOCATION + E12	GRUPPO/SECTION = H03	PAGINE/PAGE 2539
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25259

=H01-K10601:A1	A10.0	1	=H01/1060.1 STACKER CAR RACKET BOX 2 M.S. OPEN
=H01-K10603:A1	A10.2	2	=H01/1060.3 STACKER SIDE GUIDE BOX 1 M.S. OPEN
=H01-K10605:A1	A10.4	3	=H01/1060.5 STACKER SIDE GUIDE BOX 2 M.S. OPEN
=H01-K10607:A1	A10.6	4	=H01/1060.7 STACKER SIDE GUIDE BOX 1 O.S. OPEN
=H01-K10602:A1	A10.1	5	=H01/1060.2 STACKER CAR RACKET BOX 2 M.S. CLOSE
=H01-K10604:A1	A10.3	6	=H01/1060.4 STACKER SIDE GUIDE BOX 1 M.S. CLOSE
=H01-K10606:A1	A10.5	7	=H01/1060.6 STACKER SIDE GUIDE BOX 2 M.S. CLOSE
=H01-K10608:A1	A10.7	8	=H01/1060.8 STACKER SIDE GUIDE BOX 1 O.S. CLOSE

-A25260

	1	/2526.1
DC24V	2	/2526.1
DC0V	3	/2526.1
	4	/2526.1
	5	/2526.1
DC24V	6	/2526.1
DC0V	7	/2526.1
	8	/2526.1

-A25261

=H01-K10611:A1	A11.0	1	=H01/1061.1 STACKER SIDE GUIDE BOX 2 O.S. OPEN
=H01-K10613:A1	A11.2	2	=H01/1061.3 SPARE
=H01-K10615:A1	A11.4	3	=H01/1061.5 SPARE
=H01-K10617:A1	A11.6	4	=H01/1061.7 SPARE
=H01-K10612:A1	A11.1	5	=H01/1061.2 STACKER SIDE GUIDE BOX 2 O.S. CLOSE
=H01-K10614:A1	A11.3	6	=H01/1061.4 SPARE
=H01-K10616:A1	A11.5	7	=H01/1061.6 SPARE
=H01-K10618:A1	A11.7	8	=H01/1061.8 SPARE

2539

2541

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25259 - =H03-A25261	POSIZ./LOCATION + E12	GRUPPO/SECTION = H03	PAGINE/PAGE 2540
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25262

=H01-K10621:A1	A12.0	1	=H01/1062.1 SPARE
=H01-K10623:A1	A12.2	2	=H01/1062.3 SPARE
=H01-K10625:A1	A12.4	3	=H01/1062.5 SPARE
=H01-K10627:A1	A12.6	4	=H01/1062.7 SPARE
=H01-K10622:A1	A12.1	5	=H01/1062.2 SPARE
=H01-K10624:A1	A12.3	6	=H01/1062.4 SPARE
=H01-K10626:A1	A12.5	7	=H01/1062.6 SPARE
=H01-K10628:A1	A12.7	8	=H01/1062.8 SPARE

-A25262.1

=H01-K10631:A1	A13.0	1	=H01/1063.1
=H01-K10633:A1	A13.2	2	=H01/1063.3
=H01-K10635:A1	A13.4	3	=H01/1063.5 BRAKE SCRAP CUTTER POSITION SPARE SUPPLY
=H01-K10637:A1	A13.6	4	=H01/1063.7
=H01-K10632:A1	A13.1	5	=H01/1063.2
=H01-K10634:A1	A13.3	6	=H01/1063.4 FLYING SHEAR GREASE LUBRICATION PUMP
=H01-K10636:A1	A13.5	7	=H01/1063.6 BRAKE SPARE SUPPLY
XP4.1:5	A13.7	8	=H01/1063.8 SPARE ENTRANCE REQUEST

-A25263

XP4.1:6	A14.0	1	=H01/1064.1 SPARE SAFETY RESET
=H01-H10643:X1	A14.2	2	=H01/1064.3 GATE G4.2 LOCKED
=H01-S10424:X1	A14.4	3	=H01/1064.5 AREA 4 SAFETY RESET
=H01-S10425:X1	A14.6	4	=H01/1064.7 AREA 5 ENTRANCE REQUEST
XP4.1:7	A14.1	5	=H01/1064.2 LOCAL PANEL SPARE
=H01-S10423:X1	A14.3	6	=H01/1064.4 AREA 4 ENTRANCE REQUEST
=H01-H10646:X1	A14.5	7	=H01/1064.6 GATE G5.2 LOCKED
=H01-S10426:X1	A14.7	8	=H01/1064.8 AREA 5 SAFETY RESET

2540

2542

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25262 - =H03-A25263	POSIZ./LOCATION + E12	GRUPPO/SECTION = H03	PAGINE/PAGE 2541
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25263.1

=H01-H10653:X1	A15.0	1	=H01/1065.1 GATE G7.2 LOCKED
=H01-S10428:X1	A15.2	2	=H01/1065.3 AREA 7 SAFETY RESET
XDO4:21	A15.4	3	=H01/1065.5 SPARE
XDO4:24	A15.6	4	=H01/1065.7 SPARE
=H01-S10427:X1	A15.1	5	=H01/1065.2 AREA 7 ENTRANCE REQUEST
XDO4:19	A15.3	6	=H01/1065.4 SPARE
XDO4:22	A15.5	7	=H01/1065.6 SPARE
XDO4:25	A15.7	8	=H01/1065.8 SPARE

-A25264

=H01-K10751:A1	A16.0	1	=H01/1075.1 LEVELLER 2 BACK UP ROLL 1 RAISE
=H01-K10753:A1	A16.2	2	=H01/1075.3 LEVELLER 2 BACK UP ROLL 2 RAISE
=H01-K10755:A1	A16.4	3	=H01/1075.5 LEVELLER 2 BACK UP ROLL 3 RAISE
=H01-K10757:A1	A16.6	4	=H01/1075.7 LEVELLER 2 BACK UP ROLL 4 RAISE
=H01-K10752:A1	A16.1	5	=H01/1075.2 LEVELLER 2 BACK UP ROLL 1 LOWER
=H01-K10754:A1	A16.3	6	=H01/1075.4 LEVELLER 2 BACK UP ROLL 2 LOWER
=H01-K10756:A1	A16.5	7	=H01/1075.6 LEVELLER 2 BACK UP ROLL 3 LOWER
=H01-K10758:A1	A16.7	8	=H01/1075.8 LEVELLER 2 BACK UP ROLL 4 LOWER

-A25264.1

=H01-K10761:A1	A17.0	1	=H01/1076.1 LEVELLER 2 BACK UP ROLL 5 RAISE
=H01-K10763:A1	A17.2	2	=H01/1076.3 LEVELLER 2 BACK UP ROLL 6 RAISE
=H01-K10765:A1	A17.4	3	=H01/1076.5 LEVELLER 2 BACK UP ROLL 7 RAISE
=H01-K10767:A1	A17.6	4	=H01/1076.7 ROLLS AND CHAINS BOX 1 90° RISE
=H01-K10762:A1	A17.1	5	=H01/1076.2 LEVELLER 2 BACK UP ROLL 5 LOWER
=H01-K10764:A1	A17.3	6	=H01/1076.4 LEVELLER 2 BACK UP ROLL 6 LOWER
=H01-K10766:A1	A17.5	7	=H01/1076.6 LEVELLER 2 BACK UP ROLL 7 LOWER
=H01-K10768:A1	A17.7	8	=H01/1076.8 ROLLS AND CHAINS BOX 1 90° LOWER

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25263.1 - =H03-A25264.1	POSIZ./LOCATION + E12	GRUPPO/SECTION = H03	PAGINE/PAGE 2542
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25265

=H01-K10771:A1	A18.0	1	=H01/1077.1 ROLLS AND CHAINS BOX 2 90° RISE
=H01-K10773:A1	A18.2	2	=H01/1077.3 ROLLS AND CHAINS EXIT 3 STRUT LIFTING RISE
=H01-K10775:A1	A18.4	3	=H01/1077.5 ROLLS AND CHAINS EXIT 4 STRUT LIFTING RISE
=H01-K10777:A1	A18.6	4	=H01/1077.7 FLYINH SHEAR BLADE CASSETTE OPEN
=H01-K10772:A1	A18.1	5	=H01/1077.2 ROLLS AND CHAINS BOX 2 90° LOWER
=H01-K10774:A1	A18.3	6	=H01/1077.4 ROLLS AND CHAINS EXIT 3 STRUT LIFTING LOWER
=H01-K10776:A1	A18.5	7	=H01/1077.6 ROLLS AND CHAINS EXIT 4 STRUT LIFTING LOWER
=H01-K10778:A1	A18.7	8	=H01/1077.8 FLYINH SHEAR BLADE CASSETTE CLOSE

-A25265.1

=H01-K10781:A1	A19.0	1	=H01/1078.1 ROLLER AND CHAINS BOX 1 90° CHAINS UP RAISE
=H01-K10783:A1	A19.2	2	=H01/1078.3 ROLLER AND CHAINS BOX 2 90° CHAINS UP RAISE
=H01-K10785:A1	A19.4	3	=H01/1078.5 ROLLER AND CHAIN EXIT 3 RAISE
=H01-K10787:A1	A19.6	4	=H01/1078.7 ROLLER AND CHAIN EXIT 4 RAISE
=H01-K10782:A1	A19.1	5	=H01/1078.2 ROLLER AND CHAINS BOX 1 90° CHAINS UP LOWER
=H01-K10784:A1	A19.3	6	=H01/1078.4 ROLLER AND CHAINS BOX 2 90° CHAINS UP LOWER
=H01-K10786:A1	A19.5	7	=H01/1078.6 ROLLER AND CHAIN EXIT 3 LOWER
=H01-K10788:A1	A19.7	8	=H01/1078.8 ROLLER AND CHAIN EXIT 4 LOWER

-A25271

	1	/2527.1
DC24V	2	/2527.1
DC0V	3	/2527.1
	4	/2527.1
	5	/2527.1
DC24V	6	/2527.1
DC0V	7	/2527.1
	8	/2527.1

2542

2544

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25265 - =H03-A25271	POSIZ./LOCATION + E12	GRUPPO/SECTION = H03	PAGINE/PAGE 2543
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01						
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25272

=H01-K10112:61	E500.0	1	=H01/1001.1 EMERGENCY RELAY CONTROL
=H01-K10116:61	E500.2	2	=H01/1001.5 ZONE 1 EMERGENCY RELAY CONTROL
	T0	3	=H01/1001.1 EMERGENCY RELAY CONTROL
	T2	4	=H01/1001.5 ZONE 1 EMERGENCY RELAY CONTROL
=H01-K10114:61	E500.1	5	=H01/1001.3 DELAYED EMERGENCY RELAY CONTROL
=H01-K10118:61	E500.3	6	=H01/1001.7 ZONE 2 EMERGENCY RELAY CONTROL
	T1	7	=H01/1001.3 DELAYED EMERGENCY RELAY CONTROL
	T3	8	=H01/1001.7 ZONE 2 EMERGENCY RELAY CONTROL

-A25272.1

=H01-K10122:61	E505.0	1	=H01/1002.1 ZONE 3 EMERGENCY RELAY CONTROL
=H01-K10126:61	E505.2	2	=H01/1002.5 ZONE 5 EMERGENCY RELAY CONTROL
	T0	3	=H01/1002.1 ZONE 3 EMERGENCY RELAY CONTROL
	T2	4	=H01/1002.5 ZONE 5 EMERGENCY RELAY CONTROL
=H01-K10124:61	E505.1	5	=H01/1002.3 ZONE 4 EMERGENCY RELAY CONTROL
=H01-K10128:61	E505.3	6	=H01/1002.7 ZONE 6 EMERGENCY RELAY CONTROL
	T1	7	=H01/1002.3 ZONE 4 EMERGENCY RELAY CONTROL
	T3	8	=H01/1002.7 ZONE 6 EMERGENCY RELAY CONTROL

-A25273

=H01-K10132:61	E510.0	1	=H01/1003.1 ZONE 7 EMERGENCY RELAY CONTROL
XSI4:1	E510.2	2	=H01/1003.5 EMERGENCY INPUT
	T0	3	=H01/1003.1 ZONE 7 EMERGENCY RELAY CONTROL
	T2	4	=H01/1003.5 EMERGENCY INPUT
=H01-K10134:61	E510.1	5	=H01/1003.3 ZONE 8 EMERGENCY RELAY CONTROL
=H00-Q681:24	E510.3	6	=H01/1003.7 EMERGENCY SAFETY FEEDBACK
	T1	7	=H01/1003.3 ZONE 8 EMERGENCY RELAY CONTROL
	T3	8	=H01/1003.7 EMERGENCY SAFETY FEEDBACK

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25272 - =H03-A25273	POSIZ./LOCATION + E12	GRUPPO/SECTION = H03	PAGINE/PAGE 2544
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25273.1

XSI4:3	E515.0	1	=H01/1005.1 SPARE EMERGENCY INPUT
XSI4:7	E515.2	2	=H01/1005.5 SPARE EMERGENCY INPUT
	T0	3	=H01/1005.1 SPARE EMERGENCY INPUT
	T2	4	=H01/1005.5 SPARE EMERGENCY INPUT
XSI4:5	E515.1	5	=H01/1005.3 SPARE EMERGENCY INPUT
XSI4:9	E515.3	6	=H01/1005.7 SPARE EMERGENCY INPUT
	T1	7	=H01/1005.3 SPARE EMERGENCY INPUT
	T3	8	=H01/1005.7 SPARE EMERGENCY INPUT

-A25274

=H01-K10111:A1	A524.0	1	=H01/1011.1 EMERGENCY
	DC0V	2	=H01/1011.1 EMERGENCY
=H01-K10115:A1	A524.2	3	=H01/1011.5 EMERGENCY AREA 1
	DC0V	4	=H01/1011.5 EMERGENCY AREA 1
=H01-K10113:A1	A524.1	5	=H01/1011.3 DELAYED EMERGENCY
	DC0V	6	=H01/1011.3 DELAYED EMERGENCY
=H01-K10117:A1	A524.3	7	=H01/1011.7 EMERGENCY AREA 2
	DC0V	8	=H01/1011.7 EMERGENCY AREA 2

-A25274.1

=H01-K10121:A1	A528.0	1	=H01/1012.1 EMERGENCY AREA 3
	DC0V	2	=H01/1012.1 EMERGENCY AREA 3
=H01-K10125:A1	A528.2	3	=H01/1012.5 EMERGENCY AREA 5
	DC0V	4	=H01/1012.5 EMERGENCY AREA 5
=H01-K10123:A1	A528.1	5	=H01/1012.3 EMERGENCY AREA 4
	DC0V	6	=H01/1012.3 EMERGENCY AREA 4
=H01-K10127:A1	A528.3	7	=H01/1012.7 EMERGENCY AREA 6
	DC0V	8	=H01/1012.7 EMERGENCY AREA 6

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25273.1 - =H03-A25274.1	POSIZ./LOCATION + E12	GRUPPO/SECTION = H03	PAGINE/PAGE 2545
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25274.2

=H01-K10131:A1	A532.0	1	=H01/1013.1 EMERGENCY AREA 7
	DC0V	2	=H01/1013.1 EMERGENCY AREA 7
XSO4:1	A532.2	3	=H01/1013.5 SPARE
	DC0V	4	=H01/1013.5 SPARE
=H01-K10133:A1	A532.1	5	=H01/1013.3 EMERGENCY AREA 8
	DC0V	6	=H01/1013.3 EMERGENCY AREA 8
XSO4:3	A532.3	7	=H01/1013.7 SPARE
	DC0V	8	=H01/1013.7 SPARE

-A25275


XSO4:5	A536.0	1	=H01/1014.1 SPARE
	DC0V	2	=H01/1014.1 SPARE
XSO4:9	A536.2	3	=H01/1014.5
	DC0V	4	=H01/1014.5
XSO4:7	A536.1	5	=H01/1014.3 SPARE
	DC0V	6	=H01/1014.3 SPARE
XSO4:11	A536.3	7	=H01/1014.7
	DC0V	8	=H01/1014.7

2545

2551


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25274.2 - =H03-A25275	POSIZ./LOCATION + E12	GRUPPO/SECTION = H03	PAGINE/PAGE 2546
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK SECT.4.1	POSIZ./LOCATION + E13 / GRUPPO/SECTION = H03 / PAGINE/PAGE 2551
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 2551
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




2551

2554

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK SECT.4.1	POSIZ./LOCATION + E13	GRUPPO/SECTION = H03	PAGINE/PAGE 2553
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2553
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




2553

2555


INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK SECT.4.1	POSIZ./LOCATION + E13	GRUPPO/SECTION = H03	PAGINE/PAGE 2554
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2552
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK SECT.4.1	POSIZ./LOCATION + E13	GRUPPO/SECTION = H03	PAGINE/PAGE 2555
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2554
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



2555 2557

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK SECT.4.1	POSIZ./LOCATION + E13	GRUPPO/SECTION = H03	PAGINE/PAGE 2556
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2554
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25511

	1	/2551.2
DC24V	2	/2551.2
DC0V	3	/2551.2
SYS_DC24V	4	/2551.2
	5	/2551.2
DC24V	6	/2551.2
DC0V	7	/2551.2
SYS_DC0V	8	/2551.2

-A25515

=H01-B11111:4	E30.0	1	=H01/1111.1 MEASURE WHEEL UP ROLLER MAX UP
=H01-B11113:4	E30.2	2	=H01/1111.3 MEASURE WHEEL LOWER ROLLER MAX UP
=H01-B11115:4	E30.4	3	=H01/1111.5 ENTRU SHEAR P.R. UPPER ROLLER MAX OPEN
XJB360:29	E30.6	4	=H01/1111.7 SPARE
=H01-B11112:4	E30.1	5	=H01/1111.2 MEASURE WHEEL UP ROLLER MAX DOWN
=H01-B11114.1:4	E30.3	6	=H01/1111.4 MEASURE WHEEL CONTROL MATERIAL PRESENCE
=H01-B11116:4	E30.5	7	=H01/1111.6 ENTRU SHEAR P.R. UPPER ROLLER MAX DOWN
XJB360:30	E30.7	8	=H01/1111.8 SPARE

-A25515.1

=H01-B11121:4	E31.0	1	=H01/1112.1 CONVEYOR DEFLECTOR UP-DOWN MAX HIGH
XJB410:9	E31.2	2	=H01/1112.3 SPARE
=H01-B11125:4	E31.4	3	=H01/1112.5 CONVEYOR TO ENTRY STACKER P.R. CONTROL CLOSE
XJB420:12	E31.6	4	=H01/1112.7
=H01-B11122:4	E31.1	5	=H01/1112.2 CONVEYOR DEFLECTOR UP-DOWN MAX LOWER
=H01-B11124:4	E31.3	6	=H01/1112.4 CONVEYOR TO ENTRY STACKER P.R. CONTROL OPEN
=H01-B11126	E31.5	7	=H01/1112.6 CONVEYOR TO STACKER AUX. CONTROL BOX 1
=H01-S11128:14	E31.7	8	=H01/1112.8 SCRAP CARRIAGE TRANSLATION MAX IN LINE

2556

2558

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25511 - =H03-A25515.1	POSIZ./LOCATION + E14	GRUPPO/SECTION = H03	PAGINE/PAGE 2557
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25515.2

=H01-S11161:14	E32.0	1	=H01/1116.1 SCRAP CARRIAGE TRANSLATION MAX OUT LINE
=H01-U11163:4	E32.2	2	=H01/1116.3 CHAINS 1 CONTROL ENTRY
XJB500:13	E32.4	3	=H01/1116.5 SPARE
=H01-B11167:4	E32.6	4	=H01/1116.7 CHAINS 2 OVERPASSING CHAINS MAX DOWN
XJB440:13	E32.1	5	=H01/1116.2 SPARE
=H01-U11164:4	E32.3	6	=H01/1116.4 CHAINS 1 CONTROL EXIT
=H01-B11166:4	E32.5	7	=H01/1116.6 CHAINS 2 OVERPASSING CHAINS MAX UP
=H01-U11168:4	E32.7	8	=H01/1116.8 CHAINS 2 CONTROL ENTRY

-A25516

=H01-U11171:4	E33.0	1	=H01/1117.1 CHAINS 2 CONTROL EXIT
=H01-B11173:4	E33.2	2	=H01/1117.3 ROLLER + EXIT CHAIN 1 LIFTING PIN MAX LOWER
=H01-U11175:4	E33.4	3	=H01/1117.5 ROLLER + EXIT CHAIN 1 CONTROL ENTRY
XJB530:25	E33.6	4	=H01/1117.7 SPARE
XJB520:23	E33.1	5	=H01/1117.2
=H01-B11174:4	E33.3	6	=H01/1117.4 ROLLER + EXIT CHAIN 1 LIFTING PIN MAX UP
=H01-U11176:4	E33.5	7	=H01/1117.6 ROLLER + EXIT CHAIN 1 CONTROL EXIT
XJB530:26	E33.7	8	=H01/1117.8 SPARE

-A25516.1

=H01-B11181:4	E34.0	1	=H01/1118.1 ROLLER + EXIT CHAIN 2 LIFTING PIN MAX LOWER
=H01-U11183:4	E34.2	2	=H01/1118.3 ROLLER + EXIT CHAIN 2 CONTROL ENTRY
XJB535:25	E34.4	3	=H01/1118.5 SPARE
XDI4.1:1	E34.6	4	=H01/1118.7
=H01-B11182:4	E34.1	5	=H01/1118.2 ROLLER + EXIT CHAIN 2 LIFTING PIN MAX UP
=H01-U11184:4	E34.3	6	=H01/1118.4 ROLLER + EXIT CHAIN 2 CONTROL EXIT
XJB535:26	E34.5	7	=H01/1118.6 SPARE
XDI4.1:2	E34.7	8	=H01/1118.8

2557

2559

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25515.2 - =H03-A25516.1	POSIZ./LOCATION + E14	GRUPPO/SECTION = H03	PAGINE/PAGE 2558
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25517

=H01-S11191:12	E35.0	1	=H01/1119.1 HYDRAULIC UNIT COOLING CIRCUIT FILTER CLOGGED
=H01-S11193:22	E35.2	2	=H01/1119.3 HYDRAULIC UNIT COOLING CIRCUIT HEATING OIL
=H01-S11195:14	E35.4	3	=H01/1119.5 HYDRAULIC UNIT AUXILAIRY MIN. OIL LEVEL
=H01-S11197:12	E35.6	4	=H01/1119.7 HYDRAULIC UNIT AUXILAIRY RETURN FILTER CLOGGED
=H01-S11192:22	E35.1	5	=H01/1119.2 HYDRAULIC UNIT COOLING CIRCUIT START COMMAND
=H01-S11194:22	E35.3	6	=H01/1119.4 HYDRAULIC UNIT AUXILAIRY OIL TEMPERATURE
=H01-S11196:14	E35.5	7	=H01/1119.6 HYDRAULIC UNIT AUXILAIRY ABSOLUTE MINIMUN OIL LEVEL
XJB800:24	E35.7	8	=H01/1119.8 SPARE

-A25517.1

XDI4.1:5	E36.0	1	=H01/1120.1 SPARE
XDI4.1:9	E36.2	2	=H01/1120.3 SPARE
XDI4.1:13	E36.4	3	=H01/1120.5 SPARE
XDI4.1:17	E36.6	4	=H01/1120.7 SPARE
XDI4.1:6	E36.1	5	=H01/1120.2 SPARE
XDI4.1:10	E36.3	6	=H01/1120.4 SPARE
XDI4.1:14	E36.5	7	=H01/1120.6 SPARE
XDI4.1:18	E36.7	8	=H01/1120.8

-A25517.2

=H01-S11211:14	E37.0	1	=H01/1121.1 PNEUMATIC CIRCUIT AUXILIARY PRESSURE CONTROL
=H01-S11213:12	E37.2	2	=H01/1121.3 STRAIGHTENER OIL LUBRICATION FILTER CLOGGED
X90:15	E37.4	3	=H01/1121.5
X90:21	E37.6	4	=H01/1121.7
=H01-S11212:14	E37.1	5	=H01/1121.2 STRAIGHTENER OIL LUBRICATION PRESSURE CONTROL
X90:12	E37.3	6	=H01/1121.4
X90:18	E37.5	7	=H01/1121.6
X90:24	E37.7	8	=H01/1121.8

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25517 - =H03-A25517.2	POSIZ./LOCATION + E14	GRUPPO/SECTION = H03	PAGINE/PAGE 2559
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25518

XGATE:8	E38.0	1	=H01/1122.1 ACCESS GATE 4.1 KEY INSERTED
=H01-S11461:12	E38.2	2	=H01/1122.3 ACCESS GATE 7.2 KEY INSERTED
XDI4.1:21	E38.4	3	=H01/1122.5 SPARE
XDI4.1:25	E38.6	4	=H01/1122.7 SPARE
=H01-S11455:12	E38.1	5	=H01/1122.2 ACCESS GATE 4.2 KEY INSERTED
=H01-S11465:12	E38.3	6	=H01/1122.4 ACCESS GATE 7.2 KEY INSERTED
XDI4.1:22	E38.5	7	=H01/1122.6 SPARE
XDI4.1:26	E38.7	8	=H01/1122.8 SPARE

-A25518.1

XDI4.1:29	E39.0	1	=H01/1123.1 SPARE
XDI4.1:35	E39.2	2	=H01/1123.3 SPARE
XDI4.1:41	E39.4	3	=H01/1123.5
XDI4.1:47	E39.6	4	=H01/1123.7
XDI4.1:32	E39.1	5	=H01/1123.2 SPARE
XDI4.1:38	E39.3	6	=H01/1123.4 SPARE
XDI4.1:44	E39.5	7	=H01/1123.6
XDI4.1:50	E39.7	8	=H01/1123.8

-A25519

=H01-U11241:4	E40.0	1	=H01/1124.1 CHAINS 5 CONTROL ENTRY
=H01-U11243:4	E40.2	2	=H01/1124.3 CHAINS 6 CONTROL ENTRY
=H01-B11245:4	E40.4	3	=H01/1124.5 CHAINS 6 OVERPASSING CHAINS MAX UP
=H01-B11247:4	E40.6	4	=H01/1124.7 ROLLS AND CHAINS EXIT 7 LIFTING STRUT MAX LOW
=H01-U11242:4	E40.1	5	=H01/1124.2 CHAINS 5 CONTROL EXIT
=H01-U11244:4	E40.3	6	=H01/1124.4 CHAINS 6 CONTROL EXIT
=H01-B11246:4	E40.5	7	=H01/1124.6 CHAINS 6 OVERPASSING CHAINS MAX DOWN
=H01-B11248:4	E40.7	8	=H01/1124.8 ROLLS AND CHAINS EXIT 7 LIFTING STRUT MAX UP

2559

2561

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25518 - =H03-A25519	POSIZ./LOCATION + E14	GRUPPO/SECTION = H03	PAGINE/PAGE 2560
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25519.1

=H01-U11251:4	E41.0	1	=H01/1125.1 ROLLS AND CHAINS EXIT 7 CHAINS CONTROL ENTRY
=H01-B11253:4	E41.2	2	=H01/1125.3 ROLLS AND CHAINS EXIT 8 LIFTING STRUT MAX LOW
=H01-U11255:4	E41.4	3	=H01/1125.5 ROLLS AND CHAINS EXIT 8 CHAINS CONTROL ENTRY
XDI4.1:51	E41.6	4	=H01/1125.7 SPARE
=H01-U11252:4	E41.1	5	=H01/1125.2 ROLLS AND CHAINS EXIT 7 CHAINS CONTROL EXIT
=H01-B11254:4	E41.3	6	=H01/1125.4 ROLLS AND CHAINS EXIT 8 LIFTING STRUT MAX UP
=H01-U11256:4	E41.5	7	=H01/1125.6 ROLLS AND CHAINS EXIT 8 CHAINS CONTROL EXIT
XDI4.1:52	E41.7	8	=H01/1125.8 SPARE

-A25533.1

	1	/2553.4
DC24V	2	/2553.4
DC0V	3	/2553.4
	4	/2553.4
	5	/2553.4
DC24V	6	/2553.4
DC0V	7	/2553.4
	8	/2553.4

-A25535

=H01-Y11311:A1	A30.0	1	=H01/1131.1 MEASURE WHEEL UPPER ROLLER RISE
	DC0V	2	=H01/1131.2 MEASURE WHEEL UPPER ROLLER RISE
=H01-Y11315:A1	A30.2	3	=H01/1131.5 MEASURE WHEEL LOWER ROLLER RISE
	DC0V	4	=H01/1131.4 MEASURE WHEEL UPPER ROLLER LOWER
=H01-Y11311:B1	A30.1	5	=H01/1131.3 MEASURE WHEEL UPPER ROLLER LOWER
	DC0V	6	=H01/1131.6 MEASURE WHEEL LOWER ROLLER RISE
=H01-Y11315:B1	A30.3	7	=H01/1131.7 MEASURE WHEEL LOWER ROLLER LOWER
	DC0V	8	=H01/1131.8 MEASURE WHEEL LOWER ROLLER LOWER

2560

2562

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25519.1 - =H03-A25535	POSIZ./LOCATION + E14	GRUPPO/SECTION = H03	PAGINE/PAGE 2561
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25535.1

=H01-Y11321:A1	A31.0	1	=H01/1132.1 ENTRY SHEAR PINCH ROLL UP ROLLER RISE
	DC0V	2	=H01/1132.2 ENTRY SHEAR PINCH ROLL UP ROLLER RISE
XDO4.1:1	A31.2	3	=H01/1132.5 SPARE
	DC0V	4	=H01/1132.4 ENTRY SHEAR PINCH ROLL UP ROLLER LOWER
=H01-Y11321:B1	A31.1	5	=H01/1132.3 ENTRY SHEAR PINCH ROLL UP ROLLER LOWER
	DC0V	6	=H01/1132.6 SPARE
XDO4.1:2	A31.3	7	=H01/1132.7 SPARE
	DC0V	8	=H01/1132.8 SPARE

-A25536

	1	/2553.6
DC24V	2	/2553.6
DC0V	3	/2553.6
	4	/2553.6
	5	/2553.6
DC24V	6	/2553.6
DC0V	7	/2553.6
	8	/2553.6

-A25537

=H01-Y11331:A1	A32.0	1	=H01/1133.1 CONVEYOR DEFLECTOR UP-DOWN UP
	DC0V	2	=H01/1133.2 CONVEYOR DEFLECTOR UP-DOWN UP
XDO4.1:4	A32.2	3	=H01/1133.5 SPARE
	DC0V	4	=H01/1133.4 CONVEYOR DEFLECTOR UP-DOWN DOWN
=H01-Y11331:B1	A32.1	5	=H01/1133.3 CONVEYOR DEFLECTOR UP-DOWN DOWN
	DC0V	6	=H01/1133.6 SPARE
XDO4.1:5	A32.3	7	=H01/1133.7 SPARE
	DC0V	8	=H01/1133.8 SPARE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25535.1 - =H03-A25537	POSIZ./LOCATION + E14	GRUPPO/SECTION = H03	PAGINE/PAGE 2562
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25540

	1	/2554.1
DC24V	2	/2554.1
DC0V	3	/2554.1
	4	/2554.1
	5	/2554.1
DC24V	6	/2554.1
DC0V	7	/2554.1
	8	/2554.1

-A25541

=H01-Y11341:A1	A33.0	1	=H01/1134.1 CONVEYOR TO STACKER ENTRY STACKER P.R. OPEN
	DC0V	2	=H01/1134.2 CONVEYOR TO STACKER ENTRY STACKER P.R. OPEN
XDO4.1:7	A33.2	3	=H01/1134.5 SPARE
	DC0V	4	=H01/1134.4 CONVEYOR TO STACKER ENTRY STACKER P.R. CLOSE
=H01-Y11341:B1	A33.1	5	=H01/1134.3 CONVEYOR TO STACKER ENTRY STACKER P.R. CLOSE
	DC0V	6	=H01/1134.6 SPARE
XDO4.1:8	A33.3	7	=H01/1134.7 SPARE
	DC0V	8	=H01/1134.8 SPARE

-A25542

=H01-Y11361:A1	A35.0	1	=H01/1136.1 ROLLER + EXIT CHAINS 1 LIFTING PINS RISE
	DC0V	2	=H01/1136.2 ROLLER + EXIT CHAINS 1 LIFTING PINS RISE
XJB500.10:6	A35.2	3	=H01/1136.5
	DC0V	4	=H01/1136.4 ROLLER + EXIT CHAINS 1 LIFTING PINS LOWER
=H01-Y11361:B1	A35.1	5	=H01/1136.3 ROLLER + EXIT CHAINS 1 LIFTING PINS LOWER
	DC0V	6	=H01/1136.6
XJB500.10:7	A35.3	7	=H01/1136.7
	DC0V	8	=H01/1136.8

2562

2564

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25540 - =H03-A25542	POSIZ./LOCATION + E14	GRUPPO/SECTION = H03	PAGINE/PAGE 2563
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25543

	1		/2554.3
DC24V	2		/2554.3
DC0V	3		/2554.3
	4		/2554.3
	5		/2554.3
DC24V	6		/2554.3
DC0V	7		/2554.3
	8		/2554.3

-A25544

=H01-Y11371:A1	A36.0	1	=H01/1137.1 HYDRAULIC UNIT PUMP 1 BY-PASS	
	DC0V	2	=H01/1137.2 HYDRAULIC UNIT PUMP 1 BY-PASS	
XDO4.1:10	A36.2	3	=H01/1137.5 SPARE	
	DC0V	4	=H01/1137.4 HYDRAULIC UNIT PUMP 2 BY-PASS	
=H01-Y11373:A1	A36.1	5	=H01/1137.3 HYDRAULIC UNIT PUMP 2 BY-PASS	
	DC0V	6	=H01/1137.6 SPARE	
XDO4.1:12	A36.3	7	=H01/1137.7 SPARE	
	DC0V	8	=H01/1137.8 SPARE	

-A25544.1

	1		/2554.5
DC24V	2		/2554.5
DC0V	3		/2554.5
	4		/2554.5
	5		/2554.5
DC24V	6		/2554.5
DC0V	7		/2554.5
	8		/2554.5

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25543 - =H03-A25544.1	POSIZ./LOCATION + E14	GRUPPO/SECTION = H03	PAGINE/PAGE 2564
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25546

		1	=H01/1138.1 SPARE
XDO4.1:14	A37.0		
	DC0V	2	=H01/1138.2 SPARE
		3	=H01/1138.5 SPARE
XDO4.1:18	A37.2		
	DC0V	4	=H01/1138.4 SPARE
		5	=H01/1138.3 SPARE
XDO4.1:16	A37.1		
	DC0V	6	=H01/1138.6 SPARE
		7	=H01/1138.7 SPARE
XDO4.1:20	A37.3		
	DC0V	8	=H01/1138.8 SPARE

-A25546.1

		1	/2554.7
	DC24V	2	/2554.7
	DC0V	3	/2554.7
		4	/2554.7
		5	/2554.7
	DC24V	6	/2554.7
	DC0V	7	/2554.7
		8	/2554.7

-A25547

		1	=H01/1140.1 CHAINS 2 OVERPASSING CHAINS RISE
=H01-Y11401:A1	A38.0		
	DC0V	2	=H01/1140.2 CHAINS 2 OVERPASSING CHAINS RISE
		3	=H01/1140.5 SPARE
X180:15	A38.2		
	DC0V	4	=H01/1140.4 CHAINS 2 OVERPASSING CHAINS LOWER
		5	=H01/1140.3 CHAINS 2 OVERPASSING CHAINS LOWER
=H01-Y11401:B1	A38.1		
	DC0V	6	=H01/1140.6 SPARE
		7	=H01/1140.7 SPARE
X180:16	A38.3		
	DC0V	8	=H01/1140.8 SPARE

2564

2566

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC card overview : =H03-A25546 - =H03-A25547	+ E14	= H03	2565
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25548

X191:14	A39.0	1	=H01/1141.1 SPARE
	DC0V	2	=H01/1141.2 SPARE
X191:16	A39.2	3	=H01/1141.5 SPARE
	DC0V	4	=H01/1141.4 SPARE
X191:15	A39.1	5	=H01/1141.3 SPARE
	DC0V	6	=H01/1141.6 SPARE
X191:17	A39.3	7	=H01/1141.7 SPARE
	DC0V	8	=H01/1141.8 SPARE

-A25550

	1	/2555.1
DC24V	2	/2555.1
DC0V	3	/2555.1
	4	/2555.1
	5	/2555.1
DC24V	6	/2555.1
DC0V	7	/2555.1
	8	/2555.1

-A25552

PED40:A	1	=H01/1139.1 CONVEYOR TO STACKER AUXILIARY CONTROL PINCH ROLL ROTATION
DC24V	2	=H01/1139.3 CONVEYOR TO STACKER AUXILIARY CONTROL PINCH ROLL ROTATION
DC0V	3	=H01/1139.3 CONVEYOR TO STACKER AUXILIARY CONTROL PINCH ROLL ROTATION
LATCH	4	=H01/1139.6 CONVEYOR TO STACKER AUXILIARY CONTROL PINCH ROLL ROTATION
PED40:B	5	=H01/1139.2 CONVEYOR TO STACKER AUXILIARY CONTROL PINCH ROLL ROTATION
OUT	6	=H01/1139.8 CONVEYOR TO STACKER AUXILIARY CONTROL PINCH ROLL ROTATION
RESET	7	=H01/1139.6 CONVEYOR TO STACKER AUXILIARY CONTROL PINCH ROLL ROTATION
GATE	8	=H01/1139.7 CONVEYOR TO STACKER AUXILIARY CONTROL PINCH ROLL ROTATION

2565

2567

INDICE REVIS. N° REVIS. INDEX N°				
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO	

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25548 - =H03-A25552	POSIZ./LOCATION + E14	GRUPPO/SECTION = H03	PAGINE/PAGE 2566
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25560

1		/2556.1
2	DC24V	/2556.1
3	DC0V	/2556.1
4		/2556.1
5		/2556.1
6	DC24V	/2556.1
7	DC0V	/2556.1
8		/2556.1

-A25562

XGATE:3	E600.0	1	=H01/1101.1 SPARE ACCESS GATE 4.1 HOLDING ACTUATOR LOCKED
=H01-S11455:31	E600.2	2	=H01/1101.5 ACCESS GATE 4.2 HOLDING ACTUATOR LOCKED
	T0	3	=H01/1101.1 SPARE ACCESS GATE 4.1 HOLDING ACTUATOR LOCKED
	T2	4	=H01/1101.5 ACCESS GATE 4.2 HOLDING ACTUATOR LOCKED
XGATE:4	E600.1	5	=H01/1101.3 SPARE ACCESS GATE 4.1 HOLDING ACTUATOR LOCKED
=H01-S11455:41	E600.3	6	=H01/1101.7 ACCESS GATE 4.2 HOLDING ACTUATOR LOCKED
	T1	7	=H01/1101.3 SPARE ACCESS GATE 4.1 HOLDING ACTUATOR LOCKED
	T3	8	=H01/1101.7 ACCESS GATE 4.2 HOLDING ACTUATOR LOCKED

-A25562.1

=H01-S11461:31	E605.0	1	=H01/1102.1 ACCESS GATE 5.2 HOLDING ACTUATOR LOCKED
=H01-S11465:31	E605.2	2	=H01/1102.5 ACCESS GATE 7.2 HOLDING ACTUATOR LOCKED
	T0	3	=H01/1102.1 ACCESS GATE 5.2 HOLDING ACTUATOR LOCKED
	T2	4	=H01/1102.5 ACCESS GATE 7.2 HOLDING ACTUATOR LOCKED
=H01-S11461:41	E605.1	5	=H01/1102.3 ACCESS GATE 5.2 HOLDING ACTUATOR LOCKED
=H01-S11465:41	E605.3	6	=H01/1102.7 ACCESS GATE 7.2 HOLDING ACTUATOR LOCKED
	T1	7	=H01/1102.3 ACCESS GATE 5.2 HOLDING ACTUATOR LOCKED
	T3	8	=H01/1102.7 ACCESS GATE 7.2 HOLDING ACTUATOR LOCKED

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25560 - =H03-A25562.1	POSIZ./LOCATION + E14	GRUPPO/SECTION = H03	PAGINE/PAGE 2567
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25562.2

=H01-K11062:61	E610.0	1	=H01/1103.1 EMERGENCY
=H01-K11066:61	E610.2	2	=H01/1103.5 EMERGENCY AREA 1
	T0	3	=H01/1103.1 EMERGENCY
	T2	4	=H01/1103.5 EMERGENCY AREA 1
=H01-K11064:61	E610.1	5	=H01/1103.3 DELAYED EMERGENCY
=H01-K11068:61	E610.3	6	=H01/1103.7 EMERGENCY AREA 2
	T1	7	=H01/1103.3 DELAYED EMERGENCY
	T3	8	=H01/1103.7 EMERGENCY AREA 2

-A25563

XGATE:1	A615.0	1	=H01/1105.1 ACCESS GATE SPARE HOLDING ACTUATOR LOCK
	DC0V	2	=H01/1105.1 ACCESS GATE SPARE HOLDING ACTUATOR LOCK
=H01-S11461:A1	A615.2	3	=H01/1105.5 ACCESS GATE 5.2 HOLDING ACTUATOR LOCK
	DC0V	4	=H01/1105.5 ACCESS GATE 5.2 HOLDING ACTUATOR LOCK
=H01-S11455:A1	A615.1	5	=H01/1105.3 ACCESS GATE 4.2 HOLDING ACTUATOR LOCK
	DC0V	6	=H01/1105.3 ACCESS GATE 4.2 HOLDING ACTUATOR LOCK
=H01-S11465:A1	A615.3	7	=H01/1105.7 ACCESS GATE 7.2 HOLDING ACTUATOR LOCK
	DC0V	8	=H01/1105.7 ACCESS GATE 7.2 HOLDING ACTUATOR LOCK

-A25564

=H01-K11061:A1	A620.0	1	=H01/1106.1 EMERGENCY
	DC0V	2	=H01/1106.1 EMERGENCY
=H01-K11065:A1	A620.2	3	=H01/1106.5 EMERGENCY AREA 1
	DC0V	4	=H01/1106.5 EMERGENCY AREA 1
=H01-K11063:A1	A620.1	5	=H01/1106.3 DELAYED EMERGENCY
	DC0V	6	=H01/1106.3 DELAYED EMERGENCY
=H01-K11067:A1	A620.3	7	=H01/1106.7 EMERGENCY AREA 2
	DC0V	8	=H01/1106.7 EMERGENCY AREA 2

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25562.2 - =H03-A25564	POSIZ./LOCATION + E14	GRUPPO/SECTION = H03	PAGINE/PAGE 2568
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25564.1

XSO4.1:1	A625.0	1	=H01/1107.1 SPARE	
	DC0V	2	=H01/1107.1 SPARE	
XSO4.1:5	A625.2	3	=H01/1107.5 SPARE	
	DC0V	4	=H01/1107.5 SPARE	
XSO4.1:3	A625.1	5	=H01/1107.3 SPARE	
	DC0V	6	=H01/1107.3 SPARE	
XSO4.1:7	A625.3	7	=H01/1107.7 SPARE	
	DC0V	8	=H01/1107.7 SPARE	


2568

2581

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC card overview : =H03-A25564.1 - =H03-A25564.1	+ E14	= H03	2569
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




2569

2583

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	ET 200SP RACK SECT.3	+ E11	= H03	2581
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2581
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



2581


2584

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK SECT.3	POSIZ./LOCATION + E11	GRUPPO/SECTION = H03	PAGINE/PAGE 2583
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2583
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9


-A25841
=H01/1259.0



INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK SECT.3	POSIZ./LOCATION + E11	GRUPPO/SECTION = H03	PAGINE/PAGE 2584
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2583
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							


RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK SECT.3	POSIZ./LOCATION + E11	GRUPPO/SECTION = H03	PAGINE/PAGE 2585
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2583
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




2585

2596

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SCALANCE SWITCH SECT.3	POSIZ./LOCATION + E11	GRUPPO/SECTION = H03	PAGINE/PAGE 2595
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2605
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9



INDICE REVIS. N° REVIS. INDEX N°											
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SCALANCE SWITCH SECT.3	POSIZ./LOCATION + E11	GRUPPO/SECTION = H03	PAGINE/PAGE 2596
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2606
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25812

+E11

	1	/2581.4
DC24V	2	/2581.4
DC0V	3	/2581.4
SYS_DC24V	4	/2581.4
	5	/2581.4
DC24V	6	/2581.4
DC0V	7	/2581.4
SYS_DC0V	8	/2581.4

-A25816

=H00-Q582:14	E60.0	1	=H01/1220.1 PLC POWER SUPPLY SECT1/2 FAULT
=H00-Q511:14	E60.2	2	=H01/1220.3 CU POWER SUPPLY DRIVE FAULT
=H00-Q517:14	E60.4	3	=H01/1220.5 UPS SUPPLY 24Vdc CU 2 FAULT
=H00-Q523:14	E60.6	4	=H01/1220.7 UPS SUPPLY 24Vdc CU 4 FAULT
=H00-Q585:14	E60.1	5	=H01/1220.2 UPS SUPPLY 24Vdc CU SEZ1/2 FAULT
=H00-Q515:14	E60.3	6	=H01/1220.4 UPS SUPPLY 24Vdc CU ZONE ENABLE FAULT
=H00-Q521:14	E60.5	7	=H01/1220.6 UPS SUPPLY 24Vdc CU 3 FAULT
XDI3:1	E60.7	8	=H01/1220.8 SPARE

-A25816.1

XDI3:2	E61.0	1	=H01/1221.1 SPARE
=G17-Q116:24	E61.2	2	=H01/1221.3 BRAKE LEVELLER 1 CHANGE PACKAGE SUPPLY FAULT
=G29-Q116:24	E61.4	3	=H01/1221.5 BRAKE LEVELLER 2 CHANGE PACKAGE SUPPLY FAULT
=G31A-Q118:24	E61.6	4	=H01/1221.7 FAN ENTRY SHEAR PINCH ROLL ROTATION LOW SUPPLY FAULT
XDI3:3	E61.1	5	=H01/1221.2 SPARE
=G18-Q118:44	E61.3	6	=H01/1221.4 FAN BRUSHER 2 UPPER ROLLER MOTOR SUPPLY FAULT
=G31-Q118:24	E61.5	7	=H01/1221.6 FAN ENTRY SHEAR PINCH ROLL ROTATION UP SUPPLY FAULT
=G34-Q116:44	E61.7	8	=H01/1221.8 BRAKE FLYING SHEAR BELT CONVEYOR SUPPLY FAULT

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25812 - =H03-A25816.1	POSIZ./LOCATION + E11	GRUPPO/SECTION = H03	PAGINE/PAGE 2597
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25817

=G38-Q116:44	E62.0	1	=H01/1222.1 BRAKE STACKER RACKET M.S. BOX 1 SUPPLY FAULT
=G42-Q116:44	E62.2	2	=H01/1222.3 BRAKE STACKER RACKET O.S. BOX 1 SUPPLY FAULT
XDI3:4	E62.4	3	=H01/1222.5 SPARE
=G32-Q106:14	E62.6	4	=H01/1222.7 FLYING SHEAR CARRIAGE MOTOR SUPPLY FAULT
=G38A-Q116:44	E62.1	5	=H01/1222.2 BRAKE STACKER RACKET O.S. BOX 1 SUPPLY FAULT
=G42A-Q116:44	E62.3	6	=H01/1222.4 BRAKE STACKER RACKET O.S. BOX 2 SUPPLY FAULT
=G49-Q118:44	E62.5	7	=H01/1222.6 ROLLS AND CHAINS BOX 2 °90 CHAINS ROTATION SUPPLY FAULT
=H01-S12228:2	E62.7	8	=H01/1222.8 BOARD OVERTEMPERATURE

-A25817.1

=G01-Q116:44	E63.0	1	=H01/1223.1 BRAKE STORAGE COIL CAR TRANSLATION M1 SUPPLY FAULT
=G01A-Q117:44	E63.2	2	=H01/1223.3 BRAKE STORAGE COIL CAR TRANSLATION M2 SUPPLY FAULT
=G35-Q118:44	E63.4	3	=H01/1223.5 FAN CONVEYOR DEFLECTOR SUPPLY FAULT
XDI3:7	E63.6	4	=H01/1223.7 SPARE
=G01-Q118:24	E63.1	5	=H01/1223.2 FAN STORAGE COIL CAR TRANSLATION M1 SUPPLY FAULT
=G34-Q118:44	E63.3	6	=H01/1223.4 FAN FLYING SHEAR BELT CONVEYOR SUPPLY FAULT
=G36-Q118:44	E63.5	7	=H01/1223.6 FAN CONVEYOR TO STACKER SUPPLY FAULT
=G05-Q118:24	E63.7	8	=H01/1223.8 BRAKE STRAIGHTENER UPPER ROLL MOTOR

-A25817.2

=G27-Q116:24	E64.0	1	=H01/1224.1 BRAKE LEVELLER 2 ENTRY M.S. SUPPLY FAULT
=G28-Q116:24	E64.2	2	=H01/1224.3 BRAKE LEVELLER 2 EXIT M.S. SUPPLY FAULT
XDI3:10	E64.4	3	=H01/1224.5 SPARE
XDI3:12	E64.6	4	=H01/1224.7 SPARE
=G27A-Q116:24	E64.1	5	=H01/1224.2 BRAKE LEVELLER 2 ENTRY O.S. SUPPLY FAULT
=G28A-Q116:24	E64.3	6	=H01/1224.4 BRAKE LEVELLER 2 EXIT O.S. SUPPLY FAULT
XDI3:11	E64.5	7	=H01/1224.6 SPARE
XDI3:13	E64.7	8	=H01/1224.8 SPARE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25817 - =H03-A25817.2	POSIZ./LOCATION + E11	GRUPPO/SECTION = H03	PAGINE/PAGE 2598
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25818

XDI3:16	E65.0	1	=H01/1225.1 SPARE
XDI3:18	E65.2	2	=H01/1225.3 SPARE
XDI3:22	E65.4	3	=H01/1225.5 SPARE
XDI3:24	E65.6	4	=H01/1225.7 SPARE
XDI3:17	E65.1	5	=H01/1225.2 SPARE
XDI3:19	E65.3	6	=H01/1225.4 SPARE
XDI3:23	E65.5	7	=H01/1225.6 SPARE
XDI3:25	E65.7	8	=H01/1225.8 SPARE

-A25833.1

	1	/2583.4
DC24V	2	/2583.4
DC0V	3	/2583.4
	4	/2583.4
	5	/2583.4
DC24V	6	/2583.4
DC0V	7	/2583.4
	8	/2583.4

-A25835

=G00-A21:X122:1	A60.0	1	=H01/1240.1 STACKER RACKET M.S. BOX 1 ENABLE
=G00-A61:X122:5	A60.2	2	=H01/1240.3 STACKER BELT CONVEYOR BOX 1 RAISE LOWER M.S. ENABLE
=G00-A31:X122:4	A60.4	3	=H01/1240.5 STACKER BELT CONVEYOR BOX 1 ROTATION M.S. ENABLE
=G00-A31:X122:1	A60.6	4	=H01/1240.7 TRIMMING SHEAR POSITION ENABLE
=G00-A21:X122:2	A60.1	5	=H01/1240.2 STACKER RACKET O.S. BOX 1 ENABLE
=G00-A61:X122:6	A60.3	6	=H01/1240.4 STACKER BELT CONVEYOR BOX 1 RAISE LOWER O.S. ENABLE
=G00-A31:X122:5	A60.5	7	=H01/1240.6 STACKER BELT CONVEYOR BOX 1 ROTATION O.S. ENABLE
=G00-A31:X122:2	A60.7	8	=H01/1240.8 LEVELLER 2 EXIT RISE-LOWER M.S. ENABLE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25818 - =H03-A25835	POSIZ./LOCATION + E11	GRUPPO/SECTION = H03	PAGINE/PAGE 2599
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01						
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

PLC card overview

-A25835.1

=G00-A31:X122:3	A61.0	1	=H01/1241.1 LEVELLER 2 EXIT RISE-LOWER O.S. ENABLE
=G00-A21:X122:4	A61.2	2	=H01/1241.3 STACKER RACKET O.S. BOX 2 ENABLE
=G00-A41:X122:2	A61.4	3	=H01/1241.5 ENTRY SHEAR PINCH ROLL ROTATION UP ENABLE
=G00-A41:X122:4	A61.6	4	=H01/1241.7 FLYING SHEAR BELT CONVEYOR ENABLE
=G00-A21:X122:3	A61.1	5	=H01/1241.2 STACKER RACKET M.S. BOX 2 ENABLE
=G00-A41:X122:1	A61.3	6	=H01/1241.4 ENTRY TRIMMING SHEAR PINCH ROLL LOWER ROLLER ENABLE
=G00-A41:X122:3	A61.5	7	=H01/1241.6 ENTRY SHEAR PINCH ROLL ROTATION LOWER ENABLE
=G00-A41:X122:5	A61.7	8	=H01/1241.8 STACKER HEAD STOP BOX 1 ENABLE

-A25835.2

=G00-A51:X122:1	A62.0	1	=H01/1242.1 STACKER HEAD STOP BOX 2 ENABLE
=G00-A51:X122:3	A62.2	2	=H01/1242.3 PLATFORM BOX 2 ROLL ROTATION ENABLE
=G00-A51:X122:5	A62.4	3	=H01/1242.5 MIDDLE EXIT PLATFORM BOX 2 ROLL ROTATION ENABLE
=G00-A61:X122:2	A62.6	4	=H01/1242.7 ROLLS AND CHAINS BOX 1 °90 CHAINS ROTATION ENABLE
=G00-A51:X122:2	A62.1	5	=H01/1242.2 PLATFORM BOX 1 ROLL ROTATION ENABLE
=G00-A51:X122:4	A62.3	6	=H01/1242.4 MIDDLE EXIT PLATFORM BOX 1 ROLL ROTATION ENABLE
=G00-A61:X122:1	A62.5	7	=H01/1242.6 ROLLS AND CHAINS BOX 1 °90 ROLL ROTATION ENABLE
=G00-A61:X122:3	A62.7	8	=H01/1242.8 ROLLS AND CHAINS BOX 2 °90 ROLL ROTATION ENABLE

-A25836

=G00-A61:X122:4	A63.0	1	=H01/1243.1 ROLLS AND CHAINS BOX 2 °90 CHAINS ROTATION ENABLE
=G00-A71:X122:2	A63.2	2	=H01/1243.3 CHAINS 2 ROTATION ENABLE
=G00-A71:X122:4	A63.4	3	=H01/1243.5 ROLL + CHAINS EXIT 2 ROTATION ENABLE
=G00-A81:X122:2	A63.6	4	=H01/1243.7 STRAIGHTENER CORRECTOR ROLL MOTOR ENABLE
=G00-A71:X122:1	A63.1	5	=H01/1243.2 CHAINS 1 ROTATION ENABLE
=G00-A71:X122:3	A63.3	6	=H01/1243.4 ROLL + CHAINS EXIT 1 ROTATION ENABLE
=G00-A81:X122:1	A63.5	7	=H01/1243.6 STRAIGHTENER UPPER ROLL MOTOR ENABLE
=G00-A81:X122:3	A63.7	8	=H01/1243.8 BRUSHER 1 UPPER ROLL MOTOR ENABLE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25835.1 - =H03-A25836	POSIZ./LOCATION + E11	GRUPPO/SECTION = H03	PAGINE/PAGE 2600
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25836.1

=G00-A81:X122:4	A64.0	1	=H01/1244.1 BRUSHER 1 LOWER ROLL MOTOR ENABLE
=G00-A91:X122:2	A64.2	2	=H01/1244.3 LEVELLER 1 EXIT RISE-LOWER MOTOR ENABLE
=G00-A91:X122:4	A64.4	3	=H01/1244.5 LEVELLER 2 EXIT RISE-LOWER MOTOR ENABLE
=G00-A101:X122:2	A64.6	4	=H01/1244.7 BRUSHER 2 UPPER ROLLER MOTOR ENABLE
=G00-A91:X122:1	A64.1	5	=H01/1244.2 LEVELLER 1 ENTRY RISE-LOWER MOTOR ENABLE
=G00-A91:X122:3	A64.3	6	=H01/1244.4 LEVELLER 2 ENTRY RISE-LOWER MOTOR ENABLE
=G00-A101:X122:1	A64.5	7	=H01/1244.6 LEVELLER 1 CHANGE PACKAGE CASSETTE EXTRAXTION CAR FW-BW ENABLE
=G00-A101:X122:3	A64.7	8	=H01/1244.8 BRUSHER 2 LOWER ROLLER MOTOR ENABLE

-A25837

=G00-A101:X122:4	A65.0	1	=H01/1245.1 LEVELLER 2 CHANGE PACKAGE CASSETTE EXTRAXTION CAR ENABLE
=G00-A111:X122:2	A65.2	2	=H01/1245.3 BRUSHER 3 LOWER ROLL MOTOR ENABLE
=G00-A111:X122:4	A65.4	3	=H01/1245.5 CONVEYOR TO STACKER DRIVE ENABLE
=G00-A121:X122:2	A65.6	4	=H01/1245.7 STORAGE COIL CAR TRANSLATION M2 ENABLE
=G00-A111:X122:1	A65.1	5	=H01/1245.2 BRUSHER 3 UPPER ROLL MOTOR ENABLE
=G00-A111:X122:3	A65.3	6	=H01/1245.4 CONVEYOR DEFLECTOR DRIVE ENABLE
=G00-A121:X122:1	A65.5	7	=H01/1245.6 STORAGE COIL CAR TRANSLATION M1 ENABLE
=G00-A121:X122:3	A65.7	8	=H01/1245.8 SPARE

-A25837.1

=G00-A121:X122:4	A66.0	1	=H01/1246.1 ENTRY PINCH ROLL ENABLE
XDO3:1	A66.2	2	=H01/1246.3 SPARE
XDO3:4	A66.4	3	=H01/1246.5 SPARE
XDO3:7	A66.6	4	=H01/1246.7 SPARE
=G00-A121:X122:5	A66.1	5	=H01/1246.2 FLYING SHEAR ENABLE
XDO3:3	A66.3	6	=H01/1246.4 SPARE
XDO3:6	A66.5	7	=H01/1246.6 SPARE
XDO3:9	A66.7	8	=H01/1246.8 SPARE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25836.1 - =H03-A25837.1	POSIZ./LOCATION + E11	GRUPPO/SECTION = H03	PAGINE/PAGE 2601
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25837.2

=H01-K12471:A1	A67.0	1	=H01/1247.1 BRAKE STORAGE COIL CAR TRANSLATION M1 ON
=H01-K12473:A1	A67.2	2	=H01/1247.3 BRAKE STORAGE COIL CAR TRANSLATION M2 ON
=H01-K12475:A1	A67.4	3	=H01/1247.5 BRAKE LEVELLER 2 ENTRY RISE-LOWER MOTOR SIDE
=H01-K12477:A1	A67.6	4	=H01/1247.7 BRAKE LEVELLER 2 EXIT RISE-LOWER MOTOR SIDE
=H01-K12472:A1	A67.1	5	=H01/1247.2
=H01-K12474:A1	A67.3	6	=H01/1247.4 SPARE
=H01-K12476:A1	A67.5	7	=H01/1247.6 BRAKE LEVELLER 2 ENTRY RISE-LOWER OPERATOR SIDE
=H01-K12478:A1	A67.7	8	=H01/1247.8 BRAKE LEVELLER 2 EXIT RISE-LOWER OPERATOR SIDE

-A25838

=H01-K12481:A1	A68.0	1	=H01/1248.1 BRAKE STRAIGHTENER UPPER ROLL MOTOR
=H01-K12483:A1	A68.2	2	=H01/1248.3 SPARE
=H01-K12485:A1	A68.4	3	=H01/1248.5 FAN BRUSHER 2 UPPER ROLLER MOTOR ON
=H01-K12487:A1	A68.6	4	=H01/1248.7 FAN ENTRY SHEAR PINCH ROLL ROTATION UP ON
=H01-K12482:A1	A68.1	5	=H01/1248.2 SPARE
=H01-K12484:A1	A68.3	6	=H01/1248.4 BRAKE LEVELLER 1 CHANGE PACKAGE ON
=H01-K12486:A1	A68.5	7	=H01/1248.6 BRAKE BRAKE LEVELLER 2 CHANGE PACKAGE ON
=H01-K12488:A1	A68.7	8	=H01/1248.8 FAN ENTRY SHEAR PINCH ROLL ROTATION LOWER ON

-A25838.1

=H01-K12491:A1	A69.0	1	=H01/1249.1 BRAKE FLYING SHEAR BELT CONVEYOR ON
=H01-K12493:A1	A69.2	2	=H01/1249.3 BRAKE STACKER RACKET O.S. BOX 1 ON
=H01-K12495:A1	A69.4	3	=H01/1249.5 BRAKE STACKER RACKET O.S. BOX 2 ON
=H01-K12497:A1	A69.6	4	=H01/1249.7 FAN ROLLS AND CHAINS BOX 2 °90 CHAINS ROTATION ON
=H01-K12492:A1	A69.1	5	=H01/1249.2 BRAKE STACKER RACKET M.S. BOX 1 ON
=H01-K12494:A1	A69.3	6	=H01/1249.4 BRAKE STACKER RACKET M.S. BOX 2 ON
=H01-K12496:A1	A69.5	7	=H01/1249.6 SPARE
=H01-K12498:A1	A69.7	8	=H01/1249.8 SPARE

2601

2603

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25837.2 - =H03-A25838.1	POSIZ./LOCATION + E11	GRUPPO/SECTION = H03	PAGINE/PAGE 2602
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25839

=H01-K12501:A1	A70.0	1	=H01/1250.1 FAN FLYING SHEAR BELT CONVEYOR
=H01-K12503:A1	A70.2	2	=H01/1250.3 FAN CONVEYOR TO STACKER
=H01-K12505:A1	A70.4	3	=H01/1250.5 SPARE
=H01-K12507:A1	A70.6	4	=H01/1250.7 SPARE
=H01-K12502:A1	A70.1	5	=H01/1250.2 FAN CONVEYOR DEFLECTOR
=H01-K12504:A1	A70.3	6	=H01/1250.4 SPARE
=H01-K12506:A1	A70.5	7	=H01/1250.6 SPARE
=H01-K12508:A1	A70.7	8	=H01/1250.8 SPARE

-A25841

XDO3:10	A71.0	1	=H01/1259.1 SPARE
XDO3:13	A71.2	2	=H01/1259.3 SPARE
XDO3:16	A71.4	3	=H01/1259.5
XDO3:19	A71.6	4	=H01/1259.7
XDO3:12	A71.1	5	=H01/1259.2 SPARE
XDO3:15	A71.3	6	=H01/1259.4
XDO3:18	A71.5	7	=H01/1259.6
XDO3:21	A71.7	8	=H01/1259.8

-A25850

	1	/2585.1
DC24V	2	/2585.1
DC0V	3	/2585.1
	4	/2585.1
	5	/2585.1
DC24V	6	/2585.1
DC0V	7	/2585.1
	8	/2585.1

2602

2604

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25839 - =H03-A25850	POSIZ./LOCATION + E11	GRUPPO/SECTION = H03	PAGINE/PAGE 2603
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25852

=H01-K12102:61	E700.0	1	=H01/1201.1 EMERGENCY RELAY CONTROL
=H01-K12106:61	E700.2	2	=H01/1201.5 ZONE 1 EMERGENCY RELAY CONTROL
	T0	3	=H01/1201.1 EMERGENCY RELAY CONTROL
	T2	4	=H01/1201.5 ZONE 1 EMERGENCY RELAY CONTROL
=H01-K12104:61	E700.1	5	=H01/1201.3 DELAYED EMERGENCY RELAY CONTROL
=H01-K12108:61	E700.3	6	=H01/1201.7 ZONE 2 EMERGENCY RELAY CONTROL
	T1	7	=H01/1201.3 DELAYED EMERGENCY RELAY CONTROL
	T3	8	=H01/1201.7 ZONE 2 EMERGENCY RELAY CONTROL

-A25852.1

=H01-K12112:61	E705.0	1	=H01/1202.1 ZONE 2 EMERGENCY RELAY CONTROL
=H01-K12116:61	E705.2	2	=H01/1202.5 ZONE 5 EMERGENCY RELAY CONTROL
	T0	3	=H01/1202.1 ZONE 2 EMERGENCY RELAY CONTROL
	T2	4	=H01/1202.5 ZONE 5 EMERGENCY RELAY CONTROL
=H01-K12114:61	E705.1	5	=H01/1202.3 ZONE 4 EMERGENCY RELAY CONTROL
=H01-K12118:61	E705.3	6	=H01/1202.7 ZONE 6 EMERGENCY RELAY CONTROL
	T1	7	=H01/1202.3 ZONE 4 EMERGENCY RELAY CONTROL
	T3	8	=H01/1202.7 ZONE 6 EMERGENCY RELAY CONTROL

-A25852.2

=H01-K12122:61	E710.0	1	=H01/1203.1 ZONE 7 EMERGENCY RELAY CONTROL
=H01-K12126:61	E710.2	2	=H01/1203.5 ZONE 9 EMERGENCY RELAY CONTROL
	T0	3	=H01/1203.1 ZONE 7 EMERGENCY RELAY CONTROL
	T2	4	=H01/1203.5 ZONE 9 EMERGENCY RELAY CONTROL
=H01-K12124:61	E710.1	5	=H01/1203.3 ZONE 8 EMERGENCY RELAY CONTROL
=H00-Q511:24	E710.3	6	=H01/1203.7 SUPPLY FEEDBACK
	T1	7	=H01/1203.3 ZONE 8 EMERGENCY RELAY CONTROL
	T3	8	=H01/1203.7 SUPPLY FEEDBACK

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25852 - =H03-A25852.2	POSIZ./LOCATION + E11	GRUPPO/SECTION = H03	PAGINE/PAGE 2604
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25853

XSI3:1	E716.0	1	=H01/1204.1 SPARE
XSI3:5	E716.2	2	=H01/1204.5 SPARE
	T0	3	=H01/1204.1 SPARE
	T2	4	=H01/1204.5 SPARE
XSI3:3	E716.1	5	=H01/1204.3 SPARE
XSI3:7	E716.3	6	=H01/1204.7 SPARE
	T1	7	=H01/1204.3 SPARE
	T3	8	=H01/1204.7 SPARE

-A25853.1

=H01-K12101:A1	A721.0	1	=H01/1210.1 EMERGENCY
	DC0V	2	=H01/1210.1 EMERGENCY
=H01-K12105:A1	A721.2	3	=H01/1210.5 EMERGENCY AREA 1
	DC0V	4	=H01/1210.5 EMERGENCY AREA 1
=H01-K12103:A1	A721.1	5	=H01/1210.3 DELAYED EMERGENCY
	DC0V	6	=H01/1210.3 DELAYED EMERGENCY
=H01-K12107:A1	A721.3	7	=H01/1210.7 EMERGENCY AREA 2
	DC0V	8	=H01/1210.7 EMERGENCY AREA 2

-A25854

=H01-K12111:A1	A726.0	1	=H01/1211.1 EMERGENCY AREA 3
	DC0V	2	=H01/1211.1 EMERGENCY AREA 3
=H01-K12115:A1	A726.2	3	=H01/1211.5 EMERGENCY AREA 5
	DC0V	4	=H01/1211.5 EMERGENCY AREA 5
=H01-K12113:A1	A726.1	5	=H01/1211.3 EMERGENCY AREA 4
	DC0V	6	=H01/1211.3 EMERGENCY AREA 4
=H01-K12117:A1	A726.3	7	=H01/1211.7 EMERGENCY AREA 6
	DC0V	8	=H01/1211.7 EMERGENCY AREA 6

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25853 - =H03-A25854	POSIZ./LOCATION + E11	GRUPPO/SECTION = H03	PAGINE/PAGE 2605
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A25854.1

=H01-K12121:A1	A731.0	1	=H01/1212.1 EMERGENCY AREA 7	
	DC0V	2	=H01/1212.1 EMERGENCY AREA 7	
=H01-K12125:A1	A731.2	3	=H01/1212.5 EMERGENCY AREA 9	
	DC0V	4	=H01/1212.5 EMERGENCY AREA 9	
=H01-K12123:A1	A731.1	5	=H01/1212.3 EMERGENCY AREA 8	
	DC0V	6	=H01/1212.3 EMERGENCY AREA 8	
XSO3:1	A731.3	7	=H01/1212.7 SPARE	
	DC0V	8	=H01/1212.7 SPARE	


2605

2611

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A25854.1 - =H03-A25854.1	POSIZ./LOCATION + E11	GRUPPO/SECTION = H03	PAGINE/PAGE 2606
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




2606

2612

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK SECT.1-2	POSIZ./LOCATION + E05	GRUPPO/SECTION = H03	PAGINE/PAGE 2611
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2611
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendelo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9




2611

2613

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK SECT.1-2	POSIZ./LOCATION + E05	GRUPPO/SECTION = H03	PAGINE/PAGE 2612
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER					
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					SEL CTL4 LINE		RIF./REFERNCE 2612
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



2612


2614

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK SECT.1-2	POSIZ./LOCATION + E05	GRUPPO/SECTION = H03	PAGINE/PAGE 2613
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2613
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9

-A26141
=H01/1355.1




2613

2615

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK SECT.1-2	POSIZ./LOCATION + E05	GRUPPO/SECTION = H03	PAGINE/PAGE 2614
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2614
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



2614 2624

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK SECT.1-2	POSIZ./LOCATION + E05	GRUPPO/SECTION = H03	PAGINE/PAGE 2615
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2614
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




2615

2625

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SCALANCE SWITCH SECT.2	POSIZ./LOCATION + E05 / GRUPPO/SECTION = H03 / PAGINE/PAGE 2624
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 2635
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9



INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SCALANCE SWITCH SECT.2	POSIZ./LOCATION + E05	GRUPPO/SECTION = H03	PAGINE/PAGE 2625
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2636
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A26111

1		/2611.3
2	DC24V	/2611.3
3	DC0V	/2611.3
4	SYS_DC24V	/2611.3
5		/2611.3
6	DC24V	/2611.3
7	DC0V	/2611.3
8	SYS_DC0V	/2611.3

-A26115.1

=G00-A11:X122:9	E90.0	1	=H01/1320.1 DC BUS ON
=G00-K238:14	E90.2	2	=H01/1320.3 DC BUS 1 ON
=G00-B241:X21:21.5	E90.4	3	=H01/1320.5 BRAKING RESISTOR MODULE 1 FAULT
=G00-K278:14	E90.6	4	=H01/1320.7 DC BUS 2 ON
=G00-Q211.2:-X6:2	E90.1	5	=H01/1320.2 MAIN CONTACTOR 1 READY TO CLOSE
=G00-K353:14	E90.3	6	=H01/1320.4 PRECHARGE LINE 1 ON
=G00-Q251.1:-X6:2	E90.5	7	=H01/1320.6 MAIN CONTACTOR 2 READY TO CLOSE
=G00-K278.1:14	E90.7	8	=H01/1320.8 PRECHARGE LINE 2 ON

-A26115.2

=G00-B281:X21:21.5	E91.0	1	=H01/1321.1 BRAKING RESISTOR MODULE 2 FAULT
XCI3:62	E91.2	2	=H01/1321.3 SPARE
XCI3:64	E91.4	3	=H01/1321.5 SPARE
XDI1/2:1	E91.6	4	=H01/1321.7 SPARE
XCI3:61	E91.1	5	=H01/1321.2 SPARE
XCI3:63	E91.3	6	=H01/1321.4 SPARE
=G04-Q108:14	E91.5	7	=H01/1321.6 STRAIGHTENER INVERTER FAN SUPPLY FAULT
XDI1/2:2	E91.7	8	=H01/1321.8 SPARE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A26111 - =H03-A26115.2	POSIZ./LOCATION + E05	GRUPPO/SECTION = H03	PAGINE/PAGE 2626
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A26116

XDI1/2:3	E92.0	1	=H01/1322.1 SPARE
=G20-Q106:14	E92.2	2	=H01/1322.3 LEVELLER 2 INVERTER FAN SUPPLY FAULT
=G32-K131:X142:4	E92.4	3	=H01/1322.5 FLYING SHEAR POWER ON
=H01-S13227:2	E92.6	4	=H01/1322.7 BOARD OVERTEMPERATURE
=G14-Q106:14	E92.1	5	=H01/1322.2 LEVELLER 1 INVERTER FAN SUPPLY FAULT
=G20A-Q106:14	E92.3	6	=H01/1322.4 LEVELLER 2 INVERTER FAN SUPPLY FAULT
=H00-Q587:14	E92.5	7	=H01/1322.6 SWITCH POWER SUPPLY DRIVE FAULT
=H00-K203:14	E92.7	8	=H01/1322.8 LINE RELEASING RELAY

-A26116.1

=H00-Q481:14	E93.0	1	=H01/1323.1 ELECTROVALVES 24Vdc GENERAL EMERGENCY SUPPLY FAULT
=H00-Q485:14	E93.2	2	=H01/1323.3 ELECTROVALVES 24Vdc EMERGENCY ZONE 4 SUPPLY FAULT
=H00-Q713:14	E93.4	3	=H01/1323.5 AUXILIARY CIRCUIT INSERTION START
XDI1/2:4	E93.6	4	=H01/1323.7 SPARE
=H00-Q483:14	E93.1	5	=H01/1323.2 ELECTROVALVES 24Vdc DELAYED EMERGENCY SUPPLY FAULT
=H00-Q487:14	E93.3	6	=H01/1323.4 ELECTROVALVES 24Vdc EMERGENCY ZONE 5 SUPPLY FAULT
=H00-Q715:14	E93.5	7	=H01/1323.6 CABINET FAN SUPPLY POWER SUPPLY FAULT
XDI1/2:5	E93.7	8	=H01/1323.8 SPARE

-A26117

=	E94.0	1	=H01/1324.1 FIRE FIGHTING SYSTEM INTERVENTION
XCI3:67	E94.2	2	=H01/1324.3 SPARE
XCI3:69	E94.4	3	=H01/1324.5 SPARE
XCI3:71	E94.6	4	=H01/1324.7
=H00-K75:34	E94.1	5	=H01/1324.2 CABINET SAFETY BY-PASS AUX RELAY
XCI3:68	E94.3	6	=H01/1324.4 SPARE
XCI3:70	E94.5	7	=H01/1324.6 SPARE
XCI3:72	E94.7	8	=H01/1324.8

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC card overview : =H03-A26116 - =H03-A26117	+ E05	= H03	2627
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A26117.1

XJB380:22	E95.0	1	=H01/1325.1 SPARE FLYING SHEAR BELT CONVEYOR CONTROL LOW
XJB380:24	E95.2	2	=H01/1325.3 SPARE
XJB380.2:18	E95.4	3	=H01/1325.5 SPARE FLYING SHEAR TAIL MEASURE CONTROL UP
XJB380.2:20	E95.6	4	=H01/1325.7 SPARE
XJB380:23	E95.1	5	=H01/1325.2 SPARE
=H01-U13256:4	E95.3	6	=H01/1325.4 FLYING SHEAR CUTTING WORKING PRESSURE
=H01-S13258:14	E95.5	7	=H01/1325.6 FLYING SHEAR OIL RECOVERY CENTRAL OIL LEVEL
XJB380.2:21	E95.7	8	=H01/1325.8 SPARE

-A26117.2

=H01-S13265:14	E96.0	1	=H01/1326.1 FLYING SHEAR HYDRAULIC STATION FAN TEMPERATURE
=H01-S13267:14	E96.2	2	=H01/1326.3 FLYING SHEAR HYDRAULIC STATION MAX TEMPERATURE
XJB380.3:36	E96.4	3	=H01/1326.5 SPARE FLYING SHEAR HYDRAULIC STATION COOLING OIL LEVEL
XJB380.3:38	E96.6	4	=H01/1326.7
=H01-S13266:14	E96.1	5	=H01/1326.2 FLYING SHEAR HYDRAULIC STATION FAN TEMPERATURE
=H01-S13268:14	E96.3	6	=H01/1326.4 FLYING SHEAR HYDRAULIC STATION OIL LEVEL
=H01-S13266.1:12	E96.5	7	=H01/1326.6 HOLD DOWN PLATE CYLINDER PRESSURE
XJB380.3:39	E96.7	8	=H01/1326.8

-A26118

=H01-U13275:4	E97.0	1	=H01/1327.1 FLYING SHEAR BLADE CASSETTE WORKING PRESSION UPPER BOX
=H01-U13277:4	E97.2	2	=H01/1327.3 FLYING SHEAR BLADE GAP PRESSURE CONTROL
XJB380.4:49	E97.4	3	=H01/1327.5 SPARE FLYING SHEAR GREASE LUBRICATION SHOULDER RIGHT
XJB380.4:51	E97.6	4	=H01/1327.7 SPARE FLYING SHEAR GREASE LUBRICATION ROD RIGHT
=H01-U13276:4	E97.1	5	=H01/1327.2 FLYING SHEAR BLADE CASSETTE WORKING PRESSION LOWER BOX
XJB380.4:48	E97.3	6	=H01/1327.4 SPARE FLYING SHEAR GREASE LUBRICATION SHOULDER LEFT
XJB380.4:50	E97.5	7	=H01/1327.6 SPARE FLYING SHEAR GREASE LUBRICATION ROD LEFT
=H01-S13278:14	E97.7	8	=H01/1327.8 FLYING SHEAR MIN. OIL LEVEL BLOCKING CENTRAL

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A26117.1 - =H03-A26118	POSIZ./LOCATION + E05	GRUPPO/SECTION = H03	PAGINE/PAGE 2628
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A26119

XJB380.2:22	E98.0	1	=H01/1328.1 SPARE FLYING SHEAR GREASE LUBRICATION DROPSA LEVEL
=H01-U13283:4	E98.2	2	=H01/1328.3 FLYING SHEAR GREASE LUBRICATION SHOULDER RIGHT
=H01-U13285:4	E98.4	3	=H01/1328.5 FLYING SHEAR GREASE LUBRICATION ROD RIGHT
XJB380.2:23	E98.6	4	=H01/1328.7 SPARE
=H01-U13282:4	E98.1	5	=H01/1328.2 FLYING SHEAR GREASE LUBRICATION SHOULDER LEFT
=H01-U13284:4	E98.3	6	=H01/1328.4 FLYING SHEAR GREASE LUBRICATION SHOULDER ROD LEFT
=H01-U13286:4	E98.5	7	=H01/1328.6 FLYING SHEAR GREASE LUBRICATION DROPSA CYCLE CONTROL
XJB380.2:24	E98.7	8	=H01/1328.8 SPARE

-A26119.1

XDI1/2:8	E99.0	1	=H01/1329.1 SPARE
XDI1/2:12	E99.2	2	=H01/1329.3 SPARE
XDI1/2:16	E99.4	3	=H01/1329.5 SPARE
XDI1/2:20	E99.6	4	=H01/1329.7
XDI1/2:9	E99.1	5	=H01/1329.2 SPARE
XDI1/2:13	E99.3	6	=H01/1329.4 SPARE
XDI1/2:17	E99.5	7	=H01/1329.6 SPARE
XDI1/2:21	E99.7	8	=H01/1329.8 SPARE

-A26119.2

=G02-Q116:44	E100.0	1	=H01/1360.1 BRAKE DECOILER MANDREL ROTATION SUPPLY FAULT
=G03-Q116:44	E100.2	2	=H01/1360.3 BRAKE ENTRY PINCH ROLL SUPPLY FAULT
XDI1/2:22	E100.4	3	=H01/1360.5 SPARE
XDI1/2:24	E100.6	4	=H01/1360.7 SPARE
=G02-Q118:44	E100.1	5	=H01/1360.2 FAN DECOILER MANDREL ROTATION SUPPLY FAULT
=G03-Q118:44	E100.3	6	=H01/1360.4 FAN ENTRY PINCH ROLL SUPPLY FAULT
XDI1/2:23	E100.5	7	=H01/1360.6 SPARE
XDI1/2:25	E100.7	8	=H01/1360.8 SPARE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A26119 - =H03-A26119.2	POSIZ./LOCATION + E05	GRUPPO/SECTION = H03	PAGINE/PAGE 2629
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A26130

	1	/2615.1
DC24V	2	/2615.1
DC0V	3	/2615.1
	4	/2615.1
	5	/2615.1
DC24V	6	/2615.1
DC0V	7	/2615.1
	8	/2615.1

-A26133.1

	1	/2613.4
DC24V	2	/2613.4
DC0V	3	/2613.4
	4	/2613.4
	5	/2613.4
DC24V	6	/2613.4
DC0V	7	/2613.4
	8	/2613.4

-A26135

=G00-A11:X122:1	A90.0	1	=H01/1340.1 DC BUS LINE ON
=G00-A131:X122:2	A90.2	2	=H01/1340.3 TRIMMING SHEAR O.S. DRIVE ENABLE
=G00-A151:X122:3	A90.4	3	=H01/1340.5 SCRAP CUTTER DRIVE ENABLE
=G00-A151:X122:1	A90.6	4	=H01/1340.7 LEVELLER 2 DRIVE 1 ENABLE
=G00-A131:X122:1	A90.1	5	=H01/1340.2 TRIMMING SHEAR M.S. DRIVE ENABLE
=G00-A131:X122:4	A90.3	6	=H01/1340.4 STRAIGHTENER DRIVE ENABLE
=G00-A151:X122:4	A90.5	7	=H01/1340.6 LEVELLER 1 DRIVE ENABLE
=G00-A151:X122:2	A90.7	8	=H01/1340.8 LEVELLER 2 DRIVE 2 ENABLE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A26130 - =H03-A26135	POSIZ./LOCATION + E05	GRUPPO/SECTION = H03	PAGINE/PAGE 2630
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A26135.1

=G32-K131:X142:6	A91.0	1	=H01/1341.1 FLYING SHEAR COMMAND
=G32-K131:X142:12	A91.2	2	=H01/1341.3 SHEAR CUTTING ON
XDO1/2:26	A91.4	3	=H01/1341.5 SPARE
=H01-K13417:A1	A91.6	4	=H01/1341.7 SPARE
=G32-K131:X142:7	A91.1	5	=H01/1341.2 FLYING SHEAR ENABLE
=G00-A131:X122:3	A91.3	6	=H01/1341.4 DECOILER DRIVE ENABLE
XDO1/2:27	A91.5	7	=H01/1341.6 SPARE
=H01-K13418:A1	A91.7	8	=H01/1341.8 SPARE

-A26135.2

=H01-K13421:A1	A92.0	1	=H01/1342.1 DC-BUS 1 LINE ON
=H01-K13423:A1	A92.2	2	=H01/1342.3 DC-BUS 2 LINE ON
XCI3:78	A92.4	3	=H01/1342.5 SPARE
=H01-K13427:A1	A92.6	4	=H01/1342.7 MAIN POWER CONTACTOR RELEASE
=H01-K13422:A1	A92.1	5	=H01/1342.2 DC-BUS 1 BRAKING RESISTOR ON
=H01-K13424:A1	A92.3	6	=H01/1342.4 DC-BUS 2 BRAKING RESISTOR ON
XCI3:79	A92.5	7	=H01/1342.6 SPARE
=H01-K13428:A1	A92.7	8	=H01/1342.8

-A26136

=H01-K13431:A1	A93.0	1	=H01/1343.1 FLYING SHEAR GREASE LUBRICATION FIXED PART
=H01-K13433:A1	A93.2	2	=H01/1343.3 FLYING SHEAR GREASE LUBRICATION TAIL MEASURE LOWER
=H01-K13435:A1	A93.4	3	=H01/1343.5 SPARE FLYING SHEAR BELT CONVEYOR LOWER
=H01-K13437:A1	A93.6	4	=H01/1343.7 SPARE
=H01-K13432:A1	A93.1	5	=H01/1343.2 FLYING SHEAR GREASE LUBRICATION TAIL MEASURE LIFT
=H01-K13434:A1	A93.3	6	=H01/1343.4 SPARE FLYING SHEAR BELT CONVEYOR LIFT
=H01-K13436:A1	A93.5	7	=H01/1343.6
=H01-K13438:A1	A93.7	8	=H01/1343.8 SPARE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A26135.1 - =H03-A26136	POSIZ./LOCATION + E05	GRUPPO/SECTION = H03	PAGINE/PAGE 2631
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A26136.1

=H01-K13441:A1	A94.0	1	=H01/1344.1 HOLD DOWN PLATE CYLINDER BY - PASS
=H01-K13443:A1	A94.2	2	=H01/1344.3 FLYING SHEAR TAIL MEASURE ROLL UP
=H01-K13445:A1	A94.4	3	=H01/1344.5 BY-PASS TAIL MEASURE ROLL UP
=H01-K13447:A1	A94.6	4	=H01/1344.7 FLYING SHEAR BLADE CASSETTE LOCK UPPER
=H01-K13442:A1	A94.1	5	=H01/1344.2 HOLD DOWN PLATE CYLINDER COMMAND
=H01-K13444:A1	A94.3	6	=H01/1344.4 FLYING SHEAR TAIL MEASURE ROLL DOWN
=H01-K13446:A1	A94.5	7	=H01/1344.6 SPARE BY-PASS TAIL MEASURE ROLL DOWN
=H01-K13448:A1	A94.7	8	=H01/1344.8 FLYING SHEAR BLADE CASSETTE UNLOCK UPPER

-A26137

=H01-K13451:A1	A95.0	1	=H01/1345.1 FLYING SHEAR BLADE CASSETTE LOCK - UNLOCK BY-PASS
=H01-K13453:A1	A95.2	2	=H01/1345.3 FLYING SHEAR BLADE GAP PALLET UNBLOKING
=H01-K13455:A1	A95.4	3	=H01/1345.5 FLYING SHEAR GREASE LUBRICATION DROPSA
=H01-K13457:A1	A95.6	4	=H01/1345.7 FLYING SHEAR BLADE CASSETTE UNLOCK LOWER
=H01-K13452:A1	A95.1	5	=H01/1345.2 FLYING SHEAR BLADE GAP PALLET BLOKING
=H01-K13454:A1	A95.3	6	=H01/1345.4 SPARE FLYING SHEAR GREASE LUBRICATION SHOULDER M.S.
=H01-K13456:A1	A95.5	7	=H01/1345.6 FLYING SHEAR BLADE CASSETTE LOCK LOWER
=H01-K13458:A1	A95.7	8	=H01/1345.8 SPARE

-A26137.1

=H01-K13461:A1	A96.0	1	=H01/1346.1 BRAKE DECOILER MANDREL ROTATION
=H01-K13463:A1	A96.2	2	=H01/1346.3 BRAKE ENTRY PINCH ROLL
=H01-K13465:A1	A96.4	3	=H01/1346.5 FLYING SHAER CUTTING MOTOR FAN
=H01-K13467:A1	A96.6	4	=H01/1346.7 SPARE
=H01-K13462:A1	A96.1	5	=H01/1346.2 FAN DECOILER MANDREL ROTATION
=H01-K13464:A1	A96.3	6	=H01/1346.4 FAN ENTRY PINCH ROLL
=H01-K13466:A1	A96.5	7	=H01/1346.6 SPARE
=H01-K13468:A1	A96.7	8	=H01/1346.8 SPARE

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A26136.1 - =H03-A26137.1	POSIZ./LOCATION + E05	GRUPPO/SECTION = H03	PAGINE/PAGE 2632
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A26137.2

XDO1/2:1	A97.0	1	=H01/1347.1 SPARE
XDO1/2:4	A97.2	2	=H01/1347.3 SPARE
XDO1/2:7	A97.4	3	=H01/1347.5 SPARE
XDO1/2:10	A97.6	4	=H01/1347.7 SPARE
XDO1/2:3	A97.1	5	=H01/1347.2 SPARE
XDO1/2:6	A97.3	6	=H01/1347.4 SPARE
XDO1/2:9	A97.5	7	=H01/1347.6 SPARE
XDO1/2:12	A97.7	8	=H01/1347.8 SPARE

-A26138

XDO1/2:13	A98.0	1	=H01/1348.1
XDO1/2:16	A98.2	2	=H01/1348.3
XDO1/2:19	A98.4	3	=H01/1348.5
XDO1/2:22	A98.6	4	=H01/1348.7
XDO1/2:15	A98.1	5	=H01/1348.2
XDO1/2:18	A98.3	6	=H01/1348.4
XDO1/2:21	A98.5	7	=H01/1348.6
XDO1/2:24	A98.7	8	=H01/1348.8

-A26141

=H01-Y1355.E5	AO1+ PAW1392	1	=H01/1355.1 FLYING SHEAR GREASE LUBRICATION TAIL MEASURE SLOW/FAST FORWARD - BACKWARD
	-	2	=H01/1355.2 FLYING SHEAR GREASE LUBRICATION TAIL MEASURE SLOW/FAST FORWARD - BACKWARD
		3	=H01/1355.2 FLYING SHEAR GREASE LUBRICATION TAIL MEASURE SLOW/FAST FORWARD - BACKWARD
		4	=H01/1355.2 FLYING SHEAR GREASE LUBRICATION TAIL MEASURE SLOW/FAST FORWARD - BACKWARD
X153:58	AO1+ PAW1394	5	=H01/1355.6
	-	6	=H01/1355.6
		7	=H01/1355.6
		8	=H01/1355.7

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A26137.2 - =H03-A26141	POSIZ./LOCATION + E05	GRUPPO/SECTION = H03	PAGINE/PAGE 2633
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A26152

=H01-K13102:61	E800.0	1	=H01/1301.1 DELAYED EMERGENCY RELAY CONTROL.
=H01-K13106:61	E800.2	2	=H01/1301.5 ZONE 3 EMERGENCY RELAY CONTROL
	T0	3	=H01/1301.1 DELAYED EMERGENCY RELAY CONTROL.
	T2	4	=H01/1301.5 ZONE 3 EMERGENCY RELAY CONTROL
=H01-K13104:61	E800.1	5	=H01/1301.3 ZONE 2 EMERGENCY RELAY CONTROL
=H01-K13108:61	E800.3	6	=H01/1301.7 ZONE 4 EMERGENCY RELAY CONTROL
	T1	7	=H01/1301.3 ZONE 2 EMERGENCY RELAY CONTROL
	T3	8	=H01/1301.7 ZONE 4 EMERGENCY RELAY CONTROL

-A26152.1

=H01-K13112:61	E805.0	1	=H01/1302.1 ZONE 5 EMERGENCY RELAY CONTROL
XSI1/2:1	E805.2	2	=H01/1302.5 SPARE
	T0	3	=H01/1302.1 ZONE 5 EMERGENCY RELAY CONTROL
	T2	4	=H01/1302.5 SPARE
=H01-K13114:61	E805.1	5	=H01/1302.3 SPARE EMERGENCY RELAY CONTROL
XSI1/2:3	E805.3	6	=H01/1302.7 SPARE
	T1	7	=H01/1302.3 SPARE EMERGENCY RELAY CONTROL
	T3	8	=H01/1302.7 SPARE

-A26152.2

=H01-S13031:2	E810.0	1	=H01/1303.1 EMERGENCY PUSHBUTTON FRONT
=H00-Q487:24	E810.2	2	=H01/1303.5 PROTECTIONS SAFETY FEEDBACK
	T0	3	=H01/1303.1 EMERGENCY PUSHBUTTON FRONT
	T2	4	=H01/1303.5 PROTECTIONS SAFETY FEEDBACK
=H01-S13031:2'	E810.1	5	=H01/1303.3 EMERGENCY SAFETY FEEDBACK
XSI1/2:5	E810.3	6	=H01/1303.7
	T1	7	=H01/1303.3 EMERGENCY SAFETY FEEDBACK
	T3	8	=H01/1303.7

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A26152 - =H03-A26152.2	POSIZ./LOCATION + E05	GRUPPO/SECTION = H03	PAGINE/PAGE 2634
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A26153

XSI1/2:7	E815.0	1	=H01/1305.1 SPARE
XSI1/2:11	E815.2	2	=H01/1305.5 SPARE
	T0	3	=H01/1305.1 SPARE
	T2	4	=H01/1305.5 SPARE
XSI1/2:9	E815.1	5	=H01/1305.3 SPARE
XSI1/2:13	E815.3	6	=H01/1305.7 SPARE
	T1	7	=H01/1305.3 SPARE
	T3	8	=H01/1305.7 SPARE

-A26153.1

XSI1/2:15	E820.0	1	=H01/1306.1
XSI1/2:19	E820.2	2	=H01/1306.5
	T0	3	=H01/1306.1
	T2	4	=H01/1306.5
XSI1/2:17	E820.1	5	=H01/1306.3
XSI1/2:21	E820.3	6	=H01/1306.7
	T1	7	=H01/1306.3
	T3	8	=H01/1306.7

-A26154

=H01-K13101:A1	A818.0	1	=H01/1310.1 DELAYED EMERGENCY
	DC0V	2	=H01/1310.1 DELAYED EMERGENCY
=H01-K13105:A1	A818.2	3	=H01/1310.5 EMERGENCY AREA 3
	DC0V	4	=H01/1310.5 EMERGENCY AREA 3
=H01-K13103:A1	A818.1	5	=H01/1310.3 EMERGENCY AREA 2
	DC0V	6	=H01/1310.3 EMERGENCY AREA 2
=H01-K13107:A1	A818.3	7	=H01/1310.7 EMERGENCY AREA 4
	DC0V	8	=H01/1310.7 EMERGENCY AREA 4

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PLC card overview : =H03-A26153 - =H03-A26154	POSIZ./LOCATION: + E05
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			GRUPPO/SECTION: = H03
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					PAGINE/PAGE: 2635
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A26154.1


=H01-K13111:A1	A822.0	1	=H01/1311.1 EMERGENCY AREA 5
	DC0V	2	=H01/1311.1 EMERGENCY AREA 5
XSO1/2:1	A822.2	3	=H01/1311.5 EMERGENCY SPARE
	DC0V	4	=H01/1311.5 EMERGENCY SPARE
=H01-K13113:A1	A822.1	5	=H01/1311.3 EMERGENCY SPARE
	DC0V	6	=H01/1311.3 EMERGENCY SPARE
XSO1/2:3	A822.3	7	=H01/1311.7 EMERGENCY SPARE
	DC0V	8	=H01/1311.7 EMERGENCY SPARE

-A26154.2

XSO1/2:5	A826.0	1	=H01/1312.1 EMERGENCY SPARE
	DC0V	2	=H01/1312.1 EMERGENCY SPARE
XSO1/2:9	A826.2	3	=H01/1312.5
	DC0V	4	=H01/1312.5
XSO1/2:7	A826.1	5	=H01/1312.3
	DC0V	6	=H01/1312.3
XSO1/2:11	A826.3	7	=H01/1312.7
	DC0V	8	=H01/1312.7

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A26154.1 - =H03-A26154.2	POSIZ./LOCATION + E05	GRUPPO/SECTION = H03	PAGINE/PAGE 2636
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




2636

2652

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK P00	POSIZ./LOCATION + P00	GRUPPO/SECTION = H03	PAGINE/PAGE 2651
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2651
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




2651

2661

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK P00	POSIZ./LOCATION + P00	GRUPPO/SECTION = H03	PAGINE/PAGE 2652
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2652
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendelo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



2652 2662

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET SCALANCE RACK P00	POSIZ./LOCATION + P00	GRUPPO/SECTION = H03	PAGINE/PAGE 2661
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2661
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



2661 2663

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET SCALANCE RACK P00	POSIZ./LOCATION + P00	GRUPPO/SECTION = H03	PAGINE/PAGE 2662
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2662
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET ETHERNET SWITCH RACK P00	POSIZ./LOCATION + P00	GRUPPO/SECTION = H03	PAGINE/PAGE 2663
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2663
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A26511

+P00

	1		/2651.2
DC24V	2		/2651.2
DC0V	3		/2651.2
SYS_DC24V	4		/2651.2
	5		/2651.2
DC24V	6		/2651.2
DC0V	7		/2651.2
SYS_DC0V	8		/2651.2
	9		
	10		
	11		
	12		
	13		
	14		
	15		
	16		

-A26515.2

=H01-S14061:14	E110.0	1	=H01/1406.1 LINE JOG INTRODUCTION FORWARD
=H01-S14063:14	E110.2	2	=H01/1406.3 LINE JOG EXTRACTION FORWARD
=H01-S14065:14	E110.4	3	=H01/1406.5 LEVELLER JOG FORWARD
=H01-S14067:14	E110.6	4	=H01/1406.7 CONVEYOR JOG FORWARD
=H01-S14071:4	E111.0	5	=H01/1407.1 AREA 5 GATE G5.1 ENTRY REQUEST
=H01-S14211:12	E111.2	6	=H01/1407.3 ACCESS GATE 4.1 KEY INSERTED
XCD00:12	E111.4	7	=H01/1407.5 SPARE
XCD00:15	E111.6	8	=H01/1407.7 SPARE
=H01-S14061:4'	E110.1	9	=H01/1406.2 LINE JOG INTRODUCTION BACKWARD
=H01-S14063:4'	E110.3	10	=H01/1406.4 LINE JOG EXTRACTION BACKWARD
=H01-S14065:4'	E110.5	11	=H01/1406.6 LEVELLER JOG BACKWARD
=H01-S14067:4'	E110.7	12	=H01/1406.8 CONVEYOR JOG BACKWARD
=H01-S14072:4	E111.1	13	=H01/1407.2 LOCAL PANEL P5.1 GATE G5.1 RESET
=H00-S98:14	E111.3	14	=H01/1407.4 MAIN POWER CONTACTOR OPEN
XCD00:13	E111.5	15	=H01/1407.6 SPARE
=H01-S14078:2	E111.7	16	=H01/1407.8 MAX BOARD OVERTEMPERATURE

-A26520

	1		/2652.1
DC24V	2		/2652.1
DC0V	3		/2652.1
	4		/2652.1
	5		/2652.1
DC24V	6		/2652.1
DC0V	7		/2652.1
	8		/2652.1
	9		
	10		
	11		
	12		
	13		
	14		
	15		
	16		

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A26511 - =H03-A26520	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2664
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A26522

=H01-S14211:A1	A862.0	1	=H01/1404.1 ACCESS GATE 5.1 HOLDING ACTUATOR LOCK
	DC0V	2	=H01/1404.1 ACCESS GATE 5.1 HOLDING ACTUATOR LOCK
XCD00:7	A862.2	3	=H01/1404.5 SPARE
	DC0V	4	=H01/1404.5 SPARE
XCD00:5	A862.1	5	=H01/1404.3 SPARE
	DC0V	6	=H01/1404.3 SPARE
XCD00:9	A862.3	7	=H01/1404.7 SPARE
	DC0V	8	=H01/1404.7 SPARE

-A26523

=H01-H14121:X1	A110.0	1	=H01/1412.1 LOCAL PANEL P5.1 GATE G5.1 LOCKED
=H01-S14072:X1	A110.2	2	=H01/1412.3 AREA 5 SAFETY RESET
XCD00:18	A110.4	3	=H01/1412.5
XCD00:20	A110.6	4	=H01/1412.7
XCD00:23	A111.0	5	=H01/1413.1
XCD00:26	A111.2	6	=H01/1413.3
XCD00:29	A111.4	7	=H01/1413.5
XCD00:32	A111.6	8	=H01/1413.7
=H01-S14071:X1	A110.1	9	=H01/1412.2 AREA 5 ENTRANCE REQUEST
XCD00:16	A110.3	10	=H01/1412.4 SPARE
XCD00:19	A110.5	11	=H01/1412.6 SPARE
XCD00:22	A110.7	12	=H01/1412.8 SPARE
XCD00:25	A111.1	13	=H01/1413.2 SPARE
XCD00:28	A111.3	14	=H01/1413.4 SPARE
XCD00:31	A111.5	15	=H01/1413.6 SPARE
XCD00:34	A111.7	16	=H01/1413.8 SPARE

-A26524

=H01-S14021:14	E856.3	1	=H01/1402.1 SAFETY AREA 4 OFF - ON
=H01-S14025:14	E856.5	2	=H01/1402.5 SAFETY AREA 5 OFF - ON
	T0	3	=H01/1402.1 SAFETY AREA 4 OFF - ON
	T2	4	=H01/1402.5 SAFETY AREA 5 OFF - ON
=H01-S14021:24	E856.4	5	=H01/1402.3 SAFETY AREA 4 OFF - ON
=H01-S14025:24	E856.6	6	=H01/1402.7 SAFETY AREA 5 OFF - ON
	T1	7	=H01/1402.3 SAFETY AREA 4 OFF - ON
	T3	8	=H01/1402.7 SAFETY AREA 5 OFF - ON

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A26522 - =H03-A26524	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2665
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A26524.1

=H01-S14031:14	E872.0	1	=H01/1403.1 SAFETY AREA 6 OFF - ON
XCD00:1	E872.2	2	=H01/1403.5 SPARE
	T0	3	=H01/1403.1 SAFETY AREA 6 OFF - ON
	T2	4	=H01/1403.5 SPARE
=H01-S14031:24	E872.1	5	=H01/1403.3 SAFETY AREA 6 OFF - ON
XCD00:3	E872.3	6	=H01/1403.7 SPARE
	T1	7	=H01/1403.3 SAFETY AREA 6 OFF - ON
	T3	8	=H01/1403.7 SPARE


2665

2681

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A26524.1 - =H03-A26524.1	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2666
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01						
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							


RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK P01	POSIZ./LOCATION + P01 / GRUPPO/SECTION = H03 / PAGINE/PAGE 2681
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE / RIF./REFERNCE 2681
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



2681

2695

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK P01	POSIZ./LOCATION + P01	GRUPPO/SECTION = H03	PAGINE/PAGE 2682
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2682
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendelo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H00/109.9 / 15902 → 15902 /

2681.3 / 0V_IFP01 → 0V_IFP01 / 2700.1

15902

-Q26951
2A
S201-C2
S2C-H20L
I>
1
2
13
14
23
24

269501

15906

-K26951
.5 =N01/7.5
Rack X
Slot Y

1 L+
2 M
PE

X80/PE 6AV2128-3MB06-0AX1 MTP1200, Unified SIEMENS



-K26951
.1

X1/P1 6AV2 128-3MB06-0AX1 SIEMENS

=H03-K26951.1:

RS422/485 PN PN PN USB USB USB USB


2681.0 / PN2.0_P01

2682

2700

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION KTP1200 P01	POSIZ./LOCATION + P01	GRUPPO/SECTION = H03	PAGINE/PAGE 2695
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2695
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SCALANCE P01	POSIZ./LOCATION + P01	GRUPPO/SECTION = H03	PAGINE/PAGE 2700
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2695
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A26811

1		/2681.2
2	DC24V	/2681.2
3	DC0V	/2681.2
4	SYS_DC24V	/2681.2
5		/2681.2
6	DC24V	/2681.2
7	DC0V	/2681.2
8	SYS_DC0V	/2681.2

-A26815

=H01-S15061:14	E120.0	1	=H01/1506.1 LINE JOG INTRODUCTION FORWARD
=H01-S15063:14	E120.2	2	=H01/1506.3 LINE JOG SELECTED FORWARD
XCD01:11	E120.4	3	=H01/1506.5 SPARE
XCD01:14	E120.6	4	=H01/1506.7 SPARE
XCD01:18	E121.0	5	=H01/1507.1 SPARE
XCD01:21	E121.2	6	=H01/1507.3 SPARE
XCD01:25	E121.4	7	=H01/1507.5 SPARE
XCD01:28	E121.6	8	=H01/1507.7 SPARE
=H01-S15061:4'	E120.1	9	=H01/1506.2 LINE JOG INTRODUCTION BACKWARD
=H01-S15063:4'	E120.3	10	=H01/1506.4 LINE JOG SELECTED BACKWARD
XCD01:12	E120.5	11	=H01/1506.6 SPARE
XCD01:15	E120.7	12	=H01/1506.8 SPARE
XCD01:19	E121.1	13	=H01/1507.2 SPARE
XCD01:22	E121.3	14	=H01/1507.4 SPARE
XCD01:26	E121.5	15	=H01/1507.6 SPARE
XCD01:29	E121.7	16	=H01/1507.8 SPARE

-A26816

=H01-S15081:4	E122.0	1	=H01/1508.1 AREA 1 ENTRANCE REQUEST
XCD01:32	E122.2	2	=H01/1508.3 SPARE
XCD01:34	E122.4	3	=H01/1508.5
XCD01:38	E122.6	4	=H01/1508.7
XCD01:42	E123.0	5	=H01/1509.1
XCD01:45	E123.2	6	=H01/1509.3
=H01-S15211:12	E123.4	7	=H01/1509.5 ACCESS GATE 1.1 KEY INSERTED
XCD01:49	E123.6	8	=H01/1509.7
=H01-S15082:4	E122.1	9	=H01/1508.2 AREA 1 SAFETY RESET
XCD01:33	E122.3	10	=H01/1508.4 SPARE
XCD01:37	E122.5	11	=H01/1508.6
XCD01:39	E122.7	12	=H01/1508.8
XCD01:43	E123.1	13	=H01/1509.2
XCD01:46	E123.3	14	=H01/1509.4
XCD01:48	E123.5	15	=H01/1509.6
=H01-S15098:2	E123.7	16	=H01/1509.8 MAX BOARD OVERTEMPERATURE

2700

2702

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC card overview : =H03-A26811 - =H03-A26816	+	= H03	2701
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A26820

		1	/2682.1
		2	/2682.1
DC24V		3	/2682.1
DC0V		4	/2682.1
		5	/2682.1
		6	/2682.1
DC24V		7	/2682.1
DC0V		8	/2682.1
		9	
		10	
		11	
		12	
		13	
		14	
		15	
		16	
		17	
		18	
		19	
		20	

-A26823

=H01-H15121:X1	A111.0	1	=H01/1512.1 LOCAL PANEL P1.1 GATE G1.1 LOCKED
=H01-S15082:X1	A111.2	2	=H01/1512.3 AREA 1 SAFETY RESET
XCD01:52	A111.4	3	=H01/1512.5 SPARE
XCD01:54	A111.6	4	=H01/1512.7 SPARE
=H01-K15131:A1	A111.0	5	=H01/1513.1 BARRIER OPEN
XCD01:57	A111.2	6	=H01/1513.3 SPARE
XCD01:60	A111.4	7	=H01/1513.5 SPARE
XCD01:63	A111.6	8	=H01/1513.7 SPARE
=H01-S15081:X1	A111.1	9	=H01/1512.2 AREA 1 ENTRANCE REQUEST
XCD01:50	A111.3	10	=H01/1512.4 SPARE
XCD01:53	A111.5	11	=H01/1512.6 SPARE
XCD01:56	A111.7	12	=H01/1512.8 SPARE
=H01-K15132:A1	A111.1	13	=H01/1513.2 SPARE
XCD01:59	A111.3	14	=H01/1513.4 SPARE
XCD01:62	A111.5	15	=H01/1513.6 SPARE
XCD01:65	A111.7	16	=H01/1513.8 SPARE
		17	
		18	
		19	
		20	

-A26825

XFTC2.1:7	E906.0	1	=H01/1501.1 LIGHT BARRIER FTC2.1
XBA2.1:7	E906.2	2	=H01/1501.5 SAFETY BARRIER BA2.1 CLOSED
	T0	3	=H01/1501.1 LIGHT BARRIER FTC2.1
	T2	4	=H01/1501.5 SAFETY BARRIER BA2.1 CLOSED
XFTC2.1:9	E906.1	5	=H01/1501.3 LIGHT BARRIER FTC2.1
XBA2.1:8	E906.3	6	=H01/1501.7 SAFETY BARRIER BA2.1 CLOSED
	T1	7	=H01/1501.3 LIGHT BARRIER FTC2.1
	T3	8	=H01/1501.7 SAFETY BARRIER BA2.1 CLOSED
		9	
		10	
		11	
		12	
		13	
		14	
		15	
		16	
		17	
		18	
		19	
		20	

2701

2703

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A26820 - =H03-A26825	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2702
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A26825.1

=H01-S15021:14	E912.0	1	=H01/1502.1 SAFETY AREA 1 OFF - ON
=H01-S15023:14	E912.2	2	=H01/1502.5 SAFETY AREA 2 OFF - ON
	T0	3	=H01/1502.1 SAFETY AREA 1 OFF - ON
	T2	4	=H01/1502.5 SAFETY AREA 2 OFF - ON
=H01-S15021:24	E912.1	5	=H01/1502.3 SAFETY AREA 1 OFF - ON
=H01-S15023:24	E912.3	6	=H01/1502.7 SAFETY AREA 2 OFF - ON
	T1	7	=H01/1502.3 SAFETY AREA 1 OFF - ON
	T3	8	=H01/1502.7 SAFETY AREA 2 OFF - ON

-A26825.2

=H01-S15025:14	E918.0	1	=H01/1503.1
XCD01:1	E918.2	2	=H01/1503.5 SPARE
	T0	3	=H01/1503.1
	T2	4	=H01/1503.5 SPARE
=H01-S15025:24	E918.1	5	=H01/1503.3
XCD01:3	E918.3	6	=H01/1503.7 SPARE
	T1	7	=H01/1503.3
	T3	8	=H01/1503.7 SPARE

-A26826


=H01-S15211:A1	A912.0	1	=H01/1504.1 ACCESS GATE 5.1 HOLDING ACTUATOR LOCK
	DC0V	2	=H01/1504.1 ACCESS GATE 5.1 HOLDING ACTUATOR LOCK
XCD01:5	A912.2	3	=H01/1504.5 SPARE
	DC0V	4	=H01/1504.5
=H01-K15043:A1	A912.1	5	=H01/1504.3 BARRIER ENABLE
	DC0V	6	=H01/1504.3 BARRIER ENABLE
XCD01:7	A912.3	7	=H01/1504.7 SPARE
	DC0V	8	=H01/1504.7

2702

2741

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A26825.1 - =H03-A26826	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2703
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




2703

2742

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK P03	POSIZ./LOCATION + P03	GRUPPO/SECTION = H03	PAGINE/PAGE 2741
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2741
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, ne utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




2741

2760

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK P03	POSIZ./LOCATION + P03	GRUPPO/SECTION = H03	PAGINE/PAGE 2742
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2742
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendelo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




2742

2761

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION KTP1200 P03	POSIZ./LOCATION + P03
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			GRUPPO/SECTION = H03
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						PAGINE/PAGE 2760
									SEL CTL4 LINE
									RIF./REFERNCE 2765

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



2760 2762

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SCALANCE P03	POSIZ./LOCATION + P03	GRUPPO/SECTION = H03	PAGINE/PAGE 2761
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2765
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A27411

	1		/2741.2
DC24V	2		/2741.2
DC0V	3		/2741.2
SYS_DC24V	4		/2741.2
	5		/2741.2
DC24V	6		/2741.2
DC0V	7		/2741.2
SYS_DC0V	8		/2741.2

-A27415

=H01-S17061:14	E140.0 1	=H01/1706.1	CONVEYOR JOG FORWARD
=H01-S17063:14	E140.2 2	=H01/1706.3	BOX 1 PLATFORM JOG IN
=H01-S17065:14	E140.4 3	=H01/1706.5	BOX 2 PLATFORM JOG IN
=H01-S17067:4	E140.6 4	=H01/1706.7	SAFETY AREA 7 RESET
=H01-S17061:4'	E140.1 5	=H01/1706.2	CONVEYOR JOG BACKWARD
=H01-S17063:4'	E140.3 6	=H01/1706.4	BOX 1 PLATFORM JOG OUT
=H01-S17065:4'	E140.5 7	=H01/1706.6	BOX 2 PLATFORM JOG OUT
=H01-S17068:4	E140.7 8	=H01/1706.8	SAFETY AREA 6 RESET

-A27415.1

XCD03:17	E141.0 1	=H01/1707.1	SPARE
XCD03:20	E141.2 2	=H01/1707.3	SPARE
XCD03:24	E141.4 3	=H01/1707.5	SPARE
XCD03:27	E141.6 4	=H01/1707.7	SPARE
XCD03:18	E141.1 5	=H01/1707.2	SPARE
XCD03:21	E141.3 6	=H01/1707.4	SPARE
XCD03:25	E141.5 7	=H01/1707.6	SPARE
XCD03:28	E141.7 8	=H01/1707.8	SPARE

2761

2763

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC card overview : =H03-A27411 - =H03-A27415.1	+	= H03	2762
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A27416

=H01-S17081:4	E142.0	1	=H01/1708.1 AREA 7 ENTRANCE REQUEST
XCD03:30	E142.2	2	=H01/1708.3 SPARE
XCD03:34	E142.4	3	=H01/1708.5 SPARE
XCD03:38	E142.6	4	=H01/1708.7 SPARE
=H01-S17082:4	E142.1	5	=H01/1708.2 AREA 7 SAFETY RESET
XCD03:31	E142.3	6	=H01/1708.4 SPARE
XCD03:35	E142.5	7	=H01/1708.6 SPARE
XCD03:39	E142.7	8	=H01/1708.8 SPARE

-A27416.1

=H01-S17211:12	E143.0	1	=H01/1709.1 ACCESS GATE 7.1 KEY INSERTED
XCD03:43	E143.2	2	=H01/1709.3
XCD03:47	E143.4	3	=H01/1709.5
XCD03:53	E143.6	4	=H01/1709.7
XCD03:42	E143.1	5	=H01/1709.2 SPARE
XCD03:46	E143.3	6	=H01/1709.4
XCD03:50	E143.5	7	=H01/1709.6
=H01-S17098:2	E143.7	8	=H01/1709.8 MAX BOARD OVERTEMPERATURE

-A27420

	1	/2742.1
DC24V	2	/2742.1
DC0V	3	/2742.1
	4	/2742.1
	5	/2742.1
DC24V	6	/2742.1
DC0V	7	/2742.1
	8	/2742.1

2762

2764

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A27416 - =H03-A27420	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2763
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A27423

=H01-H17121:X1	A140.0	1	=H01/1712.1 LOCAL PANEL P7.1 GATE G7.1
=H01-S17082:X1	A140.2	2	=H01/1712.3 AREA 7 SAFETY RESET
XCD03:56	A140.4	3	=H01/1712.5 SPARE
XCD03:58	A140.6	4	=H01/1712.7 SPARE
=H01-S17067:X1	A141.0	5	=H01/1713.1 SAFETY AREA 7 RESET
XCD03:61	A141.2	6	=H01/1713.3 SPARE
XCD03:64	A141.4	7	=H01/1713.5 SPARE
XCD03:67	A141.6	8	=H01/1713.7 SPARE
=H01-S17081:X1	A140.1	9	=H01/1712.2 AREA 7 ENTRANCE REQUEST
XCD03:54	A140.3	10	=H01/1712.4 SPARE
XCD03:57	A140.5	11	=H01/1712.6 SPARE
XCD03:60	A140.7	12	=H01/1712.8 SPARE
=H01-S17068:X1	A141.1	13	=H01/1713.2 SAFETY AREA 6 RESET
XCD03:63	A141.3	14	=H01/1713.4 SPARE
XCD03:66	A141.5	15	=H01/1713.6 SPARE
XCD03:69	A141.7	16	=H01/1713.8 SPARE

-A27425

=H01-S17021:14	E1006.0	1	=H01/1702.1 SAFETY AREA 7 OFF - ON
=H01-S17025:14	E1006.2	2	=H01/1702.5 SAFETY AREA 6 OFF - ON
	T0	3	=H01/1702.1 SAFETY AREA 7 OFF - ON
	T2	4	=H01/1702.5 SAFETY AREA 6 OFF - ON
=H01-S17021:24	E1006.1	5	=H01/1702.3 SAFETY AREA 7 OFF - ON
=H01-S17025:24	E1006.3	6	=H01/1702.7 SAFETY AREA 6 OFF - ON
	T1	7	=H01/1702.3 SAFETY AREA 7 OFF - ON
	T3	8	=H01/1702.7 SAFETY AREA 6 OFF - ON

-A27425.1

XCD03:2	E1012.0	1	=H01/1703.1 SPARE
XCD03:6	E1012.2	2	=H01/1703.5 SPARE
	T0	3	=H01/1703.1 SPARE
	T2	4	=H01/1703.5 SPARE
XCD03:3	E1012.1	5	=H01/1703.3 SPARE
XCD03:7	E1012.3	6	=H01/1703.7 SPARE
	T1	7	=H01/1703.3 SPARE
	T3	8	=H01/1703.7 SPARE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A27423 - =H03-A27425.1	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2764
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER					RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					SEL CTL4 LINE		
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A27426


=H01-S17211:A1	A1012.0	1	=H01/1704.1 ACCESS GATE 7.1 HOLDING ACTUATOR LOCK	
	DC0V	2	=H01/1704.1 ACCESS GATE 7.1 HOLDING ACTUATOR LOCK	
XCD03:11	A1012.2	3	=H01/1704.5 SPARE	
	DC0V	4	=H01/1704.5 SPARE	
XCD03:9	A1012.1	5	=H01/1704.3 SPARE	
	DC0V	6	=H01/1704.3 SPARE	
XCD03:13	A1012.3	7	=H01/1704.7 SPARE	
	DC0V	8	=H01/1704.7 SPARE	

2764

2771

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A27426 - =H03-A27426	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2765
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




2765

2772

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	ET 200SP RACK P04	+ P04	= H03	2771
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		DAMING					2771

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




2771

2790

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK P04	POSIZ./LOCATION + P04	GRUPPO/SECTION = H03	PAGINE/PAGE 2772
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2772
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o rendelo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



2772

2791

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET SCALANCE RACK P04	POSIZ./LOCATION + P04	GRUPPO/SECTION = H03	PAGINE/PAGE 2790
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2792
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A27711

	1	/2771.2	
DC24V	2	/2771.2	
DC0V	3	/2771.2	
SYS_DC24V	4	/2771.2	
	5	/2771.2	
DC24V	6	/2771.2	
DC0V	7	/2771.2	
SYS_DC0V	8	/2771.2	

-A27715

=H01-S18061:14	E151.0	1	=H01/1806.1 CHAIN SELECTED FORWARD
XCD04:10	E151.2	2	=H01/1806.3 SPARE
XCD04:14	E151.4	3	=H01/1806.5 SPARE
XCD04:17	E151.6	4	=H01/1806.7 SPARE
=H01-S18071:4	E152.0	5	=H01/1807.1 AREA 8 ENTRANCE REQUEST
=H01-S18073:4	E152.2	6	=H01/1807.3 AREA 8 ENTRANCE REQUEST
XCD04:21	E152.4	7	=H01/1807.5 SPARE
XCD04:25	E152.6	8	=H01/1807.7 SPARE
=H01-S18061:4'	E151.1	9	=H01/1806.2 CHAIN SELECTED BACKWARD
XCD04:11	E151.3	10	=H01/1806.4 SPARE
XCD04:15	E151.5	11	=H01/1806.6 SPARE
XCD04:18	E151.7	12	=H01/1806.8 SPARE
=H01-S18072:4	E152.1	13	=H01/1807.2 AREA 8 SAFETY RESET
=H01-S18074:4	E152.3	14	=H01/1807.4 AREA 8 SAFETY RESET
XCD04:22	E152.5	15	=H01/1807.6 SPARE
XCD04:26	E152.7	16	=H01/1807.8 SPARE

-A27716

XP17:3	E153.0	1	=H01/1808.1 SPARE P17
XP17:5	E153.2	2	=H01/1808.3 SPARE P17
XP17:7	E153.4	3	=H01/1808.5 SPARE P17
XCD04:29	E153.6	4	=H01/1808.7
=H01-S18211:12	E154.0	5	=H01/1809.1 ACCESS GATE 8.1 KEY INSERTED
XCD04:33	E154.2	6	=H01/1809.3 SPARE
XCD04:37	E154.4	7	=H01/1809.5
XCD04:41	E154.6	8	=H01/1809.7
XP17:4	E153.1	9	=H01/1808.2 SPARE P17
XP17:6	E153.3	10	=H01/1808.4 SPARE P17
XP17:8	E153.5	11	=H01/1808.6 SPARE P17
XCD04:30	E153.7	12	=H01/1808.8
=H01-S18215:12	E154.1	13	=H01/1809.2 ACCESS GATE 8.2 KEY INSERTED
XCD04:34	E154.3	14	=H01/1809.4 SPARE
XCD04:38	E154.5	15	=H01/1809.6
=H01-S18098:2	E154.7	16	=H01/1809.8 MAX BOARD OVERTEMPERATURE

2790

2792

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC card overview : =H03-A27711 - =H03-A27716	+	= H03	2791
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A27720

	1	/2772.1
DC24V	2	/2772.1
DC0V	3	/2772.1
	4	/2772.1
	5	/2772.1
DC24V	6	/2772.1
DC0V	7	/2772.1
	8	/2772.1

-A27723

=H01-H18121:X1	A150.0	1	=H01/1812.1 LOCAL PANEL P8.1 GATE G8.1
=H01-S18072:X1	A150.2	2	=H01/1812.3 AREA 8 SAFETY RESET
=H01-S18073:X1	A150.4	3	=H01/1812.5 AREA 8 ENTRANCE REQUEST
XCD04:42	A150.6	4	=H01/1812.7 SPARE
=H01-K18131:A1	A151.0	5	=H01/1813.1 SPARE
XCD04:45	A151.2	6	=H01/1813.3 SPARE
XCD04:48	A151.4	7	=H01/1813.5 SPARE
XCD04:51	A151.6	8	=H01/1813.7 SPARE
=H01-S18071:X1	A150.1	9	=H01/1812.2 AREA 8 ENTRANCE REQUEST
=H01-H18124:X1	A150.3	10	=H01/1812.4 LOCAL PANEL P8.2 GATE G8.2
=H01-S18074:X1	A150.5	11	=H01/1812.6 AREA 8 SAFETY RESET
XCD04:44	A150.7	12	=H01/1812.8 SPARE
=H01-K18132:A1	A151.1	13	=H01/1813.2 SPARE
XCD04:47	A151.3	14	=H01/1813.4 SPARE
XCD04:50	A151.5	15	=H01/1813.6 SPARE
XCD04:53	A151.7	16	=H01/1813.8 SPARE

-A27724

=H01-S18211:31	E1050.0	1	=H01/1801.1 ACCESS GATE 8.1 HOLDING ACTUATOR LOCKED
=H01-S18215:31	E1050.2	2	=H01/1801.5 ACCESS GATE 8.2 HOLDING ACTUATOR LOCKED
	T0	3	=H01/1801.1 ACCESS GATE 8.1 HOLDING ACTUATOR LOCKED
	T2	4	=H01/1801.5 ACCESS GATE 8.2 HOLDING ACTUATOR LOCKED
=H01-S18211:41	E1050.1	5	=H01/1801.3 ACCESS GATE 8.1 HOLDING ACTUATOR LOCKED
=H01-S18215:41	E1050.3	6	=H01/1801.7 ACCESS GATE 8.2 HOLDING ACTUATOR LOCKED
	T1	7	=H01/1801.3 ACCESS GATE 8.1 HOLDING ACTUATOR LOCKED
	T3	8	=H01/1801.7 ACCESS GATE 8.2 HOLDING ACTUATOR LOCKED

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A27720 - =H03-A27724	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2792
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A27724.1

XFTC8.1:7	E1056.0	1	=H01/1802.1 LIGHT BARRIER FTC8.1
=H01-S18025:14	E1056.2	2	=H01/1802.5 SAFETY AREA 8 OFF - ON
	T0	3	=H01/1802.1 LIGHT BARRIER FTC8.1
	T2	4	=H01/1802.5 SAFETY AREA 8 OFF - ON
XFTC8.1:9	E1056.1	5	=H01/1802.3 LIGHT BARRIER FTC8.1
=H01-S18025:24	E1056.3	6	=H01/1802.7 SAFETY AREA 8 OFF - ON
	T1	7	=H01/1802.3 LIGHT BARRIER FTC8.1
	T3	8	=H01/1802.7 SAFETY AREA 8 OFF - ON

-A27725


=H01-S18031:14	E1062.0	1	=H01/1803.1 SAFETY AREA 9 OFF - ON
XCD04:1	E1062.2	2	=H01/1803.5 SPARE
	T0	3	=H01/1803.1 SAFETY AREA 9 OFF - ON
	T2	4	=H01/1803.5 SPARE
=H01-S18031:24	E1062.1	5	=H01/1803.3 SAFETY AREA 9 OFF - ON
XCD04:3	E1062.3	6	=H01/1803.7 SPARE
	T1	7	=H01/1803.3 SAFETY AREA 9 OFF - ON
	T3	8	=H01/1803.7 SPARE

-A27725.1

=H01-S18211:A1	A912.0	1	=H01/1804.1 ACCESS GATE 8.1 HOLDING ACTUATOR LOCK
	DC0V	2	=H01/1804.1 ACCESS GATE 8.1 HOLDING ACTUATOR LOCK
XCD04:5	A912.2	3	=H01/1804.5 SPARE
	DC0V	4	=H01/1804.5
=H01-S18215:A1	A912.1	5	=H01/1804.3 ACCESS GATE 8.2 HOLDING ACTUATOR LOCK
	DC0V	6	=H01/1804.3 ACCESS GATE 8.2 HOLDING ACTUATOR LOCK
XCD04:7	A912.3	7	=H01/1804.7 SPARE
	DC0V	8	=H01/1804.7

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A27724.1 - =H03-A27725.1	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2793
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	ET 200SP RACK RIO01	+ RB1	= H03 / 2801
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE 2801
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

RBF DMAT AUTOMATION TECHNOLOGY


Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9



INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK RIO01	POSIZ./LOCATION + RB1	GRUPPO/SECTION = H03	PAGINE/PAGE 2802
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2802
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




2802

2805

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK RIO01	POSIZ./LOCATION + RB1	GRUPPO/SECTION = H03	PAGINE/PAGE 2803
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2803
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



2803

2806

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK RIO01	POSIZ./LOCATION + RB1	GRUPPO/SECTION = H03	PAGINE/PAGE 2805
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2805
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A28011

+RB1

1		/2801.2
2	DC24V	/2801.2
3	DC0V	/2801.2
4	SYS_DC24V	/2801.2
5		/2801.2
6	DC24V	/2801.2
7	DC0V	/2801.2
8	SYS_DC0V	/2801.2

-A28025

=H01-B19051:4	E160.0	1	=H01/1905.1 STORAGE COIL CAR TRANSLATION MAX BACKWARD
=H01-B19053:4	E160.2	2	=H01/1905.3 STORAGE COIL CAR TRANSLATION POSITION 1
=H01-B19055:4	E160.4	3	=H01/1905.5 STORAGE COIL CAR TRANSLATION POSITION 3
=H01-B19057:4	E160.6	4	=H01/1905.7 STORAGE COIL CAR RAIL MAX OPEN
=H01-B19052:4	E160.1	5	=H01/1905.2 STORAGE COIL CAR TRANSLATION MAX FORWARD
=H01-B19054:4	E160.3	6	=H01/1905.4 STORAGE COIL CAR TRANSLATION POSITION 2
=H01-B19056:4	E160.5	7	=H01/1905.6 STORAGE COIL CAR TRANSLATION SLOWDOWN
=H01-B19058:4	E160.7	8	=H01/1905.8 STORAGE COIL CAR RAIL MAX CLOSE

-A28025.1

=H01-B19061:4	E161.0	1	=H01/1906.1 COIL VERTICAL HORIZONTAL CENTERING DEVICE DIAMETER READING
=H01-B19063:4	E161.2	2	=H01/1906.3 COIL VERTICAL HORIZONTAL CENTERING DEVICE DIAMETER READING
=H01-B19065:4	E161.4	3	=H01/1906.5 COIL CAR HORIZONTAL TRANSLATION MAX OUT
=H01-B19067:4	E161.6	4	=H01/1906.7 COIL CAR VERTICAL MOVEMENT MAX UP
=H01-B19062:4	E161.1	5	=H01/1906.2 COIL VERTICAL HORIZONTAL CENTERING DEVICE DIAMETER READING
=H01-B19064:4	E161.3	6	=H01/1906.4 COIL CAR HORIZONTAL TRANSLATION MAX IN
=H01-B19066:4	E161.5	7	=H01/1906.6 COIL CAR VERTICAL MOVEMENT MAX DOWN
=H01-S19068:12	E161.7	8	=H01/1906.8 DECOILER DRIVING CONTROL FILTER OIL

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A28011 - =H03-A28025.1	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2806
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A28026

=H01-S19071:14	E162.0	1
=H01-B19073:4	E162.2	2
=H01-B19075:4	E162.4	3
=H01-B19077.1:4	E162.6	4
=H01-B19072:4	E162.1	5
=H01-B19074:4	E162.3	6
=H01-B19076:4	E162.5	7
=H01-B19078:4	E162.7	8

=H01/1907.1
DECOILER MANDREL CONTROL PRESSURE

=H01/1907.3
DECOILER MANDREL SUPPORT MAX UP

=H01/1907.5
DECOILER PORTAL PRESSURE ROLL MAX UP

=H01/1907.7
DECOILER PORTAL PRESSURE ROLL MATERIAL PRESENT

=H01/1907.2
DECOILER MANDREL HOME POSITION

=H01/1907.4
DECOILER MANDREL SUPPORT MAX DOWN

=H01/1907.6
COIL OPENING TABLE HORIZONTAL TRANSLATION MAX BACK

=H01/1907.8
COIL OPENING TABLE VERTICAL TRANSLATION MAX DOWN

-A28026.1

=H01-B19081:4	E163.0	1
=H01-B19083:4	E163.2	2
=H01-B19085:4	E163.4	3
=H01-S19087:14	E163.6	4
=H01-B19082:4	E163.1	5
=H01-B19084:4	E163.3	6
=H01-B19086:4	E163.5	7
=H01-S19088:14	E163.7	8

=H01/1908.1
COIL OPENING TABLE VERTICAL TRANSLATION MIDDLE POSITION

=H01/1908.3
COIL OPENING TABLE OPENING BLADE MAX UP

=H01/1908.5
ENTRY PINCH ROLL UP ROLLER WORK POSITION

=H01/1908.7
STRAIGHTENER UP ROLLER MAX UP

=H01/1908.2
COIL OPENING TABLE OPENING BLADE MAX UP

=H01/1908.4
ENTRY PINCH ROLL UP ROLLER MAX UP

=H01/1908.6
ENTRY PINCH ROLL UP ROLLER MAX DOWN

=H01/1908.8
STRAIGHTENER CORRECTOR MAX UP

-A28027

=H01-B19091.1:4	E164.0	1
=H01-B19093:4	E164.2	2
=H01-B19095:4	E164.4	3
=H01-B19097:4	E164.6	4
=H01-B19092:4	E164.1	5
=H01-B19094:4	E164.3	6
=H01-B19096:4	E164.5	7
=H01-B19098:4	E164.7	8

=H01/1909.1
STRAIGHTENER AUXILIARY MATERIAL PRESENT

=H01/1909.3
CROP SHEAR UP BLADE MAX DOWN

=H01/1909.5
CROP SHEAR BLADE GAP DECREASE MAX

=H01/1909.7
CROP SHEAR EXIT TABLE CUTTING POSITION

=H01/1909.2
CROP SHEAR UP BLADE MAX UP

=H01/1909.4
CROP SHEAR UP BLADE SAFETY PIN POSITION

=H01/1909.6
CROP SHEAR BLADE GAP INCREASE MAX

=H01/1909.8
CROP SHEAR EXIT TABLE PASS LINE POSITION

2806

2808

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A28026 - =H03-A28027	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2807
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A28027.1

=H01-B19101:4	E165.0	1	=H01/1910.1 CROP SHEAR EXIT TABLE MAX DOWN
=H01-S19103:14	E165.2	2	=H01/1910.3 SCRAP CAR CROP SHEAR TRANSLATION MAX BACKWARD
=H01-B19105:4	E165.4	3	=H01/1910.5 BRUSHER 1 LOWER ROLLER MAX DOWN
=H01-B19107:4	E165.6	4	=H01/1910.7 BRUSHER 1 TRANSLATION MAX IN LINE
=H01-S19102:14	E165.1	5	=H01/1910.2 SCRAP CAR CROP SHEAR TRANSLATION MAX FORWARD
=H01-B19104:4	E165.3	6	=H01/1910.4 BRUSHER 1 UP ROLLER MAX UP
=H01-B19106:4	E165.5	7	=H01/1910.6 BRUSHER 1 TRANSLATION CENTRE POSITION
=H01-B19108:4	E165.7	8	=H01/1910.8 BRUSHER 1 TRANSLATION MAX OUT LINE

-A28027.2

=H01-U19111:4	E166.0	1	=H01/1911.1 BRUSHER 1 TRANSLATION CONTROL M.S.
XRIO1:3	E166.2	2	=H01/1911.3 SPARE
XRIO1:9	E166.4	3	=H01/1911.5 SPARE
XRIO1:15	E166.6	4	=H01/1911.7 SPARE
=H01-U19112:4	E166.1	5	=H01/1911.2 BRUSHER 1 TRANSLATION CONTROL M.S.
XRIO1:6	E166.3	6	=H01/1911.4 SPARE
XRIO1:12	E166.5	7	=H01/1911.6 SPARE
XRIO1:18	E166.7	8	=H01/1911.8 SPARE

-A28028

XRIO1:21	E167.0	1	=H01/1912.1 SPARE
XRIO1:27	E167.2	2	=H01/1912.3
XRIO1:33	E167.4	3	=H01/1912.5
XRIO1:39	E167.6	4	=H01/1912.7
XRIO1:24	E167.1	5	=H01/1912.2 SPARE
XRIO1:30	E167.3	6	=H01/1912.4
XRIO1:36	E167.5	7	=H01/1912.6
XRIO1:42	E167.7	8	=H01/1912.8

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A28027.1 - =H03-A28028	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2808
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A28030

	1	/2803.1
DC24V	2	/2803.1
DC0V	3	/2803.1
	4	/2803.1
	5	/2803.1
DC24V	6	/2803.1
DC0V	7	/2803.1
	8	/2803.1

-A28032

=H01-Y19251:A1	A160.0	1	=H01/1925.1 COIL CAR VERTICAL MOVEMENT UP SLOW
	DC0V	2	=H01/1925.2 COIL CAR VERTICAL MOVEMENT UP SLOW
=H01-Y19255:A1	A160.2	3	=H01/1925.5 STORAGE COIL CAR RAIL OPEN
	DC0V	4	=H01/1925.4 SPARE
XJB030:14	A160.1	5	=H01/1925.3 SPARE
	DC0V	6	=H01/1925.6 STORAGE COIL CAR RAIL OPEN
=H01-Y19255:B1	A160.3	7	=H01/1925.7 STORAGE COIL CAR RAIL CLOSE
	DC0V	8	=H01/1925.8 STORAGE COIL CAR RAIL CLOSE

-A28032.1

=H01-Y19261:A1	A161.0	1	=H01/1926.1 COIL CAR HORIZONTAL TRANSLATION SLOW
	DC0V	2	=H01/1926.2 COIL CAR HORIZONTAL TRANSLATION SLOW
=H01-Y19265:A1	A161.2	3	=H01/1926.5 COIL CAR HORIZONTAL TRANSLATION FAST
	DC0V	4	=H01/1926.4 COIL CAR HORIZONTAL TRANSLATION SLOW
=H01-Y19261:B1	A161.1	5	=H01/1926.3 COIL CAR HORIZONTAL TRANSLATION SLOW
	DC0V	6	=H01/1926.6 COIL CAR HORIZONTAL TRANSLATION FAST
=H01-Y19267:A1	A161.3	7	=H01/1926.7 COIL CAR HORIZONTAL TRANSLATION ENABLE
	DC0V	8	=H01/1926.8 COIL CAR HORIZONTAL TRANSLATION ENABLE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A28030 - =H03-A28032.1	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2809
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A28033

	1	/2803.3
DC24V	2	/2803.3
DC0V	3	/2803.3
	4	/2803.3
	5	/2803.3
DC24V	6	/2803.3
DC0V	7	/2803.3
	8	/2803.3

-A28035

=H01-Y19271:A1	A162.0	1	=H01/1927.1 COIL CAR VERTICAL MOVEMENT FAST UP
	DC0V	2	=H01/1927.2 COIL CAR VERTICAL MOVEMENT FAST UP
=H01-Y19275:A1	A162.2	3	=H01/1927.5 COIL CAR VERTICAL MOVEMENT SLOW UP
	DC0V	4	=H01/1927.4 COIL CAR VERTICAL MOVEMENT FAST DOWN
=H01-Y19271:B1	A162.1	5	=H01/1927.3 COIL CAR VERTICAL MOVEMENT FAST DOWN
	DC0V	6	=H01/1927.6 COIL CAR VERTICAL MOVEMENT SLOW UP
=H01-Y19275:B1	A162.3	7	=H01/1927.7 COIL CAR VERTICAL MOVEMENT SLOW UP
	DC0V	8	=H01/1927.8 COIL CAR VERTICAL MOVEMENT SLOW UP

-A28035.1

=H01-Y19281:A1	A163.0	1	=H01/1928.1 COIL CAR ROLLER ROTATION FORWARD
	DC0V	2	=H01/1928.2 COIL CAR ROLLER ROTATION FORWARD
XJB030.10:13	A163.2	3	=H01/1928.5 SPARE
	DC0V	4	=H01/1928.4 COIL CAR ROLLER ROTATION BACKWARD
=H01-Y19281:B1	A163.1	5	=H01/1928.3 COIL CAR ROLLER ROTATION BACKWARD
	DC0V	6	=H01/1928.6 SPARE
XJB030.10:14	A163.3	7	=H01/1928.7 SPARE
	DC0V	8	=H01/1928.8 SPARE

2809

2811

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A28033 - =H03-A28035.1	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2810
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A28036

1		/2803.6
2	DC24V	/2803.6
3	DC0V	/2803.6
4		/2803.6
5		/2803.6
6	DC24V	/2803.6
7	DC0V	/2803.6
8		/2803.6

-A28037

=H01-Y19291:A1	A164.0	1	=H01/1929.1 DECOILER MANDREL SUPPORT UP
	DC0V	2	=H01/1929.2 DECOILER MANDREL SUPPORT UP
=H01-Y19295:A1	A164.2	3	=H01/1929.5 DECOILER EMG TRANSLATION ENABLE
	DC0V	4	=H01/1929.4 DECOILER MANDREL SUPPORT DOWN
=H01-Y19291:B1	A164.1	5	=H01/1929.3 DECOILER MANDREL SUPPORT DOWN
	DC0V	6	=H01/1929.6 DECOILER EMG TRANSLATION ENABLE
XJB040:11	A164.3	7	=H01/1929.7 SPARE
	DC0V	8	=H01/1929.8 SPARE

-A28037.1

=H01-Y19301:A1	A165.0	1	=H01/1930.1 DECOILER MANDREL EXPAND
	DC0V	2	=H01/1930.2 DECOILER MANDREL EXPAND
=H01-Y19305:A1	A165.2	3	=H01/1930.5 DECOILER PORTAL PRESSURE ROLL UP
	DC0V	4	=H01/1930.4 DECOILER MANDREL COLLAPSE
=H01-Y19301:B1	A165.1	5	=H01/1930.3 DECOILER MANDREL COLLAPSE
	DC0V	6	=H01/1930.6 DECOILER PORTAL PRESSURE ROLL UP
=H01-Y19305:B1	A165.3	7	=H01/1930.7 DECOILER PORTAL PRESSURE ROLL DOWN
	DC0V	8	=H01/1930.8 DECOILER PORTAL PRESSURE ROLL DOWN

2810

2812

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A28036 - =H03-A28037.1	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2811
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A28038

	1	/2803.8
DC24V	2	/2803.8
DC0V	3	/2803.8
	4	/2803.8
	5	/2803.8
DC24V	6	/2803.8
DC0V	7	/2803.8
	8	/2803.8

-A28039

=H01-Y19311:A1	A166.0	1	=H01/1931.1 DECOILER PORTAL PRESSURE ROLL FORWARD
	DC0V	2	=H01/1931.2 DECOILER PORTAL PRESSURE ROLL FORWARD
=H01-Y19315:A1	A166.2	3	=H01/1931.5 COIL OPENING TABLE VERTICAL TRANSLATION FORWARD
	DC0V	4	=H01/1931.4 DECOILER PORTAL PRESSURE ROLL BACKWARD
=H01-Y19311:B1	A166.1	5	=H01/1931.3 DECOILER PORTAL PRESSURE ROLL BACKWARD
	DC0V	6	=H01/1931.6 COIL OPENING TABLE VERTICAL TRANSLATION FORWARD
=H01-Y19315:B1	A166.3	7	=H01/1931.7 COIL OPENING TABLE VERTICAL TRANSLATION BACKWARD
	DC0V	8	=H01/1931.8 COIL OPENING TABLE VERTICAL TRANSLATION BACKWARD

-A28039.1

=H01-Y19321:A1	A167.0	1	=H01/1932.1 COIL OPENING TABLE VERTICAL TRANSLATION UP
	DC0V	2	=H01/1932.2 COIL OPENING TABLE VERTICAL TRANSLATION UP
=H01-Y19325:A1	A167.2	3	=H01/1932.5 COIL OPENING TABLE OPENING BLADE UP
	DC0V	4	=H01/1932.4 COIL OPENING TABLE VERTICAL TRANSLATION DOWN
=H01-Y19321:B1	A167.1	5	=H01/1932.3 COIL OPENING TABLE VERTICAL TRANSLATION DOWN
	DC0V	6	=H01/1932.6 COIL OPENING TABLE OPENING BLADE UP
=H01-Y19325:B1	A167.3	7	=H01/1932.7 COIL OPENING TABLE OPENING BLADE DOWN
	DC0V	8	=H01/1932.8 COIL OPENING TABLE OPENING BLADE DOWN

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A28038 - =H03-A28039.1	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2812
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A28050

	1	/2805.1
DC24V	2	/2805.1
DC0V	3	/2805.1
	4	/2805.1
	5	/2805.1
DC24V	6	/2805.1
DC0V	7	/2805.1
	8	/2805.1

-A28052

=H01-Y19331:A1	A168.0	1	=H01/1933.1 COIL OPENING TABLE UP PRESSURE ROLLER UP
DC0V		2	=H01/1933.2 COIL OPENING TABLE UP PRESSURE ROLLER UP
=H01-Y19335:A1	A168.2	3	=H01/1933.5 ENTRY PICH ROLL UP ROLLER UP (HIGH PRESSURE)
DC0V		4	=H01/1933.4 COIL OPENING TABLE UP PRESSURE ROLLER DOWN
=H01-Y19331:B1	A168.1	5	=H01/1933.3 COIL OPENING TABLE UP PRESSURE ROLLER DOWN
DC0V		6	=H01/1933.6 ENTRY PICH ROLL UP ROLLER UP (HIGH PRESSURE)
=H01-Y19335:B1	A168.3	7	=H01/1933.7 ENTRY PICH ROLL UP ROLLER DOWN (HIGH PRESSURE)
DC0V		8	=H01/1933.8 ENTRY PICH ROLL UP ROLLER DOWN (HIGH PRESSURE)

-A28052.1

=H01-Y19341:A1	A169.0	1	=H01/1934.1 ENTRY PICH ROLL UP ROLLER UP (LOWER PRESSURE)
DC0V		2	=H01/1934.2 ENTRY PICH ROLL UP ROLLER UP (LOWER PRESSURE)
=H01-Y19345:A1	A169.2	3	=H01/1934.5 CROP SHEAR UP BLADE UP
DC0V		4	=H01/1934.4 ENTRY PICH ROLL UP ROLLER DOWN (LOWER PRESSURE)
=H01-Y19341:B1	A169.1	5	=H01/1934.3 ENTRY PICH ROLL UP ROLLER DOWN (LOWER PRESSURE)
DC0V		6	=H01/1934.6 CROP SHEAR UP BLADE UP
=H01-Y19345:B1	A169.3	7	=H01/1934.7 CROP SHEAR UP BLADE DOWN
DC0V		8	=H01/1934.8 CROP SHEAR UP BLADE DOWN

2812

2814

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A28050 - =H03-A28052.1	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2813
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A28053

	1	/2805.3
DC24V	2	/2805.3
DC0V	3	/2805.3
	4	/2805.3
	5	/2805.3
DC24V	6	/2805.3
DC0V	7	/2805.3
	8	/2805.3

-A28054

=H01-Y19351:A1	A170.0	1	=H01/1935.1 CROP SHEAR EXIT TABLE OF CROP UP
	DC0V	2	=H01/1935.2 CROP SHEAR EXIT TABLE OF CROP UP
XRIO1:43	A170.2	3	=H01/1935.5 SPARE
	DC0V	4	=H01/1935.4 CROP SHEAR EXIT TABLE OF CROP DOWN
=H01-Y19351:B1	A170.1	5	=H01/1935.3 CROP SHEAR EXIT TABLE OF CROP DOWN
	DC0V	6	=H01/1935.6 SPARE
XRIO1:44	A170.3	7	=H01/1935.7 SPARE
	DC0V	8	=H01/1935.8 SPARE

-A28054.1

=H01-Y19361:A1	A171.0	1	=H01/1936.1 BRUSHER 1 UP ROLLER UP
	DC0V	2	=H01/1936.2 BRUSHER 1 UP ROLLER UP
=H01-Y19365:A1	A171.2	3	=H01/1936.5 BRUSHER 1 LOWER ROLLER UP
	DC0V	4	=H01/1936.4 BRUSHER 1 UP ROLLER DOWN
=H01-Y19361:B1	A171.1	5	=H01/1936.3 BRUSHER 1 UP ROLLER DOWN
	DC0V	6	=H01/1936.6 BRUSHER 1 LOWER ROLLER UP
=H01-Y19365:B1	A171.3	7	=H01/1936.7 BRUSHER 1 LOWER ROLLER DOWN
	DC0V	8	=H01/1936.8 BRUSHER 1 LOWER ROLLER DOWN

2813

2815

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A28053 - =H03-A28054.1	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2814
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A28055

	1	/2805.6
DC24V	2	/2805.6
DC0V	3	/2805.6
	4	/2805.6
	5	/2805.6
DC24V	6	/2805.6
DC0V	7	/2805.6
	8	/2805.6

-A28056


=H01-Y19371:A1	A172.0	1	=H01/1937.1 BRUSHER 1 TRANSLATION BACKWARD
	DC0V	2	=H01/1937.2 BRUSHER 1 TRANSLATION BACKWARD
XRIO1:46	A172.2	3	=H01/1937.5 SPARE
	DC0V	4	=H01/1937.4 BRUSHER 1 TRANSLATION FORWAWARD
=H01-Y19371:B1	A172.1	5	=H01/1937.3 BRUSHER 1 TRANSLATION FORWAWARD
	DC0V	6	=H01/1937.6 SPARE
XRIO1:47	A172.3	7	=H01/1937.7 SPARE
	DC0V	8	=H01/1937.8 SPARE

2814

2818


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A28055 - =H03-A28056	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2815
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 210411 CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION DRIVE CLIQ HUB RIO01	POSIZ./LOCATION + RB3	GRUPPO/SECTION = H03	PAGINE/PAGE 2818
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2818
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK RIO03	POSIZ./LOCATION + RB3	GRUPPO/SECTION = H03	PAGINE/PAGE 2851
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2851
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.


0	1	2	3	4	5	6	7	8	9



INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK RIO03	POSIZ./LOCATION + RB3	GRUPPO/SECTION = H03	PAGINE/PAGE 2852
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2852
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK RIO03	POSIZ./LOCATION + RB3	GRUPPO/SECTION = H03	PAGINE/PAGE 2853
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2853
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A28511

+RB1

1		/2851.2
2	DC24V	/2851.2
3	DC0V	/2851.2
4	SYS_DC24V	/2851.2
5		/2851.2
6	DC24V	/2851.2
7	DC0V	/2851.2
8	SYS_DC0V	/2851.2

-A28521

=H01-B21021:4	E190.0	1	=H01/2102.1 BRUSHER 2 UP ROLLER MAX UP
=H01-B21023:4	E190.2	2	=H01/2102.3 BRUSHER 2 TRANSLATION CENTRE POSITION
=H01-B21025:4	E190.4	3	=H01/2102.5 BRUSHER 2 TRANSLATION MAX OUT LINE
=H01-U21027:4	E190.6	4	=H01/2102.7 BRUSHER 2 TRANSLATION CONTROL M.S.
=H01-B21022:4	E190.1	5	=H01/2102.2 BRUSHER 2 LOWER ROLLER MAX DOWN
=H01-B21024:4	E190.3	6	=H01/2102.4 BRUSHER 2 TRANSLATION MAX IN LINE
=H01-U21026:4	E190.5	7	=H01/2102.6 BRUSHER 2 TRANSLATION CONTROL M.S.
=H01-S21028:14	E190.7	8	=H01/2102.8 LEVELLER 1 CHANGE PACKAGE EXTRACTION CAR MAX IN

-A28521.1

=H01-S21033:14	E191.0	1	=H01/2103.1 LEVELLER 1 CHANGE PACKAGE EXTRACTION CAR MAX OUT
=H01-B21033:4	E191.2	2	=H01/2103.3 LEVELLER 1 CHANGE PACKAGE EXTRACTION CAR SAFETY PIN
=H01-S21035:14	E191.4	3	=H01/2103.5 LEVELLER 1 EXIT MAX UP
=H01-S21037:1	E191.6	4	=H01/2103.7 LEVELLER 1 UP PACKAGE CONTROL PRESSURE
=H01-B21032:4	E191.1	5	=H01/2103.2 LEVELLER 1 CHANGE PACKAGE EXTRACTION CAR SLOW DOWN
=H01-S21034:14	E191.3	6	=H01/2103.4 LEVELLER 1 ENTRY MAX UP
=H01-S21036:1	E191.5	7	=H01/2103.6 LEVELLER 1 UP PACKAGE CONTROL PRESSURE
=H01-S21038:1	E191.7	8	=H01/2103.8 LEVELLER 1 LOWER PACKAGE CONTROL PRESSURE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A28511 - =H03-A28521.1	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2854
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A28522

=H01-S21041:1	E192.0	1	=H01/2104.1 LEVELLER 1 LOWER PACKAGE CONTROL PRESSURE
=H01-B21043:4	E192.2	2	=H01/2104.3 LEVELLER 1 LOWER PACKAGE CONTROL RAIL UP
=H01-B21044:4	E192.4	3	=H01/2104.5 LEVELLER 1 GREASE LURICATION LUBRICATION OK
=H01-B2104.1:4	E192.6	4	=H01/2104.7 LEVELLER 1 AUXILIARY MATERIAL PRESENT ENTRY SIDE
=H01-S21042:14	E192.1	5	=H01/2104.2 LEVELLER 1 OIL LUBRICATION CONTROL PRESSURE
=H01-S21044:1	E192.3	6	=H01/2104.4 LEVELLER 1 OIL LUBRICATION FILTER CLOGGED
=H01-S21046:14	E192.5	7	=H01/2104.6 LEVELLER 1 GREASE LURICATION CONTROL LEVEL
=H01-B21048.1:4	E192.7	8	=H01/2104.8 LEVELLER 1 AUXILIARY MATERIAL PRESENT EXIT SIDE

-A28522.1

=H01-S21051:14	E193.0	1	=H01/2105.1 LEVELLER 1 AUXILIARY SHAFT SUPPORT LOW
XRIO3:6	E193.2	2	=H01/2105.3 SPARE
XRIO3:12	E193.4	3	=H01/2105.5 SPARE
XRIO3:18	E193.6	4	=H01/2105.7 SPARE
XRIO3:3	E193.1	5	=H01/2105.2 SPARE
XRIO3:9	E193.3	6	=H01/2105.4 SPARE
XRIO3:15	E193.5	7	=H01/2105.6 SPARE
XRIO3:21	E193.7	8	=H01/2105.8 SPARE

-A28530

	1	/2853.1
DC24V	2	/2853.1
DC0V	3	/2853.1
	4	/2853.1
	5	/2853.1
DC24V	6	/2853.1
DC0V	7	/2853.1
	8	/2853.1

2854

2856

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A28522 - =H03-A28530	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2855
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A28531

=H01-Y21251:A1	A190.0	1	=H01/2125.1 BRUSHER 2 UP ROLLER UP
	DC0V	2	=H01/2125.2 BRUSHER 2 UP ROLLER UP
=H01-Y21255:A1	A190.2	3	=H01/2125.5 BRUSHER 2 LOWER ROLLER UP
	DC0V	4	=H01/2125.4 BRUSHER 2 UP ROLLER DOWN
=H01-Y21251:B1	A190.1	5	=H01/2125.3 BRUSHER 2 UP ROLLER DOWN
	DC0V	6	=H01/2125.6 BRUSHER 2 LOWER ROLLER UP
=H01-Y21255:B1	A190.3	7	=H01/2125.7 BRUSHER 2 LOWER ROLLER DOWN
	DC0V	8	=H01/2125.8 BRUSHER 2 LOWER ROLLER DOWN

-A28532

=H01-Y21261:A1	A191.0	1	=H01/2126.1 BRUSHER 2 TRANSLATION BACKWARD
	DC0V	2	=H01/2126.2 BRUSHER 2 TRANSLATION BACKWARD
=H01-Y21265:A1	A191.2	3	=H01/2126.5 LEVELLER 1 UP PACKAGE LOCK
	DC0V	4	=H01/2126.4 BRUSHER 2 TRANSLATION FORWARD
=H01-Y21261:B1	A191.1	5	=H01/2126.3 BRUSHER 2 TRANSLATION FORWARD
	DC0V	6	=H01/2126.6 LEVELLER 1 UP PACKAGE LOCK
=H01-Y21265:B1	A191.3	7	=H01/2126.7 LEVELLER 1 UP PACKAGE UNLOCK
	DC0V	8	=H01/2126.8 LEVELLER 1 UP PACKAGE UNLOCK

-A28533

		1	/2853.3
	DC24V	2	/2853.3
	DC0V	3	/2853.3
		4	/2853.3
		5	/2853.3
	DC24V	6	/2853.3
	DC0V	7	/2853.3
		8	/2853.3

2855

2857

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A28531 - =H03-A28533	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2856
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A28534

=H01-Y21271:A1	A192.0	1	=H01/2127.1 LEVELLER 1 UP PACKAGE BY-PASS
	DC0V	2	=H01/2127.2 LEVELLER 1 UP PACKAGE BY-PASS
=H01-Y21275:A1	A192.2	3	=H01/2127.5 LEVELLER 1 LOWER PACKAGE LOCK
	DC0V	4	=H01/2127.4 SPARE
X433:54	A192.1	5	=H01/2127.3 SPARE
	DC0V	6	=H01/2127.6 LEVELLER 1 LOWER PACKAGE LOCK
=H01-Y21275:B1	A192.3	7	=H01/2127.7 LEVELLER 1 LOWER PACKAGE UNLOCK
	DC0V	8	=H01/2127.8 LEVELLER 1 LOWER PACKAGE UNLOCK

-A28534.1

=H01-Y21281:A1	A193.0	1	=H01/2128.1 LEVELLER 1 LOWER PACKAGE RAIL UP
	DC0V	2	=H01/2128.2 LEVELLER 1 LOWER PACKAGE RAIL UP
=H01-M21285:1	A193.2	3	=H01/2128.5 LEVELLER 1 GREASE LUBRICATION
	DC0V	4	=H01/2128.4 LEVELLER 1 LOWER PACKAGE RAIL DOWN
=H01-Y21281:B1	A193.1	5	=H01/2128.3 LEVELLER 1 LOWER PACKAGE RAIL DOWN
	DC0V	6	=H01/2128.6 LEVELLER 1 GREASE LUBRICATION
X433:64	A193.3	7	=H01/2128.7 SPARE
	DC0V	8	=H01/2128.8 SPARE

2856

2867

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A28534 - =H03-A28534.1	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2857
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

2851.3 / 24V.RB3 → 24V.RB3 / 2868.1

2851.3 / 0V.RB3 → 0V.RB3 / 2868.1

13101

10006

PE

PB1-12 / =H01/2288.7

PB1-13 / =H01/2188.3

PN

A1 A1' A2 A2'

PN

A1 A1' A2 A2'

-K28670

=N01/14.1

	L+	M	PE	M5.2	A1	A1`	A2	A2'	B1	B1`	B2	B2'
	1/L+	2/M	3/PE	4/M5.2	5/A1	6/B1	7/A1`	8/B1`	9/A2	10/B2	11/A2`	12/B2`


CONTACTS 6ES7972-0AA02-0XA0 RS 485-REPEATER SIEMENS

2857

2868

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PB REPEATER RIO03	POSIZ./LOCATION + RB3	GRUPPO/SECTION = H03	PAGINE/PAGE 2867
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2687
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



2867 2869


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET SCALANCE RACK RIO03	POSIZ./LOCATION + RB3	GRUPPO/SECTION = H03	PAGINE/PAGE 2868
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2868
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION DRIVE CLIQ HUB RIO03	POSIZ./LOCATION + RB3	GRUPPO/SECTION = H03	PAGINE/PAGE 2869
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2869
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK RIO04	POSIZ./LOCATION + RB4	GRUPPO/SECTION = H03	PAGINE/PAGE 2881
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2881
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.


0	1	2	3	4	5	6	7	8	9



INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK RIO04	POSIZ./LOCATION + RB4	GRUPPO/SECTION = H03	PAGINE/PAGE 2882
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2882
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



2882

2885

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK RIO04	POSIZ./LOCATION + RB4	GRUPPO/SECTION = H03	PAGINE/PAGE 2883
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2883
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A28811

+RB4

1			/2881.2
2	DC24V		/2881.2
3	DC0V		/2881.2
4	SYS_DC24V		/2881.2
5			/2881.2
6	DC24V		/2881.2
7	DC0V		/2881.2
8	SYS_DC0V		/2881.2

-A28821

1	X441:15	E200.0	=H01/2202.1 SPARE
2	X441:17	E200.2	=H01/2202.3 SPARE
3	X441:19	E200.4	=H01/2202.5 SPARE
4	X441:21	E200.6	=H01/2202.7 SPARE
5	X441:16	E200.1	=H01/2202.2 SPARE
6	X441:18	E200.3	=H01/2202.4 SPARE
7	X441:20	E200.5	=H01/2202.6 SPARE
8	=H01-S22028:14	E200.7	=H01/2202.8 LEVELLER 2 CHANGE PACKAGE EXTRACTION CAR MAX IN

-A28821.1

1	=H01-S22031:14	E201.0	=H01/2203.1 LEVELLER 2 CHANGE PACKAGE EXTRACTION CAR MAX OUT
2	=H01-B22033:4	E201.2	=H01/2203.3 LEVELLER 2 CHANGE PACKAGE EXTRACTION CAR SAFETY PIN
3	=H01-B22035:4	E201.4	=H01/2203.5 LEVELLER 2 ENTRY MAX UP
4	=H01-B22037:4	E201.6	=H01/2203.7 LEVELLER 2 EXIT MAX UP
5	=H01-B22032:4	E201.1	=H01/2203.2 LEVELLER 2 CHANGE PACKAGE EXTRACTION CAR SLOW DOWN
6	=H01-B22034:4	E201.3	=H01/2203.4 LEVELLER 2 ENTRY MAX UP
7	=H01-B22036:4	E201.5	=H01/2203.6 LEVELLER 2 EXIT MAX UP
8	=H01-S22038:1	E201.7	=H01/2203.8 LEVELLER 2 UP PACKAGE CONTROL PRESSURE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A28811 - =H03-A28821.1	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2885
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A28822

=H01-S22041:1	E202.0	1	=H01/2204.1 LEVELLER 2 UP PACKAGE CONTROL PRESSURE
=H01-S22043:1	E202.2	2	=H01/2204.3 LEVELLER 2 LOWER PACKAGE CONTROL PRESSURE
=H01-S22045:1	E202.4	3	=H01/2204.5 LEVELLER 2 OIL LUBRICATION FILTER CLOGGED
=H01-B22047:4	E202.6	4	=H01/2204.7 LEVELLER 2 GREASE LURICATION CONTROL OK
=H01-S22042:1	E202.1	5	=H01/2204.2 LEVELLER 2 LOWER PACKAGE CONTROL PRESSURE
=H01-B22044:4	E202.3	6	=H01/2204.4 LEVELLER 2 LOWER PACKAGE COTROL RAIL UP
=H01-S22043.1:14	E202.5	7	=H01/2204.6 LEVELLER 2 OIL LUBRICATION CONTROL PRESSURE
=H01-S22048:14	E202.7	8	=H01/2204.8 LEVELLER 2 GREASE LURICATION CONTROL LEVEL

-A28822.1

=H01-B22057.1:4	E203.0	1	=H01/2205.1 LEVELLER 2 AUXILIARY MATERIAL PRESENT ENTRY SIDE
=H01-S22051:14	E203.2	2	=H01/2205.3 LEVELLER 2 SHAFT HOLDER DOWN
XRIO4:6	E203.4	3	=H01/2205.5 SPARE
XRIO4:12	E203.6	4	=H01/2205.7 SPARE
=H01-B22058.1:4	E203.1	5	=H01/2205.2 LEVELLER 2 AUXILIARY MATERIAL PRESENT EXIT SIDE
XRIO4:3	E203.3	6	=H01/2205.4 SPARE
XRIO4:9	E203.5	7	=H01/2205.6 SPARE
XRIO4:15	E203.7	8	=H01/2205.8 SPARE

-A28822.2

XRIO4:18	E204.0	1	=H01/2206.1 SPARE
XRIO4:24	E204.2	2	=H01/2206.3 SPARE
XRIO4:30	E204.4	3	=H01/2206.5
XRIO4:36	E204.6	4	=H01/2206.7
XRIO4:21	E204.1	5	=H01/2206.2 SPARE
XRIO4:27	E204.3	6	=H01/2206.4
XRIO4:33	E204.5	7	=H01/2206.6
XRIO4:39	E204.7	8	=H01/2206.8

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A28822 - =H03-A28822.2	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2886
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A28830

	1	/2883.1
DC24V	2	/2883.1
DC0V	3	/2883.1
	4	/2883.1
	5	/2883.1
DC24V	6	/2883.1
DC0V	7	/2883.1
	8	/2883.1

-A28831

X441:22	A200.0	1	=H01/2225.1 SPARE
X441:24	A200.2	2	=H01/2225.5 SPARE
X441:26	A200.4	3	=H01/2226.1 SPARE
X443:55	A200.6	4	=H01/2226.5 SPARE
X441:23	A200.1	5	=H01/2225.3 SPARE
X441:25	A200.3	6	=H01/2225.7 SPARE
X441:27	A200.5	7	=H01/2226.3 SPARE
X443:56	A200.7	8	=H01/2226.7 SPARE

-A28833

	1	/2883.3
DC24V	2	/2883.3
DC0V	3	/2883.3
	4	/2883.3
	5	/2883.3
DC24V	6	/2883.3
DC0V	7	/2883.3
	8	/2883.3

2886

2888

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC card overview : =H03-A28830 - =H03-A28833	+ / = H03 / 2887
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A28834.1

=H01-Y22301:A1	A205.0	1	=H01/2230.1 LEVELLER 2 UP PACKAGE LOCK
	DC0V	2	=H01/2230.2 LEVELLER 2 UP PACKAGE LOCK
=H01-Y22305:A1	A205.2	3	=H01/2230.5 LEVELLER 2 UP PACKAGE BY-PASS
	DC0V	4	=H01/2230.4 LEVELLER 2 UP PACKAGE UNLOCK
=H01-Y22301:B1	A205.1	5	=H01/2230.3 LEVELLER 2 UP PACKAGE UNLOCK
	DC0V	6	=H01/2230.6 LEVELLER 2 UP PACKAGE BY-PASS
=H01-M22307:1	A205.3	7	=H01/2230.7 LEVELLER 2 GREASE LUBRICATION
	DC0V	8	=H01/2230.8 LEVELLER 2 GREASE LUBRICATION

-A28835

	1	/2883.6
DC24V	2	/2883.6
DC0V	3	/2883.6
	4	/2883.6
	5	/2883.6
DC24V	6	/2883.6
DC0V	7	/2883.6
	8	/2883.6

-A28836

=H01-Y22311:A1	A206.0	1	=H01/2231.1 LEVELLER 2 LOWER PACKAGE LOCK
	DC0V	2	=H01/2231.2 LEVELLER 2 LOWER PACKAGE LOCK
=H01-Y22315:A1	A206.2	3	=H01/2231.5 LEVELLER 2 LOWER PACKAGE RAIL UP
	DC0V	4	=H01/2231.4 LEVELLER 2 LOWER PACKAGE UNLOCK
=H01-Y22311:B1	A206.1	5	=H01/2231.3 LEVELLER 2 LOWER PACKAGE UNLOCK
	DC0V	6	=H01/2231.6 LEVELLER 2 LOWER PACKAGE RAIL UP
=H01-Y22315:B1	A206.3	7	=H01/2231.7 LEVELLER 2 LOWER PACKAGE RAIL DOWN
	DC0V	8	=H01/2231.8 LEVELLER 2 LOWER PACKAGE RAIL DOWN

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A28834.1 - =H03-A28836	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2888
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A28837

	1	/2883.8
DC24V	2	/2883.8
DC0V	3	/2883.8
	4	/2883.8
	5	/2883.8
DC24V	6	/2883.8
DC0V	7	/2883.8
	8	/2883.8

-A28838

=H01-U22331:1	A208.0	1	=H01/2233.1 LAMP 1
	DC0V	2	=H01/2233.2 LAMP 1
=H01-U22331:3	A208.2	3	=H01/2233.5 LAMP 3
	DC0V	4	=H01/2233.4 LAMP 2
=H01-U22331:2	A208.1	5	=H01/2233.3 LAMP 2
	DC0V	6	=H01/2233.6 LAMP 3
X443:103	A208.3	7	=H01/2233.7 SPARE
	DC0V	8	=H01/2233.8 SPARE


2888

2911

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC card overview : =H03-A28837 - =H03-A28838	+ / = H03 / 2889
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO					

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H03	PAGINE/PAGE 2911
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE 2911
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9

-A29122.1
=H01/2303.1

AI 2x
16 Bit I

RUN
MF

AI 0
AI 1

YEC
031-1CB40

1 5
2 6
3 7
4 8

-A29122.2
=H01/2306.1

AO 2x
12 Bit U

RUN
MF

AO 0
AO 1


YEC
032-1BB70

1 5
2 6
3 7
4 8

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK RIO05	POSIZ./LOCATION + RB5 / GRUPPO/SECTION = H03 / PAGINE/PAGE 2912
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE / RIF./REFERNCE 2912
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						


0	1	2	3	4	5	6	7	8	9



INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H03	PAGINE/PAGE 2913
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2913
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




2913

2915

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK RIO05	POSIZ./LOCATION + RB5 / GRUPPO/SECTION = H03 / PAGINE/PAGE 2914
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 2915
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




2914

2917

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H03	PAGINE/PAGE 2915
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2916
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION ET 200SP RACK RIO05	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H03	PAGINE/PAGE 2917
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 2917
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A29111

+RB5

	1	/2911.2
DC24V	2	/2911.2
DC0V	3	/2911.2
SYS_DC24V	4	/2911.2
	5	/2911.2
DC24V	6	/2911.2
DC0V	7	/2911.2
SYS_DC0V	8	/2911.2

-A29122.1

=H01-T2303A50+ PEW230	1	=H01/2303.1 STACKER BELT CONVEYOR BOX 1 POSITION M.S.
-	2	=H01/2303.2 STACKER BELT CONVEYOR BOX 1 POSITION M.S.
	3	=H01/2303.3 STACKER BELT CONVEYOR BOX 1 POSITION M.S.
	4	=H01/2303.3 STACKER BELT CONVEYOR BOX 1 POSITION M.S.
=H01-T2303A51+ PEW232	5	=H01/2303.6 STACKER BELT CONVEYOR BOX 1 POSITION O.S.
-	6	=H01/2303.6 STACKER BELT CONVEYOR BOX 1 POSITION O.S.
	7	=H01/2303.7 STACKER BELT CONVEYOR BOX 1 POSITION O.S.
	8	=H01/2303.8 STACKER BELT CONVEYOR BOX 1 POSITION O.S.

-A29122.2

=H01-Y2306A70+ PAW230	1	=H01/2306.1 PLATFORM BOX 1 PLATFORM RAISE UP -0- DOWN
-	2	=H01/2306.2 PLATFORM BOX 1 PLATFORM RAISE UP -0- DOWN
	3	=H01/2306.2 PLATFORM BOX 1 PLATFORM RAISE UP -0- DOWN
	4	=H01/2306.2 PLATFORM BOX 1 PLATFORM RAISE UP -0- DOWN
=H01-Y2306A71+ PAW232	5	=H01/2306.6 PLATFORM BOX 2 PLATFORM RAISE UP -0- DOWN
-	6	=H01/2306.6 PLATFORM BOX 2 PLATFORM RAISE UP -0- DOWN
	7	=H01/2306.6 PLATFORM BOX 2 PLATFORM RAISE UP -0- DOWN
	8	=H01/2306.7 PLATFORM BOX 2 PLATFORM RAISE UP -0- DOWN

2917

2919

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A29111 - =H03-A29122.2	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2918
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A29131

=H01-S23021:14	E210.0	1	=H01/2309.1 STACKER CAR RACKET MAX CLOSE BOX 1
=H01-S23023:14	E210.2	2	=H01/2309.3 STACKER CAR RACKET MAX CLOSE BOX 1
=H01-S23025:14	E210.4	3	=H01/2309.5 STACKER SIDE GUIDE M.S. MAX CLOSE BOX 1
=H01-S23027:14	E210.6	4	=H01/2309.7 STACKER SIDE GUIDE O.S. MAX CLOSE BOX 1
=H01-S23022:14	E210.1	5	=H01/2309.2 STACKER CAR RACKET MAX OPEN BOX 1
=H01-S23024:14	E210.3	6	=H01/2309.4 STACKER CAR RACKET MAX OPEN BOX 1
=H01-S23026:14	E210.5	7	=H01/2309.6 STACKER SIDE GUIDE M.S. MAX OPEN BOX 1
=H01-S23028:14	E210.7	8	=H01/2309.8 STACKER SIDE GUIDE O.S. MAX OPEN BOX 1

-A29131.1

=H01-B23031:4	E211.0	1	=H01/2310.1 STACKER RACKET M.S. BOX 1 HOME POSITION
=H01-B23033:4	E211.2	2	=H01/2310.3 STACKER RACKET M.S. BOX 1 CLOSE POSITION
=H01-B23035:4	E211.4	3	=H01/2310.5 STACKER RACKET O.S. BOX 1 CLOSE POSITION
=H01-B23037:14	E211.6	4	=H01/2310.7 STACKER SIDE GUIDE PUSH M.S. BOX 1 EXTENSION CONTROL
=H01-B23032:4	E211.1	5	=H01/2310.2 STACKER RACKET M.S. BOX 1 OPEN POSITION
=H01-B23034:4	E211.3	6	=H01/2310.4 STACKER RACKET O.S. BOX 1 OPEN POSITION
=H01-B23036:4	E211.5	7	=H01/2310.6 STACKER RACKET O.S. BOX 1 HOME POSITION
=H01-B23038:14	E211.7	8	=H01/2310.8 STACKER SIDE GUIDE PUSH M.S. BOX 1 RETREAT CONTROL

-A29132

=H01-B23041:14	E212.0	1	=H01/2311.1 STACKER SIDE GUIDE PUSH O.S. BOX 1 EXTENSION CONTROL
=H01-S23043:14	E212.2	2	=H01/2311.3 STACKER HEAD STOP BOX 1 MAX FORWARD
=H01-B23045:14	E212.4	3	=H01/2311.5 STACKER HEAD STOP BOX 1 EXTENSION CONTROL
=H01-B23047:14	E212.6	4	=H01/2311.7 STACKER HEAD STOP BOX 1 MAX UP
=H01-B23042:14	E212.1	5	=H01/2311.2 STACKER SIDE GUIDE PUSH O.S. BOX 1 RETREAT CONTROL
=H01-S23044:14	E212.3	6	=H01/2311.4 STACKER HEAD STOP BOX 1 MAX BACKWARD
=H01-B23046:14	E212.5	7	=H01/2311.6 STACKER HEAD STOP BOX 1 RETREAT CONTROL
=H01-B23048:14	E212.7	8	=H01/2311.8 STACKER HEAD STOP BOX 1 MAX DOWN

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A29131 - =H03-A29132	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2919
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A29132.1

=H01-B23051:4	E213.0	1	=H01/2312.1 STACKER HEAD STOP BOX 1 CONTROL LOCK
=H01-S23052:14	E213.2	2	=H01/2312.3 STACKER BELT CONVEYOR BOX 1 MAX UP M.S.
=H01-S23054:14	E213.4	3	=H01/2312.5 STACKER BELT CONVEYOR BOX 1 MAX UP O.S.
=H01-B23057:4	E213.6	4	=H01/2312.7 STACKER AUXILIARY BOX 1 PLATFORM AUTO DOWN
=H01-B23052:14	E213.1	5	=H01/2312.2 STACKER HEAD STOP BOX 1 CONTROL UNLOCK
=H01-S23053:14	E213.3	6	=H01/2312.4 STACKER BELT CONVEYOR BOX 1 MAX DOWN M.S.
=H01-S23055:14	E213.5	7	=H01/2312.6 STACKER BELT CONVEYOR BOX 1 MAX DOWN O.S.
=H01-B23058.1:4	E213.7	8	=H01/2312.8 STACKER AUXILIARY BOX 1 PLATFORM MAX UP

-A29132.2

=H01-B23061:4	E214.0	1	=H01/2313.1 STACKER RACKET M.S. BOX 2 OPEN POSITION
=H01-B23063:4	E214.2	2	=H01/2313.3 STACKER RACKET O.S. BOX 2 OPEN POSITION
=H01-S23065:14	E214.4	3	=H01/2313.5 STACKER RACKET M.S. BOX 2 MAX CLOSE
=H01-S23067:14	E214.6	4	=H01/2313.7 STACKER RACKET M.S. BOX 2 MAX CLOSE
=H01-B23062:4	E214.1	5	=H01/2313.2 STACKER RACKET M.S. BOX 2 CLOSE POSITION
=H01-B23064:4	E214.3	6	=H01/2313.4 STACKER RACKET O.S. BOX 2 CLOSE POSITION
=H01-S23066:14	E214.5	7	=H01/2313.6 STACKER RACKET M.S. BOX 2 MAX OPEN
=H01-S23068:14	E214.7	8	=H01/2313.8 STACKER RACKET M.S. BOX 2 MAX OPEN

-A29133

=H01-S23071:14	E215.0	1	=H01/2314.1 STACKER SIDE GUIDE M.S. BOX 2 MAX CLOSE
=H01-S23073:14	E215.2	2	=H01/2314.3 STACKER SIDE GUIDE O.S. BOX 2 MAX CLOSE
=H01-B23075:4	E215.4	3	=H01/2314.5 STACKER RACKET M.S. BOX 2 HOME POSITION
=H01-B23077:14	E215.6	4	=H01/2314.7 STACKER SIDE GUIDE PUSH M.S. BOX 2 EXTENSION CONTROL
=H01-S23072:14	E215.1	5	=H01/2314.2 STACKER SIDE GUIDE M.S. BOX 2 MAX OPEN
=H01-S23074:14	E215.3	6	=H01/2314.4 STACKER SIDE GUIDE O.S. BOX 2 MAX OPEN
=H01-B23076:4	E215.5	7	=H01/2314.6 STACKER RACKET O.S. BOX 2 HOME POSITION
=H01-B23078:14	E215.7	8	=H01/2314.8 STACKER SIDE GUIDE PUSH M.S. BOX 2 RETREAT CONTROL

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A29132.1 - =H03-A29133	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2920
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A29133.1

=H01-B23081:14	E216.0	1	=H01/2315.1 STACKER SIDE GUIDE PUSH O.S. BOX 2 EXTENSION CONTROL
=H01-B23083:14	E216.2	2	=H01/2315.3 STACKER HEADSTOP BOX 2 MAX UP
=H01-S23085:14	E216.4	3	=H01/2315.5 STACKER HEADSTOP BOX 2 MAX FORWARD
=H01-B23087:14	E216.6	4	=H01/2315.7 STACKER HEADSTOP BOX 2 EXTENSION CONTROL
=H01-B23082:14	E216.1	5	=H01/2315.2 STACKER SIDE GUIDE PUSH O.S. BOX 2 RETREAT CONTROL
=H01-B23084:14	E216.3	6	=H01/2315.4 STACKER HEADSTOP BOX 2 MAX DOWN
=H01-S23086:14	E216.5	7	=H01/2315.6 STACKER HEADSTOP BOX 2 MAX BACKWARD
=H01-B23088:14	E216.7	8	=H01/2315.8 STACKER HEADSTOP BOX 2 RETREAT CONTROL

-A29134

=H01-B23091:4	E217.0	1	=H01/2316.1 STACKER HEADSTOP BOX 2 CONTROL LOCK
=H01-B23093:4	E217.2	2	=H01/2316.3 STACKER AUXILIARY BOX 2 PLATFORM AUTO DOWN
=H01-B23095:4	E217.4	3	=H01/2316.5 STACKER AUXILIARY BOX 2 CONTROL SET
=H01-U23097:4	E217.6	4	=H01/2316.7 PLATFORM BOX 1 ROLL CONTROL ENTRY
=H01-B23092:4	E217.1	5	=H01/2316.2 STACKER HEADSTOP BOX 2 CONTROL UNLOCK
=H01-B23094.1:4	E217.3	6	=H01/2316.4 STACKER AUXILIARY BOX 2 PLATFORM MAX UP
=H01-B23096:4	E217.5	7	=H01/2316.6 PLATFORM BOX 1 PLATFORM RAISE UP MAX DOWN
=H01-U23098:4	E217.7	8	=H01/2316.8 PLATFORM BOX 1 ROLL CONTROL EXIT

-A29134.1

=H01-B23101:4	E218.0	1	=H01/2317.1 PLATFORM BOX 1 SUPPORT AIR CONTROL LOWER
=H01-B23103:4	E218.2	2	=H01/2317.3 PLATFORM BOX 1 SUPPORT AIR CONTROL LOWER
=H01-B23105:4	E218.4	3	=H01/2317.5 PLATFORM BOX 2 PLATFORM RAISE UP MAX DOWN
=H01-U23107:4	E218.6	4	=H01/2317.7 PLATFORM BOX 2 ROLL CONTROL EXIT
=H01-B23102:4	E218.1	5	=H01/2317.2 PLATFORM BOX 1 SUPPORT AIR CONTROL LOWER
=H01-S23104:14	E218.3	6	=H01/2317.4 PLATFORM BOX 1 PLATFORM RAISE UP CONTROL FILTER
=H01-U23106:4	E218.5	7	=H01/2317.6 PLATFORM BOX 2 ROLL CONTROL ENTRY
=H01-B23178:4	E218.7	8	=H01/2317.8 PLATFORM BOX 2 SUPPORT AIR BAR CONTROL LOWER

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A29133.1 - =H03-A29134.1	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2921
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A29134.2

=H01-B23111:4	E219.0	1	=H01/2318.1 PLATFORM BOX 2 SUPPORT AIR BAR CONTROL LOWER
=H01-U23113:4	E219.2	2	=H01/2318.3 MIDDLE EXIT PLATFORM BOX 1 ROLL CONTROL ENTRY
=H01-U23115:4	E219.4	3	=H01/2318.5 MIDDLE EXIT PLATFORM BOX 2 ROLL CONTROL ENTRY
=H01-U23117:4	E219.6	4	=H01/2318.7 ROLLS AND CHAINS BOX 1 90° ROLL CONTROL ENTRY
=H01-B23112:4	E219.1	5	=H01/2318.2 PLATFORM BOX 2 SUPPORT AIR BAR CONTROL LOWER
=H01-U23114:4	E219.3	6	=H01/2318.4 MIDDLE EXIT PLATFORM BOX 1 ROLL CONTROL EXIT
=H01-U23116:4	E219.5	7	=H01/2318.6 MIDDLE EXIT PLATFORM BOX 2 ROLL CONTROL EXIT
=H01-U23118:4	E219.7	8	=H01/2318.8 ROLLS AND CHAINS BOX 1 90° ROLL CONTROL EXIT

-A29135

=H01-B23121:4	E220.0	1	=H01/2319.1 ROLLS AND CHAINS BOX 1 90° CHAINS UP CONTROL MAX DOWN
=H01-U23123:4	E220.2	2	=H01/2319.3 ROLLS AND CHAINS BOX 1 90° CHAINS CONTROL ENTRY
=H01-U23125:4	E220.4	3	=H01/2319.5 ROLLS AND CHAINS BOX 2 90° ROLL CONTROL ENTRY
=H01-B23127:4	E220.6	4	=H01/2319.7 ROLLS AND CHAINS BOX 2 90° CHAINS UP CONTROL MAX DOWN
=H01-B23122:4	E220.1	5	=H01/2319.2 ROLLS AND CHAINS BOX 1 90° CHAINS UP CONTROL MAX UP
=H01-U23124:4	E220.3	6	=H01/2319.4 ROLLS AND CHAINS BOX 1 90° CHAINS CONTROL EXIT
=H01-U23126:4	E220.5	7	=H01/2319.6 ROLLS AND CHAINS BOX 2 90° ROLL CONTROL EXIT
=H01-B23128:4	E220.7	8	=H01/2319.8 ROLLS AND CHAINS BOX 2 90° CHAINS UP CONTROL MAX UP

-A29135.1

=H01-U23131:4	E221.0	1	=H01/2320.1 ROLLS AND CHAINS BOX 2 90° CHAINS CONTROL ENTRY
XRIO5:3	E221.2	2	=H01/2320.3 SPARE
XRIO5:9	E221.4	3	=H01/2320.5 SPARE
XRIO5:15	E221.6	4	=H01/2320.7 SPARE
=H01-U23132:4	E221.1	5	=H01/2320.2 ROLLS AND CHAINS BOX 2 90° CHAINS CONTROL EXIT
XRIO5:6	E221.3	6	=H01/2320.4 SPARE
XRIO5:12	E221.5	7	=H01/2320.6 SPARE
XRIO5:18	E221.7	8	=H01/2320.8 SPARE

2921

2923

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A29134.2 - =H03-A29135.1	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2922
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A29136

XRIO5:21	E222.0	1	=H01/2321.1 SPARE
XRIO5:27	E222.2	2	=H01/2321.3 SPARE
XRIO5:33	E222.4	3	=H01/2321.5 SPARE
XRIO5:39	E222.6	4	=H01/2321.7 SPARE
XRIO5:24	E222.1	5	=H01/2321.2 SPARE
XRIO5:30	E222.3	6	=H01/2321.4 SPARE
XRIO5:36	E222.5	7	=H01/2321.6 SPARE
XRIO5:42	E222.7	8	=H01/2321.8 SPARE

-A29140

	1	/2914.1
DC24V	2	/2914.1
DC0V	3	/2914.1
	4	/2914.1
	5	/2914.1
DC24V	6	/2914.1
DC0V	7	/2914.1
	8	/2914.1

-A29141

=H01-Y23251:A1	A210.0	1	=H01/2325.1 STACKER SIDE GUIDE PUSH M.S. BOX 1 EXTENSION
	DC0V	2	=H01/2325.2 STACKER SIDE GUIDE PUSH M.S. BOX 1 EXTENSION
=H01-Y23255:A1	A210.2	3	=H01/2325.5 STACKER SIDE GUIDE PUSH M.S. BOX 1 EXTENSION
	DC0V	4	=H01/2325.4 STACKER SIDE GUIDE PUSH M.S. BOX 1 RETREAT
=H01-Y23251:B1	A210.1	5	=H01/2325.3 STACKER SIDE GUIDE PUSH M.S. BOX 1 RETREAT
	DC0V	6	=H01/2325.6 STACKER SIDE GUIDE PUSH M.S. BOX 1 EXTENSION
=H01-Y23255:B1	A210.3	7	=H01/2325.7 STACKER SIDE GUIDE PUSH M.S. BOX 1 RETREAT
	DC0V	8	=H01/2325.8 STACKER SIDE GUIDE PUSH M.S. BOX 1 RETREAT

2922

2924

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	PLC card overview : =H03-A29136 - =H03-A29141	+	= H03	2923
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A29142

=H01-Y23261:A1	A211.0	1	=H01/2326.1 STACKER SIDE GUIDE PUSH M.S. BOX 1 EXTENSION
	DC0V	2	=H01/2326.2 STACKER SIDE GUIDE PUSH M.S. BOX 1 EXTENSION
=H01-Y23265:A1	A211.2	3	=H01/2326.5 STACKER SIDE GUIDE PUSH O.S. BOX 1 EXTENSION
	DC0V	4	=H01/2326.4 STACKER SIDE GUIDE PUSH M.S. BOX 1 RETREAT
=H01-Y23261:B1	A211.1	5	=H01/2326.3 STACKER SIDE GUIDE PUSH M.S. BOX 1 RETREAT
	DC0V	6	=H01/2326.6 STACKER SIDE GUIDE PUSH O.S. BOX 1 EXTENSION
=H01-Y23265:B1	A211.3	7	=H01/2326.7 STACKER SIDE GUIDE PUSH O.S. BOX 1 RETREAT
	DC0V	8	=H01/2326.8 STACKER SIDE GUIDE PUSH O.S. BOX 1 RETREAT

-A29143

	1	/2914.3
DC24V	2	/2914.3
DC0V	3	/2914.3
	4	/2914.3
	5	/2914.3
DC24V	6	/2914.3
DC0V	7	/2914.3
	8	/2914.3

-A29144

=H01-Y23271:A1	A212.0	1	=H01/2327.1 STACKER SIDE GUIDE PUSH O.S. BOX 1 EXTENSION
	DC0V	2	=H01/2327.2 STACKER SIDE GUIDE PUSH O.S. BOX 1 EXTENSION
=H01-Y23275:A1	A212.2	3	=H01/2327.5 STACKER SIDE GUIDE PUSH O.S. BOX 1 EXTENSION
	DC0V	4	=H01/2327.4 STACKER SIDE GUIDE PUSH O.S. BOX 1 RETREAT
=H01-Y23271:B1	A212.1	5	=H01/2327.3 STACKER SIDE GUIDE PUSH O.S. BOX 1 RETREAT
	DC0V	6	=H01/2327.6 STACKER SIDE GUIDE PUSH O.S. BOX 1 EXTENSION
=H01-Y23275:B1	A212.3	7	=H01/2327.7 STACKER SIDE GUIDE PUSH O.S. BOX 1 RETREAT
	DC0V	8	=H01/2327.8 STACKER SIDE GUIDE PUSH O.S. BOX 1 RETREAT

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A29142 - =H03-A29144	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2924
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A29144.1

=H01-Y23281:A1	A213.0	1	=H01/2328.1 STACKER HEAD STOP BOX 1 EXTENSION - RETREAT
	DC0V	2	=H01/2328.2 STACKER HEAD STOP BOX 1 EXTENSION - RETREAT
=H01-Y23283:B1	A213.2	3	=H01/2328.5 STACKER HEAD STOP BOX 1 UNLOCK
	DC0V	4	=H01/2328.4 STACKER HEAD STOP BOX 1 LOCK
=H01-Y23283:A1	A213.1	5	=H01/2328.3 STACKER HEAD STOP BOX 1 LOCK
	DC0V	6	=H01/2328.6 STACKER HEAD STOP BOX 1 UNLOCK
=H01-Y23287:A1	A213.3	7	=H01/2328.7 STACKER HEAD STOP BOX 1 RISE-LOWER
	DC0V	8	=H01/2328.8 STACKER HEAD STOP BOX 1 RISE-LOWER

-A29145

	1	/2914.6
DC24V	2	/2914.6
DC0V	3	/2914.6
	4	/2914.6
	5	/2914.6
DC24V	6	/2914.6
DC0V	7	/2914.6
	8	/2914.6

-A29146

=H01-Y23291:A1	A214.0	1	=H01/2329.1 STACKER SIDE GUIDE PUSH M.S. BOX 2 EXTENSION
	DC0V	2	=H01/2329.2 STACKER SIDE GUIDE PUSH M.S. BOX 2 EXTENSION
=H01-Y23295:A1	A214.2	3	=H01/2329.5 STACKER SIDE GUIDE PUSH M.S. BOX 2 EXTENSION
	DC0V	4	=H01/2329.4 STACKER SIDE GUIDE PUSH M.S. BOX 2 RETREAT
=H01-Y23291:B1	A214.1	5	=H01/2329.3 STACKER SIDE GUIDE PUSH M.S. BOX 2 RETREAT
	DC0V	6	=H01/2329.6 STACKER SIDE GUIDE PUSH M.S. BOX 2 EXTENSION
=H01-Y23295:B1	A214.3	7	=H01/2329.7 STACKER SIDE GUIDE PUSH M.S. BOX 2 RETREAT
	DC0V	8	=H01/2329.8 STACKER SIDE GUIDE PUSH M.S. BOX 2 RETREAT

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A29144.1 - =H03-A29146	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2925
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A29146.1

=H01-Y23301:A1	A215.0	1	=H01/2330.1 STACKER SIDE GUIDE PUSH M.S. BOX 2 EXTENSION
	DC0V	2	=H01/2330.2 STACKER SIDE GUIDE PUSH M.S. BOX 2 EXTENSION
=H01-Y23305:A1	A215.2	3	=H01/2330.5 STACKER SIDE GUIDE PUSH O.S. BOX 2 EXTENSION
	DC0V	4	=H01/2330.4 STACKER SIDE GUIDE PUSH M.S. BOX 2 RETREAT
=H01-Y23301:B1	A215.1	5	=H01/2330.3 STACKER SIDE GUIDE PUSH M.S. BOX 2 RETREAT
	DC0V	6	=H01/2330.6 STACKER SIDE GUIDE PUSH O.S. BOX 2 EXTENSION
=H01-Y23305:B1	A215.3	7	=H01/2330.7 STACKER SIDE GUIDE PUSH O.S. BOX 2 RETREAT
	DC0V	8	=H01/2330.8 STACKER SIDE GUIDE PUSH O.S. BOX 2 RETREAT

-A29147

		1	/2914.8
	DC24V	2	/2914.8
	DC0V	3	/2914.8
		4	/2914.8
		5	/2914.8
	DC24V	6	/2914.8
	DC0V	7	/2914.8
		8	/2914.8

-A29148

=H01-Y23311:A1	A216.0	1	=H01/2331.1 STACKER SIDE GUIDE PUSH O.S. BOX 2 EXTENSION
	DC0V	2	=H01/2331.2 STACKER SIDE GUIDE PUSH O.S. BOX 2 EXTENSION
=H01-Y23315:A1	A216.2	3	=H01/2331.5 STACKER SIDE GUIDE PUSH O.S. BOX 2 EXTENSION
	DC0V	4	=H01/2331.4 STACKER SIDE GUIDE PUSH O.S. BOX 2 RETREAT
=H01-Y23311:B1	A216.1	5	=H01/2331.3 STACKER SIDE GUIDE PUSH O.S. BOX 2 RETREAT
	DC0V	6	=H01/2331.6 STACKER SIDE GUIDE PUSH O.S. BOX 2 EXTENSION
=H01-Y23315:B1	A216.3	7	=H01/2331.7 STACKER SIDE GUIDE PUSH O.S. BOX 2 RETREAT
	DC0V	8	=H01/2331.8 STACKER SIDE GUIDE PUSH O.S. BOX 2 RETREAT

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A29146.1 - =H03-A29148	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2926
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A29149

=H01-Y23321:A1	A217.0	1	=H01/2332.1 STACKER HEAD STOP BOX 2 RISE
	DC0V	2	=H01/2332.2 STACKER HEAD STOP BOX 2 RISE
=H01-Y23325:A1	A217.2	3	=H01/2332.5 STACKER HEAD STOP BOX 2 EXTENSION - RETREAT
	DC0V	4	=H01/2332.4 STACKER HEAD STOP BOX 2 LOWER
=H01-Y23321:B1	A217.1	5	=H01/2332.3 STACKER HEAD STOP BOX 2 LOWER
	DC0V	6	=H01/2332.6 STACKER HEAD STOP BOX 2 EXTENSION - RETREAT
XJB450.2:94	A217.3	7	=H01/2332.7 SPARE
	DC0V	8	=H01/2332.8 SPARE

-A29150

	1	/2915.1
DC24V	2	/2915.1
DC0V	3	/2915.1
	4	/2915.1
	5	/2915.1
DC24V	6	/2915.1
DC0V	7	/2915.1
	8	/2915.1

-A29151

=H01-Y23331:A1	A218.0	1	=H01/2333.1 STACKER HEAD STOP BOX 2 LOCK BOX 1
	DC0V	2	=H01/2333.2 STACKER HEAD STOP BOX 2 LOCK BOX 1
=H01-Y23335:A1	A218.2	3	=H01/2333.5 PLATFORM BOX 1 SUPPORT AIR BAR RAISE - LOWER
	DC0V	4	=H01/2333.4 STACKER HEAD STOP BOX 2 UNLOCK BOX 1
=H01-Y23331:B1	A218.1	5	=H01/2333.3 STACKER HEAD STOP BOX 2 UNLOCK BOX 1
	DC0V	6	=H01/2333.6 PLATFORM BOX 1 SUPPORT AIR BAR RAISE - LOWER
=H01-Y23337:A1	A218.3	7	=H01/2333.7 PLATFORM BOX 1 SUPPORT AIR BAR RAISE - LOWER
	DC0V	8	=H01/2333.8 PLATFORM BOX 1 SUPPORT AIR BAR RAISE - LOWER

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A29149 - =H03-A29151	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2927
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A29152

=H01-Y23341:A1	A219.0	1	=H01/2334.1 PLATFORM BOX 1 SUPPORT AIR BAR RAISE - LOWER
	DC0V	2	=H01/2334.2 PLATFORM BOX 1 SUPPORT AIR BAR RAISE - LOWER
=H01-Y23345:A1	A219.2	3	=H01/2334.5 PLATFORM BOX 1 PLATFORM RISE UP
	DC0V	4	=H01/2334.4 SPARE FOR OVERPASS HEAD FLATFOR UP
XJB460:22	A219.1	5	=H01/2334.3 SPARE FOR OVERPASS HEAD FLATFOR UP
	DC0V	6	=H01/2334.6 PLATFORM BOX 1 PLATFORM RISE UP
=H01-Y23347:A1	A219.3	7	=H01/2334.7 PLATFORM BOX 1 PLATFORM RAISE RAISE ENABLE
	DC0V	8	=H01/2334.8 PLATFORM BOX 1 PLATFORM RAISE RAISE ENABLE

-A29153

	1	/2915.3
DC24V	2	/2915.3
DC0V	3	/2915.3
	4	/2915.3
	5	/2915.3
DC24V	6	/2915.3
DC0V	7	/2915.3
	8	/2915.3

-A29154

=H01-Y23351:A1	A220.0	1	=H01/2335.1 PLATFORM BOX 2 PLATFORM RAISE RAISE ENABLE
	DC0V	2	=H01/2335.2 PLATFORM BOX 2 PLATFORM RAISE RAISE ENABLE
=H01-Y23355:A1	A220.2	3	=H01/2335.5 PLATFORM BOX 2 SUPPORT AIR BAR RAISE - LOWER
	DC0V	4	=H01/2335.4 SPARE FOR OVERPASS HEAD FLATFOR DOWN
XJB460.10:15	A220.1	5	=H01/2335.3 SPARE FOR OVERPASS HEAD FLATFOR DOWN
	DC0V	6	=H01/2335.6 PLATFORM BOX 2 SUPPORT AIR BAR RAISE - LOWER
=H01-Y23357:A1	A220.3	7	=H01/2335.7 PLATFORM BOX 2 SUPPORT AIR BAR RAISE - LOWER
	DC0V	8	=H01/2335.8 PLATFORM BOX 2 SUPPORT AIR BAR RAISE - LOWER

2927

2929

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A29152 - =H03-A29154	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2928
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

PLC card overview

-A29154.1

=H01-Y23361:A1	A221.0	1	=H01/2336.1 PLATFORM BOX 1 SUPPORT AIR BAR RAISE - LOWER
	DC0V	2	=H01/2336.2 PLATFORM BOX 1 SUPPORT AIR BAR RAISE - LOWER
X458:19	A221.2	3	=H01/2336.5 SPARE
	DC0V	4	=H01/2336.4 SPARE
XJB465:22	A221.1	5	=H01/2336.3 SPARE
	DC0V	6	=H01/2336.6 SPARE
X458:20	A221.3	7	=H01/2336.7 SPARE
	DC0V	8	=H01/2336.8 SPARE

-A29170

	1	/2917.1
DC24V	2	/2917.1
DC0V	3	/2917.1
	4	/2917.1
	5	/2917.1
DC24V	6	/2917.1
DC0V	7	/2917.1
	8	/2917.1

-A29171

=H01-U23291:1	A226.0	1	=H01/2341.1 LAMP 1
	DC0V	2	=H01/2341.2 LAMP 1
=H01-U23291:3	A226.2	3	=H01/2341.5 LAMP 3
	DC0V	4	=H01/2341.4 LAMP 2
=H01-U23291:2	A226.1	5	=H01/2341.3 LAMP 2
	DC0V	6	=H01/2341.6 LAMP 3
X451:148	A226.3	7	=H01/2341.7 SPARE
	DC0V	8	=H01/2341.8 SPARE

2928

2938

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION PLC card overview : =H03-A29154.1 - =H03-A29171	POSIZ./LOCATION +	GRUPPO/SECTION = H03	PAGINE/PAGE 2929
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

2911.3 / 24V.RB5

2911.3 / 0V.RB5

13101

10006

PE

PB2-08 / =H01/2390.3

PB2-09 / =H01/2391.7

PN

A1 A1' A2 A2'

B1 B1` B2 B2'

-K29380
=N01/16.2

L+	M	PE	M5.2	A1	A1`	A2	A2'	B1	B1`	B2	B2'
1/L+	2/M	3/PE	4/M5.2	5/A1	6/B1	7/A1`	8/B1`	9/A2	10/B2	11/A2`	12/B2`

CONTACTS 6ES7972-0AA02-0XA0 RS 485-REPEATER SIEMENS

2929

=H04/3001

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: PB REPEATER RIO05
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER		
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+ RB5	= H03	2938
SEL CTL4 LINE		RIF./REFERNCE 2938

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9

CTL4 8mm LINE

BOARD DESCRIPTION	
CUSTOMER JOB N°	CTL4 LINE
END USER	
OBJECT	
CONSTRUCTOR	RBF DMAT s.r.l.
REVISION	3.0
DATE REVISION	06/04/2023

Tabella Revisioni
Revisions Table

Descrizione/ Description	Step	Rel.	Data/ Date	Disegnato/ Drawn	Controllato/ Checked	Approvato/ Approved
Per Approvazione/ For Approval						
Per Costruzione/ For Construction						
Dopo Collaudo Interno/ After Factory Test						
Dopo Messa in Servizio/ After Site Test						

Lista Documenti emessi da UTE
UTE Documents List

Sigla/ Code	Descrizione/ Description	Data/ Date	Emesso/ Issued
DAD	Disegni Dimensionali/ Dimensions Arrangement Drawing		
SLD	Schemi Unifilari/ Single Line Diagram		
WFD	Schemi Funzionali (multifilari)/ Wiring Function Diagram		
TCT	Tabelle Morsettiere/ Terminals connection Tables		
MTL	Lista Materiali/ Material Table List		

Member of CISQ Federation
RINA CERTIFIED IQNet MANAGEMENT SYSTEM
CERTIFIED MANAGEMENT SYSTEM
ISO 9001

=H03/2938

CUSTOMER


RBF DMAT JOB N°

RBF DMAT
AUTOMATION TECHNOLOGY

3002

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION + / GRUPPO/SECTION = H04 / PAGINE/PAGE 3001
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 3001
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




SECTION 1

3001

3003

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION DOORS DISPOSITION	POSIZ./LOCATION + E01	GRUPPO/SECTION = H04	PAGINE/PAGE 3002
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3002
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SECTION 2

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION DOORS DISPOSITION	POSIZ./LOCATION + E01	GRUPPO/SECTION = H04	PAGINE/PAGE 3003
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3003
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




SECTION 3

3003

3005

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION DOORS DISPOSITION	POSIZ./LOCATION + E01	GRUPPO/SECTION = H04	PAGINE/PAGE 3004
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3004
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



SECTION 4


3004

3006

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION DOORS DISPOSITION	POSIZ./LOCATION + E01	GRUPPO/SECTION = H04	PAGINE/PAGE 3005
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3005
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

CTL LINE MAIN DISTRIBUTION LINE




3005

3010

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CUBICLES GENERAL DISPOSITION	POSIZ./LOCATION + E01	GRUPPO/SECTION = H04	PAGINE/PAGE 3006
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3006
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ELECTRIC CUBICLE LEGEND


N°	ACRONYM
4	=H00-S85
7	=H00-S87
1	=H00-P112
3	=H00-H77
6	=H00-S75
10	=H01-S13031
11	=H00-Q103

3006

3020

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION DOORS DISPOSITION SECTION 1	POSIZ./LOCATION + E00 / = H04 / PAGINE/PAGE 3010
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 3010
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ELECTRIC CUBICLE LEGEND

N°	ACRONYM
1	=H00-S204
3	=G00-L202
4	=G00-Q211.2
5	=G00-A11
6	=G00-T231
7	=H00-F105
8	=G00-F201
9	=G00-R201
10	=G00-R201.1
11	=G00-R201.2
12	=G00-K353
0	-XBRK
0	-XP00A


3010

+E01 DC BUS

3021

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CUBICLES DISPOSITION	POSIZ./LOCATION + E01	GRUPPO/SECTION = H04	PAGINE/PAGE 3020
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER					
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					SEL CTL4 LINE		RIF./REFERNCE 3021
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




ELECTRIC CUBICLE LEGEND

N°	ACRONYM
1	=H00-S204.1
2	=H00-H147
3	=H00-TV112
4	=H00-TV112.1
5	=H00-T72
6	=H00-L117
7	=H00-F107
8	=H00-F73
9	=H00-F112
10	=H00-F117
11	=H00-F113
13	=H00-F107.1
14	=H00-Q161
15	=H00-K75
16	=H00-K203
17	=H00-K216
18	=G00-K238
19	=G00-K247
20	=G00-K278
21	=G00-K287
25	=H00-TA114
26	=H00-TA114.1
27	=H00-Q103
28	=H01-K13421
29	=H01-K13422
30	=H01-K13423
31	=H01-K13424
32	=H01-K13427
33	=H01-K13428

+E00 AC POWER

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CUBICLES DISPOSITION	POSIZ./LOCATION + E00	GRUPPO/SECTION = H04	PAGINE/PAGE 3021
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3020
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								



ELECTRIC CUBICLE LEGEND

N°	ACRONYM
1	=H00-S204.2
2	=H00-H146
4	=G00-Q251
6	=G00-T271
7	=G00-L205
8	=G00-F204
8	=G00-R204
9	=G00-R204.1
10	=G00-R204.2
11	=G00-K278.1
0	-XBRK

3021


+E02 DC BUS

3024

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	CUBICLES DISPOSITION	+ E02	= H04	3022
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3022
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ELECTRIC CUBICLE LEGEND

N°	ACRONYM
1	=H00-S204.3
2	=H00-H145
3	=G14-F102
3	=G14-F102
3	=G14-F102
3	=G14-F102
4	=G14-T102
5	=G04-F102
5	=G04-F102
5	=G04-F102
5	=G04-F102
6	=G04-T102


3022

+E03 DRIVE

3025

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CUBICLES DISPOSITION	POSIZ./LOCATION + E03	GRUPPO/SECTION = H04	PAGINE/PAGE 3024
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3024
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ELECTRIC CUBICLE LEGEND

N°	ACRONYM
1	=H00-S206.1
2	=H00-H144
2	=G20-T103
3	=G20A-T103


3024

+E04 DRIVE

3026

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CUBICLES DISPOSITION	POSIZ./LOCATION + E01	GRUPPO/SECTION = H04	PAGINE/PAGE 3025
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3025
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ELECTRIC CUBICLE LEGEND

N°	ACRONYM
0	-X335A
0	-X152
0	-X321A
0	-X314A
0	-X320A
0	-X153
0	-X304A
0	-XFIRE
0	-X150
1	=H00-S206.2
2	=H00-H143
3	=G32-T103
4	=H03-A26111
5	=H03-A26115.1
6	=H03-A26115.2
7	=H03-A26116
8	=H03-A26116.1
9	=H03-A26117
10	=H03-A26117.1
11	=H03-A26117.2
12	=H03-A26118
13	=H03-A26119
14	=H03-A26119.1
15	=H03-A26119.2
16	=H03-A26130
17	=H03-A26133.1
18	=H03-A26135
19	=H03-A26135.1
20	=H03-A26135.2
21	=H03-A26136
22	=H03-A26136.1
23	=H03-A26137
24	=H03-A26137.1
25	=H03-A26137.2
26	=H03-A26138
27	=H03-A26141
28	=H03-A26152
29	=H03-A26152.1
30	=H03-A26152.2
31	=H03-A26153
32	=H03-A26153.1
33	=H03-A26154
34	=H03-A26154.1
35	=H03-A26154.2
36	=H03-A26242
37	=H00-T581
41	=H00-Q481
42	=H00-Q481
43	=H00-Q483
44	=H00-Q483
45	=H00-Q485
46	=H00-Q485
47	=H00-Q487
48	=H00-Q487
49	=H00-Q582
50	=H00-Q582
51	=H00-Q585
52	=H00-Q585
53	=H00-Q587
54	=H00-Q587
55	=H00-Q713
56	=H00-Q713
57	=H00-Q715
58	=H00-Q715
60	=H01-K13101
61	=H01-K13102
62	=H01-K13103
63	=H01-K13104
64	=H01-K13105
65	=H01-K13106
66	=H01-K13107
67	=H01-K13108
68	=H01-K13111
69	=H01-K13112
70	=H01-K13113
71	=H01-K13114
72	=H01-S13227
75	=G32-K142
76	=G32-K143
77	=G32-K144
78	=G32-K145
79	=G32-K146
80	=G32-K147
81	=G32-K148
82	=H01-K13417
83	=H01-K13418
84	=H01-K13431
85	=H01-K13432
86	=H01-K13433
87	=H01-K13434
88	=H01-K13435
89	=H01-K13436
90	=H01-K13437
91	=H01-K13438
92	=H01-K13441
93	=H01-K13442
94	=H01-K13443
95	=H01-K13444
96	=H01-K13445
97	=H01-K13446
98	=H01-K13447
99	=H01-K13448
100	=H01-K13451
101	=H01-K13452
102	=H01-K13453
103	=H01-K13454
104	=H01-K13455
105	=H01-K13456
106	=H01-K13457
107	=H01-K13458
108	=H01-K13461
109	=H01-K13462
110	=H01-K13463
111	=H01-K13464
112	=H01-K13465
113	=H01-K13466
114	=H01-K13467
115	=H01-K13468
116	=H00-X168
120	=G32-K131
121	=G00-A131
122	=G00-A151
123	=G04-Q108
124	=G14-Q106
125	=G20-Q106
126	=G20A-Q106
127	=G32-Q106

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.


3025

+E05 SHEAR

3028

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CUBICLES DISPOSITION	POSIZ./LOCATION + E05	GRUPPO/SECTION = H04	PAGINE/PAGE 3026
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3026
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY



ELECTRIC CUBICLE LEGEND

N°	ACRONYM
1	=H00-S206.3
2	=H00-H142
3	=G33-F102
4	=G33-F102
5	=G02-F102
6	=G02-F102
7	=G03-F102
8	=G03-F102
11	=G02-Q116
12	=G02-Q118
13	=G03-Q116
14	=G03-Q118
18	=G02-K111
19	=G02-K112
20	=G03-K111
21	=G03-K112
24	=G33-T101
25	=G02-T102
26	=G03-T101
30	=G32-A174
31	=G32-A154
32	=G03-A124
33	=G33-Q118
34	=G33-K112
0	-X303
0	-X302
0	-XCI2
0	-X337A
0	-X302A
0	-X154
0	-X337


3026

+E06 DRIVE

3029

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CUBICLES DISPOSITION	POSIZ./LOCATION + E06	GRUPPO/SECTION = H04	PAGINE/PAGE 3028
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3028
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ELECTRIC CUBICLE LEGEND

N°	ACRONYM
1	=H00-S211.1
2	=H00-H137
3	=G36-F101
4	=G36-F101
5	=G34-F101
6	=G34-F101
9	=G18-F101
10	=G18-F101
11	=G15-F101
12	=G15-F101
13	=G07-F101
14	=G07-F101
15	=H01-K12471
16	=H01-K12472
17	=H01-K12473
18	=H01-K12474
19	=H01-K12475
20	=H01-K12476
21	=H01-K12477
22	=H01-K12478
23	=H01-K12481
24	=H01-K12482
25	=H01-K12483
26	=H01-K12484
27	=H01-K12485
28	=H01-K12486
29	=H01-K12487
30	=H01-K12488
31	=H01-K12491
32	=H01-K12492
33	=H01-K12493
34	=H01-K12494
35	=H01-K12495
36	=H01-K12496
37	=H01-K12497
38	=H01-K12498
39	=H01-K12501
40	=H01-K12502
41	=H01-K12503
42	=H01-K12504
43	=H01-K12505
44	=H01-K12506
45	=H01-K12507
46	=H01-K12508
47	=G34-Q116
48	=G36-Q118
49	=G35-Q118
50	=G34-Q118
51	=G18-Q118
52	=G34-K111
53	=G36-K112
54	=G35-K112
55	=G34-K112
56	=G18-K112
57	=H00-S306
60	=H01-K12105
61	=H01-K12106
62	=H01-K12107
63	=H01-K12108
64	=H01-K12115
65	=H01-K12116
66	=H01-K12117
67	=H01-K12118
68	=H01-K12125
69	=H01-K12126
70	=G36-T102
71	=G35-T102
72	=G34-T102
73	=G19-T102
74	=G18-T102
75	=G16-T102
76	=G15-T102
77	=G08-T102
78	=G07-T102
0	-X307
0	-X319
0	-XCI2
0	-X339
0	-X338
0	-X318
0	-X308


3028

+E09 DRIVE

3030

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CUBICLES DISPOSITION	POSIZ./LOCATION + E09	GRUPPO/SECTION = H04	PAGINE/PAGE 3029
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3029
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								




ELECTRIC CUBICLE LEGEND

N°	ACRONYM
1	=H00-S211.2
2	=H00-H136
3	=G01-F101
4	=G01-F101
5	=G44-F101
6	=G44-F101
7	=G51-F101.1
8	=G51-F101.1
9	=G50-F101
10	=G50-F101
11	=G47-F101
12	=G47-F101
13	=G31-F101
14	=G31-F101
15	=G31A-F101
16	=G31A-F101
20	=G00-A71
21	=G00-A81
22	=G00-A91
23	=G00-A101
24	=G00-A111
25	=G00-A121
28	=G01-Q116
29	=G01A-Q117
30	=G27-Q116
31	=G27A-Q116
32	=G28-Q116
33	=G28A-Q116
34	=G01-Q118
35	=G49-Q118
36	=G31-Q118
37	=G31A-Q118
38	=G05-Q118
40	=G01-K111
41	=G01A-K111
42	=G27-K111
43	=G27A-K111
44	=G28-K111
45	=G28A-K111
46	=G01-K112
47	=G49-K112
48	=G31-K112
49	=G31A-K112
50	=G05-K112
52	=H00-S304
53	=H01-S12228
54	=H01-K12111
55	=H01-K12112
56	=H01-K12113
57	=H01-K12114
58	=H01-K12121
59	=H01-K12122
60	=H01-K12123
61	=H01-K12124
65	=G28-T102
66	=G27-T102
67	=G01-T102
68	=G46-T102
69	=G45-T102
70	=G44-T102
71	=G51-T102.1
72	=G50-T102
73	=G47-T102
74	=G31-T102
75	=G31A-T102
76	=G05-T102
0	-X304B
0	-X301
0	-X322
0	-X323
0	-X360
0	-X334
0	-X333

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

+E10 DRIVE

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CUBICLES DISPOSITION	POSIZ./LOCATION + E10	GRUPPO/SECTION = H04	PAGINE/PAGE 3030
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3030
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								




ELECTRIC CUBICLE LEGEND

N°	ACRONYM
1	=H00-S211.3
2	=H00-H135
3	=G38-F101
4	=G38-F101
5	=G06-F101
6	=G06-F101
7	=H00-T511
10	=G00-A21
11	=G00-A31
12	=G00-A41
13	=G00-A51
14	=G00-A61
15	=G00-A161
16	=H00-Q511
17	=H00-Q511
18	=H00-Q515
19	=H00-Q515
20	=H00-Q517
21	=H00-Q517
22	=H00-Q521
23	=H00-Q521
24	=H00-Q523
25	=H00-Q523
26	=G17-Q116
27	=G29-Q116
28	=G42-Q116
29	=G42A-Q116
30	=G38-Q116
31	=G38A-Q116
35	=H00-K304
36	=H00-K306
37	=H01-K12101
38	=H01-K12102
39	=H01-K12103
40	=H01-K12104
41	=G17-K111
42	=G29-K111
43	=G42-K111
44	=G42A-K111
45	=G38-K111
46	=G38A-K111
50	=H03-A25952
51	=H03-A25812
52	=H03-A25816
53	=H03-A25816.1
54	=H03-A25817
55	=H03-A25817.1
56	=H03-A25817.2
57	=H03-A25818
58	=H03-A25833.1
59	=H03-A25835
60	=H03-A25835.1
61	=H03-A25835.2
62	=H03-A25836
63	=H03-A25836.1
64	=H03-A25837
65	=H03-A25837.1
66	=H03-A25837.2
67	=H03-A25838
68	=H03-A25838.1
69	=H03-A25839
70	=H03-A25841
71	=H03-A25850
72	=H03-A25852
73	=H03-A25852.1
74	=H03-A25852.2
75	=H03-A25853
76	=H03-A25853.1
77	=H03-A25854
78	=H03-A25854.1
80	=G40-T101
81	=G17-T101
82	=G42-T102
83	=G41-T102
84	=G38-T102
85	=G43-T102
86	=G39-T102
87	=G06-T102
0	-X330
0	-X340
0	-X341
0	-X348
0	-X349
0	-XCI1

Copying of this document and giving it to others and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CUBICLES DISPOSITION	POSIZ./LOCATION + E11 / GRUPPO/SECTION = H04 / PAGINE/PAGE 3031
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 3031
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						



ELECTRIC CUBICLE LEGEND

N°	ACRONYM
1	=H00-H134
2	=H00-S213
3	=H00-F131
4	=H00-F862
10	=H03-A25211
11	=H03-A25214
12	=H03-A25214.2
13	=H03-A25215
14	=H03-A25215.1
15	=H03-A25215.2
16	=H03-A25216
17	=H03-A25216.1
18	=H03-A25217.1
19	=H03-A25217.2
20	=H03-A25218
21	=H03-A25218.1
22	=H03-A25221
23	=H03-A25221.1
24	=H03-A25222
25	=H03-A25222.2
26	=H03-A25223
27	=H03-A25223.1
28	=H03-A25224
29	=H03-A25224.1
30	=H03-A25224.2
31	=H03-A25225
32	=H03-A25225.1
33	=H03-A25231
34	=H03-A25231.1
35	=H03-A25232
36	=H03-A25232.1
37	=H03-A25253.2
38	=H03-A25254.1
39	=H03-A25255
40	=H03-A25255.1
41	=H03-A25257
42	=H03-A25258
43	=H03-A25258.1
44	=H03-A25259
45	=H03-A25260
46	=H03-A25261
47	=H03-A25262
48	=H03-A25262.1
49	=H03-A25263
50	=H03-A25263.1
51	=H03-A25264
52	=H03-A25264.1
53	=H03-A25265
54	=H03-A25265.1
55	=H03-A25271
56	=H03-A25272
57	=H03-A25272.1
58	=H03-A25273
59	=H03-A25273.1
60	=H03-A25274
61	=H03-A25274.1
62	=H03-A25274.2
63	=H03-A25275
70	=H01-K10501
71	=H01-K10502
72	=H01-K10503
73	=H01-K10504
74	=H01-K10505
75	=H01-K10506
76	=H01-K10507
77	=H01-K10508
78	=H01-K10511
79	=H01-K10512
80	=H01-K10513
81	=H01-K10514
82	=H01-K10515
83	=H01-K10516
84	=H01-K10517
85	=H01-K10518
86	=H01-K10531
87	=H01-K10532
88	=H01-K10533
89	=H01-K10534
90	=H01-K10535
91	=H01-K10536
92	=H01-K10537
93	=H01-K10538
94	=H01-K10541
95	=H01-K10542
96	=H01-K10543
97	=H01-K10544
98	=H01-K10545
99	=H01-K10546
100	=H01-K10547
101	=H01-K10548
102	=H01-K10551
103	=H01-K10552
104	=H01-K10553
105	=H01-K10554
106	=H01-K10555
107	=H01-K10556
108	=H01-K10557
109	=H01-K10558
110	=H01-K10571
111	=H01-K10572
112	=H01-K10573
113	=H01-K10574
114	=H01-K10575
115	=H01-K10576
116	=H01-K10577
117	=H01-K10578
118	=H01-K10581
119	=H01-K10582
120	=H01-K10583
121	=H01-K10584
122	=H01-K10585
123	=H01-K10586
124	=H01-K10587
125	=H01-K10588
126	=H01-K10591
127	=H01-K10592
128	=H01-K10593
129	=H01-K10594
130	=H01-K10595
131	=H01-K10596
132	=H01-K10597
133	=H01-K10598
134	=H01-K10601
135	=H01-K10602
136	=H01-K10603
137	=H01-K10604
138	=H01-K10605
139	=H01-K10606
140	=H01-K10607
141	=H01-K10608
142	=H01-K10611
143	=H01-K10612
144	=H01-K10613
145	=H01-K10614
146	=H01-K10615
147	=H01-K10616
148	=H01-K10617
149	=H01-K10618
150	=H01-K10621
151	=H01-K10622
152	=H01-K10623
153	=H01-K10624
154	=H01-K10625
155	=H01-K10626
156	=H01-K10627
157	=H01-K10628
158	=H01-K10631
159	=H01-K10632
160	=H01-K10633
161	=H01-K10634
162	=H01-K10635
163	=H01-K10636
164	=H01-K10637
170	=H01-K10751
171	=H01-K10752
172	=H01-K10753
173	=H01-K10754
174	=H01-K10755
175	=H01-K10756
176	=H01-K10757
177	=H01-K10758
178	=H01-K10761
179	=H01-K10762
180	=H01-K10763
181	=H01-K10764
182	=H01-K10765
183	=H01-K10766
184	=H01-K10767
185	=H01-K10768
186	=H01-K10771
187	=H01-K10772
188	=H01-K10773
189	=H01-K10774
190	=H01-K10775
191	=H01-K10776
192	=H01-K10777
193	=H01-K10778
194	=H01-K10781
195	=H01-K10782
196	=H01-K10783
197	=H01-K10784
198	=H01-K10785
199	=H01-K10786
200	=H01-K10787
201	=H01-K10788
202	=H00-S303
205	=H03-K25011
206	=H03-A25052
207	=H03-A25062
210	=H01-K10111
211	=H01-K10112
212	=H01-K10113
213	=H01-K10114
214	=H01-K10115
215	=H01-K10116
216	=H01-K10117
217	=H01-K10118
218	=H01-K10121
219	=H01-K10122
220	=H01-K10123
221	=H01-K10124
222	=H01-K10125
223	=H01-K10126
224	=H01-K10127
225	=H01-K10128
226	=H01-K10131
227	=H01-K10132
228	=H01-K10133
229	=H01-K10134
230	=H00-Q241
231	=H00-Q245
232	=H00-Q245
233	=H00-Q251
234	=H00-Q251
235	=H00-Q255
236	=H00-Q255
237	=H00-Q301
238	=H00-Q301
239	=H00-Q321
240	=H00-Q321
241	=H00-Q381
242	=H00-Q381
243	=H00-Q385
244	=H00-Q385
245	=H00-Q401
246	=H00-Q401

3031

+E12 MOTORS CONNECTION

3032.a

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	CUBICLES DISPOSITION	+ E12	= H04	3032
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3032


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

ELECTRIC CUBICLE LEGEND

N°	ACRONYM
247	=H00-Q405
248	=H00-Q405
249	=H00-Q421
250	=H00-Q421
251	=H00-Q423
252	=H00-Q423
253	=H00-Q425
254	=H00-Q425
255	=H00-Q427
256	=H00-Q427
257	=H00-Q431
258	=H00-Q431
259	=H00-Q181
260	=H00-Q867
261	=H00-Q867
262	=H00-Q871
263	=H00-Q871
267	=H00-T241
268	=H00-F248
269	=H00-K271
270	=H00-K272
271	=H00-K274
272	=H00-K275
273	=H00-K301
274	=H00-K303
275	=H00-X167

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CUBICLES DISPOSITION	POSIZ./LOCATION + E01	GRUPPO/SECTION = H04	PAGINE/PAGE 3032.a
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3032
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ELECTRIC CUBICLE LEGEND

N°	ACRONYM
1	=H00-S213.1
2	=H00-H133
3	=H00-T491
4	=H00-T661
5	=H00-T691
6	=H00-Q441
7	=H00-Q441.1
8	=H00-Q441.1
9	=H00-Q443
10	=H00-Q443
11	=H00-Q445
12	=H00-Q445
13	=H00-Q447
14	=H00-Q447
15	=H00-Q451
16	=H00-Q451
17	=H00-Q453
18	=H00-Q453
19	=H00-Q455
20	=H00-Q455
21	=H00-Q457
22	=H00-Q457
23	=H00-Q461
24	=H00-Q461
25	=H00-Q463
26	=H00-Q463
27	=H00-Q465
28	=H00-Q465
29	=H00-Q475
30	=H00-Q475
31	=H00-Q492
32	=H00-Q492
33	=H00-Q495
34	=H00-Q495
35	=H00-Q497
36	=H00-Q497
37	=H00-Q501
38	=H00-Q501
39	=H00-Q503
40	=H00-Q503
41	=H00-F391
42	=H00-Q661
43	=H00-Q665
44	=H00-Q665
45	=H00-Q667
46	=H00-Q667
47	=H00-Q671
48	=H00-Q671
49	=H00-Q673
50	=H00-Q673
51	=H00-Q681
52	=H00-Q681
53	=H00-Q683
54	=H00-Q683
55	=H00-Q691
56	=H00-Q695
57	=H00-Q695
58	=H00-Q697
59	=H00-Q697
60	=H00-Q701
61	=H00-Q701
62	=H00-Q703
63	=H00-Q703
64	=H00-Q705
65	=H00-Q705
70	=H03-A25511
71	=H03-A25515
72	=H03-A25515.1
73	=H03-A25515.2
74	=H03-A25516
75	=H03-A25516.1
76	=H03-A25517
77	=H03-A25517.1
78	=H03-A25517.2
79	=H03-A25518
80	=H03-A25518.1
81	=H03-A25519
82	=H03-A25519.1
83	=H03-A25533.1
84	=H03-A25535
85	=H03-A25535
86	=H03-A25535.1
87	=H03-A25535.1
88	=H03-A25536
89	=H03-A25537
90	=H03-A25537
91	=H03-A25540
92	=H03-A25541
93	=H03-A25541
94	=H03-A25542
95	=H03-A25542
96	=H03-A25543
97	=H03-A25544
98	=H03-A25544
99	=H03-A25544.1
100	=H03-A25546
101	=H03-A25546
102	=H03-A25546.1
103	=H03-A25547
104	=H03-A25547
105	=H03-A25548
106	=H03-A25548
107	=H03-A25550
108	=H03-A25552
109	=H03-A25552
110	=H03-A25560
111	=H03-A25562
112	=H03-A25562.1
113	=H03-A25562.2
114	=H03-A25563
115	=H03-A25564
116	=H03-A25564.1
120	=H01-K11061
121	=H01-K11062
122	=H01-K11063
123	=H01-K11064
124	=H01-K11065
125	=H01-K11066
126	=H01-K11067
127	=H01-K11068
0	-X220
0	-X25
0	-X230
0	-X170
0	-X251
0	-XGATE
0	-X210
0	-XDO4.1
0	-XSO4.1
0	-XDI4.1
0	-X191
0	-X190
0	-X180
0	-X160
0	-X140
0	-X90
0	-X200
0	-X250
0	-XENC7


Copying of this document and giving it to others and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

3032.a

+E13 MOTORS DISTRIBUTION

3034

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CUBICLES DISPOSITION	POSIZ./LOCATION + E13	GRUPPO/SECTION = H04	PAGINE/PAGE 3033
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3033
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								




ELECTRIC CUBICLE LEGEND

N°	ACRONYM
1	=H00-S213.2
2	=H00-H132
5	=H02-Q101
6	=H02-Q103
7	=H02-Q113
8	=H02-Q115
9	=H02-Q117
10	=H02-Q121
11	=H02-Q131
12	=H02-Q133
13	=H02-Q135
14	=H02-Q137
15	=H02-Q271
16	=H02-Q273
17	=G04-Q116
18	=G14-Q116
19	=G20-Q116
20	=G20A-Q116
25	=H01-K10531.1
26	=H01-K10532.1
27	=H01-K10534.1
28	=H01-K10535.1
29	=H01-K10536.1
30	=H01-K10537.1
31	=H01-K10543.1
32	=H01-K10544.1
33	=H01-K10545.1
34	=H01-K10533.1
35	=H01-K10635.1
36	=H01-K10636.1
37	=G04-K111
38	=G14-K111
39	=G20-K111
40	=G20A-K111
45	=H02-Q301
46	=H02-Q301
47	=H02-Q303
48	=H02-Q303
49	=H02-Q305
50	=H02-Q305
51	=H02-Q307
52	=H02-Q307
53	=H02-Q371
54	=H02-Q374
55	=H02-Q381
56	=H02-Q384
57	=G04-Q118
58	=G14-Q118
59	=G20-Q118
60	=G20A-Q118
62	=H01-K10631.1
63	=H01-K10632.1
64	=H01-K10633.1
65	=H01-K10634.1
66	=H01-K10767.1
67	=H01-K10771.1
68	=H01-K10773.1
69	=H01-K10775.1
70	=G04-K112
71	=G14-K112
72	=G20-K112
73	=G20A-K112
74	=H01-S10262
75	=H01-K10542.1
76	=H00-X174
0	-X314
0	-XRB2
0	-XRB1
0	-X321
0	-X335
0	-X304
0	-XP00
0	-X16
0	-X337
0	-XD0
0	-XP01
0	-XP02
0	-XP03
0	-XP04
0	-XRB4
0	-XRB5
0	-XRB3
0	-X320

Copying of this document and giving it to others and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	CUBICLES DISPOSITION	+ E14	= H04 / 3034
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE 3034
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						

RBF DMAT AUTOMATION TECHNOLOGY



ELECTRIC CUBICLE LEGEND

N°	ACRONYM
1	=H00-S213.3
2	=H00-H131
3	=H00-F121
4	=H00-F123
5	=H00-F126
6	=H00-F128
7	=H00-S301
10	=H02-Q141
11	=H02-Q144
12	=H02-Q167
13	=H02-Q171
14	=H02-Q174
15	=H02-Q177
16	=H02-Q181
17	=H02-Q184
18	=H02-Q207
19	=H02-Q211
20	=H02-Q214
21	=H02-Q217
22	=H02-Q221
23	=H02-Q224
24	=H02-Q231
25	=H02-Q234
26	=H02-Q237
27	=H02-Q241
28	=H02-Q334
30	=H01-K10551.1
31	=H01-K10552.1
32	=H01-K10553.1
33	=H01-K10554.1
34	=H01-K10571.1
35	=H01-K10572.1
36	=H01-K10573.1
37	=H01-K10574.1
38	=H01-K10575.1
39	=H01-K10576.1
40	=H01-K10577.1
41	=H01-K10578.1
42	=H01-K10581.1
43	=H01-K10582.1
44	=H01-K10583.1
45	=H01-K10584.1
46	=H01-K10587.1
47	=H01-K10588.1
48	=H01-K10591.1
49	=H01-K10592.1
50	=H01-K10593.1
51	=H01-K10594.1
55	=H01-K10595.1
56	=H01-K10596.1
57	=H01-K10597.1
58	=H01-K10598.1
59	=H01-K10601.1
60	=H01-K10602.1
61	=H01-K10603.1
62	=H01-K10604.1
63	=H01-K10605.1
64	=H01-K10606.1
65	=H01-K10607.1
66	=H01-K10608.1
67	=H01-K10611.1
68	=H01-K10612.1
69	=H01-K10751.1
70	=H01-K10752.1
75	=H02-Q337
76	=H02-Q351
77	=H02-Q354
78	=H02-Q357
79	=H02-Q361
80	=H02-Q364
81	=H02-Q391
82	=H02-Q394
83	=H02-Q397
84	=H02-Q401
85	=H02-Q404
90	=H01-K10753.1
91	=H01-K10754.1
92	=H01-K10755.1
93	=H01-K10756.1
94	=H01-K10757.1
95	=H01-K10758.1
96	=H01-K10761.1
97	=H01-K10762.1
98	=H01-K10763.1
99	=H01-K10764.1
100	=H01-K10765.1
101	=H01-K10766.1
102	=H01-K10777.1
103	=H01-K10778.1
104	=H01-K10781.1
105	=H01-K10782.1
110	=H01-K10783.1
111	=H01-K10784.1
112	=H01-K10785.1
113	=H01-K10786.1
114	=H01-K10787.1
115	=H01-K10788.1
120	=H02-Q201
121	=H02-Q123
122	=H02-Q125
123	=H01-K10585.1
124	=H01-K10586.1
125	=H01-K10538.1
126	=H01-K10541.1
0	-X30
0	-X15

3034

+E15 MOTORS CONTROL


3041

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	CUBICLES DISPOSITION	+ E15	= H04	3035
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3035
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.


P4.2 LOCAL PANEL



ELECTRIC CUBICLE LEGEND

N°	Item	Model	Rectangular Label	Actuator Label
0			LOCAL PANEL P4.2 GATE G4.2	
1	=H01-H10643	LAMP RED LED		GATE G4.2 LOCKED
2	=H01-S10423	ILLUMINATED PUSHBUTTON - WHITE LED - 1NO		AREA 4 ENTRANCE REQUEST
3	=H01-S10424	ILLUMINATED PUSHBUTTON - BLUE LED - 1NO		AREA 4 SAFETY RESET






Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.


INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P4.2 CONTROL DESK SUPPLY	POSIZ./LOCATION + E	GRUPPO/SECTION = H04	PAGINE/PAGE 3041
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3041
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							


P5.2 LOCAL PANEL



ELECTRIC CUBICLE LEGEND

N°	Item	Model	Rectangular Label	Actuator Label
0			LOCAL PANEL P5.2 GATE G5.2	
1	=H01-H10646	LAMP RED LED		GATE G5.2 LOCKED
2	=H01-S10425	ILLUMINATED PUSHBUTTON - WHITE LED - 1NO		AREA 5 ENTRANCE REQUEST
3	=H01-S10426	ILLUMINATED PUSHBUTTON - BLUE LED - 1NO		AREA 5 SAFETY RESET






INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P5.2 CONTROL DESK SUPPLY	POSIZ./LOCATION + E	GRUPPO/SECTION = H04	PAGINE/PAGE 3042
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3042
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.


P7.2 LOCAL PANEL



ELECTRIC CUBICLE LEGEND

N°	Item	Model	Rectangular Label	Actuator Label
0			LOCAL PANEL P7.2 GATE G7.2	
1	=H01-H10653	LAMP RED LED		GATE G7.2 LOCKED
2	=H01-S10427	ILLUMINATED PUSHBUTTON - WHITE LED - 1NO		AREA 7 ENTRANCE REQUEST
3	=H01-S10428	ILLUMINATED PUSHBUTTON - BLUE LED - 1NO		AREA 7 SAFETY RESET






INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P7.2 CONTROL DESK SUPPLY	POSIZ./LOCATION + E	GRUPPO/SECTION = H04	PAGINE/PAGE 3043
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3043
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

MAIN DESK P00





LINE DIRECTION


3043 3052


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 210411 CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 MAIN CONTROL DESK PLATES	POSIZ./LOCATION + P00
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			GRUPPO/SECTION = H04
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					SEL CTL4 LINE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						PAGINE/PAGE 3051
									RIF./REFERNCE 3051

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.









3051

3054

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 MAIN CONTROL DESK LAYOUT	POSIZ./LOCATION + P00	GRUPPO/SECTION = H04	PAGINE/PAGE 3052
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3052
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

ELECTRIC CUBICLE LEGEND

N°	Item	Model	Rectangular Label	Actuator Label
1	=H00-H277	LAMP WHITE LED		CONTROL VOLTAGE ON
2	=H00-S271	KEY SELECTOR \ 2 POS. 1NO+1NC		AUXILIARY CIRCUIT INSERTION
3	=H01-K14313	ILLUMINATED PUSHBUTTON - BLUE LED		LINE FAULT RESET
4	=H01-K14315	ILLUMINATED PUSHBUTTON - BLUE LED		EMERGENCY RESET
5	=H01-K14310	MUSHROMM PUSHBUTTON - RED diam 40		EMERGENCY
11	=H01-K14320	ILLUMINATED PUSHBUTTON - WHITE LED		EMG AUTOMATIC
12	=H01-K14323	PUSHBUTTON - BLACK		EMG MANUAL
13	=H01-K14325	ILLUMINATED PUSHBUTTON - WHITE LED		DECOILER TENSION ON
14	=H01-K14327	PUSHBUTTON - BLACK		DECOILER TENSION OFF
21	=H01-K14330	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 1 BACK UP ROLL 1 RAISE -0- LOWER
22	=H01-K14333	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 1 BACK UP ROLL 4 RAISE -0- LOWER
23				
24	=H01-K14335	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 1 ENTRY TABLE RAISE -0- LOWER
25	=H01-S14061	HEAVY DUTY SELECTOR SWITCH 3 RETURN POS. L+R - 2NO		LINE JOG INTRODUCTION FORWARD-0-BACKWARD
31	=H01-K14340	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 1 BACK UP ROLL 2 RAISE -0- LOWER

N°	Item	Model	Rectangular Label	Actuator Label
32	=H01-K14343	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 1 BACK UP ROLL 5 RAISE -0- LOWER
33	=H01-K14345	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 1 SCREWS ENTRY RAISE -0- LOWER
34	=H01-K14347	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 1 SCREWS RAISE -0- LOWER
41	=H01-K14351	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 1 BACK UP ROLL 3 RAISE -0- LOWER
42				
43	=H01-K14353	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 1 SCREWS EXIT RAISE -0- LOWER
44	=H01-K14355	ILLUMINATED PUSHBUTTON - WHITE LED		LEVELLER 1 JOG SELECTED
51				
52				
53	=H01-K14364	ILLUMINATED PUSHBUTTON - WHITE LED		LEVELLER 1 AUTO POSITION START / STOP
54				
55	=H01-S14063	HEAVY DUTY SELECTOR SWITCH 3 RETURN POS. L+R - 2NO		LINE JOG EXTRACTION FORWARD-0-BACKWARD
61				
62				
63				

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION Labels list	POSIZ./LOCATION + P00	GRUPPO/SECTION = H04	PAGINE/PAGE 3054
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3054
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

ELECTRIC CUBICLE LEGEND

N°	Item	Model	Rectangular Label	Actuator Label
64				
71	=H01-K14370	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 BACK UP ROLL 1 RAISE -0- LOWER
72	=H01-K14373	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 BACK UP ROLL 5 RAISE -0- LOWER
73	=H01-K14375	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 SCREWS 1 ENTRY M.S. RAISE -0- LOWER
74	=H01-K14377	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 ENTRY TABLE RAISE -0- LOWER
81	=H01-K14380	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 BACK UP ROLL 2 RAISE -0- LOWER
82	=H01-K14383	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 BACK UP ROLL 6 RAISE -0- LOWER
83	=H01-K14385	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 SCREWS 2 ENTRY O.S. RAISE -0- LOWER
84				
91	=H01-K14390	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 BACK UP ROLL 3 RAISE -0- LOWER
92	=H01-K14393	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 BACK UP ROLL 7 RAISE -0- LOWER
93	=H01-K14395	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 SCREWS 3 EXIT M.S. RAISE -0- LOWER
94	=H01-K14397	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 SCREWS RAISE -0- LOWER
95	=H01-S14065	HEAVY DUTY SELECTOR SWITCH 3 RETURN POS. L+R - 2NO		LEVELLER JOG FORWARD-0-BACKWARD
101	=H01-K14400	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 BACK UP ROLL 4 RAISE -0- LOWER
103	=H01-K14403	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 SCREWS 4 EXIT O.S. RAISE -0- LOWER
104	=H01-K14405	ILLUMINATED PUSHBUTTON - WHITE LED		LEVELLER 2 JOG SELECTED
111				
112	=H01-K14425	SELECTOR SWITCH 3 RETURN POS. L+R		BRUSHING MACHINE 2 TRANSLATION INLINE -0- OUTLINE
113	=H01-K14411	ILLUMINATED PUSHBUTTON - WHITE LED		LEVELLER 2 AUTO POSITION START - STOP
114	=H01-K14413	ILLUMINATED PUSHBUTTON - WHITE LED		TENSION PINCH ROLL JOG SELECTED
115	=H01-K14415	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 SCREW RAISE -0- LOWER
121	=H01-K14423	ILLUMINATED PUSHBUTTON - WHITE LED		BRUSH 2 START - STOP
122	=H01-K14427	SELECTOR SWITCH 3 RETURN POS. L+R		BRUSHING MACHINE 2 FORWARD-0-BACKWARD
131	=H01-K14430	SELECTOR SWITCH 3 RETURN POS. L+R		ENTRY SHEAR PINCH ROLL UP -0- DOWN
132	=H01-K14420	SELECTOR SWITCH 3 RETURN POS. L+R		ENTRY SHEAR PINCH ROLL FORWARD -0- BACKWARD
141	=H01-S14021	KEY SELECTOR \ 2 POS.		SAFETY AREA 4 OFF - ON
142	=H01-K14441	ILLUMINATED PUSHBUTTON - BLUE LED		SAFETY AREA 4 RESET
151				
152				

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	Labels list	+ P00	= H04	3055
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3055
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

ELECTRIC CUBICLE LEGEND

N°	Item	Model	Rectangular Label	Actuator Label
161	=H01-K14450	SELECTOR SWITCH 3 RETURN POS. L+R		LINE SPEED INCREASE -0- DECREASE
162	=H01-K14453	ILLUMINATED PUSHBUTTON - WHITE LED		LINE START
171				
172	=H01-K14460	ILLUMINATED PUSHBUTTON - WHITE LED		LINE SLOW DOWN
181				
182	=H01-K14470	MUSHROOM PUSHBUTTON - BLACK		LINE FAST STOP
191	=H01-K14480	PUSHBUTTON - BLACK		LAMP TEST
192	=H01-K14483	PUSHBUTTON - BLACK		LINE STOP
201	=H01-K14490	ILLUMINATED PUSHBUTTON - WHITE LED		CONVEYOR START
202	=H01-K14493	PUSHBUTTON - BLACK		CONVEYOR STOP
211	=H01-K14500	ILLUMINATED PUSHBUTTON - WHITE LED		EXHAUST FAN START
212	=H01-K14503	PUSHBUTTON - BLACK		EXHAUST FAN STOP
221	=H01-K14520	ILLUMINATED PUSHBUTTON - WHITE LED		FLYING SHEAR AUTOMATIC
222	=H01-K14523	ILLUMINATED PUSHBUTTON - WHITE LED		FLYING SHEAR MANUAL
223	=H01-K14525	SELECTOR SWITCH 3 RETURN POS. L+R		FLYING SHEAR BELT CONVEYOR RAISE -0- LOWER

N°	Item	Model	Rectangular Label	Actuator Label
224	=H01-K14527	ILLUMINATED PUSHBUTTON - WHITE LED		FLYING SHEAR BELT CONVEYOR JOG SELECTED
231	=H01-K14530	PUSHBUTTON - BLACK		FLYING SHEAR MANUAL CUT
232	=H01-K14533	PUSHBUTTON - BLACK		FLYING SHEAR CYCLE ADJUSTEMENT
233	=H01-K14535	SELECTOR SWITCH 3 RETURN POS. L+R		TAIL PINCH ROLL FORWARD -0- BACKWARD
234	=H01-K14537	SELECTOR SWITCH 3 RETURN POS. L+R		FLYING SHEAR CARRIAGE FORWARD -0- BACKWARD
235	=H01-S14067	HEAVY DUTY SELECTOR SWITCH 3 RETURN POS. L+R - 2NO		CONVEYOR JOG FORWARD-0-BACKWARD
241	=H01-S14025	KEY SELECTOR \ 2 POS.		SAFETY AREA 5 OFF - ON
242	=H01-K14541	ILLUMINATED PUSHBUTTON - BLUE LED		SAFETY AREA 5 RESET
243	=H01-K14543	SELECTOR SWITCH 3 RETURN POS. L+R		TAIL PINCH ROLL UP -0- DOWN
244	=H01-K14545	ILLUMINATED PUSHBUTTON - WHITE LED		BELT CONVEYOR JOG BELT CONVEYOR 1 SELECTED
251	=H01-K14551	SELECTOR SWITCH 3 RETURN POS. L+R		FLYING SHEAR BLADE CLEAR INCREASE -0- DECREASE
252	=H01-K14553	SELECTOR SWITCH 3 RETURN POS. L+R		SCRAP BOX IN -0- OUT
253	=H01-K14555	SELECTOR SWITCH 3 RETURN POS. L+R		DEFLECTOR CONVEYOR UP -0- DOWN
254	=H01-K14557	ILLUMINATED PUSHBUTTON - WHITE LED		BELT CONVEYOR JOG BELT CONVEYOR 2 SELECTED
261	=H01-S14031	KEY SELECTOR \ 2 POS.		SAFETY AREA 6 OFF - ON

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION Labels list	POSIZ./LOCATION + P00	GRUPPO/SECTION = H04	PAGINE/PAGE 3056
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3056
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

ELECTRIC CUBICLE LEGEND

N°	Item	Model	Rectangular Label	Actuator Label
262	=H01-K14561	ILLUMINATED PUSHBUTTON - BLUE LED		SAFETY AREA 6 RESET
263	=H00-S94	ILLUMINATED PUSHBUTTON - WHITE LED - 1 NO		MAIN POWER CONTACTOR CLOSE
264	=H00-S98	ILLUMINATED PUSHBUTTON - BLUE LED		SAFETY AREA 6 RESET
265	=H01-K14510	MUSHROMM PUSHBUTTON - RED diam 40		EMERGENCY
270	=H01-A14692.2			
290	=H01-A14692.1			
291	=H01-A14695			

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION Labels list	POSIZ./LOCATION + P00	GRUPPO/SECTION = H04	PAGINE/PAGE 3057
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3057
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ELECTRIC CUBICLE LEGEND

N°	ACRONYM
1	=H00-S977
2	=H01-S14078
3	=H00-F971
4	=H00-F991
5	=H00-Q977
6	=H00-Q973
7	=H00-T991
10	=H03-A26511
11	=H03-A26515.2
12	=H03-A26520
13	=H03-A26523
14	=H03-K26523.1
15	=H03-A26612
15	=H03-A26524
16	=H03-A26622
16	=H03-A26524.1
17	=H03-A26632
17	=H03-A26522
18	=H00-X973
20	=H00-X971
21	=H00-Q995
22	=H00-Q995
23	=H00-Q997
24	=H00-Q997
25	=H00-Q998
26	=H00-Q998
27	=H01-F14221
30	=H01-A14692
31	=H00-K98

CEB
DIMENSIONS:

H 100 + 700 + 200
L 1600
P 750
W 200KG

+P00

MAIN CONTROL DESK


3057

3061

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P00 MAIN CONTROL DESK INTERNAL DISPOSITION	POSIZ./LOCATION + P00	GRUPPO/SECTION = H04	PAGINE/PAGE 3060
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3060
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.


P5.1 LOCAL PANEL



ELECTRIC CUBICLE LEGEND

N°	Item	Model	Rectangular Label	Actuator Label
0			LOACAL PANEL P5.1 GATE G5.1	
1	=H01-H14121	LAMP RED LED		GATE G5.1 LOCKED
2	=H01-S14071	ILLUMINATED PUSHBUTTON - WHITE LED - 1NO		AREA 5 ENTRANCE REQUEST
3	=H01-S14072	ILLUMINATED PUSHBUTTON - BLUE LED - 1NO		AREA 5 SAFETY RESET







Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P5.1 LOCAL PUSHBUTTON LAYOUT	POSIZ./LOCATION + P00	GRUPPO/SECTION = H04	PAGINE/PAGE 3061
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3061
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

P15 LOCAL PANEL





ELECTRIC CUBICLE LEGEND

N°	Item	Model	Rectangular Label	Actuator Label
1	=H01-K14604	SELECTOR SWITCH 2 FIXED POS. L+R		LEVELLER 1 SCREWS MOVEMENTS SINGLE - COUPLED
2	=H01-K14606	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 1 SCREWS RAISE -0- LOWER
4	=H01-K14600	MUSHROMM PUSHBUTTON - RED diam 40		EMERGENCY
11	=H01-K14610	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 1 SCREWS ENTRY RAISE -0- LOWER
12	=H01-K14613	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 1 SCREWS EXIT RAISE -0- LOWER
13				
14				
21	=H01-K14620	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 1 UP PACKAGE LOCK -0- UNLOCK
22	=H01-K14623	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 1 LOWER PACKAGE LOCK -0- UNLOCK
23				
24				
31	=H01-K14630	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 1 PACKAGE CHANGE RAIL RAISE -0- LOWER
32	=H01-K14633	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 1 CARRIAGE EXTRACTION IN -0- OUT
33	=H01-K14635	KEY SELECTOR \ 2 POS.		P15 COMMANDS ON - OFF
34				


3061


3063

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P15 LOCAL PUSHBUTTON LAYOUT	POSIZ./LOCATION + P15	GRUPPO/SECTION = H04	PAGINE/PAGE 3062
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3062
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

P16 LOCAL PANEL





ELECTRIC CUBICLE LEGEND

N°	Item	Model	Rectangular Label	Actuator Label
1	=H01-K14654	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 SCREWS RAISE -0- LOWER
2	=H01-K14656	SELECTOR SWITCH 2 FIXED POS. L+R		LEVELLER 2 SCREWS MOVEMENTS SINGLE - COUPLED
4	=H01-K14650	MUSHROMM PUSHBUTTON - RED diam 40		EMERGENCY
11	=H01-K14660	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 SCREWS 1 ENTRY M.S. RAISE -0- LOWER
12	=H01-K14663	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 SCREWS 2 ENTRY O.S. RAISE -0- LOWER
13	=H01-K14665	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 SCREWS 3 EXIT M.S. RAISE -0- LOWER
14	=H01-K14667	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 SCREWS 4 EXIT O.S. RAISE -0- LOWER
21	=H01-K14670	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 UP PACKAGE LOCK -0- UNLOCK
22	=H01-K14673	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 LOWER PACKAGE LOCK -0- UNLOCK
23				
24				
31	=H01-K14680	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 PACKAGE CHANGE RAIL RAISE -0- LOWER
32	=H01-K14683	SELECTOR SWITCH 3 RETURN POS. L+R		LEVELLER 2 CARRIAGE EXTRACTION IN -0- OUT
33	=H01-K14685	KEY SELECTOR \ 2 POS.		P16 COMMANDS ON - OFF
34				


3062

3071

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P16 LOCAL PUSHBUTTON LAYOUT	POSIZ./LOCATION + P16	GRUPPO/SECTION = H04	PAGINE/PAGE 3063
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3063
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

P01 ENTRY CONTROL DESK




3063


3072


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P01 ENTRY CONTROL DESK PLATES	POSIZ./LOCATION + P01	GRUPPO/SECTION = H04	PAGINE/PAGE 3071
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3071
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9









3071

3073

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	P01 ENTRY CONTROL DESK LAYOUT	+ P01	= H04	3072
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3072
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

ELECTRIC CUBICLE LEGEND

N°	Item	Model	Rectangular Label	Actuator Label
1	=H01-S15021	KEY SELECTOR \ 2 POS.		SAFETY AREA 1 OFF - ON
2	=H01-K15315	ILLUMINATED PUSHBUTTON - BLUE LED		SAFETY AREA 1 RESET
3				
4				
5	=H01-K15321	ILLUMINATED PUSHBUTTON - WHITE LED		COIL CAR AUTOLOAD START
6	=H01-K15323	SELECTOR SWITCH 3 RETURN POS. L+R		COIL CAR ROLL FORWARD -0- BACKWARD
7	=H01-K15310	SELECTOR SWITCH 3 RETURN POS. L+R		COIL CAR IN -0- OUT
8				
11				
12				
13				
14				
15	=H01-K15330	PUSHBUTTON - BLACK		COIL CAR AUTOLOAD STOP
16	=H01-K15333	SELECTOR SWITCH 3 RETURN POS. L+R		COIL CAR UP -0- DOWN
17	=H01-K15335	SELECTOR SWITCH 3 RETURN POS. L+R		RAIL OPEN -0- CLOSE

N°	Item	Model	Rectangular Label	Actuator Label
18				
21	=H01-K15341	ILLUMINATED PUSHBUTTON - WHITE LED		MANDREL MANDREL POSITION
22	=H01-K15343	SELECTOR SWITCH 3 RETURN POS. L+R		MANDREL SUPPORT RAISE -0- LOWER
23	=H01-K15345	SELECTOR SWITCH 3 RETURN POS. L+R		MANDREL EXPAND -0- COLLAPSE
24	=H01-K15347	ILLUMINATED PUSHBUTTON - WHITE LED		MANDREL EXPANDED
31	=H01-K15351	SELECTOR SWITCH 3 RETURN POS. L+R		PORTAL PRESSURE ROLL RAISE -0- LOWER
32	=H01-K15353	SELECTOR SWITCH 3 RETURN POS. L+R		PORTAL PRESSURE ROLL FORWARD -0- BACKWARD
33	=H01-K15355	ILLUMINATED PUSHBUTTON - WHITE LED		DECOILER JOG SELECTED
34				
35	=H01-S15061	HEAVY DUTY SELECTOR SWITCH 3 RETURN POS. L+R - 2NO		LINE JOG INTRODUCTION FORWARD-0-BACKWARD
41				
42	=H01-K15360	ILLUMINATED PUSHBUTTON - WHITE LED		DECOILER TENSION ON
43	=H01-K15363	PUSHBUTTON - BLACK		DECOILER TENSION OFF
44				
51	=H01-K15370	ILLUMINATED PUSHBUTTON - WHITE LED		DECOILER CENTER

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION Labels list	POSIZ./LOCATION + P01	GRUPPO/SECTION = H04	PAGINE/PAGE 3073
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3073
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

ELECTRIC CUBICLE LEGEND

N°	Item	Model	Rectangular Label	Actuator Label
52	=H01-K15373	ILLUMINATED PUSHBUTTON - WHITE LED		EMG AUTOMATIC
53	=H01-K15375	PUSHBUTTON - BLACK		EMG MANUAL
54				
61	=H01-K15391	ILLUMINATED PUSHBUTTON - WHITE LED		COIL OPENING TABLE RETURN START
62	=H01-K15393	SELECTOR SWITCH 3 RETURN POS. L+R		COIL OPENING BLADE RAISE -0- LOWER
63	=H01-K15395	SELECTOR SWITCH 3 RETURN POS. L+R		COIL OPENING TABLE FORWARD -0- BACKWARD
64	=H01-K15380	SELECTOR SWITCH 3 RETURN POS. L+R		COIL OPENING TABLE RAISE -0- LOWER
71	=H01-K15401	SELECTOR SWITCH 3 RETURN POS. L+R		UP PRESSURE ROLL UP -0- DOWN
72	=H01-K15403	SELECTOR SWITCH 3 RETURN POS. L+R		ENTRY PINCH ROLL UP -0- DOWN
73	=H01-K15405	ILLUMINATED PUSHBUTTON - WHITE LED		ENTRY PINCH ROLL JOG SELECTED
74				
81	=H01-K15411	ILLUMINATED PUSHBUTTON - WHITE LED		STRAIGHTENER AUTO POSITION START / STOP
82				
83	=H01-K15413	ILLUMINATED PUSHBUTTON - WHITE LED		STRAIGHTENER JOG SELECTED
84				

N°	Item	Model	Rectangular Label	Actuator Label
85	=H01-S15063	HEAVY DUTY SELECTOR SWITCH 3 RETURN POS. L+R - 2NO		LINE JOG SELECTED FORWARD-0-BACKWARD
91	=H01-K15425	SELECTOR SWITCH 3 RETURN POS. L+R		BRUSHING MACHINE 1 FORWARD -0- BACKWARD
92	=H01-K15421	SELECTOR SWITCH 3 RETURN POS. L+R		CORRECTOR ROLL UP -0- DOWN
93	=H01-K15423	SELECTOR SWITCH 3 RETURN POS. L+R		STRAIGHTENER UP ROLL UP -0- DOWN
94				
101	=H01-K15441	ILLUMINATED PUSHBUTTON - WHITE LED		BRUSH 1 START / STOP
102	=H01-K15443	PUSHBUTTON - BLACK		CROP SHEAR CUT
103	=H01-K15445	SELECTOR SWITCH 3 RETURN POS. L+R		CROP SHEAR EXIT TABLE RAISE -0- LOWER
104	=H01-K15447	SELECTOR SWITCH 3 RETURN POS. L+R		BRUSH 1 TRASLATION M.S. -0- O.S.
111				
112	=H01-K15450	PUSHBUTTON - BLACK		SAFETY AREA 2 BARRIER OPEN / CLOSE
113				
114				
115	=H01-K15453	SELECTOR SWITCH 3 RETURN POS. L+R		BLADE GAP INCREASE -0- DECREASE
116	=H01-K15461	SELECTOR SWITCH 3 RETURN POS. L+R		CROP SHEAR UP BLADE RAISE -0- LOWER

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: Labels list	POSIZ./LOCATION: + P01 / GRUPPO/SECTION: = H04 / PAGINE/PAGE: 3074
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE: 3074
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.


ELECTRIC CUBICLE LEGEND

N°	Item	Model	Rectangular Label	Actuator Label
117	=H01-K15463	SELECTOR SWITCH 3 RETURN POS. L+R		SCRAP CAR IN -0- OUT
118	=H01-K15465	SELECTOR SWITCH 3 RETURN POS. L+R		CROP SHEAR TAIL ROLL (SPARE) FORWARD -0- BACKWARD
121	=H01-S15023	KEY SELECTOR \ 2 POS.		SAFETY AREA 2 OFF - ON
122	=H01-K15473	ILLUMINATED PUSHBUTTON - BLUE LED		SAFETY AREA 2 RESET
123				
124				
125	=H01-K15480	PUSHBUTTON - BLACK		LAMP TEST
126	=H01-K15483	ILLUMINATED PUSHBUTTON - WHITE LED		LINE SLOW DOWN
127	=H01-K15485	PUSHBUTTON - BLACK		LINE STOP
128	=H01-K15487	MUSHROOM PUSHBUTTON - BLACK		LINE FAST STOP
129	=H01-K15430	MUSHROMM PUSHBUTTON - RED diam 40		EMERGENCY
130	=H03-K26951			
141				
142				
143				

N°	Item	Model	Rectangular Label	Actuator Label
144				

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION Labels list	POSIZ./LOCATION + P01	GRUPPO/SECTION = H04	PAGINE/PAGE 3075
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3075
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ELECTRIC CUBICLE LEGEND

N°	ACRONYM
1	=H00-S1077
2	=H01-S15098
3	=H00-F1071
4	=H00-F1091
5	=H00-Q1077
6	=H00-X1071
7	=H00-Q1095
8	=H00-Q1095
9	=H00-Q1097
10	=H00-Q1097
11	=H00-Q1098
13	=H01-F15221
14	=H01-F15231
15	=H01-K15043
16	=H01-K15131
17	=H01-K15132
20	=H00-T1091
21	=H03-A26811
22	=H03-A26815
23	=H03-A26816
24	=H03-A26820
25	=H03-A26823
26	=H03-K26824
27	=H03-A26825
28	=H03-A26825.1
29	=H03-A26825.2
30	=H03-A26826
31	=H03-A27002
32	=H03-Q26951

CEB
DIMENSIONS:


H 800
L 800
P 300
W __KG

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	P01 ENTRY CONTROL DESK INTERNAL DISPOSITION	+ P01	= H04	3077
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3077
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.


P1.1 LOCAL PANEL



ELECTRIC CUBICLE LEGEND

N°	Item	Model	Rectangular Label	Actuator Label
0			LOCAL PANEL P1.1 GATE G1.1	
1	=H01-H15121	LAMP RED LED		GATE G1.1 LOCKED
2	=H01-S15081	ILLUMINATED PUSHBUTTON - WHITE LED - 1NO		AREA 1 ENTRANCE REQUEST
3	=H01-S15082	ILLUMINATED PUSHBUTTON - BLUE LED - 1NO		AREA 1 SAFETY RESET







INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P1.1 LOCAL PUSHBUTTON LAYOUT	POSIZ./LOCATION + P01	GRUPPO/SECTION = H04	PAGINE/PAGE 3078
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3078
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

P10 LOCAL PANEL





ELECTRIC CUBICLE LEGEND


N°	Item	Model	Rectangular Label	Actuator Label
1	=H01-S15025	KEY SELECTOR \ 2 POS. - 2 NO		SAFETY AREA 1 OFF - ON
2	=H01-K15516	ILLUMINATED PUSHBUTTON - BLUE LED		SAFETY AREA 1 RESET
4	=H01-K15510	MUSHROMM PUSHBUTTON - RED diam 40		EMERGENCY
11	=H01-K15521	PUSHBUTTON - BLACK		STOCKING CARRIAGE STOP
12	=H01-K15523	SELECTOR SWITCH 3 RETURN POS. L+R		STOCKING CARRIAGE FORWARD -0- BACKWARD
13	=H01-K15525	SELECTOR SWITCH 3 RETURN POS. L+R		COIL CAR UP -0- DOWN
14	=H01-K15527	SELECTOR SWITCH 3 RETURN POS. L+R		COIL CAR ROLL FORWARD -0- BACKWARD
22	=H01-K15531	SELECTOR SWITCH 3 RETURN POS. L+R		RAIL OPEN -0- CLOSE
23	=H01-K15533	SELECTOR SWITCH 3 RETURN POS. L+R		COIL CAR IN -0- OUT
24				
31	=H01-K15541	ILLUMINATED PUSHBUTTON - WHITE LED		STOCKING CARRIAGE POSITION 1
32	=H01-K15543	ILLUMINATED PUSHBUTTON - WHITE LED		STOCKING CARRIAGE POSITION 2
33	=H01-K15545	ILLUMINATED PUSHBUTTON - WHITE LED		STOCKING CARRIAGE POSITION 3
34				

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	P10 LOCAL PUSHBUTTON LAYOUT	+ P10	= H04	3079
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3079
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

P03 STACKER DESK




3079


3112


INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: P03 STACKER DESK PLATES	POSIZ./LOCATION: + P03
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			GRUPPO/SECTION: = H04
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					PAGINE/PAGE: 3111
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						SEL CTL4 LINE
									RIF./REFERNCE: 3111

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9







3111

3113

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 STACKER DESK LAYOUT	POSIZ./LOCATION + P03	GRUPPO/SECTION = H04	PAGINE/PAGE 3112
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3112
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

ELECTRIC CUBICLE LEGEND

N°	Item	Model	Rectangular Label	Actuator Label
1				
2	=H01-S17015	KEY SELECTOR \ 2 POS. - 2 NO		SAFETY AREA 7 OFF - ON
3	=H01-S17067	ILLUMINATED PUSHBUTTON - BLUE LED		SAFETY AREA 7 RESET
4	=H01-K17330	PUSHBUTTON - BLACK		LAMP TEST
5	=H01-K17333	ILLUMINATED PUSHBUTTON - WHITE LED		LINE SLOW DOWN
6	=H01-K17335	PUSHBUTTON - BLACK		LINE STOP
7	=H01-K17337	MUSHROOM PUSHBUTTON - BLACK		LINE FAST STOP
8	=H01-K17310	MUSHROMM PUSHBUTTON - RED diam 40		EMERGENCY
11				
12	=H01-S17017	KEY SELECTOR \ 2 POS.		SAFETY AREA 6 OFF - ON
13	=H01-S17068	ILLUMINATED PUSHBUTTON - BLUE LED		SAFETY AREA 6 RESET
14	=H01-K17351	ILLUMINATED PUSHBUTTON - WHITE LED		CONVEYORS START
15	=H01-K17353	PUSHBUTTON - BLACK		CONVEYORS STOP
16				
17				

N°	Item	Model	Rectangular Label	Actuator Label
21				
22				
23				
24	=H01-K17361	ILLUMINATED PUSHBUTTON - WHITE LED		FLYING SHEAR CONVEYOR JOG SELECTED
25	=H01-K17363	ILLUMINATED PUSHBUTTON - WHITE LED		BELT CONVEYOR 1 JOG SELECTED
26	=H01-K17365	ILLUMINATED PUSHBUTTON - WHITE LED		BELT CONVEYOR 2 JOG SELECTED
27				
31	=H01-K17371	ILLUMINATED PUSHBUTTON - WHITE LED		STACKER BOX 1 AUTO POSITION START
32	=H01-K17373	PUSHBUTTON - BLACK		STACKER BOX 1 AUTO POSITION STOP
33	=H01-K17375	ILLUMINATED PUSHBUTTON - WHITE LED		STACKER BOX 1 AUTO POSITION MANAUL / AUTOMATIC
34	=H01-K17377	SELECTOR SWITCH 3 RETURN POS. L+R		STACKER BOX 1 PLATFORM RAISE -0- LOWER
35	=H01-S17061	HEAVY DUTY SELECTOR SWITCH 3 RETURN POS. L+R - 2NO		CONVEYOR JOG FORWARD-0-BACKWARD
41	=H01-K17391	SELECTOR SWITCH 3 RETURN POS. L+R		STACKER BOX 1 RACKET M.S. OPEN -0- CLOSE
42	=H01-K17393	SELECTOR SWITCH 3 RETURN POS. L+R		STACKER BOX 1 SIDE GUIDE M.S. OPEN -0- CLOSE
43	=H01-K17395	SELECTOR SWITCH 3 RETURN POS. L+R		STACKER BOX 1 OVERPASSING BELTS M.S. RAISE -0- LOWER

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION Labels list	POSIZ./LOCATION + P03	GRUPPO/SECTION = H04	PAGINE/PAGE 3113
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3113
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

ELECTRIC CUBICLE LEGEND

N°	Item	Model	Rectangular Label	Actuator Label
44	=H01-K17397	PUSHBUTTON - BLACK		STACKER BOX 1 HEAD STOP JOGGING
51	=H01-K17401	SELECTOR SWITCH 3 RETURN POS. L+R		STACKER BOX 1 RACKET O.S. OPEN -0- CLOSE
52	=H01-K17403	SELECTOR SWITCH 3 RETURN POS. L+R		STACKER BOX 1 SIDE GUIDE O.S. OPEN -0- CLOSE
53	=H01-K17405	SELECTOR SWITCH 3 RETURN POS. L+R		STACKER BOX 1 OVERPASSING BELTS O.S. RAISE -0- LOWER
54	=H01-K17380	SELECTOR SWITCH 3 RETURN POS. L+R		STACKER BOX 1 HEAD STOP FORWARD -0- BACKWARD
61	=H01-K17411	SELECTOR SWITCH 3 RETURN POS. L+R		STACKER BOX 1 RACKET CIRCLE OPEN -0- CLOSE
62				
63	=H01-K17413	SELECTOR SWITCH 3 RETURN POS. L+R		STACKER BOX 1 OVERPASSING BELTS FORWARD -0- BACKWARD
64	=H01-K17415	PUSHBUTTON - BLACK		STACKER BOX 1 SIDE GUIDE JOGGING
71	=H01-K17421	ILLUMINATED PUSHBUTTON - WHITE LED		STACKER BOX 2 AUTO POSITION START
72	=H01-K17423	PUSHBUTTON - BLACK		STACKER BOX 2 AUTO POSITION STOP
73	=H01-K17425	ILLUMINATED PUSHBUTTON - WHITE LED		STACKER BOX 2 AUTO POSITION MANAUL / AUTOMATIC
74	=H01-K17427	SELECTOR SWITCH 3 RETURN POS. L+R		STACKER BOX 2 HEAD STOP FORWARD -0- BACKWARD
75	=H01-S17063	HEAVY DUTY SELECTOR SWITCH 3 RETURN POS. L+R - 2NO		BOX 1 PLATFORM JOG IN -0- OUT
81	=H01-K17431	SELECTOR SWITCH 3 RETURN POS. L+R		STACKER BOX 2 RACKET M.S. OPEN -0- CLOSE
82	=H01-K17433	SELECTOR SWITCH 3 RETURN POS. L+R		STACKER BOX 2 SIDE GUIDE M.S. OPEN -0- CLOSE
83				
84	=H01-K17435	PUSHBUTTON - BLACK		STACKER BOX 2 HEAD STOP JOGGING
91	=H01-K17451	SELECTOR SWITCH 3 RETURN POS. L+R		STACKER BOX 2 RACKET O.S. OPEN -0- CLOSE
92	=H01-K17440	SELECTOR SWITCH 3 RETURN POS. L+R		STACKER BOX 2 SIDE GUIDE O.S. OPEN -0- CLOSE
93				
94				
101	=H01-K17461	SELECTOR SWITCH 3 RETURN POS. L+R		STACKER BOX 2 RACKET CIRCLE OPEN -0- CLOSE
102	=H01-K17463	PUSHBUTTON - BLACK		STACKER BOX 2 SIDE GUIDE JOGGING
103				
104	=H01-K17465	SELECTOR SWITCH 3 RETURN POS. L+R		STACKER BOX 2 PLATFORM RAISE -0- LOWER
105	=H01-S17065	HEAVY DUTY SELECTOR SWITCH 3 RETURN POS. L+R - 2NO		BOX 2 PLATFORM JOG IN -0- OUT
111	=H01-K17471	ILLUMINATED PUSHBUTTON - WHITE LED		UNLOADING BOX 1 UNLOAD AUTO START
112	=H01-K17473	PUSHBUTTON - BLACK		UNLOADING BOX 1 UNLOAD AUTO STOP
113	=H01-K17475	ILLUMINATED PUSHBUTTON - WHITE LED		UNLOADING BOX 2 UNLOAD AUTO START

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	Labels list	+ P03	= H04	3114
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3114
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.


ELECTRIC CUBICLE LEGEND

N°	Item	Model	Rectangular Label	Actuator Label
114	=H01-K17477	PUSHBUTTON - BLACK		UNLOADING BOX 2 UNLOAD AUTO STOP
121				
122				
123				
124	=H01-K17481	ILLUMINATED PUSHBUTTON - WHITE LED		UNLOADING PLATFORM BOX 1 JOG SELECTED
125	=H01-K17483	ILLUMINATED PUSHBUTTON - WHITE LED		UNLOADING MIDDLE PLATFORM BOX 1 JOG SELECTED
126	=H01-K17485	ILLUMINATED PUSHBUTTON - WHITE LED		UNLOADING ROLL & CHAIN PLATFORM BOX 1 JOG SELECTED
127	=H01-K17487	ILLUMINATED PUSHBUTTON - WHITE LED		UNLOADING PACKAGE CENTERD ON CHAIN 1 SELECTED
131				
132				
133				
134	=H01-K17491	ILLUMINATED PUSHBUTTON - WHITE LED		UNLOADING PLATFORM BOX 2 JOG SELECTED
135	=H01-K17493	ILLUMINATED PUSHBUTTON - WHITE LED		UNLOADING MIDDLE PLATFORM BOX 2 JOG SELECTED
136	=H01-K17495	ILLUMINATED PUSHBUTTON - WHITE LED		UNLOADING ROLL & CHAIN PLATFORM BOX 2 JOG SELECTED
137	=H01-K17497	ILLUMINATED PUSHBUTTON - WHITE LED		UNLOADING PACKAGE CENTERD ON CHAIN 2 SELECTED

N°	Item	Model	Rectangular Label	Actuator Label
141				
142				
143				
144	=H01-K17511	SELECTOR SWITCH 3 RETURN POS. L+R		ROLL & CHAIN PLATFORM BOX 1 CHAINS FORWARD -0- BACKWARD
145	=H01-K17513	SELECTOR SWITCH 3 RETURN POS. L+R		ROLL & CHAIN PLATFORM BOX 2 CHAINS FORWARD -0- BACKWARD
146	=H01-K17515	SELECTOR SWITCH 3 RETURN POS. L+R		ROLL & CHAIN PLATFORM BOX 1 CHAINS RAISE -0- LOWER
147	=H01-K17500	SELECTOR SWITCH 3 RETURN POS. L+R		ROLL & CHAIN PLATFORM BOX 2 CHAINS RAISE -0- LOWER
150	=H03-K27601			

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION Labels list	POSIZ./LOCATION + P03	GRUPPO/SECTION = H04	PAGINE/PAGE 3115
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3115
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								



ELECTRIC CUBICLE LEGEND

N°	ACRONYM
1	=H00-S1277
2	=H01-S17098
3	=H00-F1271
4	=H00-F1291
5	=H00-Q1277
6	=H00-X1271
7	=H00-Q1295
8	=H00-Q1295
9	=H00-Q1297
10	=H00-Q1297
11	=H00-Q1298
13	=H03-Q27601
15	=H01-F17221
16	=H00-T1291
17	=H03-A27411
18	=H03-A27415
19	=H03-A27415.1
20	=H03-A27416
21	=H03-A27416.1
22	=H03-A27420
23	=H03-A27423
24	=H03-A27425
25	=H03-A27425.1
26	=H03-A27426
27	=H03-A27612


CEB
DIMENSIONS:

H 100 + 930 + 470
L 1000
P 500
W __KG

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P03 STACKER DESK INTERNAL DISPOSITION	POSIZ./LOCATION + P03	GRUPPO/SECTION = H04	PAGINE/PAGE 3120
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3120
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.


P7.1 LOCAL PANEL



ELECTRIC CUBICLE LEGEND

N°	Item	Model	Rectangular Label	Actuator Label
0			LOCAL PANEL P7.1 GATE G7.1	
1	=H01-H17121	LAMP RED LED		GATE G7.1 LOCKED
2	=H01-S17081	ILLUMINATED PUSHBUTTON - WHITE LED - 1NO		AREA 7 ENTRANCE REQUEST
3	=H01-S17082	ILLUMINATED PUSHBUTTON - BLUE LED - 1NO		AREA 7 SAFETY RESET






INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P7.1 LOCAL PUSHBUTTON LAYOUT	POSIZ./LOCATION + P03	GRUPPO/SECTION = H04	PAGINE/PAGE 3121
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3121
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

P04 EXIT DESK

P04




LINE DIRECTION


3121


3132

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P04 EXIT DESK PLATES	POSIZ./LOCATION + P04	GRUPPO/SECTION = H04	PAGINE/PAGE 3131
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3131
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.







Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P04 EXIT DESK LAYOUT	POSIZ./LOCATION + P04	GRUPPO/SECTION = H04	PAGINE/PAGE 3132
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3132
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

ELECTRIC CUBICLE LEGEND

N°	Item	Model	Rectangular Label	Actuator Label
1	=H01-S18025	KEY SELECTOR \ 2 POS.		SAFETY AREA 8 OFF - ON
2	=H01-K18323	ILLUMINATED PUSHBUTTON - BLUE LED		SAFETY AREA 8 RESET
3	=H01-K18325	PUSHBUTTON - BLACK		LAMP TEST
3				
5	=H01-K18310	MUSHROMM PUSHBUTTON - RED diam 40		EMERGENCY
11				
12				
13				
14				
21	=H01-K18331	ILLUMINATED PUSHBUTTON - WHITE LED		AUTO EVACUATION & STRAPPING CHAIN WAY EVACUATION CYCLE ON
22	=H01-K18333	PUSHBUTTON - BLACK		AUTO EVACUATION & STRAPPING CHAIN WAY EVACUATION CYCLE OFF
23				
24				
31	=H01-K18341	ILLUMINATED PUSHBUTTON - WHITE LED		AUTO EVACUATION & STRAPPING STRAPPING MACHINE AUTO ON
32	=H01-K18343	PUSHBUTTON - BLACK		AUTO EVACUATION & STRAPPING STRAPPING MACHINE AUTO OFF

N°	Item	Model	Rectangular Label	Actuator Label
33				
34				
41				
42				
43	=H01-K18351	SELECTOR SWITCH 3 RETURN POS. L+R		ROLL & CHAIN PLATFORM BOX 1 RAISE -0- LOWER
44	=H01-K18353	ILLUMINATED PUSHBUTTON - WHITE LED		CHAINS ROLL & CHAIN PLATFORM BOX 1 CHAIN SELECTED
51				
52				
53	=H01-K18361	SELECTOR SWITCH 3 RETURN POS. L+R		ROLL & CHAIN PLATFORM BOX 2 RAISE -0- LOWER
54	=H01-K18363	ILLUMINATED PUSHBUTTON - WHITE LED		CHAINS ROLL & CHAIN PLATFORM BOX 2 CHAIN SELECTED
55	=H01-S18061	HEAVY DUTY SELECTOR SWITCH 3 RETURN POS. L+R - 2NO		CHAIN SELECTED FORWARD-0-BACKWARD
61	=H01-K18371	SELECTOR SWITCH 3 RETURN POS. L+R		CHAINS ROLL & CHAIN EXIT 1 RAISE -0- LOWER
62	=H01-K18373	SELECTOR SWITCH 3 RETURN POS. L+R		CHAINS CHAIN 2 OVERPASSING RAISE -0- LOWER
63	=H01-K18375	ILLUMINATED PUSHBUTTON - WHITE LED		CHAINS CHAIN 1 SELECTED
64	=H01-K18377	ILLUMINATED PUSHBUTTON - WHITE LED		CHAINS CHAIN 2 SELECTED

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payment of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	Labels list	+ P04	= H04	3133
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3133
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY


ELECTRIC CUBICLE LEGEND

N°	Item	Model	Rectangular Label	Actuator Label
71				
72				
73				
74				
81				
82	=H01-K18391	SELECTOR SWITCH 3 RETURN POS. L+R		ROLL & CHAIN EXIT 1 CHAINS FORWARD -0- BACKWARD
83	=H01-K18380	SELECTOR SWITCH 3 RETURN POS. L+R		CHAINS ROLL & CHAIN EXIT 2 RAISE -0- LOWER
84				
91				
92	=H01-K18401	SELECTOR SWITCH 3 RETURN POS. L+R		ROLL & CHAIN EXIT 2 CHAINS FORWARD -0- BACKWARD
103				
153	=H01-K18465	ILLUMINATED PUSHBUTTON - WHITE LED		CYCLE 1 START
154	=H01-K18467	ILLUMINATED PUSHBUTTON - WHITE LED		CYCLE 2 START
164	=H01-K18457	SELECTOR SWITCH 3 RETURN POS. L+R		CYCLE STOP
171	=H01-S18031	KEY SELECTOR \ 2 POS. - 2 NO		SAFETY AREA 9 OFF - ON

N°	Item	Model	Rectangular Label	Actuator Label
172	=H01-K18481	ILLUMINATED PUSHBUTTON - BLUE LED		SAFETY AREA RESET

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION Labels list	POSIZ./LOCATION + P04	GRUPPO/SECTION = H04	PAGINE/PAGE 3134
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3134
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ELECTRIC CUBICLE LEGEND

N°	ACRONYM
1	=H00-S1377
2	=H01-S18098
3	=H00-F1371
4	=H00-F1391
5	=H00-Q1382
7	=H00-Q1377
8	=H00-X1371
9	=H00-Q1395
10	=H00-Q1395
11	=H00-Q1397
12	=H00-Q1397
13	=H00-Q1398
15	=H01-K18131
16	=H01-K18132
17	=H00-T1391
18	=H03-A27711
19	=H03-A27715
20	=H03-A27716
21	=H03-A27720
22	=H03-A27723
23	=H03-A27724
24	=H03-A27724.1
25	=H03-A27725
26	=H03-A27725.1
27	=H03-A27902


CEB
DIMENSIONS:

H 100 + 930
L 800
P 500
W __KG

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P04 EXIT DESK INTERNAL DISPOSITION	POSIZ./LOCATION + P04	GRUPPO/SECTION = H04	PAGINE/PAGE 3140
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3140
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


P8.1 LOCAL PANEL



ELECTRIC CUBICLE LEGEND

N°	Item	Model	Rectangular Label	Actuator Label
0			LOCAL PANEL P8.1 GATE G8.1	
1	=H01-H18121	LAMP RED LED		GATE 8.1 LOCKED
2	=H01-S18071	ILLUMINATED PUSHBUTTON - WHITE LED - 1NO		AREA 8 ENTRANCE REQUEST
3	=H01-S18072	ILLUMINATED PUSHBUTTON - BLUE LED - 1NO		AREA 8 SAFETY RESET






INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P8.1 LOCAL PUSHBUTTON LAYOUT	POSIZ./LOCATION + P04	GRUPPO/SECTION = H04	PAGINE/PAGE 3141
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3141
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.


P8.2 LOCAL PANEL



ELECTRIC CUBICLE LEGEND

N°	Item	Model	Rectangular Label	Actuator Label
0			LOCAL PANEL P8.2 GATE G8.2	
1	=H01-H18124	LAMP RED LED		GATE 8.2 LOCKED
2	=H01-S18073	ILLUMINATED PUSHBUTTON - WHITE LED - 1NO		AREA 8 ENTRANCE REQUEST
3	=H01-S18074	ILLUMINATED PUSHBUTTON - BLUE LED - 1NO		AREA 8 SAFETY RESET






INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION P8.2 LOCAL PUSHBUTTON LAYOUT	POSIZ./LOCATION + P04	GRUPPO/SECTION = H04	PAGINE/PAGE 3142
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3142
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

RB1 REMOTE CABINET




3142

3152

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION RB1 LOCAL CABINET LAYOUT	POSIZ./LOCATION + RB1	GRUPPO/SECTION = H04	PAGINE/PAGE 3151
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3151
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ELECTRIC CUBICLE LEGEND

N°	ACRONYM
1	=H03-A28011
2	=H03-A28025
3	=H03-A28025.1
4	=H03-A28026
5	=H03-A28026.1
6	=H03-A28027
7	=H03-A28027.1
8	=H03-A28027.2
9	=H03-A28028
10	=H03-A28030
11	=H03-A28032
12	=H03-A28032.1
13	=H03-A28033
14	=H03-A28035
15	=H03-A28035.1
16	=H03-A28036
17	=H03-A28037
18	=H03-A28037.1
19	=H03-A28038
20	=H03-A28039
21	=H03-A28039.1
22	=H03-A28050
23	=H03-A28052
24	=H03-A28052.1
25	=H03-A28053
26	=H03-A28054
27	=H03-A28054.1
28	=H03-A28055
29	=H03-A28056
30	=H03-A28181

CEB
DIMENSIONS:


H 1200
L 800
P 300
W __KG


INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	RB1 INTERNAL DISPOSITION	+ RB1 / = H04 / 3152
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE 3152
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.


RB3 REMOTE CABINET






ELECTRIC CUBICLE LEGEND

N°	ACRONYM
1	=H03-A28511
2	=H03-A28521
3	=H03-A28521.1
4	=H03-A28522
5	=H03-A28522.1
6	=H03-A28530
7	=H03-A28531
8	=H03-A28532
9	=H03-A28533
10	=H03-A28534
11	=H03-A28534.1
12	=H03-A28682
13	=H03-A28691
14	=H03-K28670







Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION RB3 INTERNAL DISPOSITION	POSIZ./LOCATION + RB3	GRUPPO/SECTION = H04	PAGINE/PAGE 3160
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE						
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3160
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY


RB4 REMOTE CABINET






ELECTRIC CUBICLE LEGEND

N°	ACRONYM
1	=H03-A28811
2	=H03-A28821
3	=H03-A28821.1
4	=H03-A28822
5	=H03-A28822.1
6	=H03-A28822.2
7	=H03-A28830
8	=H03-A28831
9	=H03-A28833
10	=H03-A28834.1
11	=H03-A28835
12	=H03-A28836
13	=H03-A28837
14	=H03-A28838





3160


3170

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	RB4 INTERNAL DISPOSITION	+ RB4	= H04	3165
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3165
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

RB5 REMOTE CABINET




3165

3171

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	RB5 LOCAL CABINET LAYOUT	+ RB5	= H04	3170
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3170
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



ELECTRIC CUBICLE LEGEND

N°	ACRONYM
1	=H03-A29111
2	=H03-A29122.1
3	=H03-A29122.2
4	=H03-A29131
5	=H03-A29131.1
6	=H03-A29132
7	=H03-A29132.1
8	=H03-A29132.2
9	=H03-A29133
10	=H03-A29133.1
11	=H03-A29134
12	=H03-A29134.1
13	=H03-A29134.2
14	=H03-A29135
15	=H03-A29135.1
16	=H03-A29136
17	=H03-A29140
18	=H03-A29141
19	=H03-A29142
20	=H03-A29143
21	=H03-A29144
22	=H03-A29144.1
23	=H03-A29145
24	=H03-A29146
25	=H03-A29146.1
26	=H03-A29147
27	=H03-A29148
28	=H03-A29149
29	=H03-A29150
30	=H03-A29151
31	=H03-A29152
32	=H03-A29153
33	=H03-A29154
34	=H03-A29154.1
34	=H01-Q23017
35	=H03-A29170
36	=H03-A29171
36	=H01-A23017
37	=H03-K29380
38	=H01-T23031
39	=H01-T23035

CEB
DIMENSIONS:

H 1200
L 800
P 300
W __KG

3170

=H05/3501

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION RB5 INTERNAL DISPOSITION	POSIZ./LOCATION + RB5	GRUPPO/SECTION = H04	PAGINE/PAGE 3171
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE 3171
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9

CTL4 8mm LINE

BOARD DESCRIPTION	
CUSTOMER JOB N°	CTL4 LINE
END USER	
OBJECT	
CONSTRUCTOR	RBF DMAT s.r.l.
REVISION	3.0
DATE REVISION	06/04/2023

Tabella Revisioni
Revisions Table

Descrizione/ Description	Step	Rel.	Data/ Date	Disegnato/ Drawn	Controllato/ Checked	Approvato/ Approved
Per Approvazione/ For Approval						
Per Costruzione/ For Construction						
Dopo Collaudo Interno/ After Factory Test						
Dopo Messa in Servizio/ After Site Test						

Lista Documenti emessi da UTE
UTE Documents List

Sigla/ Code	Descrizione/ Description	Data/ Date	Emesso/ Issued
DAD	Disegni Dimensionali/ Dimensions Arrangement Drawing		
SLD	Schemi Unifilari/ Single Line Diagram		
WFD	Schemi Funzionali (multifilari)/ Wiring Function Diagram		
TCT	Tabelle Morsettiere/ Terminals connection Tables		
MTL	Lista Materiali/ Material Table List		

Member of CISQ Federation
RINA CERTIFIED IQNet MANAGEMENT SYSTEM
CERTIFIED MANAGEMENT SYSTEM
ISO 9001

=H04/3171

CUSTOMER

RBF DMAT JOB N°

RBF DMAT
AUTOMATION TECHNOLOGY

3502

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION + / GRUPPO/SECTION = H05 / PAGINE/PAGE 3501
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E14	=H00-A441	MURR	85937	MPL POWER SUPPLY	1
	=H00-F73	ITALWEBER	1421016	Fuse 16A gG 500V 10x38	1
	=H00-F73	Siemens AG	3NW7013	Unipolar fuse holder 10x38	1
+E00	=H00-F105	ITALWEBER	1520315	Fuse 315A gG 500V NH2	3
+E00	=H00-F105	Siemens AG	3NP1153-1DA10	FUSE-SWITCH-DISCONNECTOR, 3-POLE, NH2, 400A	1
+E00	=H00-F105	Siemens AG	3NP1940-1FA00	Auxiliary contact	1
	=H00-F107	MERSEN	FR22AM69V63	Fuse 63A aM 500V 22.2x58	3
	=H00-F107	Siemens AG	3NW7231	Portafusibili tripolare 22x58	1
	=H00-F107.1	ITALWEBER	1421025	Fuse 25A gG 500V 10x38	2
	=H00-F107.1	Siemens AG	3NW7023	Bipolar fuse holder 10x38	1
	=H00-F112	ITALWEBER	1421004	Fuse 4A gG 500V 10x38	3
	=H00-F112	Siemens AG	3NW7033	Tripolar fuse holder 10x38	1
	=H00-F113	ITALWEBER	1421002	Fuse 2A gG 500V 10x38	1
	=H00-F113	Siemens AG	3NW7013	Unipolar fuse holder 10x38	1
+E00	=H00-F117	ITALWEBER	1421010	Fuse 10A gG 500V 10x38	3
+E00	=H00-F117	Siemens AG	3NW7033	Tripolar fuse holder 10x38	1
+E15	=H00-F121	ITALWEBER	1602125	Fuse 125A aM 500V NH00	3
+E15	=H00-F121	Siemens AG	3NP1133-1CA10	Fuse switch disconnector	1
+E15	=H00-F121	Siemens AG	3NP1920-1FA00	Auxiliary contact	1
+E15	=H00-F123	ITALWEBER	1602063	Fuse 63A aM 500V NH00	3
+E15	=H00-F123	Siemens AG	3NP1123-1CA20	Fuse switch disconnector	1
+E15	=H00-F123	Siemens AG	3NP1920-1FA00	Auxiliary contact	1
+E15	=H00-F126	Siemens AG	3NE8024-1	SITOR FUSE LINKS 160A, AC 690V (DIN 43620, SIZE 00)	3
+E15	=H00-F126	Siemens AG	3NP1133-1CA10	Fuse switch disconnector	1
+E15	=H00-F126	Siemens AG	3NP1930-1FA00	Auxiliary contact	1
+E15	=H00-F128	ITALWEBER	1602063	Fuse 63A aM 500V NH00	3
+E15	=H00-F128	Siemens AG	3NP1123-1CA20	Fuse switch disconnector	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3502

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E12	=H00-F131	ITALWEBER	1421010	Fuse 10A gG 500V 10x38	3
+E12	=H00-F131	Siemens AG	3NW7033	Tripolar fuse holder 10x38	1
	=H00-F248	Siemens AG	3NW6003-1	CYLINDRICAL FUSE GG ACC. TO FRENCH STANDARD (NFC)	1
	=H00-F248	Siemens AG	3NW7023	Bipolar fuse holder 10x38	1
+E13	=H00-F391	ITALWEBER	1421020	Fuse 20A gG 500V 10x38	3
+E13	=H00-F391	Siemens AG	3NW7033	Tripolar fuse holder 10x38	1
+E12	=H00-F862	ITALWEBER	1421010	Fuse 10A gG 500V 10x38	3
+E12	=H00-F862	Siemens AG	3NW7033	Tripolar fuse holder 10x38	1
	=H00-F971	ITALWEBER	1421006	Fuse 6A gG 500V 10x38	2
	=H00-F971	Siemens AG	3NW7023	Bipolar fuse holder 10x38	1
+P00	=H00-F991	ITALWEBER	1421006	Fuse 6A gG 500V 10x38	2
+P00	=H00-F991	Siemens AG	3NW7023	Bipolar fuse holder 10x38	1
	=H00-F1071	ITALWEBER	1421006	Fuse 6A gG 500V 10x38	2
	=H00-F1071	Siemens AG	3NW7023	Bipolar fuse holder 10x38	1
+P01	=H00-F1091	ITALWEBER	1421006	Fuse 6A gG 500V 10x38	2
+P01	=H00-F1091	Siemens AG	3NW7023	Bipolar fuse holder 10x38	1
	=H00-F1271	ITALWEBER	1421006	Fuse 6A gG 500V 10x38	2
	=H00-F1271	Siemens AG	3NW7023	Bipolar fuse holder 10x38	1
+P03	=H00-F1291	ITALWEBER	1421006	Fuse 6A gG 500V 10x38	2
+P03	=H00-F1291	Siemens AG	3NW7023	Bipolar fuse holder 10x38	1
	=H00-F1371	ITALWEBER	1421006	Fuse 6A gG 500V 10x38	2
	=H00-F1371	Siemens AG	3NW7023	Bipolar fuse holder 10x38	1
+P04	=H00-F1391	ITALWEBER	1421006	Fuse 6A gG 500V 10x38	2
+P04	=H00-F1391	Siemens AG	3NW7023	Bipolar fuse holder 10x38	1
E00	=H00-H77	Siemens AG	3SU1401-1BF60-1AA0	LED MODULE, WHITE	1
E00	=H00-H77	Siemens AG	3SU1051-6AA60-0AA0	INDICATOR LIGHT, WHITE	1
E00	=H00-H77	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3503
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E15	=H00-H131	NUOVA ELFIN	050DSL	FLASHING SIGNALLING DEVICE	1
+E14	=H00-H132	NUOVA ELFIN	050DSL	FLASHING SIGNALLING DEVICE	1
+E13	=H00-H133	NUOVA ELFIN	050DSL	FLASHING SIGNALLING DEVICE	1
+E12	=H00-H134	NUOVA ELFIN	050DSL	FLASHING SIGNALLING DEVICE	1
+E11	=H00-H135	NUOVA ELFIN	050DSL	FLASHING SIGNALLING DEVICE	1
+E10	=H00-H136	NUOVA ELFIN	050DSL	FLASHING SIGNALLING DEVICE	1
+E09	=H00-H137	NUOVA ELFIN	050DSL	FLASHING SIGNALLING DEVICE	1
+E06	=H00-H142	NUOVA ELFIN	050DSL	FLASHING SIGNALLING DEVICE	1
+E05	=H00-H143	NUOVA ELFIN	050DSL	FLASHING SIGNALLING DEVICE	1
+E04	=H00-H144	NUOVA ELFIN	050DSL	FLASHING SIGNALLING DEVICE	1
+E03	=H00-H145	NUOVA ELFIN	050DSL	FLASHING SIGNALLING DEVICE	1
+E02	=H00-H146	NUOVA ELFIN	050DSL	FLASHING SIGNALLING DEVICE	1
+E01	=H00-H147	NUOVA ELFIN	050DSL	FLASHING SIGNALLING DEVICE	1
+E00	=H00-H148	NUOVA ELFIN	050DSL	FLASHING SIGNALLING DEVICE	1
	=H00-H161	NUOVA ELFIN	050PE13C	Electronic ceiling light 13W 240V 50 / 60Hz + C7	1
	=H00-H161.1	NUOVA ELFIN	050PE13C	Electronic ceiling light 13W 240V 50 / 60Hz + C7	1
	=H00-H162	NUOVA ELFIN	050PE13C	Electronic ceiling light 13W 240V 50 / 60Hz + C7	1
	=H00-H163	NUOVA ELFIN	050PE13C	Electronic ceiling light 13W 240V 50 / 60Hz + C7	1
	=H00-H164	NUOVA ELFIN	050PE13C	Electronic ceiling light 13W 240V 50 / 60Hz + C7	1
	=H00-H164.1	NUOVA ELFIN	050PE13C	Electronic ceiling light 13W 240V 50 / 60Hz + C7	1
	=H00-H165	NUOVA ELFIN	050PE13C	Electronic ceiling light 13W 240V 50 / 60Hz + C7	1
	=H00-H166.1	NUOVA ELFIN	050PE13C	Electronic ceiling light 13W 240V 50 / 60Hz + C7	1
	=H00-H168	NUOVA ELFIN	050PE13C	Electronic ceiling light 13W 240V 50 / 60Hz + C7	1
	=H00-H168.1	NUOVA ELFIN	050PE13C	Electronic ceiling light 13W 240V 50 / 60Hz + C7	1
	=H00-H171	NUOVA ELFIN	050PE13C	Electronic ceiling light 13W 240V 50 / 60Hz + C7	1
	=H00-H172	NUOVA ELFIN	050PE13C	Electronic ceiling light 13W 240V 50 / 60Hz + C7	1
	=H00-H173	NUOVA ELFIN	050PE13C	Electronic ceiling light 13W 240V 50 / 60Hz + C7	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3504

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+P00	=H00-H277	Siemens AG	3SU1401-1BF60-1AA0	LED MODULE, WHITE	1
+P00	=H00-H277	Siemens AG	3SU1051-6AA60-0AA0	INDICATOR LIGHT, WHITE	1
+P00	=H00-H277	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
E00	=H00-K75	Siemens AG	3RH2131-1AP00	CONTACTOR 3NO+1NC, AC 230V, 50/60 HZ, SIZE S00	1
E00	=H00-K75	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+P00	=H00-K98	Siemens AG	5TT3185	General Purpose' Eco timed relay with 1 switching contact	1
+E00	=H00-K203	Siemens AG	3RH2131-1AP00	CONTACTOR 3NO+1NC, AC 230V, 50/60 HZ, SIZE S00	1
+E00	=H00-K203	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
	=H00-K216	Siemens AG	3RT2024-1AP00	CONTACTOR AC-3, 5,5KW/400V, 1S+1OE, AC 230V 50HZ, 3-POLE, SZ S0	1
	=H00-K216	Siemens AG	3RA2815-1FW10	Solid-state time-delayed	1
	=H00-K216	Siemens AG	3RT2926-1CD00	Surge suppressor	1
+E12	=H00-K271	Siemens AG	5TT3185	General Purpose' Eco timed relay with 1 switching contact	1
+E12	=H00-K272	Siemens AG	3RH2140-1AP00	CONTACTOR, 4NA, 230VAC, 50/60 Hz, Size S00	1
+E12	=H00-K272	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E12	=H00-K274	Siemens AG	3RT2025-1AP00	CONTACTOR, AC-3, 7.5KW/400V, 1NO+1NC, AC 230V 50HZ,	1
+E12	=H00-K274	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
+E12	=H00-K274	Siemens AG	3RT2926-1CD00	Surge suppressor	1
+E12	=H00-K275	Siemens AG	3RT2017-1AP01	Power contactor	1
+E12	=H00-K275	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E12	=H00-K301	Siemens AG	3RH2140-1AP00	CONTACTOR, 4NA, 230VAC, 50/60 Hz, Size S00	1
+E12	=H00-K301	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E12	=H00-K303	Siemens AG	3RH2140-1AP00	CONTACTOR, 4NA, 230VAC, 50/60 Hz, Size S00	1
+E12	=H00-K303	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E10	=H00-K304	Siemens AG	3RH2140-1AP00	CONTACTOR, 4NA, 230VAC, 50/60 Hz, Size S00	1
+E10	=H00-K304	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E11	=H00-K306	Siemens AG	3RH2140-1AP00	CONTACTOR, 4NA, 230VAC, 50/60 Hz, Size S00	1
+E11	=H00-K306	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3505

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E00	=H00-L117	GEFRAN	S4ZZ2	Line Filter	1
+E15	=H00-M312	TEXA	DLK25BX0B	ROOF TOWER BLOWER	1
+E15	=H00-M312	TEXA	FIL35XN0B	Exit Filter 325X325Mm	6
+E11	=H00-M312.1	TEXA	DLK25BX0B	ROOF TOWER BLOWER	1
+E11	=H00-M312.1	TEXA	FIL35XN0B	Exit Filter 325X325Mm	6
+E14	=H00-M313	TEXA	DLK25BX0B	ROOF TOWER BLOWER	1
+E14	=H00-M313	TEXA	FIL35XN0B	Exit Filter 325X325Mm	6
+E10	=H00-M313.1	TEXA	DLK25BX0B	ROOF TOWER BLOWER	1
+E10	=H00-M313.1	TEXA	FIL35XN0B	Exit Filter 325X325Mm	6
+E13	=H00-M316	TEXA	DLK25BX0B	ROOF TOWER BLOWER	1
+E13	=H00-M316	TEXA	FIL35XN0B	Exit Filter 325X325Mm	6
+E09	=H00-M316.1	TEXA	DLK25BX0B	ROOF TOWER BLOWER	1
+E09	=H00-M316.1	TEXA	FIL35XN0B	Exit Filter 325X325Mm	12
+E12	=H00-M317	TEXA	DLK25BX0B	ROOF TOWER BLOWER	1
+E12	=H00-M317	TEXA	FIL35XN0B	Exit Filter 325X325Mm	6
	=H00-M977	TEXA	FAN12BN0B	Panel fan	1
	=H00-M977	TEXA	FIL12XN0B	Panel fan filter	3
	=H00-M1077	TEXA	FAN12BN0B	Panel fan	1
	=H00-M1077	TEXA	FIL12XN0B	Panel fan filter	3
	=H00-M1277	TEXA	FAN12BN0B	Panel fan	1
	=H00-M1277	TEXA	FIL12XN0B	Panel fan filter	3
	=H00-M1377	TEXA	FAN12BN0B	Panel fan	1
	=H00-M1377	TEXA	FIL12XN0B	Panel fan filter	3
	=H00-P112	IME	MF96021A	Network monitor 80...265Vca/ac - 110...300V cc/dc MULT 690V MAX	1
+E00	=H00-Q103	Siemens AG	3WL1240-2CB61-1AS2-Z S01+S33	FIXED-MOUNTED CIRCUIT BREAKER	1
+E00	=H00-Q103	Siemens AG	3WL9111-0AP02-0AA0	Accessories circuit breaker 3WL	1
+E00	=H00-Q161	Siemens AG	5SU1356-7KK16	Circuit breaker RCBO	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	COMPONENT LIST
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= H05	3506	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E12	=H00-Q181	Siemens AG	5SU1356-7KK16	Circuit breaker RCBO	1
+E12	=H00-Q241	Siemens AG	3RV2421-4AA10	CIRCUIT-BREAKER	1
+E12	=H00-Q241	Siemens AG	3RV2901-1F	Auxiliary switch transverse	1
+E12	=H00-Q245	ABB	S202-C6	Miniature Circuit Breaker - S200 - 2P - C - 6 A	1
+E12	=H00-Q245	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E12	=H00-Q251	ABB	S202-C10	Miniature Circuit Breaker - S200 - 2P - C - 10 A	1
+E12	=H00-Q251	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E12	=H00-Q255	ABB	S202-C10	Miniature Circuit Breaker - S200 - 2P - C - 10 A	1
+E12	=H00-Q255	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E12	=H00-Q301	ABB	S201-C4	Miniature Circuit Breaker - S200 - 1P - C - 4 A	1
+E12	=H00-Q301	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E12	=H00-Q321	ABB	S202-C6	Miniature Circuit Breaker - S200 - 2P - C - 6 A	1
+E14	=H00-Q381	ABB	S202-C4	Miniature Circuit Breaker - S200 - 2P - C - 4 A	1
+E14	=H00-Q385	ABB	S202-C6	Miniature Circuit Breaker - S200 - 2P - C - 6 A	1
+E12	=H00-Q401	ABB	S202-C16	Miniature Circuit Breaker - S200 - 2P - C - 16 A	1
+E12	=H00-Q401	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E15	=H00-Q405	ABB	S202-C6	Miniature Circuit Breaker - S200 - 2P - C - 6 A	1
+E15	=H00-Q405	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E12	=H00-Q421	ABB	S202-C6	Miniature Circuit Breaker - S200 - 2P - C - 6 A	1
+E12	=H00-Q421	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E12	=H00-Q423	ABB	S202-C6	Miniature Circuit Breaker - S200 - 2P - C - 6 A	1
+E12	=H00-Q423	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E12	=H00-Q425	ABB	S202-C6	Miniature Circuit Breaker - S200 - 2P - C - 6 A	1
+E12	=H00-Q425	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E12	=H00-Q427	ABB	S202-C6	Miniature Circuit Breaker - S200 - 2P - C - 6 A	1
+E12	=H00-Q427	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E12	=H00-Q431	ABB	S202-C6	Miniature Circuit Breaker - S200 - 2P - C - 6 A	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3507

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E12	=H00-Q431	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E13	=H00-Q441	ABB	MS132-6.3T	MS132-6.3T Circuit-breaker for primary transformer protection	1
+E13	=H00-Q441	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E13	=H00-Q441.1	ABB	S202-C50	Miniature Circuit Breaker - S200 - 2P - C - 50 A	1
+E13	=H00-Q441.1	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q443	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q443	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q445	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q445	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q447	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q447	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q451	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q451	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q453	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q453	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q455	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q455	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q457	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q457	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q461	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q461	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q463	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q463	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q465	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q465	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q475	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q475	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3508

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H00-Q481	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q481	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q483	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q483	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q485	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q485	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q487	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q487	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E14	=H00-Q492	ABB	S202-C6	Miniature Circuit Breaker - S200 - 2P - C - 6 A	1
	=H00-Q495	ABB	S201-C4	Miniature Circuit Breaker - S200 - 1P - C - 4 A	1
	=H00-Q495	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q497	ABB	S201-C4	Miniature Circuit Breaker - S200 - 1P - C - 4 A	1
	=H00-Q497	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q501	ABB	S201-C4	Miniature Circuit Breaker - S200 - 1P - C - 4 A	1
	=H00-Q501	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q503	ABB	S201-C4	Miniature Circuit Breaker - S200 - 1P - C - 4 A	1
	=H00-Q503	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E11	=H00-Q511	ABB	S202-C16	Miniature Circuit Breaker - S200 - 2P - C - 16 A	1
+E11	=H00-Q511	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q515	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q515	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q517	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q517	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q521	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q521	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q523	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q523	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3509

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E05	=H00-Q582	ABB	S202-C6	Miniature Circuit Breaker - S200 - 2P - C - 6 A	1
+E05	=H00-Q582	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q585	ABB	S201-C16	Miniature Circuit Breaker - S200 - 1P - C - 16 A	1
	=H00-Q585	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q587	ABB	S201-C1	Miniature Circuit Breaker - S200 - 1P - C - 1 A	1
	=H00-Q587	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E13	=H00-Q661	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E13	=H00-Q661	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E13	=H00-Q665	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
+E13	=H00-Q665	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E13	=H00-Q667	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
+E13	=H00-Q667	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E13	=H00-Q671	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
+E13	=H00-Q671	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E13	=H00-Q673	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
+E13	=H00-Q673	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E13	=H00-Q681	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
+E13	=H00-Q681	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q683	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q683	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E14	=H00-Q691	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E14	=H00-Q691	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=H00-Q695	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q695	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q697	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q697	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q701	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3510
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H00-Q701	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q703	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q703	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H00-Q705	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
	=H00-Q705	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
E05	=H00-Q713	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
E05	=H00-Q713	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
E05	=H00-Q715	ABB	S201-C10	Miniature Circuit Breaker - S200 - 1P - C - 10 A	1
E05	=H00-Q715	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E12	=H00-Q867	ABB	S202-C10	Miniature Circuit Breaker - S200 - 2P - C - 10 A	1
+E12	=H00-Q867	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E12	=H00-Q871	ABB	S202-C10	Miniature Circuit Breaker - S200 - 2P - C - 10 A	1
+E12	=H00-Q871	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+P00	=H00-Q973	Siemens AG	5SU1356-7KK06	Differential magnetothermal switches	1
	=H00-Q977	ABB	S201-C1	Miniature Circuit Breaker - S200 - 1P - C - 1 A	1
	=H00-Q995	Siemens AG	5SY4104-5	CIRCUIT BREAKER 10KA 1POL A4	1
	=H00-Q995	Siemens AG	5ST3011	AUXILIARY SWITCH 2OE	1
	=H00-Q997	Siemens AG	5SY4103-5	CIRCUIT BREAKER 10KA 1POL A3	1
	=H00-Q997	Siemens AG	5ST3011	AUXILIARY SWITCH 2OE	1
	=H00-Q998	Siemens AG	5SY4104-5	CIRCUIT BREAKER 10KA 1POL A4	1
	=H00-Q1077	ABB	S201-C1	Miniature Circuit Breaker - S200 - 1P - C - 1 A	1
	=H00-Q1095	Siemens AG	5SY4102-5	CIRCUIT BREAKER 10KA 1POL A2	1
	=H00-Q1095	Siemens AG	5ST3011	AUXILIARY SWITCH 2OE	1
	=H00-Q1097	Siemens AG	5SY4103-5	CIRCUIT BREAKER 10KA 1POL A3	1
	=H00-Q1097	Siemens AG	5ST3011	AUXILIARY SWITCH 2OE	1
	=H00-Q1098	Siemens AG	5SY4104-5	CIRCUIT BREAKER 10KA 1POL A4	1
	=H00-Q1098	Siemens AG	5ST3011	AUXILIARY SWITCH 2OE	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3511

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H00-Q1277	ABB	S201-C1	Miniature Circuit Breaker - S200 - 1P - C - 1 A	1
	=H00-Q1295	Siemens AG	5SY4102-5	CIRCUIT BREAKER 10KA 1POL A2	1
	=H00-Q1295	Siemens AG	5ST3011	AUXILIARY SWITCH 2OE	1
	=H00-Q1297	Siemens AG	5SY4103-5	CIRCUIT BREAKER 10KA 1POL A3	1
	=H00-Q1297	Siemens AG	5ST3011	AUXILIARY SWITCH 2OE	1
	=H00-Q1298	Siemens AG	5SY4104-5	CIRCUIT BREAKER 10KA 1POL A4	1
	=H00-Q1377	Siemens AG	5SY6101-7	CIRCUIT BREAKER 6KA 1POL C1	1
+P04	=H00-Q1382	ABB	S202-C6	Miniature Circuit Breaker - S200 - 2P - C - 6 A	1
	=H00-Q1395	Siemens AG	5SY4102-5	CIRCUIT BREAKER 10KA 1POL A2	1
	=H00-Q1395	Siemens AG	5ST3011	AUXILIARY SWITCH 2OE	1
	=H00-Q1397	Siemens AG	5SY4104-5	CIRCUIT BREAKER 10KA 1POL A4	1
	=H00-Q1397	Siemens AG	5ST3011	AUXILIARY SWITCH 2OE	1
	=H00-Q1398	Siemens AG	5SY4104-5	CIRCUIT BREAKER 10KA 1POL A4	1
	=H00-Q1398	Siemens AG	5ST3011	AUXILIARY SWITCH 2OE	1
+E00	=H00-S75	Siemens AG	3SU1050-4CF11-0AA0	KEY-OPERATED SWITCH RONIS, O-I	1
+E00	=H00-S75	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1
+E00	=H00-S75	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H00-S85	Siemens AG	3SU1051-0AB40-0AA0	ILLUMINATED PUSHBUTTON, GREEN	1
	=H00-S85	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H00-S85	Siemens AG	3SU1401-1BF40-1AA0	LED MODULE, GREEN	1
	=H00-S85	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1
	=H00-S87	Siemens AG	3SU1051-0AD20-0AA1	ILLUM. PUSHB., RED INDICATOR LIGHT ATEX	1
	=H00-S87	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H00-S87	Siemens AG	3SU1401-1BF20-1AA0	LED MODULE, RED	1
	=H00-S87	Siemens AG	3SU1400-1AA10-1CA0	CONTACT MODULE 1NC	2
+P00	=H00-S94	Siemens AG	3SU1051-0AB40-0AA0	ILLUMINATED PUSHBUTTON, GREEN	1
+P00	=H00-S94	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3512

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+P00	=H00-S94	Siemens AG	3SU1401-1BF40-3AA0	LED MODULE, GREEN	1
+P00	=H00-S94	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1
+P00	=H00-S98	Siemens AG	3SU1051-0AD20-0AA1	ILLUM. PUSHB., RED INDICATOR LIGHT ATEX	1
+P00	=H00-S98	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H00-S98	Siemens AG	3SU1401-1BF20-1AA0	LED MODULE, RED	1
+P00	=H00-S98	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	2
+E01	=H00-S204	NUOVA ELFIN	050FI03	Interlock limit switch sensor 3C	1
+E01	=H00-S204	NUOVA ELFIN	030FAP	Interlock limit switch sensor 1NA	1
+E00	=H00-S204.1	NUOVA ELFIN	050FI03	Interlock limit switch sensor 3C	1
+E00	=H00-S204.1	NUOVA ELFIN	030FAP	Interlock limit switch sensor 1NA	1
+E02	=H00-S204.2	NUOVA ELFIN	050FI03	Interlock limit switch sensor 3C	1
+E02	=H00-S204.2	NUOVA ELFIN	030FAP	Interlock limit switch sensor 1NA	1
+E03	=H00-S204.3	NUOVA ELFIN	050FI03	Interlock limit switch sensor 3C	1
+E03	=H00-S204.3	NUOVA ELFIN	030FAP	Interlock limit switch sensor 1NA	1
+E04	=H00-S206.1	NUOVA ELFIN	050FI03	Interlock limit switch sensor 3C	1
+E04	=H00-S206.1	NUOVA ELFIN	030FAP	Interlock limit switch sensor 1NA	1
+E05	=H00-S206.2	NUOVA ELFIN	050FI03	Interlock limit switch sensor 3C	1
+E05	=H00-S206.2	NUOVA ELFIN	030FAP	Interlock limit switch sensor 1NA	1
+E06	=H00-S206.3	NUOVA ELFIN	050FI03	Interlock limit switch sensor 3C	1
+E06	=H00-S206.3	NUOVA ELFIN	030FAP	Interlock limit switch sensor 1NA	1
+E09	=H00-S211.1	NUOVA ELFIN	050FI03	Interlock limit switch sensor 3C	1
+E09	=H00-S211.1	NUOVA ELFIN	030FAP	Interlock limit switch sensor 1NA	1
+E10	=H00-S211.2	NUOVA ELFIN	050FI03	Interlock limit switch sensor 3C	1
+E10	=H00-S211.2	NUOVA ELFIN	030FAP	Interlock limit switch sensor 1NA	1
+E11	=H00-S211.3	NUOVA ELFIN	050FI03	Interlock limit switch sensor 3C	1
+E11	=H00-S211.3	NUOVA ELFIN	030FAP	Interlock limit switch sensor 1NA	1
+E12	=H00-S213	NUOVA ELFIN	050FI03	Interlock limit switch sensor 3C	1

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: COMPONENT LIST	POSIZ./LOCATION: +	GRUPPO/SECTION: = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE: 3513

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E12	=H00-S213	NUOVA ELFIN	030FAP	Interlock limit switch sensor 1NA	1
+E13	=H00-S213.1	NUOVA ELFIN	050FI03	Interlock limit switch sensor 3C	1
+E13	=H00-S213.1	NUOVA ELFIN	030FAP	Interlock limit switch sensor 1NA	1
+E14	=H00-S213.2	NUOVA ELFIN	050FI03	Interlock limit switch sensor 3C	1
+E14	=H00-S213.2	NUOVA ELFIN	030FAP	Interlock limit switch sensor 1NA	1
+E15	=H00-S213.3	NUOVA ELFIN	050FI03	Interlock limit switch sensor 3C	1
+E15	=H00-S213.3	NUOVA ELFIN	030FAP	Interlock limit switch sensor 1NA	1
+P00	=H00-S271	Siemens AG	3SU1050-4CF11-0AA0	KEY-OPERATED SWITCH RONIS, O-I	1
+P00	=H00-S271	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H00-S271	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1
+P00	=H00-S271	Siemens AG	3SU1400-1AA10-1CA0	CONTACT MODULE 1NC	1
+E15	=H00-S301	TEXA	AAFTO12	Thermostat with exchange contact	1
+E12	=H00-S303	TEXA	AAFTO12	Thermostat with exchange contact	1
+E10	=H00-S304	TEXA	AAFTO12	Thermostat with exchange contact	1
+E09	=H00-S306	TEXA	AAFTO12	Thermostat with exchange contact	1
	=H00-S977	TEXA	AAFTO12	Thermostat with exchange contact	1
	=H00-S1077	TEXA	AAFTO12	Thermostat with exchange contact	1
	=H00-S1277	TEXA	AAFTO12	Thermostat with exchange contact	1
	=H00-S1377	TEXA	AAFTO12	Thermostat with exchange contact	1
+E00	=H00-T72	TRASFO PROJECT	TM-90810	Single-phase transformer 400V±5%/230V 2,5kVA	1
+E12	=H00-T241	TRASFO PROJECT	TM-95556	Single-phase transformer 400V±5%/230V 5kVA	1
	=H00-T491	ABB	CP-E 24/20.0	CP-E 24/20.0 Power supply	1
	=H00-T511	Siemens AG	6EP3337-8SB00-0AY0	SITOP PSU8200 24 V/40 A	1
	=H00-T581	ABB	CP-E 24/20.0	CP-E 24/20.0 Power supply	1
+E13	=H00-T661	ABB	CP-T 24/40.0	CP-T 24/40.0 Power supply	1
	=H00-T691	ABB	CP-T 24/40.0	CP-T 24/40.0 Power supply	1
	=H00-T991	Siemens AG	6EP3334-8SB00-0AY0	SITOP PSU8200	1

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	COMPONENT LIST
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= H05	3514	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H00-T1091	Siemens AG	6EP3334-8SB00-0AY0	SITOP PSU8200	1
	=H00-T1291	Siemens AG	6EP3334-8SB00-0AY0	SITOP PSU8200	1
	=H00-T1391	Siemens AG	6EP3334-8SB00-0AY0	SITOP PSU8200	1
	=H00-TA114	IME	TASS50D400	Current transformer 4000/5A	1
	=H00-TA114.1	IME	TASS50D400	Current transformer 4000/5A	1
	=H00-TA115	IME	TASS50D400	Current transformer 4000/5A	1
	=H00-TV112	FRER	TTV006500XCO	Voltage Transformer 500Vac/100Vac	1
	=H00-TV112.1	FRER	TTV006500XCO	Voltage Transformer 500Vac/100Vac	1
	=H00-U131	NUOVA ELFIN	050FC3C	Tripolar limit switch 3NC	1
	=H00-U132	NUOVA ELFIN	050FC3C	Tripolar limit switch 3NC	1
	=H00-U133	NUOVA ELFIN	050FC3C	Tripolar limit switch 3NC	1
	=H00-U134	NUOVA ELFIN	050FC3C	Tripolar limit switch 3NC	1
	=H00-U135	NUOVA ELFIN	050FC3C	Tripolar limit switch 3NC	1
	=H00-U136	NUOVA ELFIN	050FC3C	Tripolar limit switch 3NC	1
	=H00-U137	NUOVA ELFIN	050FC3C	Tripolar limit switch 3NC	1
	=H00-U142	NUOVA ELFIN	050FC3C	Tripolar limit switch 3NC	1
	=H00-U143	NUOVA ELFIN	050FC3C	Tripolar limit switch 3NC	1
	=H00-U144	NUOVA ELFIN	050FC3C	Tripolar limit switch 3NC	1
	=H00-U145	NUOVA ELFIN	050FC3C	Tripolar limit switch 3NC	1
	=H00-U146	NUOVA ELFIN	050FC3C	Tripolar limit switch 3NC	1
	=H00-U147	NUOVA ELFIN	050FC3C	Tripolar limit switch 3NC	1
	=H00-U148	NUOVA ELFIN	050FC3C	Tripolar limit switch 3NC	1
	=H00-X167	VIMAR	09967	Supply socket 250V / 16A universal DIN	1
	=H00-X168	VIMAR	09967	Supply socket 250V / 16A universal DIN	1
	=H00-X174	VIMAR	09967	Supply socket 250V / 16A universal DIN	1
+P00	=H00-X971	VIMAR	09967	Supply socket 250V / 16A universal DIN	1
+P00	=H00-X973	VIMAR	01294	Multiple sockets professional with cable / 5 outs	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3515
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+P01	=H00-X1071	VIMAR	09967	Supply socket 250V / 16A universal DIN	1
+P03	=H00-X1271	VIMAR	09967	Supply socket 250V / 16A universal DIN	1
+P04	=H00-X1371	VIMAR	09967	Supply socket 250V / 16A universal DIN	1
+E01	=G00-A11	Siemens AG	6SL3040-1MA01-0AA0	SINAMICS S120 CONTROL UNIT CU320-2 PN	1
	=G00-A21	Siemens AG	6SL3040-1MA01-0AA0	SINAMICS S120 CONTROL UNIT CU320-2 PN	1
	=G00-A21	Siemens AG	6SL3055-0AA00-4BA0	SINAMICS S120 BASIC OPERATOR PANEL BOP20	1
	=G00-A31	Siemens AG	6SL3040-1MA01-0AA0	SINAMICS S120 CONTROL UNIT CU320-2 PN	1
	=G00-A31	Siemens AG	6SL3055-0AA00-4BA0	SINAMICS S120 BASIC OPERATOR PANEL BOP20	1
	=G00-A41	Siemens AG	6SL3040-1MA01-0AA0	SINAMICS S120 CONTROL UNIT CU320-2 PN	1
	=G00-A41	Siemens AG	6SL3055-0AA00-4BA0	SINAMICS S120 BASIC OPERATOR PANEL BOP20	1
	=G00-A51	Siemens AG	6SL3040-1MA01-0AA0	SINAMICS S120 CONTROL UNIT CU320-2 PN	1
	=G00-A51	Siemens AG	6SL3055-0AA00-4BA0	SINAMICS S120 BASIC OPERATOR PANEL BOP20	1
	=G00-A61	Siemens AG	6SL3040-1MA01-0AA0	SINAMICS S120 CONTROL UNIT CU320-2 PN	1
	=G00-A61	Siemens AG	6SL3055-0AA00-4BA0	SINAMICS S120 BASIC OPERATOR PANEL BOP20	1
	=G00-A71	Siemens AG	6SL3040-1MA01-0AA0	SINAMICS S120 CONTROL UNIT CU320-2 PN	1
	=G00-A71	Siemens AG	6SL3055-0AA00-4BA0	SINAMICS S120 BASIC OPERATOR PANEL BOP20	1
	=G00-A81	Siemens AG	6SL3040-1MA01-0AA0	SINAMICS S120 CONTROL UNIT CU320-2 PN	1
	=G00-A81	Siemens AG	6SL3055-0AA00-4BA0	SINAMICS S120 BASIC OPERATOR PANEL BOP20	1
	=G00-A91	Siemens AG	6SL3040-1MA01-0AA0	SINAMICS S120 CONTROL UNIT CU320-2 PN	1
	=G00-A91	Siemens AG	6SL3055-0AA00-4BA0	SINAMICS S120 BASIC OPERATOR PANEL BOP20	1
	=G00-A101	Siemens AG	6SL3040-1MA01-0AA0	SINAMICS S120 CONTROL UNIT CU320-2 PN	1
	=G00-A101	Siemens AG	6SL3055-0AA00-4BA0	SINAMICS S120 BASIC OPERATOR PANEL BOP20	1
	=G00-A111	Siemens AG	6SL3040-1MA01-0AA0	SINAMICS S120 CONTROL UNIT CU320-2 PN	1
	=G00-A111	Siemens AG	6SL3055-0AA00-4BA0	SINAMICS S120 BASIC OPERATOR PANEL BOP20	1
	=G00-A121	Siemens AG	6SL3040-1MA01-0AA0	SINAMICS S120 CONTROL UNIT CU320-2 PN	1
	=G00-A121	Siemens AG	6SL3055-0AA00-4BA0	SINAMICS S120 BASIC OPERATOR PANEL BOP20	1
	=G00-A131	Siemens AG	6SL3040-1MA01-0AA0	SINAMICS S120 CONTROL UNIT CU320-2 PN	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	COMPONENT LIST
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= H05	3516	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=G00-A131	Siemens AG	6SL3055-0AA00-4BA0	SINAMICS S120 BASIC OPERATOR PANEL BOP20	1
	=G00-A151	Siemens AG	6SL3040-1MA01-0AA0	SINAMICS S120 CONTROL UNIT CU320-2 PN	1
	=G00-B241	Siemens AG	6SL3300-1AE32-5AA0	SINAMICS BRAKING MODULE	1
	=G00-B281	Siemens AG	6SL3300-1AE32-5AA0	SINAMICS BRAKING MODULE	1
	=G00-F201	Siemens AG	3NE1817-0	Fuse 50A, gR/gS 690V NH00	3
	=G00-F201	Siemens AG	3NP1123-1CA20	Fuse switch disconnector	1
	=G00-F204	Siemens AG	3NE1817-0	Fuse 50A, gR/gS 690V NH00	3
	=G00-F204	Siemens AG	3NP1123-1CA20	Fuse switch disconnector	1
+E00	=G00-K238	Siemens AG	3RT2015-1AP01	CONTACTOR AC3 3KW 1NO AC230V 50/60HZ	1
+E00	=G00-K238	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E00	=G00-K247	Siemens AG	3RH2140-1BB40	CONTACTEUR 4NO, DC 24V, SIZE S00	1
+E00	=G00-K247	Siemens AG	3RT2916-1BB00	SURGE SUPPRESSOR, VARISTOR,	1
+E00	=G00-K278	Siemens AG	3RT2015-1AP01	CONTACTOR AC3 3KW 1NO AC230V 50/60HZ	1
+E00	=G00-K278	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
	=G00-K278.1	Siemens AG	3RT2024-1AP00	CONTACTOR AC-3, 5,5KW/400V, 1S+1OE, AC 230V 50HZ, 3-POLE, SZ S0	1
	=G00-K278.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E00	=G00-K287	Siemens AG	3RH2140-1BB40	CONTACTEUR 4NO, DC 24V, SIZE S00	1
+E00	=G00-K287	Siemens AG	3RT2916-1BB00	SURGE SUPPRESSOR, VARISTOR,	1
	=G00-K353	Siemens AG	3RT2024-1AP00	CONTACTOR AC-3, 5,5KW/400V, 1S+1OE, AC 230V 50HZ, 3-POLE, SZ S0	1
	=G00-K353	Siemens AG	3RT2926-1CD00	Surge suppressor	1
+E01	=G00-L202	TRASFO PROJECT	RBFLR34975	REATT TRIF COMM 2000,0/3000,0A 11microH	1
+E01	=G00-L205	TRASFO PROJECT	RBFLR34975	REATT TRIF COMM 2000,0/3000,0A 11microH	1
	=G00-Q211.2	Siemens AG	3WL1220-2BB34-4AN2-Z	Draw-out circuit breaker with slide-in module frame	1
	=G00-Q251.1	Siemens AG	3WL1220-2BB34-4AN2-Z	Draw-out circuit breaker with slide-in module frame	1
	=G00-R201	Siemens AG	6SL3000-0KE12-2AA0	SINAMICS RESISTENZA DI PRECARICA AC 690V 91A 2,2 OHM	1
	=G00-R201.1	Siemens AG	6SL3000-0KE12-2AA0	SINAMICS RESISTENZA DI PRECARICA AC 690V 91A 2,2 OHM	1
	=G00-R201.2	Siemens AG	6SL3000-0KE12-2AA0	SINAMICS RESISTENZA DI PRECARICA AC 690V 91A 2,2 OHM	1

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: COMPONENT LIST	POSIZ./LOCATION: +	GRUPPO/SECTION: = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE: 3517

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=G00-R204	Siemens AG	6SL3000-0KE12-2AA0	SINAMICS RESISTENZA DI PRECARICA AC 690V 91A 2,2 OHM	1
	=G00-R204.1	Siemens AG	6SL3000-0KE12-2AA0	SINAMICS RESISTENZA DI PRECARICA AC 690V 91A 2,2 OHM	1
	=G00-R204.2	Siemens AG	6SL3000-0KE12-2AA0	SINAMICS RESISTENZA DI PRECARICA AC 690V 91A 2,2 OHM	1
	=G00-R241	Siemens AG	6SL3000-1BE32-5AA0	SINAMICS BRAKING RESISTOR	1
	=G00-R281	Siemens AG	6SL3000-1BE32-5AA0	SINAMICS BRAKING RESISTOR	1
	=G00-T231	Siemens AG	6SL3330-1TE41-8AA3	SINAMICS S120 BASIC LINE MODULE	1
	=G00-T271	Siemens AG	6SL3330-1TE41-8AA3	SINAMICS S120 BASIC LINE MODULE	1
	=G01-F101	Siemens AG	3NE8020-1	SITOR FUSE LINKS 80A, AC 690V (DIN 43620, SIZE 00)	2
	=G01-F101	ITALWEBER	2572010	One-pole fuse base NH00	2
	=G01-F101	Siemens AG	3NX3105	Protective Cover	1
+E10	=G01-K111	Siemens AG	3RT2016-1AP01	Power contactor	1
+E10	=G01-K111	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E10	=G01-K112	Siemens AG	3RT2016-1AP01	Power contactor	1
+E10	=G01-K112	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E10	=G01-Q116	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E10	=G01-Q116	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E10	=G01-Q118	ABB	MS132-0.16	MS132-0.16 Manual Motor Starter	1
+E10	=G01-Q118	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G01-T102	Siemens AG	6SL3120-2TE21-0AD0	SINAMICS S120 DOUBLE MOMO 9A/9A D-Type	1
	=G01-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	2
	=G01-T102	Siemens AG	6SL3162-2BD00-0AA0	SINAMICS DC LINK RECT. ADAPTER 0,5-10MM	1
	=G01-T102	Siemens AG	6SL3162-2AA00-0AA0	SINAMICS 24-V-TERMINAL ADAPTER	1
+E10	=G01A-K111	Siemens AG	3RT2016-1AP01	Power contactor	1
+E10	=G01A-K111	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E10	=G01A-Q117	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E10	=G01A-Q117	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G02-F102	Siemens AG	3NE3230-0B	SITOR FUSE-LINK 315A, AC 1000V, SIZE 1/110MM	2

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3518

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=G02-F102	ITALWEBER	2570110	Portafusibili unipolare NH-1	2
+E06	=G02-K111	Siemens AG	3RT2016-1AP01	Power contactor	1
+E06	=G02-K111	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E06	=G02-K112	Siemens AG	3RT2016-1AP01	Power contactor	1
+E06	=G02-K112	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E06	=G02-Q116	ABB	MS132-1.6	MS132-1.6 Manual Motor Starter	1
+E06	=G02-Q116	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E06	=G02-Q118	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E06	=G02-Q118	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G02-T102	Siemens AG	6SL3120-1TE31-3AA3	SINAMICS S120 MOMO INV 400V 132A	1
	=G02-T102	Siemens AG	6SL3162-1AH00-0AA0	SINAMICS SHIELD CONNECTION SHEET FOR 300 MM	1
	=G02-T102	Siemens AG	6SL3162-2BM01-0AA0	SINAMICS DC LINK ADAPTER	1
+E06	=G03-A124	Siemens AG	6SL3055-0AA00-5CA2	SINAMICS S120 SENSOR MODULE CABINET SMC30	1
	=G03-F102	Siemens AG	3NE8022-1	SITOR FUSE LINKS 125A, AC 690V (DIN 43620, SIZE 00)	2
	=G03-F102	ITALWEBER	2572010	One-pole fuse base NH00	2
+E06	=G03-K111	Siemens AG	3RT2016-1AP01	Power contactor	1
+E06	=G03-K111	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E06	=G03-K112	Siemens AG	3RT2016-1AP01	Power contactor	1
+E06	=G03-K112	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E06	=G03-Q116	ABB	MS132-1.6	MS132-1.6 Manual Motor Starter	1
+E06	=G03-Q116	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E06	=G03-Q118	ABB	MS132-1.6	MS132-1.6 Manual Motor Starter	1
+E06	=G03-Q118	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G03-T101	Siemens AG	6SL3120-1TE28-5AA3	SINAMICS S120 MOMO INV 400V 85A	1
	=G03-T101	Siemens AG	6SL3162-2AA00-0AA0	SINAMICS 24-V-TERMINAL ADAPTER	1
	=G03-T101	Siemens AG	6SL3162-2BM00-0AA0	SINAMICS DC LINK RECT. ADAPTER 35-95MM	1
	=G03-T101	Siemens AG	6SL3162-1AH01-0AA0	SINAMICS SHIELD CONNECTION SHEET FOR 200 MM	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3519

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=G04-F102	Siemens AG	3NE3338-8	SITOR FUSE-LINK 800A, AC 800V, SIZE 2/110MM	4
	=G04-F102	ITALWEBER	170H3006	FUSE BASES 1250A, NH1 1400V, SIZE 1/110MM	4
+E14	=G04-K111	Siemens AG	3RT2016-1AP01	Power contactor	1
+E14	=G04-K111	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E14	=G04-K112	Siemens AG	3RT2016-1AP01	Power contactor	1
+E14	=G04-K112	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E05	=G04-Q108	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E05	=G04-Q108	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E14	=G04-Q116	ABB	MS132-1.6	MS132-1.6 Manual Motor Starter	1
+E14	=G04-Q116	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E14	=G04-Q118	ABB	MS132-10	MS132-10 Manual Motor Starter	1
+E14	=G04-Q118	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G04-T102	Siemens AG	6SL3321-1TE41-2AA0	SINAMICS S120 Chassis-2 MoMo 630kW	1
+E10	=G05-K112	Siemens AG	3RT2016-1AP01	Power contactor	1
+E10	=G05-K112	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E10	=G05-Q118	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E10	=G05-Q118	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G05-T102	Siemens AG	6SL3120-1TE23-0AC0	SINAMICS S120 SINGLE MOMO 30A C-Type	1
	=G05-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	1
	=G05-T102	Siemens AG	6SL3162-2AA00-0AA0	SINAMICS 24-V-TERMINAL ADAPTER	1
	=G06-F101	Siemens AG	3NE8020-1	SITOR FUSE LINKS 80A, AC 690V (DIN 43620, SIZE 00)	2
	=G06-F101	ITALWEBER	2572010	One-pole fuse base NH00	2
	=G06-F101	Siemens AG	3NX3105	Protective Cover	1
	=G06-T102	Siemens AG	6SL3120-1TE15-0AD0	SINAMICS S120 SINGLE MOMO 5A D-Type	1
	=G06-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	1
	=G07-F101	Siemens AG	3NE8020-1	SITOR FUSE LINKS 80A, AC 690V (DIN 43620, SIZE 00)	2
	=G07-F101	ITALWEBER	2572010	One-pole fuse base NH00	2

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3520

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=G07-F101	Siemens AG	3NX3105	Protective Cover	1
	=G07-T102	Siemens AG	6SL3120-1TE23-0AC0	SINAMICS S120 SINGLE MOMO 30A C-Type	1
	=G07-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	1
	=G07-T102	Siemens AG	6SL3162-2BD00-0AA0	SINAMICS DC LINK RECT. ADAPTER 0,5-10MM	1
	=G07-T102	Siemens AG	6SL3162-2AA00-0AA0	SINAMICS 24-V-TERMINAL ADAPTER	1
	=G08-T102	Siemens AG	6SL3120-1TE23-0AC0	SINAMICS S120 SINGLE MOMO 30A C-Type	1
	=G08-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	1
	=G14-F102	Siemens AG	3NE3338-8	SITOR FUSE-LINK 800A, AC 800V, SIZE 2/110MM	4
	=G14-F102	ITALWEBER	170H3006	FUSE BASES 1250A, NH1 1400V, SIZE 1/110MM	4
+E12	=G14-K111	Siemens AG	3RT2016-1AP01	Power contactor	1
+E12	=G14-K111	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E12	=G14-K112	Siemens AG	3RT2016-1AP01	Power contactor	1
+E12	=G14-K112	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E05	=G14-Q106	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E05	=G14-Q106	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E12	=G14-Q116	ABB	MS132-1.6	MS132-1.6 Manual Motor Starter	1
+E12	=G14-Q116	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E12	=G14-Q118	ABB	MS132-10	MS132-10 Manual Motor Starter	1
+E12	=G14-Q118	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G14-T102	Siemens AG	6SL3321-1TE41-2AA0	SINAMICS S120 Chassis-2 MoMo 630kW	1
	=G15-F101	Siemens AG	3NE8020-1	SITOR FUSE LINKS 80A, AC 690V (DIN 43620, SIZE 00)	2
	=G15-F101	ITALWEBER	2572010	One-pole fuse base NH00	2
	=G15-F101	Siemens AG	3NX3105	Protective Cover	1
	=G15-T102	Siemens AG	6SL3120-1TE23-0AC0	SINAMICS S120 SINGLE MOMO 30A C-Type	1
	=G15-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	1
	=G15-T102	Siemens AG	6SL3162-2BD00-0AA0	SINAMICS DC LINK RECT. ADAPTER 0,5-10MM	1
	=G16-T102	Siemens AG	6SL3120-1TE23-0AC0	SINAMICS S120 SINGLE MOMO 30A C-Type	1

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: COMPONENT LIST	POSIZ./LOCATION: +	GRUPPO/SECTION: = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE: 3521

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=G16-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	1
+E11	=G17-K111	Siemens AG	3RT2016-1AP01	Power contactor	1
+E11	=G17-K111	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E11	=G17-Q116	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E11	=G17-Q116	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G17-T101	Siemens AG	6SL3420-2TE11-7AA1	SINAMICS S120 DOUBLE MOTOR MODULE 1,7A/1,7A	1
	=G17-T101	Siemens AG	6SL3162-2BD00-0AA0	SINAMICS DC LINK RECT. ADAPTER 0,5-10MM	1
	=G17-T101	Siemens AG	6SL3162-2MA00-0AA0	SINAMICS S120 POWER CONNECTOR FOR MOMO 3/30A	2
	=G17-T101	Siemens AG	6SL3162-2AA00-0AA0	SINAMICS 24-V-TERMINAL ADAPTER	2
	=G18-F101	Siemens AG	3NE8020-1	SITOR FUSE LINKS 80A, AC 690V (DIN 43620, SIZE 00)	2
	=G18-F101	ITALWEBER	2572010	One-pole fuse base NH00	2
	=G18-F101	Siemens AG	3NX3105	Protective Cover	1
+E09	=G18-K112	Siemens AG	3RT2016-1AP01	Power contactor	1
+E09	=G18-K112	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E09	=G18-Q118	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E09	=G18-Q118	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G18-T102	Siemens AG	6SL3120-1TE23-0AC0	SINAMICS S120 SINGLE MOMO 30A C-Type	1
	=G18-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	1
	=G18-T102	Siemens AG	6SL3162-2BD00-0AA0	SINAMICS DC LINK RECT. ADAPTER 0,5-10MM	1
	=G19-T102	Siemens AG	6SL3120-1TE23-0AC0	SINAMICS S120 SINGLE MOMO 30A C-Type	1
	=G19-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	1
	=G19-T102	Siemens AG	6SL3162-2BD00-0AA0	SINAMICS DC LINK RECT. ADAPTER 0,5-10MM	1
+E12	=G20-K111	Siemens AG	3RT2016-1AP01	Power contactor	1
+E12	=G20-K111	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E12	=G20-K112	Siemens AG	3RT2016-1AP01	Power contactor	1
+E12	=G20-K112	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E05	=G20-Q106	ABB	MS132-6.3T	MS132-6.3T Circuit-breaker for primary transformer protection	1

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: COMPONENT LIST	POSIZ./LOCATION: +	GRUPPO/SECTION: = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE: 3522

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E05	=G20-Q106	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E14	=G20-Q116	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E14	=G20-Q116	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E12	=G20-Q118	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E12	=G20-Q118	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G20-T103	Siemens AG	6SL3320-1TE37-5AA3	SINAMICS S120 MOMO, DC 510V – DC 720V	1
+E12	=G20A-K111	Siemens AG	3RT2016-1AP01	Power contactor	1
+E12	=G20A-K111	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E12	=G20A-K112	Siemens AG	3RT2016-1AP01	Power contactor	1
+E12	=G20A-K112	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E05	=G20A-Q106	ABB	MS132-6.3T	MS132-6.3T Circuit-breaker for primary transformer protection	1
+E05	=G20A-Q106	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E14	=G20A-Q116	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E14	=G20A-Q116	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E12	=G20A-Q118	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E12	=G20A-Q118	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G20A-T103	Siemens AG	6SL3320-1TE37-5AA3	SINAMICS S120 MOMO, DC 510V – DC 720V	1
+E11	=G27-K111	Siemens AG	3RT2016-1AP01	Power contactor	1
+E11	=G27-K111	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E11	=G27-Q116	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E11	=G27-Q116	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G27-T102	Siemens AG	6SL3120-2TE21-0AD0	SINAMICS S120 DOUBLE MOMO 9A/9A D-Type	1
	=G27-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	2
+E11	=G27A-K111	Siemens AG	3RT2016-1AP01	Power contactor	1
+E11	=G27A-K111	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E10	=G27A-Q116	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E10	=G27A-Q116	ABB	HK1-20	HK1-20 Auxiliary Contact	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3523
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E11	=G28-K111	Siemens AG	3RT2016-1AP01	Power contactor	1
+E11	=G28-K111	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E11	=G28-Q116	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E11	=G28-Q116	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G28-T102	Siemens AG	6SL3120-2TE21-0AD0	SINAMICS S120 DOUBLE MOMO 9A/9A D-Type	1
	=G28-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	2
+E11	=G28A-K111	Siemens AG	3RT2016-1AP01	Power contactor	1
+E11	=G28A-K111	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E11	=G28A-Q116	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E11	=G28A-Q116	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E11	=G29-K111	Siemens AG	3RT2016-1AP01	Power contactor	1
+E11	=G29-K111	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E11	=G29-Q116	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E11	=G29-Q116	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G31-F101	Siemens AG	3NE8020-1	SITOR FUSE LINKS 80A, AC 690V (DIN 43620, SIZE 00)	2
	=G31-F101	ITALWEBER	2572010	One-pole fuse base NH00	2
	=G31-F101	Siemens AG	3NX3105	Protective Cover	1
+E10	=G31-K112	Siemens AG	3RT2016-1AP01	Power contactor	1
+E10	=G31-K112	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E10	=G31-Q118	ABB	MS132-0.16	MS132-0.16 Manual Motor Starter	1
+E10	=G31-Q118	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G31-T102	Siemens AG	6SL3120-1TE23-0AC0	SINAMICS S120 SINGLE MOMO 30A C-Type	1
	=G31A-F101	Siemens AG	3NE8020-1	SITOR FUSE LINKS 80A, AC 690V (DIN 43620, SIZE 00)	2
	=G31A-F101	ITALWEBER	2572010	One-pole fuse base NH00	2
	=G31A-F101	Siemens AG	3NX3105	Protective Cover	1
+E10	=G31A-K112	Siemens AG	3RT2016-1AP01	Power contactor	1
+E10	=G31A-K112	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3524
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E10	=G31A-Q118	ABB	MS132-0.16	MS132-0.16 Manual Motor Starter	1
+E10	=G31A-Q118	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G31A-T102	Siemens AG	6SL3120-1TE23-0AC0	SINAMICS S120 SINGLE MOMO 30A C-Type	1
+E05	=G32-A154	Siemens AG	6SL3055-0AA00-5CA2	SINAMICS S120 SENSOR MODULE CABINET SMC30	1
+E05	=G32-A174	Siemens AG	6SL3055-0AA00-5CA2	SINAMICS S120 SENSOR MODULE CABINET SMC30	1
+E12	=G32-K112	Siemens AG	3RT2016-1AP01	Power contactor	1
+E12	=G32-K112	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E11	=G32-K131	Siemens AG	6AU1435-2AD00-0AA0		1
+E11	=G32-K131	Siemens AG	6AU1400-2QA20-0AA0-Z C01	SIMOTION COMP FLASH CARD 1GBxD4x5-2 -Z	1
+E05	=G32-K142	PHOENIX CONTACT	PLC-OSC- 24DC/ 24DC/ 2	Solid state relay module	1
+E05	=G32-K143	PHOENIX CONTACT	PLC-OSC- 24DC/ 24DC/ 2	Solid state relay module	1
+E05	=G32-K144	PHOENIX CONTACT	PLC-OSC- 24DC/ 24DC/ 2	Solid state relay module	1
+E05	=G32-K145	PHOENIX CONTACT	PLC-OSC- 24DC/ 24DC/ 2	Solid state relay module	1
+E05	=G32-K146	PHOENIX CONTACT	PLC-OSC- 24DC/ 24DC/ 2	Solid state relay module	1
+E05	=G32-K147	PHOENIX CONTACT	PLC-OSC- 24DC/ 24DC/ 2	Solid state relay module	1
+E05	=G32-K148	PHOENIX CONTACT	PLC-OSC- 24DC/ 24DC/ 2	Solid state relay module	1
+E05	=G32-Q106	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E05	=G32-Q106	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E14	=G32-Q118	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E14	=G32-Q118	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G32-T103	Siemens AG	6SL3320-1TE33-8AA3	SINAMICS S120 MOMO CH 200KW 510-720VDC	1
	=G33-F102	Siemens AG	3NE3230-0B	SITOR FUSE-LINK 315A, AC 1000V, SIZE 1/110MM	1
	=G33-F102	ITALWEBER	2570110	Portafusibili unipolare NH-1	2
	=G33-F102	Siemens AG	3NX3107	Protective Cover	2
+E06	=G33-K112	Siemens AG	3RT2016-1AP01	Power contactor	1
+E06	=G33-K112	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E06	=G33-Q118	ABB	MS132-1.6	MS132-1.6 Manual Motor Starter	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	COMPONENT LIST
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= H05	3525	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E06	=G33-Q118	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G33-T101	Siemens AG	6SL3120-1TE31-3AA3	SINAMICS S120 MOMO INV 400V 132A	1
	=G33-T101	Siemens AG	6SL3162-2BM01-0AA0	SINAMICS DC LINK ADAPTER	1
	=G34-F101	Siemens AG	3NE8020-1	SITOR FUSE LINKS 80A, AC 690V (DIN 43620, SIZE 00)	2
	=G34-F101	ITALWEBER	2572010	One-pole fuse base NH00	2
	=G34-F101	Siemens AG	3NX3105	Protective Cover	1
+E09	=G34-K111	Siemens AG	3RT2016-1AP01	Power contactor	1
+E09	=G34-K111	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E09	=G34-K112	Siemens AG	3RT2016-1AP01	Power contactor	1
+E09	=G34-K112	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E09	=G34-Q116	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E09	=G34-Q116	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E09	=G34-Q118	ABB	MS132-1.6	MS132-1.6 Manual Motor Starter	1
+E09	=G34-Q118	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G34-T102	Siemens AG	6SL3120-1TE23-0AC0	SINAMICS S120 SINGLE MOMO 30A C-Type	1
	=G34-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	1
	=G34-T102	Siemens AG	6SL3162-2BD00-0AA0	SINAMICS DC LINK RECT. ADAPTER 0,5-10MM	1
+E09	=G35-K112	Siemens AG	3RT2016-1AP01	Power contactor	1
+E09	=G35-K112	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E09	=G35-Q118	ABB	MS132-1.6	MS132-1.6 Manual Motor Starter	1
+E09	=G35-Q118	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G35-T102	Siemens AG	6SL3120-1TE23-0AC0	SINAMICS S120 SINGLE MOMO 30A C-Type	1
	=G35-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	1
	=G36-F101	Siemens AG	3NE8020-1	SITOR FUSE LINKS 80A, AC 690V (DIN 43620, SIZE 00)	2
	=G36-F101	ITALWEBER	2572010	One-pole fuse base NH00	2
	=G36-F101	Siemens AG	3NX3105	Protective Cover	1
+E09	=G36-K112	Siemens AG	3RT2016-1AP01	Power contactor	1

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: COMPONENT LIST	POSIZ./LOCATION: +	GRUPPO/SECTION: = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE: 3526

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E09	=G36-K112	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E09	=G36-Q118	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E09	=G36-Q118	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G36-T102	Siemens AG	6SL3120-1TE23-0AC0	SINAMICS S120 SINGLE MOMO 30A C-Type	1
	=G36-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	1
	=G36-T102	Siemens AG	6SL3162-2BD00-0AA0	SINAMICS DC LINK RECT. ADAPTER 0,5-10MM	1
	=G38-F101	Siemens AG	3NE8020-1	SITOR FUSE LINKS 80A, AC 690V (DIN 43620, SIZE 00)	2
	=G38-F101	ITALWEBER	2572010	One-pole fuse base NH00	2
	=G38-F101	Siemens AG	3NX3105	Protective Cover	1
+E11	=G38-K111	Siemens AG	3RT2016-1AP01	Power contactor	1
+E11	=G38-K111	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E11	=G38-Q116	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E11	=G38-Q116	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G38-T102	Siemens AG	6SL3120-2TE15-0AD0	SINAMICS S120 DOUBLE MOMO 5A/5A D-Type	1
	=G38-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	2
	=G38-T102	Siemens AG	6SL3162-2BD00-0AA0	SINAMICS DC LINK RECT. ADAPTER 0,5-10MM	1
	=G38-T102	Siemens AG	6SL3162-2AA00-0AA0	SINAMICS 24-V-TERMINAL ADAPTER	1
+E11	=G38A-K111	Siemens AG	3RT2016-1AP01	Power contactor	1
+E11	=G38A-K111	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E11	=G38A-Q116	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E11	=G38A-Q116	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G39-T102	Siemens AG	6SL3120-1TE15-0AD0	SINAMICS S120 SINGLE MOMO 5A D-Type	1
	=G39-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	1
	=G39-T102	Siemens AG	6SL3162-2BD00-0AA0	SINAMICS DC LINK RECT. ADAPTER 0,5-10MM	1
	=G40-T101	Siemens AG	6SL3420-2TE11-7AA1	SINAMICS S120 DOUBLE MOTOR MODULE 1,7A/1,7A	1
	=G40-T101	Siemens AG	6SL3162-2BD00-0AA0	SINAMICS DC LINK RECT. ADAPTER 0,5-10MM	1
	=G40-T101	Siemens AG	6SL3162-2MA00-0AA0	SINAMICS S120 POWER CONNECTOR FOR MOMO 3/30A	2

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3527

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=G40-T101	Siemens AG	6SL3162-2AA00-0AA0	SINAMICS 24-V-TERMINAL ADAPTER	2
	=G41-T102	Siemens AG	6SL3120-2TE13-0AD0	SINAMICS S120 DOUBLE MOMO 3A/3A D-Type	1
	=G41-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	2
+E11	=G42-K111	Siemens AG	3RT2016-1AP01	Power contactor	1
+E11	=G42-K111	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E11	=G42-Q116	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E11	=G42-Q116	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G42-T102	Siemens AG	6SL3120-2TE15-0AD0	SINAMICS S120 DOUBLE MOMO 5A/5A D-Type	1
	=G42-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	2
+E11	=G42A-K111	Siemens AG	3RT2016-1AP01	Power contactor	1
+E11	=G42A-K111	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E11	=G42A-Q116	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E11	=G42A-Q116	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G43-T102	Siemens AG	6SL3120-1TE15-0AD0	SINAMICS S120 SINGLE MOMO 5A D-Type	1
	=G43-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	1
	=G44-F101	Siemens AG	3NE8020-1	SITOR FUSE LINKS 80A, AC 690V (DIN 43620, SIZE 00)	2
	=G44-F101	ITALWEBER	2572010	One-pole fuse base NH00	2
	=G44-F101	Siemens AG	3NX3105	Protective Cover	1
	=G44-T102	Siemens AG	6SL3120-2TE21-0AD0	SINAMICS S120 DOUBLE MOMO 9A/9A D-Type	1
	=G44-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	2
	=G44-T102	Siemens AG	6SL3162-2BD00-0AA0	SINAMICS DC LINK RECT. ADAPTER 0,5-10MM	1
	=G45-T102	Siemens AG	6SL3120-2TE21-0AD0	SINAMICS S120 DOUBLE MOMO 9A/9A D-Type	1
	=G45-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	2
	=G46-T102	Siemens AG	6SL3120-2TE21-0AD0	SINAMICS S120 DOUBLE MOMO 9A/9A D-Type	1
	=G46-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	2
	=G47-F101	Siemens AG	3NE8020-1	SITOR FUSE LINKS 80A, AC 690V (DIN 43620, SIZE 00)	2
	=G47-F101	Siemens AG	3NH3030	One-pole fuse base NH00	2

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: COMPONENT LIST	POSIZ./LOCATION: +	GRUPPO/SECTION: = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE: 3528

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=G47-F101	Siemens AG	3NX3105	Protective Cover	1
	=G47-T102	Siemens AG	6SL3120-2TE21-8AC0	SINAMICS S120 DOUBLE MOMO 18A/18A C-Type	1
	=G47-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	2
+E10	=G49-K112	Siemens AG	3RT2016-1AP01	Power contactor	1
+E10	=G49-K112	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E10	=G49-Q118	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E10	=G49-Q118	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=G50-F101	Siemens AG	3NE8020-1	SITOR FUSE LINKS 80A, AC 690V (DIN 43620, SIZE 00)	2
	=G50-F101	ITALWEBER	2572010	One-pole fuse base NH00	2
	=G50-F101	Siemens AG	3NX3105	Protective Cover	1
	=G50-T102	Siemens AG	6SL3120-2TE21-8AC0	SINAMICS S120 DOUBLE MOMO 18A/18A C-Type	1
	=G50-T102	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	2
	=G50-T102	Siemens AG	6SL3162-2BD00-0AA0	SINAMICS DC LINK RECT. ADAPTER 0,5-10MM	1
	=G51-F101.1	Siemens AG	3NE8020-1	SITOR FUSE LINKS 80A, AC 690V (DIN 43620, SIZE 00)	2
	=G51-F101.1	ITALWEBER	2572010	One-pole fuse base NH00	2
	=G51-F101.1	Siemens AG	3NX3105	Protective Cover	1
	=G51-T102.1	Siemens AG	6SL3120-2TE21-8AC0	SINAMICS S120 DOUBLE MOMO 18A/18A C-Type	1
	=G51-T102.1	Siemens AG	6SL3162-2MA00-0AC0	SINAMICS S120 C-/D POWER CONNECTOR SCREW	2
	=G51-T102.1	Siemens AG	6SL3162-2BD00-0AA0	SINAMICS DC LINK RECT. ADAPTER 0,5-10MM	1
	=H01-A14692	HEWLETT PACKARD	MINI PC 260 GI-I3-4GB-500GB	Minicomputer	1
+P00	=H01-A14692.1	ACER	K222HQL	Acer 21.5" Full HD Monitor	1
+P00	=H01-A14692.2	K TRONIC	KT-101-DVI-02	Mouse / keyboard for PS/2 desktop	1
+P00	=H01-A14695	ACER	K222HQL	Acer 21.5" Full HD Monitor	1
+E01	=H01-A23017	EZM	011088	POWER SW NOT-IS 20...28VCC_5..15VCC_2,5A	1
+P01	=H01-F15221	SCHNEIDER EL.	15636	BASE ONEEPOLAR FUSEHOLDER 10X38	1
+P01	=H01-F15221		10X38 2A	FUSIBILE	1
+P01	=H01-F15231	SCHNEIDER EL.	15636	BASE ONEEPOLAR FUSEHOLDER 10X38	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3529

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+P01	=H01-F15231		10X38 2A	FUSIBILE	1
+P03	=H01-F17221	SCHNEIDER EL.	15636	BASE ONEEPOLAR FUSEHOLDER 10X38	1
+P03	=H01-F17221		10X38 2A	FUSIBILE	1
+P04	=H01-F18221	SCHNEIDER EL.	15636	BASE ONEEPOLAR FUSEHOLDER 10X38	1
+P04	=H01-F18221		10X38 2A	FUSIBILE	1
+P4.2	=H01-H10643	Siemens AG	3SU1051-6AA20-0AA0	INDICATOR LIGHT, RED	1
+P4.2	=H01-H10643	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P4.2	=H01-H10643	Siemens AG	3SU1401-1BB20-1AA0	LED MODULE, RED	1
+P5.2	=H01-H10646	Siemens AG	3SU1051-6AA20-0AA0	INDICATOR LIGHT, RED	1
+P5.2	=H01-H10646	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P5.2	=H01-H10646	Siemens AG	3SU1401-1BB20-1AA0	LED MODULE, RED	1
+P7.2	=H01-H10653	Siemens AG	3SU1051-6AA20-0AA0	INDICATOR LIGHT, RED	1
+P7.2	=H01-H10653	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P7.2	=H01-H10653	Siemens AG	3SU1401-1BB20-1AA0	LED MODULE, RED	1
+P5.1	=H01-H14121	Siemens AG	3SU1051-6AA20-0AA0	INDICATOR LIGHT, RED	1
+P5.1	=H01-H14121	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P5.1	=H01-H14121	Siemens AG	3SU1401-1BB20-1AA0	LED MODULE, RED	1
+P1.1	=H01-H15121	Siemens AG	3SU1051-6AA20-0AA0	INDICATOR LIGHT, RED	1
+P1.1	=H01-H15121	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P1.1	=H01-H15121	Siemens AG	3SU1401-1BB20-1AA0	LED MODULE, RED	1
+P7.1	=H01-H17121	Siemens AG	3SU1051-6AA20-0AA0	INDICATOR LIGHT, RED	1
+P7.1	=H01-H17121	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P7.1	=H01-H17121	Siemens AG	3SU1401-1BB20-1AA0	LED MODULE, RED	1
+P8.1	=H01-H18121	Siemens AG	3SU1051-6AA20-0AA0	INDICATOR LIGHT, RED	1
+P8.1	=H01-H18121	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P8.1	=H01-H18121	Siemens AG	3SU1401-1BB20-1AA0	LED MODULE, RED	1
+P8.2	=H01-H18124	Siemens AG	3SU1051-6AA20-0AA0	INDICATOR LIGHT, RED	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3530
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+P8.2	=H01-H18124	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P8.2	=H01-H18124	Siemens AG	3SU1401-1BB20-1AA0	LED MODULE, RED	1
+E15	=H01-K10111	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E15	=H01-K10112	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E15	=H01-K10113	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E15	=H01-K10114	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E15	=H01-K10115	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E15	=H01-K10116	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E15	=H01-K10117	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E15	=H01-K10118	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E15	=H01-K10121	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E15	=H01-K10122	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E15	=H01-K10123	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E15	=H01-K10124	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E15	=H01-K10125	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E15	=H01-K10126	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E15	=H01-K10127	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E15	=H01-K10128	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E15	=H01-K10131	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E15	=H01-K10132	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E15	=H01-K10133	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E15	=H01-K10134	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E15	=H01-K10501	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10502	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10503	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10504	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10505	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3531
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E15	=H01-K10506	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10507	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10508	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10511	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10512	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10513	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10514	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10515	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10516	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10517	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10518	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10531	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10531.1	Siemens AG	3RT2016-1AP01	Power contactor	1
	=H01-K10531.1	Siemens AG	3RH2911-1HA11	AUXILIARY CONTACT 1NC, 1NO 3RT2	1
	=H01-K10531.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10532	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10532.1	Siemens AG	3RT2016-1AP01	Power contactor	1
	=H01-K10532.1	Siemens AG	3RH2911-1HA11	AUXILIARY CONTACT 1NC, 1NO 3RT2	1
	=H01-K10532.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10533	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10533.1	Siemens AG	3RT2016-1AP01	Power contactor	1
	=H01-K10533.1	Siemens AG	3RH2911-1HA11	AUXILIARY CONTACT 1NC, 1NO 3RT2	1
	=H01-K10533.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10534	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10534.1	Siemens AG	3RT2016-1AP01	Power contactor	1
	=H01-K10534.1	Siemens AG	3RH2911-1HA11	AUXILIARY CONTACT 1NC, 1NO 3RT2	1
	=H01-K10534.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	COMPONENT LIST	+	= H05	3532
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E15	=H01-K10535	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10535.1	Siemens AG	3RT2017-1AP01	Power contactor	1
	=H01-K10535.1	Siemens AG	3RH2911-1HA11	AUXILIARY CONTACT 1NC, 1NO 3RT2	1
	=H01-K10535.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10536	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10536.1	Siemens AG	3RT2016-1AP01	Power contactor	1
	=H01-K10536.1	Siemens AG	3RH2911-1HA11	AUXILIARY CONTACT 1NC, 1NO 3RT2	1
	=H01-K10536.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10537	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10537.1	Siemens AG	3RT2016-1AP01	Power contactor	1
	=H01-K10537.1	Siemens AG	3RH2911-1HA11	AUXILIARY CONTACT 1NC, 1NO 3RT2	1
	=H01-K10537.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10538	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10538.1	Siemens AG	3RT2046-1AL20	CONT.,AC3:45KW,1NO+1NC,230VAC 50/60HZ	1
	=H01-K10538.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10538.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10541	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10541.1	Siemens AG	3RT2046-1AL20	CONT.,AC3:45KW,1NO+1NC,230VAC 50/60HZ	1
	=H01-K10541.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10541.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10542	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10542.1	Siemens AG	3RT2037-1AP00		1
	=H01-K10542.1	Siemens AG	3RH2911-1HA11	AUXILIARY CONTACT 1NC, 1NO 3RT2	1
	=H01-K10542.1	Siemens AG	3RT2926-1CC00	Surge suppressor RC, 48 ... 127 V, DC 70 ... 150 V, SZ S0	1
+E15	=H01-K10543	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10543.1	Siemens AG	3RT2016-1AP01	Power contactor	1
	=H01-K10543.1	Siemens AG	3RH2911-1HA11	AUXILIARY CONTACT 1NC, 1NO 3RT2	1

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: COMPONENT LIST	POSIZ./LOCATION: +	GRUPPO/SECTION: = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE: 3533

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K10543.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10544	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10544.1	Siemens AG	3RT2016-1AP01	Power contactor	1
	=H01-K10544.1	Siemens AG	3RH2911-1HA11	AUXILIARY CONTACT 1NC, 1NO 3RT2	1
	=H01-K10544.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10545	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10545.1	Siemens AG	3RT2016-1AP01	Power contactor	1
	=H01-K10545.1	Siemens AG	3RH2911-1HA11	AUXILIARY CONTACT 1NC, 1NO 3RT2	1
	=H01-K10545.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10546	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10547	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10548	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10551	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10551.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10551.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10551.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10552	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10552.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10552.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10552.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10553	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10553.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10553.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10553.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10554	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10554.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10554.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: COMPONENT LIST	POSIZ./LOCATION: +	GRUPPO/SECTION: = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE: 3534

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K10554.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10555	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10556	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10557	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10558	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10571	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10571.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10571.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10571.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10572	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10572.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10572.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10572.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10573	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10573.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10573.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10573.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10574	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10574.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10574.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10574.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10575	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10575.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10575.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10575.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10576	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10576.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	CLIENTE/CUSTOMER				PAGINE/PAGE 3535
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01				SEL CTL4 LINE	RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K10576.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10576.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10577	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10577.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10577.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10577.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10578	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10578.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10578.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10578.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10581	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10581.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10581.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10581.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10582	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10582.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10582.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10582.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10583	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10583.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10583.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10583.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10584	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10584.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10584.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10584.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10585	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3536

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K10585.1	Siemens AG	3RA2318-8XB30-1AP0	REVERSING CONTACTOR 7,5KW/400V AC 230V, 50/60 HZ	1
	=H01-K10585.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10585.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10586	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10586.1	Siemens AG	3RA2318-8XB30-1AP0	REVERSING CONTACTOR 7,5KW/400V AC 230V, 50/60 HZ	0
	=H01-K10586.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10586.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10587	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10587.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10587.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10587.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10588	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10588.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10588.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10588.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10591	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10591.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10591.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10591.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10592	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10592.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10592.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10592.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10593	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10593.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10593.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10593.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3537

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E15	=H01-K10594	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10594.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10594.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10594.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10595	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10595.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10595.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10595.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10596	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10596.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10596.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10596.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10597	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10597.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10597.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10597.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10598	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10598.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10598.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10598.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10601	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10601.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10601.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10601.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10602	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10602.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10602.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	COMPONENT LIST	+	= H05
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER				
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO					SEL CTL4 LINE	

RBF DMAT AUTOMATION TECHNOLOGY

PAGINE/PAGE 3538

RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K10602.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10603	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10603.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10603.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10603.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10604	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10604.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10604.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10604.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10605	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10605.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10605.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10605.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10606	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10606.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10606.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10606.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10607	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10607.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10607.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10607.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10608	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10608.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10608.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10608.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10611	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10611.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	COMPONENT LIST	+	= H05	3539
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K10611.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10611.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10612	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10612.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10612.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10612.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10613	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10614	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10615	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10616	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10617	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10618	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10621	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10622	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10623	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10624	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10625	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10626	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10627	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10628	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10631	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10631.1	Siemens AG	3RT2017-1AP01	Power contactor	1
	=H01-K10631.1	Siemens AG	3RH2911-1HA11	AUXILIARY CONTACT 1NC, 1NO 3RT2	1
	=H01-K10631.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10632	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10632.1	Siemens AG	3RT2017-1AP01	Power contactor	1
	=H01-K10632.1	Siemens AG	3RH2911-1HA11	AUXILIARY CONTACT 1NC, 1NO 3RT2	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3540

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K10632.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10633	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10633.1	Siemens AG	3RT2016-1AP01	Power contactor	1
	=H01-K10633.1	Siemens AG	3RH2911-1HA11	AUXILIARY CONTACT 1NC, 1NO 3RT2	1
	=H01-K10633.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10634	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10634.1	Siemens AG	3RT2016-1AP01	Power contactor	1
	=H01-K10634.1	Siemens AG	3RH2911-1HA11	AUXILIARY CONTACT 1NC, 1NO 3RT2	1
	=H01-K10634.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10635	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10635.1	Siemens AG	3RT2016-1AP01	Power contactor	1
	=H01-K10635.1	Siemens AG	3RH2911-1HA11	AUXILIARY CONTACT 1NC, 1NO 3RT2	1
	=H01-K10635.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10636	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10636.1	Siemens AG	3RT2016-1AP01	Power contactor	1
	=H01-K10636.1	Siemens AG	3RH2911-1HA11	AUXILIARY CONTACT 1NC, 1NO 3RT2	1
	=H01-K10636.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10637	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E15	=H01-K10751	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10751.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10751.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10751.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10752	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10752.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10752.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10752.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10753	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	COMPONENT LIST
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= H05	3541	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K10753.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10753.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10753.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10754	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10754.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10754.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10754.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10755	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10755.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10755.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10755.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10756	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10756.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10756.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10756.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10757	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10757.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10757.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10757.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10758	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10758.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10758.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10758.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10761	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10761.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10761.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10761.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER				PAGINE/PAGE 3542
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					SEL CTL4 LINE	RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E15	=H01-K10762	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10762.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10762.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10762.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10763	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10763.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10763.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10763.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10764	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10764.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10764.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10764.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10765	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10765.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10765.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10765.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10766	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10766.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10766.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10766.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10767	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10767.1	Siemens AG	3RA2316-8XB30-1AP0	REV, COMB,, AC3, 4KW/400V AC230V, 50/60 HZ,	1
	=H01-K10767.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10767.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10768	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10768.1	Siemens AG	3RA2316-8XB30-1AP0	REV, COMB,, AC3, 4KW/400V AC230V, 50/60 HZ,	0
	=H01-K10768.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	COMPONENT LIST
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= H05	3543	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K10768.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10771	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10771.1	Siemens AG	3RA2316-8XB30-1AP0	REV, COMB,, AC3, 4KW/400V AC230V, 50/60 HZ,	1
	=H01-K10771.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10771.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10772	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10772.1	Siemens AG	3RA2316-8XB30-1AP0	REV, COMB,, AC3, 4KW/400V AC230V, 50/60 HZ,	1
	=H01-K10772.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10772.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10773	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10773.1	Siemens AG	3RA2316-8XB30-1AP0	REV, COMB,, AC3, 4KW/400V AC230V, 50/60 HZ,	1
	=H01-K10773.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10773.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10774	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10774.1	Siemens AG	3RA2316-8XB30-1AP0	REV, COMB,, AC3, 4KW/400V AC230V, 50/60 HZ,	1
	=H01-K10774.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10774.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10775	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10775.1	Siemens AG	3RA2316-8XB30-1AP0	REV, COMB,, AC3, 4KW/400V AC230V, 50/60 HZ,	1
	=H01-K10775.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10775.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10776	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10776.1	Siemens AG	3RA2316-8XB30-1AP0	REV, COMB,, AC3, 4KW/400V AC230V, 50/60 HZ,	1
	=H01-K10776.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10776.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10777	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10777.1	Siemens AG	3RA2316-8XB30-1AP0	REV, COMB,, AC3, 4KW/400V AC230V, 50/60 HZ,	1

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3544
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K10777.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10777.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10778	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10778.1	Siemens AG	3RA2316-8XB30-1AP0	REV, COMB,, AC3, 4KW/400V AC230V, 50/60 HZ,	1
	=H01-K10778.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10778.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10781	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10781.1	Siemens AG	3RA2316-8XB30-1AP0	REV, COMB,, AC3, 4KW/400V AC230V, 50/60 HZ,	1
	=H01-K10781.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10781.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10782	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10782.1	Siemens AG	3RA2316-8XB30-1AP0	REV, COMB,, AC3, 4KW/400V AC230V, 50/60 HZ,	0
	=H01-K10782.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10782.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10783	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10783.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10783.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10783.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10784	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10784.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10784.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10784.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10785	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10785.1	Siemens AG	3RA2316-8XB30-1AP0	REV, COMB,, AC3, 4KW/400V AC230V, 50/60 HZ,	1
	=H01-K10785.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10785.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10786	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3545

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K10786.1	Siemens AG	3RA2316-8XB30-1AP0	REV, COMB,, AC3, 4KW/400V AC230V, 50/60 HZ,	0
	=H01-K10786.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10786.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10787	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10787.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	1
	=H01-K10787.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10787.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E15	=H01-K10788	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K10788.1	Siemens AG	3RA2315-8XB30-1AP0	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	0
	=H01-K10788.1	Siemens AG	3RH2911-1FA22	Auxiliary switch on the front	1
	=H01-K10788.1	Siemens AG	3RT2916-1CD00	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	1
+E07	=H01-K11061	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E07	=H01-K11062	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E07	=H01-K11063	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E07	=H01-K11064	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E07	=H01-K11065	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E07	=H01-K11066	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E07	=H01-K11067	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E07	=H01-K11068	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E11	=H01-K12101	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E11	=H01-K12102	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E11	=H01-K12103	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E11	=H01-K12104	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E11	=H01-K12105	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E11	=H01-K12106	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E11	=H01-K12107	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E11	=H01-K12108	Siemens AG	3RH2262-1BB40	Contactor relay	1

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3546
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E11	=H01-K12111	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E11	=H01-K12112	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E11	=H01-K12113	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E11	=H01-K12114	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E11	=H01-K12115	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E11	=H01-K12116	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E11	=H01-K12117	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E11	=H01-K12118	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E11	=H01-K12121	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E11	=H01-K12122	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E11	=H01-K12123	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E11	=H01-K12124	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E11	=H01-K12125	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E11	=H01-K12126	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E11	=H01-K12471	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12472	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12473	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12474	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12475	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12476	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12477	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12478	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12481	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12482	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12483	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12484	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12485	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3547
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E11	=H01-K12486	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12487	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12488	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12491	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12492	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12493	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12494	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12495	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12496	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12497	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12498	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12501	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12502	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12503	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12504	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12505	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12506	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12507	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E11	=H01-K12508	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13101	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E05	=H01-K13102	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E05	=H01-K13103	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E05	=H01-K13104	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E05	=H01-K13105	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E05	=H01-K13106	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E05	=H01-K13107	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E05	=H01-K13108	Siemens AG	3RH2262-1BB40	Contactor relay	1

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3548
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E05	=H01-K13111	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E05	=H01-K13112	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E05	=H01-K13113	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E05	=H01-K13114	Siemens AG	3RH2262-1BB40	Contactor relay	1
+E05	=H01-K13417	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13418	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E01	=H01-K13421	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E01	=H01-K13422	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E02	=H01-K13423	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E02	=H01-K13424	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E00	=H01-K13427	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E00	=H01-K13428	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13431	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13432	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13433	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13434	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13435	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13436	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13437	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13438	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13441	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13442	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13443	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13444	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13445	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13446	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13447	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	COMPONENT LIST
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= H05	3549	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E05	=H01-K13448	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13451	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13452	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13453	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13454	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13455	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13456	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13457	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13458	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13461	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13462	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13463	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13464	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13465	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13466	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13467	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+E05	=H01-K13468	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+P00	=H01-K14310	Siemens AG	3SU1400-1LL10-1BA1	PROFINET-failsafe interface module	1
+P00	=H01-K14310	Siemens AG	3SU1500-0AA10-0AA0	HOLDER	1
+P00	=H01-K14310	Siemens AG	3SU1050-1HB20-0AA0	EM. STOP MUSHROOM PUSHBUTTON, 40MM, RED	1
+P00	=H01-K14313	Siemens AG	3SU1401-1MC50-1CA1	terminal module	1
+P00	=H01-K14313	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K14313	Siemens AG	3SU1051-0AB50-0AA0	ILLUMINATED PUSHBUTTON, BLUE	1
+P00	=H01-K14315	Siemens AG	3SU1401-1MC50-1CA1	terminal module	1
+P00	=H01-K14315	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K14315	Siemens AG	3SU1051-0AB50-0AA0	ILLUMINATED PUSHBUTTON, BLUE	1
+P00	=H01-K14320	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3550
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+P00	=H01-K14320	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K14320	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K14323	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14323	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14323	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
+P00	=H01-K14325	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K14325	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K14325	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K14327	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14327	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14327	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
	=H01-K14330	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14330	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14330	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14333	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14333	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14333	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14335	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14335	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14335	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14340	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14340	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14340	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14343	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14343	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14343	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14345	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	COMPONENT LIST
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= H05	3551	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K14345	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14345	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14347	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14347	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14347	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14351	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14351	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14351	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14353	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14353	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14353	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K14355	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K14355	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K14355	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K14360	Siemens AG	3SU1400-1LK10-1BA1	PROFINET - standard interface modul	1
	=H01-K14360	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14360	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K14364	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K14364	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K14364	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K14370	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14370	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14370	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14373	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14373	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14373	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14375	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3552

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K14375	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14375	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14380	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14380	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14380	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14383	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14383	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14383	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14385	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14385	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14385	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14390	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14390	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14390	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14393	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14393	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14393	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14395	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14395	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14395	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14397	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14397	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14397	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14400	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14400	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14400	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14403	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	COMPONENT LIST
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= H05	3553	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K14403	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14403	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K14405	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K14405	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K14405	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K14411	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K14411	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K14411	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K14413	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K14413	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K14413	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K14415	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14415	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14415	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14420	Siemens AG	3SU1400-1LK10-1BA1	PROFINET - standard interface modul	1
	=H01-K14420	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14420	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K14423	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K14423	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K14423	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K14425	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14425	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14425	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14427	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14427	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14427	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14430	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3554
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K14430	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14430	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K14441	Siemens AG	3SU1401-1MC50-1CA1	terminal module	1
+P00	=H01-K14441	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K14441	Siemens AG	3SU1051-0AB50-0AA0	ILLUMINATED PUSHBUTTON, BLUE	1
	=H01-K14450	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14450	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14450	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K14453	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K14453	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K14453	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K14460	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K14460	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K14460	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K14470	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14470	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14470	Siemens AG	3SU1050-1BD10-0AA0	MUSHROOM PUSHBUTTON, 40MM, BLACK	1
	=H01-K14480	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14480	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14480	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
	=H01-K14483	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14483	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14483	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
+P00	=H01-K14490	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K14490	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K14490	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K14493	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3555
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K14493	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14493	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
+P00	=H01-K14500	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K14500	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K14500	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K14503	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14503	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14503	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
+P00	=H01-K14510	Siemens AG	3SU1400-1LL10-1BA1	PROFINET-failsafe interface module	1
+P00	=H01-K14510	Siemens AG	3SU1500-0AA10-0AA0	HOLDER	1
+P00	=H01-K14510	Siemens AG	3SU1050-1HB20-0AA0	EM. STOP MUSHROOM PUSHBUTTON, 40MM, RED	1
+P00	=H01-K14520	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K14520	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K14520	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K14523	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K14523	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K14523	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K14525	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14525	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14525	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K14527	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K14527	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K14527	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K14530	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14530	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14530	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
	=H01-K14533	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3556
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K14533	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14533	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
	=H01-K14535	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14535	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14535	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14537	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14537	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14537	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K14541	Siemens AG	3SU1401-1MC50-1CA1	terminal module	1
+P00	=H01-K14541	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K14541	Siemens AG	3SU1051-0AB50-0AA0	ILLUMINATED PUSHBUTTON, BLUE	1
	=H01-K14543	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14543	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14543	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K14545	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K14545	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K14545	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K14551	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14551	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14551	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14553	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14553	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14553	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14555	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14555	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14555	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K14557	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: COMPONENT LIST	POSIZ./LOCATION: +
CLIENTE/CUSTOMER			GRUPPO/SECTION: = H05
			PAGINE/PAGE: 3557
		SEL CTL4 LINE	RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+P00	=H01-K14557	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K14557	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K14561	Siemens AG	3SU1401-1MC50-1CA1	terminal module	1
+P00	=H01-K14561	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K14561	Siemens AG	3SU1051-0AB50-0AA0	ILLUMINATED PUSHBUTTON, BLUE	1
+P00	=H01-K14600	Siemens AG	3SU1400-1LL10-1BA1	PROFINET-failsafe interface module	1
+P00	=H01-K14600	Siemens AG	3SU1500-0AA10-0AA0	HOLDER	1
+P00	=H01-K14600	Siemens AG	3SU1050-1HB20-0AA0	EM. STOP MUSHROOM PUSHBUTTON, 40MM, RED	1
	=H01-K14604	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14604	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14604	Siemens AG	3SU1052-2BF10-0AA0	SELECTOR SWITCH, O-I, BLACK	1
	=H01-K14606	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14606	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14606	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14610	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14610	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14610	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14613	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14613	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14613	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14620	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14620	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14620	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14623	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14623	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14623	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14630	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: COMPONENT LIST	POSIZ./LOCATION: +	GRUPPO/SECTION: = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE: 3558

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K14630	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14630	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14633	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14633	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14633	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14635	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14635	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14635	Siemens AG	3SU1050-4BF11-0AA0	KEY-OPERATED SWITCH RONIS, I-O-II	1
+P00	=H01-K14650	Siemens AG	3SU1400-1LL10-1BA1	PROFINET-failsafe interface module	1
+P00	=H01-K14650	Siemens AG	3SU1500-0AA10-0AA0	HOLDER	1
+P00	=H01-K14650	Siemens AG	3SU1050-1HB20-0AA0	EM. STOP MUSHROOM PUSHBUTTON, 40MM, RED	1
	=H01-K14654	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14654	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14654	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14656	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14656	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14656	Siemens AG	3SU1052-2BF10-0AA0	SELECTOR SWITCH, O-I, BLACK	1
	=H01-K14660	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14660	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14660	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14663	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14663	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14663	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14665	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14665	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14665	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14667	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3559
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K14667	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14667	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14670	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14670	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14670	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14673	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14673	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14673	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14680	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14680	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14680	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14683	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14683	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14683	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K14685	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K14685	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K14685	Siemens AG	3SU1050-4BF11-0AA0	KEY-OPERATED SWITCH RONIS, I-O-II	1
+P02	=H01-K15043	Siemens AG	3RH2262-1BB40	Contactor relay	1
+P02	=H01-K15131	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+P02	=H01-K15132	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
	=H01-K15310	Siemens AG	3SU1400-1LK10-1AA1	PROFINET - standard interface modul	1
	=H01-K15310	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15310	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K15315	Siemens AG	3SU1401-1MC50-1CA1	terminal module	1
+P00	=H01-K15315	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K15315	Siemens AG	3SU1051-0AB50-0AA0	ILLUMINATED PUSHBUTTON, BLUE	1
+P00	=H01-K15321	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3560

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+P00	=H01-K15321	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K15321	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K15323	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15323	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15323	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P01	=H01-K15330	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
+P01	=H01-K15330	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P01	=H01-K15330	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
	=H01-K15333	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15333	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15333	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K15335	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15335	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15335	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K15341	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K15341	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K15341	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K15343	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15343	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15343	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K15345	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15345	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15345	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K15347	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K15347	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K15347	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K15351	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: COMPONENT LIST	POSIZ./LOCATION: + / GRUPPO/SECTION: = H05 / PAGINE/PAGE: 3561
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K15351	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15351	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K15353	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15353	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15353	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K15355	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K15355	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K15355	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K15360	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K15360	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K15360	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K15363	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15363	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15363	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
+P00	=H01-K15370	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K15370	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K15370	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K15373	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K15373	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K15373	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K15375	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15375	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15375	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
	=H01-K15380	Siemens AG	3SU1400-1LK10-1AA1	PROFINET - standard interface modul	1
	=H01-K15380	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15380	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K15391	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	COMPONENT LIST
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= H05	3562	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+P00	=H01-K15391	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K15391	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K15393	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15393	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15393	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K15395	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15395	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15395	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K15401	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15401	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15401	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K15403	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15403	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15403	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K15405	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K15405	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K15405	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K15411	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K15411	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K15411	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K15413	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K15413	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K15413	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K15421	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15421	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15421	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K15423	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	CLIENTE/CUSTOMER				PAGINE/PAGE 3563
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01				SEL CTL4 LINE	RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K15423	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15423	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K15425	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15425	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15425	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K15430	Siemens AG	3SU1400-1LL10-1BA1	PROFINET-failsafe interface module	1
+P00	=H01-K15430	Siemens AG	3SU1500-0AA10-0AA0	HOLDER	1
+P00	=H01-K15430	Siemens AG	3SU1050-1HB20-0AA0	EM. STOP MUSHROOM PUSHBUTTON, 40MM, RED	1
+P00	=H01-K15441	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K15441	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K15441	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K15443	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15443	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15443	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
	=H01-K15445	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15445	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15445	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K15447	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15447	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15447	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K15450	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15450	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15450	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
	=H01-K15453	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15453	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15453	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K15461	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: COMPONENT LIST	POSIZ./LOCATION: +	GRUPPO/SECTION: = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE: 3564

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K15461	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15461	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K15463	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15463	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15463	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K15465	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15465	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15465	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K15473	Siemens AG	3SU1401-1MC50-1CA1	terminal module	1
+P00	=H01-K15473	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K15473	Siemens AG	3SU1051-0AB50-0AA0	ILLUMINATED PUSHBUTTON, BLUE	1
	=H01-K15480	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15480	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15480	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
+P00	=H01-K15483	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K15483	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K15483	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K15485	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15485	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15485	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
	=H01-K15487	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15487	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15487	Siemens AG	3SU1050-1BD10-0AA0	MUSHROOM PUSHBUTTON, 40MM, BLACK	1
+P00	=H01-K15510	Siemens AG	3SU1400-1LL10-1BA1	PROFINET-failsafe interface module	1
+P00	=H01-K15510	Siemens AG	3SU1500-0AA10-0AA0	HOLDER	1
+P00	=H01-K15510	Siemens AG	3SU1050-1HB20-0AA0	EM. STOP MUSHROOM PUSHBUTTON, 40MM, RED	1
+P00	=H01-K15516	Siemens AG	3SU1401-1MC50-1CA1	terminal module	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	COMPONENT LIST
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= H05	3565	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+P00	=H01-K15516	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K15516	Siemens AG	3SU1051-0AB50-0AA0	ILLUMINATED PUSHBUTTON, BLUE	1
	=H01-K15521	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15521	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15521	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
	=H01-K15523	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15523	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15523	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K15525	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15525	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15525	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K15527	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15527	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15527	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K15531	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15531	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15531	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K15533	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K15533	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K15533	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K15541	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K15541	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K15541	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K15543	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K15543	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K15543	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K15545	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	COMPONENT LIST	+	= H05	3566
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+P00	=H01-K15545	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K15545	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K17310	Siemens AG	3SU1400-1LL10-1BA1	PROFINET-failsafe interface module	1
+P00	=H01-K17310	Siemens AG	3SU1500-0AA10-0AA0	HOLDER	1
+P00	=H01-K17310	Siemens AG	3SU1050-1HB20-0AA0	EM. STOP MUSHROOM PUSHBUTTON, 40MM, RED	1
	=H01-K17330	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17330	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17330	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
+P00	=H01-K17333	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K17333	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K17333	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K17335	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17335	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17335	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
	=H01-K17337	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17337	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17337	Siemens AG	3SU1050-1BD10-0AA0	MUSHROOM PUSHBUTTON, 40MM, BLACK	1
+P00	=H01-K17351	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K17351	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K17351	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K17353	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17353	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17353	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
+P00	=H01-K17361	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K17361	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K17361	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K17363	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3567
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+P00	=H01-K17363	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K17363	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K17365	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K17365	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K17365	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K17371	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K17371	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K17371	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K17373	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17373	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17373	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
+P00	=H01-K17375	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K17375	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K17375	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K17377	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17377	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17377	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K17380	Siemens AG	3SU1400-1LK10-1BA1	PROFINET - standard interface modul	1
	=H01-K17380	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17380	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K17391	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17391	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17391	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K17393	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17393	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17393	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K17395	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: COMPONENT LIST	POSIZ./LOCATION: +
CLIENTE/CUSTOMER			GRUPPO/SECTION: = H05
			PAGINE/PAGE: 3568
		SEL CTL4 LINE	RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K17395	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17395	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K17397	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17397	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17397	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
	=H01-K17401	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17401	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17401	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K17403	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17403	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17403	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K17405	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17405	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17405	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K17411	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17411	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17411	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K17413	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17413	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17413	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K17415	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17415	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17415	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
+P00	=H01-K17421	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K17421	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K17421	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K17423	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	COMPONENT LIST
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= H05	3569	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K17423	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17423	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
+P00	=H01-K17425	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K17425	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K17425	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K17427	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17427	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17427	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K17431	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17431	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17431	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K17433	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17433	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17433	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K17435	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17435	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17435	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
	=H01-K17440	Siemens AG	3SU1400-1LK10-1BA1	PROFINET - standard interface modul	1
	=H01-K17440	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17440	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K17451	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17451	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17451	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K17461	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17461	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17461	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K17463	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	COMPONENT LIST
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= H05	3570	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K17463	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17463	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
	=H01-K17465	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17465	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17465	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K17471	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K17471	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K17471	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K17473	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17473	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17473	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
+P00	=H01-K17475	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K17475	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K17475	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K17477	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17477	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17477	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
+P00	=H01-K17481	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K17481	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K17481	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K17483	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K17483	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K17483	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K17485	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K17485	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K17485	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K17487	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3571
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+P00	=H01-K17487	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K17487	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K17491	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K17491	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K17491	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K17493	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K17493	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K17493	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K17495	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K17495	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K17495	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K17497	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K17497	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K17497	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K17500	Siemens AG	3SU1400-1LK10-1BA1	PROFINET - standard interface modul	1
	=H01-K17500	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17500	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K17511	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17511	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17511	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K17513	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17513	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17513	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K17515	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K17515	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K17515	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P02	=H01-K18131	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3572
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER					SEL CTL4 LINE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+P02	=H01-K18132	PHOENIX CONTACT	PLC-RSC- 24DC/21	Relay holder module	1
+P00	=H01-K18310	Siemens AG	3SU1400-1LL10-1BA1	PROFINET-failsafe interface module	1
+P00	=H01-K18310	Siemens AG	3SU1500-0AA10-0AA0	HOLDER	1
+P00	=H01-K18310	Siemens AG	3SU1050-1HB20-0AA0	EM. STOP MUSHROOM PUSHBUTTON, 40MM, RED	1
+P00	=H01-K18323	Siemens AG	3SU1401-1MC50-1CA1	terminal module	1
+P00	=H01-K18323	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K18323	Siemens AG	3SU1051-0AB50-0AA0	ILLUMINATED PUSHBUTTON, BLUE	1
	=H01-K18325	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K18325	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K18325	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
+P00	=H01-K18331	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K18331	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K18331	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K18333	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K18333	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K18333	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
+P00	=H01-K18341	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K18341	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K18341	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K18343	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K18343	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K18343	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
	=H01-K18351	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K18351	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K18351	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K18353	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K18353	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3573
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+P00	=H01-K18353	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K18361	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K18361	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K18361	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K18363	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K18363	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K18363	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K18371	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K18371	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K18371	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K18373	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K18373	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K18373	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
+P00	=H01-K18375	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K18375	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K18375	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K18377	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K18377	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K18377	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
	=H01-K18380	Siemens AG	3SU1400-1LK10-1AA1	PROFINET - standard interface modul	1
	=H01-K18380	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K18380	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K18391	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K18391	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K18391	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K18401	Siemens AG	3SU1400-1MA10-1BA1	terminal module	1
	=H01-K18401	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3574
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H01-K18401	Siemens AG	3SU1052-2BM10-0AA0	SELECTOR SWITCH, I>O<II, BLACK	1
	=H01-K18457	Siemens AG	3SU1400-1LK10-1AA1	PROFINET - standard interface modul	1
	=H01-K18457	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-K18457	Siemens AG	3SU1050-0AB10-0AA0	PUSHBUTTON, BLACK	1
+P00	=H01-K18465	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K18465	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K18465	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K18467	Siemens AG	3SU1401-1MC60-1CA1	terminal module	1
+P00	=H01-K18467	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K18467	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P00	=H01-K18481	Siemens AG	3SU1401-1MC50-1CA1	terminal module	1
+P00	=H01-K18481	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-K18481	Siemens AG	3SU1051-0AB50-0AA0	ILLUMINATED PUSHBUTTON, BLUE	1
+E01	=H01-Q23017	ABB	S201-C1	Miniature Circuit Breaker - S200 - 1P - C - 1 A	1
+E01	=H01-Q23017	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E14	=H01-S10262	TEXA	AAWTC10	Thermostat with NC contact	1
+P4.2	=H01-S10423	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P4.2	=H01-S10423	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P4.2	=H01-S10423	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1
+P4.2	=H01-S10423	Siemens AG	3SU1401-1BB60-1AA0	LED MODULE, WHITE	1
+P4.2	=H01-S10424	Siemens AG	3SU1051-0AB50-0AA0	ILLUMINATED PUSHBUTTON, BLUE	1
+P4.2	=H01-S10424	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P4.2	=H01-S10424	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1
+P4.2	=H01-S10424	Siemens AG	3SU1401-1BB50-1AA0	LED MODULE, BLUE	1
+P5.2	=H01-S10425	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P5.2	=H01-S10425	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P5.2	=H01-S10425	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: COMPONENT LIST	POSIZ./LOCATION: +	GRUPPO/SECTION: = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE: 3575

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+P5.2	=H01-S10425	Siemens AG	3SU1401-1BB60-1AA0	LED MODULE, WHITE	1
+P5.2	=H01-S10426	Siemens AG	3SU1051-0AB50-0AA0	ILLUMINATED PUSHBUTTON, BLUE	1
+P5.2	=H01-S10426	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P5.2	=H01-S10426	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1
+P5.2	=H01-S10426	Siemens AG	3SU1401-1BB50-1AA0	LED MODULE, BLUE	1
+P7.2	=H01-S10427	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P7.2	=H01-S10427	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P7.2	=H01-S10427	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1
+P7.2	=H01-S10427	Siemens AG	3SU1401-1BB60-1AA0	LED MODULE, WHITE	1
+P7.2	=H01-S10428	Siemens AG	3SU1051-0AB50-0AA0	ILLUMINATED PUSHBUTTON, BLUE	1
+P7.2	=H01-S10428	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P7.2	=H01-S10428	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1
+P7.2	=H01-S10428	Siemens AG	3SU1401-1BB50-1AA0	LED MODULE, BLUE	1
	=H01-S12228	TEXA	AAWTC10	Thermostat with NC contact	1
+E00	=H01-S13031	Siemens AG	3SU1050-1HB20-0AA0	EM. STOP MUSHROOM PUSHBUTTON, 40MM, RED	1
+E00	=H01-S13031	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+E00	=H01-S13031	Siemens AG	3SU1400-1AA10-1CA0	CONTACT MODULE 1NC	2
	=H01-S13227	TEXA	AAWTC10	Thermostat with NC contact	1
	=H01-S14021	Siemens AG	3SU1050-4CF11-0AA0	KEY-OPERATED SWITCH RONIS, O-I	1
	=H01-S14021	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	2
	=H01-S14021	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-S14025	Siemens AG	3SU1050-4CF11-0AA0	KEY-OPERATED SWITCH RONIS, O-I	1
	=H01-S14025	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	2
	=H01-S14025	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-S14031	Siemens AG	3SU1050-4CF11-0AA0	KEY-OPERATED SWITCH RONIS, O-I	1
	=H01-S14031	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-S14031	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	2

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	COMPONENT LIST	+	= H05	3576
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+P00	=H01-S14061	BLUMEL	URR1/8EHS/Z2/Z8 X70A F312	SWITCH 3PBC 12A-400V 2NO + LEVER + SHUTTER	1
+P00	=H01-S14063	BLUMEL	URR1/8EHS/Z2/Z8 X70A F312	SWITCH 3PBC 12A-400V 2NO + LEVER + SHUTTER	1
+P00	=H01-S14065	BLUMEL	URR1/8EHS/Z2/Z8 X70A F312	SWITCH 3PBC 12A-400V 2NO + LEVER + SHUTTER	1
+P00	=H01-S14067	BLUMEL	URR1/8EHS/Z2/Z8 X70A F312	SWITCH 3PBC 12A-400V 2NO + LEVER + SHUTTER	1
+P5.1	=H01-S14071	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P5.1	=H01-S14071	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P5.1	=H01-S14071	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1
+P5.1	=H01-S14071	Siemens AG	3SU1401-1BB60-1AA0	LED MODULE, WHITE	1
+P5.1	=H01-S14072	Siemens AG	3SU1051-0AB50-0AA0	ILLUMINATED PUSHBUTTON, BLUE	1
+P5.1	=H01-S14072	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P5.1	=H01-S14072	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1
+P5.1	=H01-S14072	Siemens AG	3SU1401-1BB50-1AA0	LED MODULE, BLUE	1
	=H01-S14078	TEXA	AAWTC10	Thermostat with NC contact	1
	=H01-S15021	Siemens AG	3SU1050-4CF11-0AA0	KEY-OPERATED SWITCH RONIS, O-I	1
	=H01-S15021	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	2
	=H01-S15021	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-S15023	Siemens AG	3SU1050-4CF11-0AA0	KEY-OPERATED SWITCH RONIS, O-I	1
	=H01-S15023	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	2
	=H01-S15023	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P10	=H01-S15025	Siemens AG	3SU1050-4CF11-0AA0	KEY-OPERATED SWITCH RONIS, O-I	1
+P10	=H01-S15025	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	2
+P10	=H01-S15025	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P01	=H01-S15061	BLUMEL	URR1/8EHS/Z2/Z8 X70A F312	SWITCH 3PBC 12A-400V 2NO + LEVER + SHUTTER	1
+P01	=H01-S15063	BLUMEL	URR1/8EHS/Z2/Z8 X70A F312	SWITCH 3PBC 12A-400V 2NO + LEVER + SHUTTER	1
+P1.1	=H01-S15081	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P1.1	=H01-S15081	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P1.1	=H01-S15081	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3577
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+P1.1	=H01-S15081	Siemens AG	3SU1401-1BB60-1AA0	LED MODULE, WHITE	1
+P1.1	=H01-S15082	Siemens AG	3SU1051-0AB50-0AA0	ILLUMINATED PUSHBUTTON, BLUE	1
+P1.1	=H01-S15082	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P1.1	=H01-S15082	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1
+P1.1	=H01-S15082	Siemens AG	3SU1401-1BB50-1AA0	LED MODULE, BLUE	1
	=H01-S15098	TEXA	AAWTC10	Thermostat with NC contact	1
	=H01-S17021	Siemens AG	3SU1050-4CF11-0AA0	KEY-OPERATED SWITCH RONIS, O-I	1
	=H01-S17021	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-S17021	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	2
	=H01-S17025	Siemens AG	3SU1050-4CF11-0AA0	KEY-OPERATED SWITCH RONIS, O-I	1
	=H01-S17025	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-S17025	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	2
+P03	=H01-S17061	BLUMEL	URR1/8EHS/Z2/Z8 X70A F312	SWITCH 3PBC 12A-400V 2NO + LEVER + SHUTTER	1
+P03	=H01-S17063	BLUMEL	URR1/8EHS/Z2/Z8 X70A F312	SWITCH 3PBC 12A-400V 2NO + LEVER + SHUTTER	1
+P03	=H01-S17065	BLUMEL	URR1/8EHS/Z2/Z8 X70A F312	SWITCH 3PBC 12A-400V 2NO + LEVER + SHUTTER	1
+P00	=H01-S17067	Siemens AG	3SU1051-0AB50-0AA0	ILLUMINATED PUSHBUTTON, BLUE	1
+P00	=H01-S17067	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-S17067	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1
+P00	=H01-S17067	Siemens AG	3SU1401-1BB50-1AA0	LED MODULE, BLUE	1
+P00	=H01-S17068	Siemens AG	3SU1051-0AB50-0AA0	ILLUMINATED PUSHBUTTON, BLUE	1
+P00	=H01-S17068	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P00	=H01-S17068	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1
+P00	=H01-S17068	Siemens AG	3SU1401-1BB50-1AA0	LED MODULE, BLUE	1
+P7.1	=H01-S17081	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P7.1	=H01-S17081	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P7.1	=H01-S17081	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1
+P7.1	=H01-S17081	Siemens AG	3SU1401-1BB60-1AA0	LED MODULE, WHITE	1

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: COMPONENT LIST	POSIZ./LOCATION: +	GRUPPO/SECTION: = H05	PAGINE/PAGE: 3578
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER					
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+P7.1	=H01-S17082	Siemens AG	3SU1051-0AB50-0AA0	ILLUMINATED PUSHBUTTON, BLUE	1
+P7.1	=H01-S17082	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P7.1	=H01-S17082	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1
+P7.1	=H01-S17082	Siemens AG	3SU1401-1BB50-1AA0	LED MODULE, BLUE	1
	=H01-S17098	TEXA	AAWTC10	Thermostat with NC contact	1
	=H01-S18025	Siemens AG	3SU1050-4CF11-0AA0	KEY-OPERATED SWITCH RONIS, O-I	1
	=H01-S18025	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
	=H01-S18025	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	2
	=H01-S18031	SCHNEIDER EL.	ZB4BG412	Head for Key selector + Key	1
	=H01-S18031	SCHNEIDER EL.	ZB4BZ009	Metal fixing collar pillar for electrical block	1
	=H01-S18031	SCHNEIDER EL.	ZBE101	Contact block for pushbutton - ZBEØ 22 - 1NO	1;2
+P04	=H01-S18061	BLUMEL	URR1/8EHS/Z2/Z8 X70A F312	SWITCH 3PBC 12A-400V 2NO + LEVER + SHUTTER	1
+P8.1	=H01-S18071	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P8.1	=H01-S18071	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P8.1	=H01-S18071	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1
+P8.1	=H01-S18071	Siemens AG	3SU1401-1BB60-1AA0	LED MODULE, WHITE	1
+P8.1	=H01-S18072	Siemens AG	3SU1051-0AB50-0AA0	ILLUMINATED PUSHBUTTON, BLUE	1
+P8.1	=H01-S18072	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P8.1	=H01-S18072	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1
+P8.1	=H01-S18072	Siemens AG	3SU1401-1BB50-1AA0	LED MODULE, BLUE	1
+P8.2	=H01-S18073	Siemens AG	3SU1051-0AB60-0AA0	ILLUMINATED PUSHBUTTON, WHITE	1
+P8.2	=H01-S18073	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P8.2	=H01-S18073	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1
+P8.2	=H01-S18073	Siemens AG	3SU1401-1BB60-1AA0	LED MODULE, WHITE	1
+P8.2	=H01-S18074	Siemens AG	3SU1051-0AB50-0AA0	ILLUMINATED PUSHBUTTON, BLUE	1
+P8.2	=H01-S18074	Siemens AG	3SU1550-0AA10-0AA0	HOLDER	1
+P8.2	=H01-S18074	Siemens AG	3SU1400-1AA10-1BA0	CONTACT MODULE 1NO	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3579
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+P8.2	=H01-S18074	Siemens AG	3SU1401-1BB50-1AA0	LED MODULE, BLUE	1
	=H01-S18098	TEXA	AAWTC10	Thermostat with NC contact	1
	=H01-T23031	PHOENIX CONTACT	MINI MCR-SL-UI-UI-NC	Signal conditioner	1
	=H01-T23035	PHOENIX CONTACT	MINI MCR-SL-UI-UI-NC	Signal conditioner	1
+E14	=H02-Q101	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E14	=H02-Q101	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E14	=H02-Q101	Siemens AG	3RA1921-1DA00	LINK MODULE F.3RV S00/S0, 3RT S00	1
+E14	=H02-Q103	ABB	MS132-10	MS132-10 Manual Motor Starter	1
+E14	=H02-Q103	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E14	=H02-Q103	Siemens AG	3RA1921-1DA00	LINK MODULE F.3RV S00/S0, 3RT S00	1
+E14	=H02-Q113	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E14	=H02-Q113	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E14	=H02-Q113	Siemens AG	3RA1921-1DA00	LINK MODULE F.3RV S00/S0, 3RT S00	1
+E14	=H02-Q115	ABB	MS132-10	MS132-10 Manual Motor Starter	1
+E14	=H02-Q115	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E14	=H02-Q115	Siemens AG	3RA1921-1DA00	LINK MODULE F.3RV S00/S0, 3RT S00	1
+E14	=H02-Q117	Siemens AG	3RV2011-1GA10	CIRCUIT-BREAKER	1
+E14	=H02-Q117	Siemens AG	3RV2901-1F	Auxiliary switch transverse	1
+E14	=H02-Q121	ABB	MS132-1.6	MS132-1.6 Manual Motor Starter	1
+E14	=H02-Q121	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E15	=H02-Q123	Siemens AG	3RV2041-4RA10	CIRCUIT BREAKER, SCREW-TYPE, 84 A	1
+E15	=H02-Q123	Siemens AG	3RV2901-1F	Auxiliary switch transverse	1
+E15	=H02-Q125	Siemens AG	3RV2041-4RA10	CIRCUIT BREAKER, SCREW-TYPE, 84 A	1
+E15	=H02-Q125	Siemens AG	3RV2901-1F	Auxiliary switch transverse	1
+E13	=H02-Q127	ABB	MS165-20	MS165-20 Manual Motor Starter	1
+E13	=H02-Q127	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E14	=H02-Q131	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3580

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E14	=H02-Q131	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E14	=H02-Q133	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E14	=H02-Q133	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E14	=H02-Q135	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E14	=H02-Q135	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E14	=H02-Q137	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E14	=H02-Q137	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E14	=H02-Q137	Siemens AG	3RA1921-1DA00	LINK MODULE F.3RV S00/S0, 3RT S00	1
+E15	=H02-Q141	ABB	MS132-0.63	MS132-0.63 Manual Motor Starter	1
+E15	=H02-Q141	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E15	=H02-Q144	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E15	=H02-Q144	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E13	=H02-Q167	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E13	=H02-Q167	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E13	=H02-Q171	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E13	=H02-Q171	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E13	=H02-Q174	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E13	=H02-Q174	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E13	=H02-Q177	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E13	=H02-Q177	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E15	=H02-Q181	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E15	=H02-Q181	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E15	=H02-Q184	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E15	=H02-Q184	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E13	=H02-Q201	ABB	MS165-20	MS165-20 Manual Motor Starter	1
+E13	=H02-Q201	ABB	HKF1-20	HKF1-20 Auxiliary Contact	1
+E13	=H02-Q207	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3581
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E13	=H02-Q207	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E15	=H02-Q211	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E15	=H02-Q211	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E15	=H02-Q214	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E15	=H02-Q214	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E15	=H02-Q217	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E15	=H02-Q217	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E13	=H02-Q221	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E13	=H02-Q221	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E13	=H02-Q224	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E13	=H02-Q224	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E15	=H02-Q231	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E15	=H02-Q231	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E15	=H02-Q234	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E15	=H02-Q234	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E15	=H02-Q237	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E15	=H02-Q237	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E15	=H02-Q241	ABB	MS132-2.5	MS132-2.5 Manual Motor Starter	1
+E15	=H02-Q241	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E14	=H02-Q271	ABB	MS132-1.6	MS132-1.6 Manual Motor Starter	1
+E14	=H02-Q271	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E14	=H02-Q273	ABB	MS132-1.6	MS132-1.6 Manual Motor Starter	1
+E14	=H02-Q273	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E14	=H02-Q301	ABB	S202-C4	Miniature Circuit Breaker - S200 - 2P - C - 4 A	1
+E14	=H02-Q301	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E14	=H02-Q303	ABB	S202-C4	Miniature Circuit Breaker - S200 - 2P - C - 4 A	1
+E14	=H02-Q303	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3582
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E14	=H02-Q305	ABB	S202-C4	Miniature Circuit Breaker - S200 - 2P - C - 4 A	1
+E14	=H02-Q305	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E14	=H02-Q307	ABB	S202-C4	Miniature Circuit Breaker - S200 - 2P - C - 4 A	1
+E14	=H02-Q307	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
+E15	=H02-Q334	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E15	=H02-Q334	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E15	=H02-Q337	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E15	=H02-Q337	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E15	=H02-Q351	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E15	=H02-Q351	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E15	=H02-Q354	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E15	=H02-Q354	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E15	=H02-Q357	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E15	=H02-Q357	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E15	=H02-Q361	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E15	=H02-Q361	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E15	=H02-Q364	ABB	MS132-4.0	MS132-4.0 Manual Motor Starter	1
+E15	=H02-Q364	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E14	=H02-Q371	ABB	MS132-10	MS132-10 Manual Motor Starter	1
+E14	=H02-Q371	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E14	=H02-Q374	ABB	MS132-10	MS132-10 Manual Motor Starter	1
+E14	=H02-Q374	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E14	=H02-Q381	ABB	MS132-10	MS132-10 Manual Motor Starter	1
+E14	=H02-Q381	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E14	=H02-Q384	ABB	MS132-10	MS132-10 Manual Motor Starter	1
+E14	=H02-Q384	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E15	=H02-Q391	ABB	MS132-6.3	MS132-6.3 Manual Motor Starter	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3583

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
+E15	=H02-Q391	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E15	=H02-Q394	ABB	MS132-10	MS132-10 Manual Motor Starter	1
+E15	=H02-Q394	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E15	=H02-Q397	ABB	MS132-10	MS132-10 Manual Motor Starter	1
+E15	=H02-Q397	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E15	=H02-Q401	ABB	MS132-10	MS132-10 Manual Motor Starter	1
+E15	=H02-Q401	ABB	HK1-20	HK1-20 Auxiliary Contact	1
+E15	=H02-Q404	ABB	MS132-10	MS132-10 Manual Motor Starter	1
+E15	=H02-Q404	ABB	HK1-20	HK1-20 Auxiliary Contact	1
	=H03-A22274	Siemens AG	6ES7131-4BF00-0AA0	ET200S MODULE 8 DIGITAL INPUT DC24V ST	1
	=H03-A22277	Siemens AG	6ES7131-4BF00-0AA0	ET200S MODULE 8 DIGITAL INPUT DC24V ST	1
	=H03-A25052	HIRSCHMAN	SPIDER-SL-20-08T1999999SZ9HHHH	8Port E-Net Rail Switch	1
	=H03-A25062	HIRSCHMAN	SPIDER-SL-20-08T1999999SZ9HHHH	8Port E-Net Rail Switch	1
	=H03-A25211		IM 053 PN	SLIO IM053PN	1
	=H03-A25214		SM 021	SLIO DI8xDC24V	1
	=H03-A25214.2		SM 021	SLIO DI8xDC24V	1
	=H03-A25215		SM 021	SLIO DI8xDC24V	1
	=H03-A25215.1		SM 021	SLIO DI8xDC24V	1
	=H03-A25215.2		SM 021	SLIO DI8xDC24V	1
	=H03-A25216		SM 021	SLIO DI8xDC24V	1
	=H03-A25216.1		SM 021	SLIO DI8xDC24V	1
	=H03-A25217.1		SM 021	SLIO DI8xDC24V	1
	=H03-A25217.2		SM 021	SLIO DI8xDC24V	1
	=H03-A25218		SM 021	SLIO DI8xDC24V	1
	=H03-A25218.1		SM 021	SLIO DI8xDC24V	1
	=H03-A25221		SM 021	SLIO DI8xDC24V	1
	=H03-A25221.1		SM 021	SLIO DI8xDC24V	1

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	COMPONENT LIST
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= H05	3584	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H03-A25222		SM 021	SLIO DI8xDC24V	1
	=H03-A25222.2		SM 021	SLIO DI8xDC24V	1
	=H03-A25223		SM 021	SLIO DI8xDC24V	1
	=H03-A25223.1		SM 021	SLIO DI8xDC24V	1
	=H03-A25224		SM 021	SLIO DI8xDC24V	1
	=H03-A25224.1		SM 021	SLIO DI8xDC24V	1
	=H03-A25224.2		SM 021	SLIO DI8xDC24V	1
	=H03-A25225		SM 021	SLIO DI8xDC24V	1
	=H03-A25225.1		SM 021	SLIO DI8xDC24V	1
	=H03-A25231		SM 021	SLIO DI8xDC24V	1
	=H03-A25231.1		SM 021	SLIO DI8xDC24V	1
	=H03-A25232		SM 021	SLIO DI8xDC24V	1
	=H03-A25232.1		SM 021	SLIO DI8xDC24V	1
	=H03-A25253		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25253.1		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25253.2		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A25254.1		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25255		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25255.1		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25257		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25258		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25258.1		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25259		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25260		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A25261		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25262		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25262.1		SM 022	SLIO DO8xDC24V0,5A	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3585
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H03-A25263		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25263.1		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25264		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25264.1		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25265		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25265.1		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25271		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A25272		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A25272.1		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A25273		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A25273.1		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A25274		SM 022	SLIO SDO4xDC24V0,5A Safety	1
	=H03-A25274.1		SM 022	SLIO SDO4xDC24V0,5A Safety	1
	=H03-A25274.2		SM 022	SLIO SDO4xDC24V0,5A Safety	1
	=H03-A25275		SM 022	SLIO SDO4xDC24V0,5A Safety	1
	=H03-A25511		IM 053 PN	SLIO IM053PN	1
	=H03-A25515		SM 021	SLIO DI8xDC24V	1
	=H03-A25515.1		SM 021	SLIO DI8xDC24V	1
	=H03-A25515.2		SM 021	SLIO DI8xDC24V	1
	=H03-A25516		SM 021	SLIO DI8xDC24V	1
	=H03-A25516.1		SM 021	SLIO DI8xDC24V	1
	=H03-A25517		SM 021	SLIO DI8xDC24V	1
	=H03-A25517.1		SM 021	SLIO DI8xDC24V	1
	=H03-A25517.2		SM 021	SLIO DI8xDC24V	1
	=H03-A25518		SM 021	SLIO DI8xDC24V	1
	=H03-A25518.1		SM 021	SLIO DI8xDC24V	1
	=H03-A25519		SM 021	SLIO DI8xDC24V	1

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: COMPONENT LIST	POSIZ./LOCATION: +	GRUPPO/SECTION: = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE: 3586

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H03-A25519.1		SM 021	SLIO DI8xDC24V	1
	=H03-A25533.1		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A25535		SM 022	SLIO DO4xDC24V2A	1
	=H03-A25535.1		SM 022	SLIO DO4xDC24V2A	1
	=H03-A25536		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A25537		SM 022	SLIO DO4xDC24V2A	1
	=H03-A25540		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A25541		SM 022	SLIO DO4xDC24V2A	1
	=H03-A25542		SM 022	SLIO DO4xDC24V2A	1
	=H03-A25543		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A25544		SM 022	SLIO DO4xDC24V2A	1
	=H03-A25544.1		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A25546		SM 022	SLIO DO4xDC24V2A	1
	=H03-A25546.1		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A25547		SM 022	SLIO DO4xDC24V2A	1
	=H03-A25548		SM 022	SLIO DO4xDC24V2A	1
	=H03-A25550		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A25552		FM 050	SLIO 1x32Bit(AB)DC24V	1
	=H03-A25560		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A25562		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A25562.1		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A25562.2		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A25563		SM 022	SLIO SDO4xDC24V0,5A Safety	1
	=H03-A25564		SM 022	SLIO SDO4xDC24V0,5A Safety	1
	=H03-A25564.1		SM 022	SLIO SDO4xDC24V0,5A Safety	1
+E11	=H03-A25812		IM 053 PN	SLIO IM053PN	1
	=H03-A25816		SM 021	SLIO DI8xDC24V	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3587
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H03-A25816.1		SM 021	SLIO DI8xDC24V	1
	=H03-A25817		SM 021	SLIO DI8xDC24V	1
	=H03-A25817.1		SM 021	SLIO DI8xDC24V	1
	=H03-A25817.2		SM 021	SLIO DI8xDC24V	1
	=H03-A25818		SM 021	SLIO DI8xDC24V	1
	=H03-A25833.1		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A25835		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25835.1		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25835.2		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25836		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25836.1		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25837		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25837.1		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25837.2		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25838		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25838.1		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25839		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25841		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A25850		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A25852		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A25852.1		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A25852.2		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A25853		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A25853.1		SM 022	SLIO SDO4xDC24V0,5A Safety	1
	=H03-A25854		SM 022	SLIO SDO4xDC24V0,5A Safety	1
	=H03-A25854.1		SM 022	SLIO SDO4xDC24V0,5A Safety	1
	=H03-A25952	HIRSCHMAN	SPIDER-SL-20-08T1999999SZ9HHHH	8Port E-Net Rail Switch	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	COMPONENT LIST
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= H05	3588	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H03-A26111		IM 053 PN	SLIO IM053PN	1
	=H03-A26115.1		SM 021	SLIO DI8xDC24V	1
	=H03-A26115.2		SM 021	SLIO DI8xDC24V	1
	=H03-A26116		SM 021	SLIO DI8xDC24V	1
	=H03-A26116.1		SM 021	SLIO DI8xDC24V	1
	=H03-A26117		SM 021	SLIO DI8xDC24V	1
	=H03-A26117.1		SM 021	SLIO DI8xDC24V	1
	=H03-A26117.2		SM 021	SLIO DI8xDC24V	1
	=H03-A26118		SM 021	SLIO DI8xDC24V	1
	=H03-A26119		SM 021	SLIO DI8xDC24V	1
	=H03-A26119.1		SM 021	SLIO DI8xDC24V	1
	=H03-A26119.2		SM 021	SLIO DI8xDC24V	1
	=H03-A26130		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A26133.1		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A26135		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A26135.1		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A26135.2		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A26136		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A26136.1		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A26137		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A26137.1		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A26137.2		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A26138		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A26141		SM 032	SLIO AO2x12Bit_+-10V	1
	=H03-A26152		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A26152.1		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A26152.2		SM 021	SLIO SDI4xDC24V_Safety	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3589

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H03-A26153		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A26153.1		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A26154		SM 022	SLIO SDO4xDC24V0,5A Safety	1
	=H03-A26154.1		SM 022	SLIO SDO4xDC24V0,5A Safety	1
	=H03-A26154.2		SM 022	SLIO SDO4xDC24V0,5A Safety	1
	=H03-A26242	HIRSCHMAN	SPIDER-SL-20-08T1999999SZ9HHHH	8Port E-Net Rail Switch	1
+P00	=H03-A26511		IM 053 PN	SLIO IM053PN	1
	=H03-A26515.2		SM 021	SLIO DI16xDC24V	1
	=H03-A26520		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A26522		SM 022	SLIO SDO4xDC24V0,5A Safety	1
	=H03-A26523		SM 022	SLIO DO16xDC24V0,5A	1
	=H03-A26524		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A26524.1		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A26612	HIRSCHMAN	SPIDER-SL-20-08T1999999SZ9HHHH	8Port E-Net Rail Switch	1
	=H03-A26622	HIRSCHMAN	SPIDER-SL-20-08T1999999SZ9HHHH	8Port E-Net Rail Switch	1
	=H03-A26632	TP-LINK	TL-SG108D - 10/100/1000MBPS	Switch - unmanaged - 8 x 10/100/1000	1
	=H03-A26811		IM 053 PN	SLIO IM053PN	1
	=H03-A26815		SM 021	SLIO DI16xDC24V	1
	=H03-A26816		SM 021	SLIO DI16xDC24V	1
	=H03-A26820		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A26823		SM 022	SLIO DO16xDC24V0,5A	1
	=H03-A26825		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A26825.1		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A26825.2		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A26826		SM 022	SLIO SDO4xDC24V0,5A Safety	1
	=H03-A27002	HIRSCHMAN	SPIDER-SL-20-08T1999999SZ9HHHH	8Port E-Net Rail Switch	1
	=H03-A27411		IM 053 PN	SLIO IM053PN	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	COMPONENT LIST
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= H05	3590	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H03-A27415		SM 021	SLIO DI8xDC24V	1
	=H03-A27415.1		SM 021	SLIO DI8xDC24V	1
	=H03-A27416		SM 021	SLIO DI8xDC24V	1
	=H03-A27416.1		SM 021	SLIO DI8xDC24V	1
	=H03-A27420		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A27423		SM 022	SLIO DO16xDC24V0,5A	1
	=H03-A27425		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A27425.1		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A27426		SM 022	SLIO SDO4xDC24V0,5A Safety	1
	=H03-A27612	HIRSCHMAN	SPIDER-SL-20-08T1999999SZ9HHHH	8Port E-Net Rail Switch	1
	=H03-A27711		IM 053 PN	SLIO IM053PN	1
	=H03-A27715		SM 021	SLIO DI16xDC24V	1
	=H03-A27716		SM 021	SLIO DI16xDC24V	1
	=H03-A27720		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A27723		SM 022	SLIO DO16xDC24V0,5A	1
	=H03-A27724		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A27724.1		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A27725		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-A27725.1		SM 022	SLIO SDO4xDC24V0,5A Safety	1
	=H03-A27902	HIRSCHMAN	SPIDER-SL-20-08T1999999SZ9HHHH	8Port E-Net Rail Switch	1
+RB1	=H03-A28011		IM 053 PN	SLIO IM053PN	1
	=H03-A28025		SM 021	SLIO DI8xDC24V	1
	=H03-A28025.1		SM 021	SLIO DI8xDC24V	1
	=H03-A28026		SM 021	SLIO DI8xDC24V	1
	=H03-A28026.1		SM 021	SLIO DI8xDC24V	1
	=H03-A28027		SM 021	SLIO DI8xDC24V	1
	=H03-A28027.1		SM 021	SLIO DI8xDC24V	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3591

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H03-A28027.2		SM 021	SLIO DI8xDC24V	1
	=H03-A28028		SM 021	SLIO DI8xDC24V	1
	=H03-A28030		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A28032		SM 022	SLIO DO4xDC24V2A	1
	=H03-A28032.1		SM 022	SLIO DO4xDC24V2A	1
	=H03-A28033		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A28035		SM 022	SLIO DO4xDC24V2A	1
	=H03-A28035.1		SM 022	SLIO DO4xDC24V2A	1
	=H03-A28036		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A28037		SM 022	SLIO DO4xDC24V2A	1
	=H03-A28037.1		SM 022	SLIO DO4xDC24V2A	1
	=H03-A28038		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A28039		SM 022	SLIO DO4xDC24V2A	1
	=H03-A28039.1		SM 022	SLIO DO4xDC24V2A	1
	=H03-A28050		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A28052		SM 022	SLIO DO4xDC24V2A	1
	=H03-A28052.1		SM 022	SLIO DO4xDC24V2A	1
	=H03-A28053		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A28054		SM 022	SLIO DO4xDC24V2A	1
	=H03-A28054.1		SM 022	SLIO DO4xDC24V2A	1
	=H03-A28055		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A28056		SM 022	SLIO DO4xDC24V2A	1
	=H03-A28181	Siemens AG	6SL3055-0AA00-6AA1	DRIVE CLIQ HUB MODULE CABINET DMC20	1
+RB1	=H03-A28511		IM 053 PN	SLIO IM053PN	1
	=H03-A28521		SM 021	SLIO DI8xDC24V	1
	=H03-A28521.1		SM 021	SLIO DI8xDC24V	1
	=H03-A28522		SM 021	SLIO DI8xDC24V	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 3592

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H03-A28522.1		SM 021	SLIO DI8xDC24V	1
	=H03-A28530		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A28531		SM 022	SLIO DO4xDC24V2A	1
	=H03-A28532		SM 022	SLIO DO4xDC24V2A	1
	=H03-A28533		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A28534		SM 022	SLIO DO4xDC24V2A	1
	=H03-A28534.1		SM 022	SLIO DO4xDC24V2A	1
	=H03-A28682	HIRSCHMAN	SPIDER-SL-20-08T1999999SZ9HHHH	8Port E-Net Rail Switch	1
	=H03-A28691	Siemens AG	6SL3055-0AA00-6AA1	DRIVE CLIQ HUB MODULE CABINET DMC20	1
+RB4	=H03-A28811		IM 053 PN	SLIO IM053PN	1
	=H03-A28821		SM 021	SLIO DI8xDC24V	1
	=H03-A28821.1		SM 021	SLIO DI8xDC24V	1
	=H03-A28822		SM 021	SLIO DI8xDC24V	1
	=H03-A28822.1		SM 021	SLIO DI8xDC24V	1
	=H03-A28822.2		SM 021	SLIO DI8xDC24V	1
	=H03-A28830		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A28831		SM 022	SLIO DO8xDC24V0,5A	1
	=H03-A28833		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A28834.1		SM 022	SLIO DO4xDC24V2A	1
	=H03-A28835		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A28836		SM 022	SLIO DO4xDC24V2A	1
	=H03-A28837		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A28838		SM 022	SLIO DO4xDC24V2A	1
+RB5	=H03-A29111		IM 053 PN	SLIO IM053PN	1
	=H03-A29122.1		SM 031	SLIO AI2x16Bit_0(4)...20mA	1
	=H03-A29122.2		SM 032	SLIO AO2x12Bit_+-10V	1
	=H03-A29131		SM 021	SLIO DI8xDC24V	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	COMPONENT LIST
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= H05	3593	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H03-A29131.1		SM 021	SLIO DI8xDC24V	1
	=H03-A29132		SM 021	SLIO DI8xDC24V	1
	=H03-A29132.1		SM 021	SLIO DI8xDC24V	1
	=H03-A29132.2		SM 021	SLIO DI8xDC24V	1
	=H03-A29133		SM 021	SLIO DI8xDC24V	1
	=H03-A29133.1		SM 021	SLIO DI8xDC24V	1
	=H03-A29134		SM 021	SLIO DI8xDC24V	1
	=H03-A29134.1		SM 021	SLIO DI8xDC24V	1
	=H03-A29134.2		SM 021	SLIO DI8xDC24V	1
	=H03-A29135		SM 021	SLIO DI8xDC24V	1
	=H03-A29135.1		SM 021	SLIO DI8xDC24V	1
	=H03-A29136		SM 021	SLIO DI8xDC24V	1
	=H03-A29140		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A29141		SM 022	SLIO DO4xDC24V2A	1
	=H03-A29142		SM 022	SLIO DO4xDC24V2A	1
	=H03-A29143		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A29144		SM 022	SLIO DO4xDC24V2A	1
	=H03-A29144.1		SM 022	SLIO DO4xDC24V2A	1
	=H03-A29145		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A29146		SM 022	SLIO DO4xDC24V2A	1
	=H03-A29146.1		SM 022	SLIO DO4xDC24V2A	1
	=H03-A29147		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A29148		SM 022	SLIO SDO4xDC24V0,5A Safety	1
	=H03-A29149		SM 022	SLIO SDO4xDC24V0,5A Safety	1
	=H03-A29150		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A29151		SM 022	SLIO SDO4xDC24V0,5A Safety	1
	=H03-A29152		SM 022	SLIO SDO4xDC24V0,5A Safety	1

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	COMPONENT LIST
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= H05	3594	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

COMPONENT LIST

PLACE	ACRONYM	PRODUCER	CODEX ARTICLE	DESCRIPTION	AMOUNT
	=H03-A29153		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A29154		SM 022	SLIO DO4xDC24V2A	1
	=H03-A29154.1		SM 022	SLIO DO4xDC24V2A	1
	=H03-A29170		PM 007	SLIO PM007_DC24V_10A	1
	=H03-A29171		SM 022	SLIO DO4xDC24V2A	1
	=H03-K25011	Siemens AG	6ES7516-3FN02-0AB0	CPU 1516F-3 PN/DP, 1,5MB Prog, 5MB Data	1
	=H03-K25011	Siemens AG	6ES7954-8LL03-0AA0	SIMATIC S7 MEMORY CARD, 256 MB	1
	=H03-K26523.1		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-K26523.1	Siemens AG	6ES7136-6BA00-0CA0	ET 200SP, EL-MOD., F-DI 8X24VDC HF	0
	=H03-K26824		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-K26951	Siemens AG	6AV2128-3MB06-0AX1	SIMATIC HMI MTP1200 Unified Comfort	1
	=H03-K27424		SM 021	SLIO SDI4xDC24V_Safety	1
	=H03-K27601	Siemens AG	6AV2128-3MB06-0AX1	SIMATIC HMI MTP1200 Unified Comfort	1
+P04	=H03-K27711	Siemens AG	6ES7155-6AU00-0CN0	ET 200SP, IM155-6PN HF	1
+P04	=H03-K27712	Siemens AG	6ES7136-6BA00-0CA0	ET 200SP, EL-MOD., F-DI 8X24VDC HF	1
+P04	=H03-K27712	Siemens AG	6ES7193-6BP00-0DA0	BASEUNIT TYPE A0, BU15-P16+A0+2D	1
+P04	=H03-K27713	Siemens AG	6ES7136-6BA00-0CA0	ET 200SP, EL-MOD., F-DI 8X24VDC HF	1
+P04	=H03-K27713	Siemens AG	6ES7193-6BP00-0DA0	BASEUNIT TYPE A0, BU15-P16+A0+2D	1
+P04	=H03-K27714	Siemens AG	6ES7136-6DB00-0CA0	ET 200SP, EL-MOD., F-DQ 4XDC 24V/2A	1
+P04	=H03-K27714	Siemens AG	6ES7193-6BP00-0DA0	BASEUNIT TYPE A0, BU15-P16+A0+2D	1
	=H03-K28670	Siemens AG	6ES7972-0AA02-0XA0	RS485 repeater For connection of PROFIBUS/MPI	1
	=H03-K29380	Siemens AG	6ES7972-0AA02-0XA0	RS485 repeater For connection of PROFIBUS/MPI	1
	=H03-Q26951	ABB	S201-C2	Miniature Circuit Breaker - S200 - 1P - C - 2 A	1
	=H03-Q26951	ABB	S2C-H20L	S2C-H20L - Auxiliary / Signal Contacts	1
	=H03-Q27601	ABB	S201-C2	Miniature Circuit Breaker - S200 - 1P - C - 2 A	1
	=H03-X25013	Siemens AG	6ES7972-0BA42-0XA0	BUS CONNECTOR F. PROFIBUS, W/O PG SOCKET	1

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H05	PAGINE/PAGE 3595
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

0	1	2	3	4	5	6	7	8	9

CTL4 8mm LINE

BOARD DESCRIPTION	
CUSTOMER JOB N°	CTL4 LINE
END USER	
OBJECT	
CONSTRUCTOR	RBF DMAT s.r.l.
REVISION	3.0
DATE REVISION	06/04/2023

Tabella Revisioni
Revisions Table

Descrizione/ Description	Step	Rel.	Data/ Date	Disegnato/ Drawn	Controllato/ Checked	Approvato/ Approved
Per Approvazione/ For Approval						
Per Costruzione/ For Construction						
Dopo Collaudo Interno/ After Factory Test						
Dopo Messa in Servizio/ After Site Test						

Lista Documenti emessi da UTE
UTE Documents List

Sigla/ Code	Descrizione/ Description	Data/ Date	Emesso/ Issued
DAD	Disegni Dimensionali/ Dimensions Arrangement Drawing		
SLD	Schemi Unifilari/ Single Line Diagram		
WFD	Schemi Funzionali (multifilari)/ Wiring Function Diagram		
TCT	Tabelle Morsettiere/ Terminals connection Tables		
MTL	Lista Materiali/ Material Table List		

Member of CISQ Federation
RINA CERTIFIED IQNet MANAGEMENT SYSTEM
CERTIFIED MANAGEMENT SYSTEM
ISO 9001

CUSTOMER

RBF DMAT JOB N°

RBF DMAT
AUTOMATION TECHNOLOGY

=H05/3595

4002

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION: + / GRUPPO/SECTION: = H06 / PAGINE/PAGE: 4001
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

XP00 = +E14 P00 DESK CONNECTION

XP00A = +E01 P00 DESK CONNECTION

XP01 = +E14 P01 DESK CONNECTION

XP02 = +E14 P02 DESK CONNECTION

XP03 = +E14 P03 DESK CONNECTION

XP04 = +E14 P04 DESK CONNECTION

XRB1 = +E14 RIO1 CABINET CONNECTION

XRB2 = +E14 RIO2 CABINET CONNECTION

XRB3 = +E14 RIO3 CABINET CONNECTION

XRB4 = +E14 RIO4 CABINET CONNECTION

XRB5 = +E14 RIO5 CABINET CONNECTION

XTL = +E12 EXTERNAL MACHINE SUPPLY

XENC7 = +E13 ENCODER CONNECTION

XBRK = +E02 BRAKING MODULE

XINT = +E MAIN SWITCH CONTACT

XCI1 = +E12/+E11 CABINET INTERCONNECTION SECT. 4-3

XCI2 = +E09 CABINET INTERCONNECTION SECT. 3-2

XCI3 = +E04/E03 CABINET INTERCONNECTION SECT. 2-1

X301 = +E10 G01 DRIVE

X302 = +E06 G02 DRIVE

X302A = +E06 G02 DRIVE

X303 = +E06 G03 DRIVE

X304 = +E14 G04 DRIVE

X304A = +E05 G04 DRIVE

X305 = +E10 G05 DRIVE

X304B = +E10 G05 DRIVE

X307 = +E09 G07 DRIVE

X308 = +E09 G08 DRIVE

X309 = +E11 G09 DRIVE

X310 = +E07 G10 DRIVE

X310A = +E07 G10 DRIVE

X311 = +E07 G11 DRIVE

X311A = +E07 G11 DRIVE

X312 = +E11 G12 DRIVE

X313 = +E04 G13 DRIVE

X314 = +E14 G14 DRIVE

X314A = +E05 G14 DRIVE

X317 = +E11 G17 DRIVE

X318 = +E09 G18 DRIVE

X319 = +E09 G19 DRIVE

X320 = +E14 G20 DRIVE

X320A = +E05 G20 DRIVE

X321 = +E14 G20A DRIVE

X321A = +E05 G20A DRIVE

X322 = +E10 G27/G27A DRIVE

X323 = +E10 G28/G28A DRIVE

X330 = +E11 G29 DRIVE

X331 = +E09 G29A DRIVE

X332 = +E09 G30 DRIVE

X333 = +E10 G31 DRIVE

X334 = +E10 G31A DRIVE

X335 = +E14 G32 DRIVE

X335A = +E05 G32 DRIVE

X337 = +E14 G33 DRIVE

X337A = +E06 G33 DRIVE

X338 = +E09 G34 DRIVE

X339 = +E09 G35/G36 DRIVE

X340 = +E11 G38 DRIVE

X341 = +E11 G38A DRIVE

X348 = +E11 G42 DRIVE

X349 = +E11 G42A DRIVE

X352 = +E10 G44 DRIVE

X360 = +E10 G49 DRIVE

X364 = +E10 G51A DRIVE

XSI4 = +E15 SPARE SAFE INPUT SECT.4

XSI4.1 = +E14 SPARE SAFE INPUT SECT.4

XSI3 = +E11 SPARE SAFE INPUT SECT.3

XSI1/2 = +E05 SPARE SAFE INPUT SECT.1-2

XSO4 = +E15 SPARE SAFE OUTPUTS SECT.4

XSO4.1 = +E14 SPARE SAFE OUTPUTS SECT.4

XSO3 = +E11 SPARE SAFE OUTPUTS SECT.3

XSO1/2 = +E05 SPARE SAFE OUTPUTS SECT.1-2

XDI4 = +E15 SPARE INPUT SECT. 4

XDI4.1 = +E14 SPARE INPUT SECT. 4

XDI3 = +E11 SPARE INPUT SECT. 3

XDI1/2 = +E05 SPARE INPUT SECT. 1-2

XDO4 = +E15 SPARE OUTPUTS SECT. 4

XDO4.1 = +E14 SPARE OUTPUTS SECT. 4

XDO3 = +E11 SPARE OUTPUTS SECT. 3

XDO1/2 = +E05 SPARE OUTPUTS SECT. 1-2

CONNECTION FROM MAIN CABINET TO
EXTERN DEVICES AND BOXES

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION DEFINING TERMINAL STRIPS	POSIZ./LOCATION + E	GRUPPO/SECTION = H06	PAGINE/PAGE 4002
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

X15 = +E15 MOTORS CONNECTION

X16 = +E14 DC MOTORS CONNECTION

X22 = +E12 230V EXTERNAL SUPPLY

X23 = +E12 EMG CABINET

X25 = +E13 STRAPPING MACHINE SIGNODE CABINET

X30 = +E15 HEATERS CONNECTION

XUPS = +E12 UPS POWER SUPPLY

XFIRE = +E05 FIRE FIGHTING SYSTEM

XGATE = +E13 GATE CONNECTION

XD0 = +E14 INTERNAL CONNECTION

XEP1 = +E INTERNAL CONNECTION

XEP2 = +E INTERNAL CONNECTION

XEP3 = +E INTERNAL CONNECTION

XEP4 = +E INTERNAL CONNECTION

XEP5 = +E INTERNAL CONNECTION

XEP6 = +E INTERNAL CONNECTION

XL1 = +E INTERNAL CONNECTION

XL2 = +E INTERNAL CONNECTION

XL3 = +E INTERNAL CONNECTION

X90 = +E13 DIRECT INPUT FROM FILED

X100 = +E14 CONNECTION WITH JB120

X110 = +E14 CONNECTION WITH JB150

X120 = +E14 CONNECTION WITH JB210

X121 = +E14 CONNECTION WITH JB210.1

X130 = +E14 CONNECTION WITH JB220

X131 = +E14 CONNECTION WITH JB220.1

X140 = +E13 CONNECTION WITH JB360

X150 = +E05 CONNECTION WITH JB380

X151 = +E14 CONNECTION WITH JB380.1

X152 = +E05 CONNECTION WITH JB380.2

X153 = +E05 CONNECTION WITH JB380.2

X154 = +E06 CONNECTION WITH JB380.3

X160 = +E13 CONNNECTION WITH JB410

X170 = +E13 CONNNECTION WITH JB420

X180 = +E13 CONNNECTION WITH JB440

X190 = +E13 CONNNECTION WITH JB500

X191 = +E13 CONNNECTION WITH JB500.10

X200 = +E13 CONNNECTION WITH JB520

X210 = +E13 CONNNECTION WITH JB530

X220 = +E13 CONNNECTION WITH JB535

X230 = +E13 CONNNECTION WITH JB800

X250 = +E13 ENCODER SUPPLY SECT.4

X251 = +E13 ENCODER SUPPLY SECT.1-2

XJB120 = +JB JUNCTION BOX JB120

XJB150 = +JB JUNCTION BOX JB150

XJB210 = +JB JUNCTION BOX JB210

XJB210.1 = +JB JUNCTION BOX JB210.1

XJB220 = +JB JUNCTION BOX JB220

XJB220.1 = +JB JUNCTION BOX JB220.1

XJB360 = +JB JUNCTION BOX JB360

XJB380 = +JB JUNCTION BOX JB380

XJB380.1 = +JB JUNCTION BOX JB380.1

XJB380.2 = +JB JUNCTION BOX JB380.2

XJB380.3 = +JB JUNCTION BOX JB380.3

XJB380.4 = +JB JUNCTION BOX JB380.4

XJB380.5 = +JB JUNCTION BOX JB380.5

XJB410 = +JB JUNCTION BOX JB410

XJB420 = +JB JUNCTION BOX JB420

XJB440 = +JB JUNCTION BOX JB440

XJB465 = +JB JUNCTION BOX JB465

XJB500 = +JB JUNCTION BOX JB500

XJB500.10 = +JB JUNCTION BOX JB500.10

XJB520 = +JB JUNCTION BOX JB520

XJB530 = +JB JUNCTION BOX JB530

XJB535 = +JB JUNCTION BOX JB535

XJB800 = +JB JUNCTION BOX JB800

XJBRB1 = +JB JUNCTION BOX JBRB1

XJBRB2 = +JB JUNCTION BOX JBRB2

XJBRB3 = +JB JUNCTION BOX JBRB3

XJBRB4 = +JB JUNCTION BOX JBRB4

XP4.1 = +E12 CONNECTION WITH P4.1

XP4.1.1 = +E CONNECTION BETWEEN P4.1

XP4.2 = +E12 CONNECTION WITH P4.2

XP4.2.1 = +E CONNECTION BETWEEN P4.2

XP5.2 = +E12 CONNECTION WITH P5.2

XP5.2.1 = +E CONNECTION BETWEEN P5.2

XP7.2 = +E12 CONNECTION WITH P7.2

XP7.2.1 = +E CONNECTION BETWEEN P7.2

CONNECTION FROM MAIN CABINET TO EXTERN DEVICES AND BOXES

4002

4004

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	DEFINING TERMINAL STRIPS	+ E	= H06	4003
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

XRB1.1 = +RB1 RIO01 CABINET CONNECTION

XRB2.1 = +RB2 RIO02 CABINET CONNECTION

XRB3.1 = +RB3 RIO03 CABINET CONNECTION

XRB4.1 = +XRB4 RIO04 CABINET CONNECTION

XRB5.1 = +XRB5 RIO05 CABINET CONNECTION

X401 = +RB1 CONNECTION WITH JB010

X402 = +RB1 CONNECTION WITH JB010.1

X403 = +RB1 CONNECTION WITH JB020

X404 = +RB1 CONNECTION WITH JB030

X405 = +RB1 CONNECTION WITH JB030.10

X406 = +RB1 CONNECTION WITH JB040

X407 = +RB1 CONNECTION WITH JB070

X408 = +RB1 CONNECTION WITH JB080

X409 = +RB1 CONNECTION WITH JB120

X410 = +RB1 CONNECTION WITH JB140

X411 = +RB1 CONNECTION WITH JB150

X412 = +RB1 CONNECTION WITH JB160

XRIO1 = +RB1 SPARE FILED CONNECTIONS

XJB010 = +JB JUNCTION BOX JB010

XJB010.1 = +JB JUNCTION BOX JB010.1

XJB020 = +JB JUNCTION BOX JB020

XJB030 = +JB JUNCTION BOX JB030

XJB030.10 = +JB JUNCTION BOX JB030.10

XJB040 = +JB JUNCTION BOX JB040

XJB070 = +JB JUNCTION BOX JB070

XJB080 = +JB JUNCTION BOX JB080

XJB120 = +JB JUNCTION BOX JB120

XJB140 = +JB JUNCTION BOX JB140

XJB150 = +JB JUNCTION BOX JB150

XJB160 = +JB JUNCTION BOX JB160

X431 = +RB3 CONNECTION WITH JB310

X432 = +RB3 CONNECTION WITH JBX290

X433 = +RB3 DIRECT CONNECTION

X434 = +RB3 ENCODER CONNECTION

XRIO3 = +RB3 SPARE FILED CONNECTIONS

X441 = +RB4 CONNECTION WITH JB320

X442 = +RB4 CONNECTION WITH JBX330

X443 = +RB4 DIRECT CONNECTION

XRIO4 = +RB4 SPARE FILED CONNECTIONS

XJB310 = +JB JUNCTION BOX JB310

XJBX290 = +JB JUNCTION BOX JBX290

XJB290.1 = +JB JUNCTION BOX JB290.1

XJB320 = +JB JUNCTION BOX JB320

XJBX330 = +JB JUNCTION BOX JBX330

XJB330.1 = +JB JUNCTION BOX JB330.1

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION DEFINING TERMINAL STRIPS	POSIZ./LOCATION + RB	GRUPPO/SECTION = H06	PAGINE/PAGE 4004
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9

X451 = +RB5 CONNECTION WITH JB450.1

X452 = +RB5 CONNECTION WITH JB450.2

X453 = +RB5 CONNECTION WITH JB460

X454 = +RB5 CONNECTION WITH JB460.10

X455 = +RB5 CONNECTION WITH JB465

X456 = +RB5 CONNECTION WITH JB470

X457 = +RB5 CONNECTION WITH JB475

X458 = +RB5 CONNECTION WITH JB490

X459 = +RB5 CONNECTION WITH JB495

X460 = +RB5 CONNECTION WITH JB460.1

X461 = +RB5 CONNECTION WITH

X462 = +RB5 CONNECTION WITH

X463 = +RB5 CONNECTION WITH

X464 = +RB5 CONNECTION WITH

X465 = +RB5 CONNECTION WITH

X466 = +RB5 CONNECTION WITH

XJB450.1 = +JB JUNCTION BOX JB450.1

XJB450.2 = +JB JUNCTION BOX JB450.2

XJB460 = +JB JUNCTION BOX JB460

XJB460.10 = +JB JUNCTION BOX JB460.10

XJB465 = +JB JUNCTION BOX JB465

XJB470 = +JB JUNCTION BOX JB470

XJB475 = +JB JUNCTION BOX JB475

XJB490 = +JB JUNCTION BOX JB490

XJB495 = +JB JUNCTION BOX JB495

XJB460.1 = +JB JUNCTION BOX JB460.1

XRIO5 = +RB5 SPARE FILED CONNECTIONS

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION DEFINING TERMINAL STRIPS	POSIZ./LOCATION + RB	GRUPPO/SECTION = H06	PAGINE/PAGE 4005
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

0	1	2	3	4	5	6	7	8	9

XP00.1 = +P00 P00 DESK CONNECTION

XP01.1 = +P01 P01 DESK CONNECTION

XP03.1 = +P03 P03 DESK CONNECTION

XP04.1 = +P04 P04 DESK CONNECTION

XTL1 = +P04 EXTERNAL MACHINE SUPPLY

XCD00 = +P00 SPARE CONNECTIONS

XP5.1 = +P00 CONNECTION WITH P5.1

XP5.1.1 = +P00 CONNECTION BETWEEN P5.1

XG5.1 = +P00 CONNECTION WITH G5.1

XFTC4.1 = +P00 CONNECTION WITH FTC4.1

XP15 = +P00 CONNECTION WITH P15

XP15.1 = +P00 CONNECTION BETWEEN P15

XP16 = +P00 CONNECTION WITH P16

XP16.1 = +P00 CONNECTION BETWEEN P16

XCD01 = +P01 SPARE CONNECTIONS

XP1.1 = +P01 CONNECTION WITH P1.1

XP1.1.1 = +P01 CONNECTION BETWEEN P1.1

XG1.1 = +P01 CONNECTION WITH XG1.1

XFTC1.1 = +P01 CONNECTION WITH FTC1.1

XFTC2.1 = +P01 CONNECTION WITH FTC2.1

XBA2.1 = +P01 CONNECTION WITH BA2.1

XP10 = +P01 CONNECTION WITH P10

XP10.1 = +P01 CONNECTION BETWEEN P10.1

XCD03 = +P03 SPARE CONNECTIONS

XP7.1 = +P03 CONNECTION WITH P7.1

XP7.1.1 = +P03 CONNECTION BETWEEN P7.1

XG7.1 = +P03 CONNECTION WITH G7.1

XFTC6.1 = +P03 CONNECTION WITH FTC6.1

XCD04 = +P04 SPARE CONNECTIONS

XP8.1 = +P04 CONNECTION WITH P8.1

XP8.1.1 = +P04 CONNECTION BETWEEN P8.1

XP8.2 = +P04 CONNECTION WITH P8.2

XP8.2.1 = +P04 CONNECTION BETWEEN P8.2

XP17 = +P04 CONNECTION WITH P17

XG8.1 = +P04 CONNECTION WITH G8.1

XG8.2 = +P04 CONNECTION WITH G8.2

XFTC8.1 = +P04 CONNECTION WITH FTC8.1

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION DEFINING TERMINAL STRIPS	POSIZ./LOCATION + P
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			GRUPPO/SECTION = H06
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					PAGINE/PAGE 4006
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO					SEL CTL4 LINE	RIF./REFERNCE

SCH_MORS_RBF-R1

TERMINAL BOARD
+E15
X15

MOTORS CONNECTION

	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	1		=H02/11.3	=H02-M113	40.13.01
	2		=H02/11.3	=H02-M113	40.13.01
	3		=H02/11.3	=H02-M113	40.13.01
	4		=H02/11.5	XJB380.3	
	5		=H02/11.5	XJB380.3	
	6		=H02/11.5	XJB380.3	
	7		=H02/11.7	XJB380.3	
	8		=H02/11.7	XJB380.3	
	9		=H02/11.7	XJB380.3	
	10		=H02/12.1	XJB380.3	
	11		=H02/12.1	XJB380.3	
	12		=H02/12.1	XJB380.3	
	13		=H02/12.3	=H02-M123	81.01.01
	14		=H02/12.3	=H02-M123	81.01.01
	15		=H02/12.3	=H02-M123	81.01.01
	16		=H02/12.5	=H02-M125	81.02.01
	17		=H02/12.5	=H02-M125	81.02.01
	18		=H02/12.5	=H02-M125	81.02.01
	19		=H02/12.7	=H02-M127	81.03.01
	20		=H02/12.7	=H02-M127	81.03.01
	21		=H02/12.7	=H02-M127	81.03.01
	22		=H02/13.1		
	23		=H02/13.1		
	24		=H02/13.1		
	25		=H02/13.3	=H02-M133	14.01.08
	26		=H02/13.3	=H02-M133	14.01.08
	27		=H02/13.3	=H02-M133	14.01.08
	28		=H02/13.5		
	29		=H02/13.5		
	30		=H02/13.5		
	31		=H02/13.7	=H02-M137	34.11.01
	32		=H02/13.7	=H02-M137	34.11.01
	33		=H02/13.7	=H02-M137	34.11.01
	34		=H02/14.1	=H02-M141	16.02.01
	35		=H02/14.1	=H02-M141	16.02.01
	36		=H02/14.1	=H02-M141	16.02.01
	37		=H02/14.4	XJB150	
	38		=H02/14.4	XJB150	
	39		=H02/14.4	XJB150	
	40		=H02/16.7	=H02-M167	34.04.01
	41		=H02/16.7	=H02-M167	34.04.01
	42		=H02/16.7	=H02-M167	34.04.01

	WIRE																																				
		241109	241111	241113	241116	241118	241120	241123	241125	241127	241202	241204	241206	241209	241211	241213	241216	241218	241220	241223	241225	241227	241302	241305	241308	241303	241306	241300	241326	241330	241334	241309	241311	241313	241402	241404	241406	241409	241411	241413	241616	241618	241620
DB01-W3013	4G1,5 mm²	1	2	3																																							
DB01-W3014	4G1,5 mm²				1	2	3																																				
DB01-W3015	4G1,5 mm²							1	2	3																																	
DB01-W3016	4G1,5 mm²										1	2	3																														
DB01-W3017	4G35 mm²													1	2	3																											
DB01-W3018	4G35 mm²																1	2	3																								
DB01-W3019	4G2,5 mm²																			1	2	3																					
DB01-W3021	4G1,5 mm²																									1	2	3															
DB01-W3053	4G1,5 mm²																															1	2	3								
DB01-W3022	4G1,5 mm²																																		1	2	3					
JB150-W3001	4G1,5 mm²																																					1	2	3		
DB01-W3025	4G1,5 mm²																																								1	2	3

4006 4011

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: MOTORS CONNECTION X15 +E15	POSIZ./LOCATION: + / GRUPPO/SECTION: = H06 / PAGINE/PAGE: 4010
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E15
X15

MOTORS CONNECTION

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		-		=H02/17.1	=H02-M171	34.05.01
		-		=H02/17.1	=H02-M171	34.05.01
		-		=H02/17.1	=H02-M171	34.05.01
		-		=H02/17.4	=H02-M174	34.06.01
		-		=H02/17.4	=H02-M174	34.06.01
		-		=H02/17.4	=H02-M174	34.06.01
		-		=H02/17.7	=H02-M177	34.07.01
		-		=H02/17.7	=H02-M177	34.07.01
		-		=H02/17.7	=H02-M177	34.07.01
		-		=H02/18.1	=H02-M181	34.08.01
		-		=H02/18.1	=H02-M181	34.08.01
		-		=H02/18.1	=H02-M181	34.08.01
		-		=H02/18.4		
		-		=H02/18.4		
		-		=H02/18.4		
		-		=H02/20.1	XJB380.3	
		-		=H02/20.1	XJB380.3	
		-		=H02/20.1	XJB380.3	
		-		=H02/20.7	XJB380.1	
		-		=H02/20.7	XJB380.1	
		-		=H02/20.7	XJB380.1	
		-		=H02/21.1	XJB440	
		-		=H02/21.1	XJB440	
		-		=H02/21.1	XJB440	
		-		=H02/21.4	=H02-M214	56.01.01
		-		=H02/21.4	=H02-M214	56.01.01
		-		=H02/21.4	=H02-M214	56.01.01
		-		=H02/21.7	=H02-M217	56.01.05
		-		=H02/21.7	=H02-M217	56.01.05
		-		=H02/21.7	=H02-M217	56.01.05
		-		=H02/22.1	=H02-M221	56.01.09
		-		=H02/22.1	=H02-M221	56.01.09
		-		=H02/22.1	=H02-M221	56.01.09
		-		=H02/22.4	=H02-M224	56.01.13
		-		=H02/22.4	=H02-M224	56.01.13
		-		=H02/22.4	=H02-M224	56.01.13
		-		=H02/23.1	=H02-M231	56.02.01
		-		=H02/23.1	=H02-M231	56.02.01
		-		=H02/23.1	=H02-M231	56.02.01
		-		=H02/23.4	=H02-M234	56.02.05
		-		=H02/23.4	=H02-M234	56.02.05
		-		=H02/23.4	=H02-M234	56.02.05

		WIRE
		241702
		241704
		241706
		241709
		241711
		241713
		241716
		241718
		241720
		241802
		241804
		241806
		241809
		241811
		241813
		242002
		242004
		242006
		242008
		242010
		242012
		242102
		242104
		242106
		242109
		242111
		242113
		242116
		242118
		242120
		242202
		242204
		242206
		242209
		242211
		242213
		242302
		242304
		242306
		242309
		242311
		242313
DB01-W3026	4G1,5 mm²	1
DB01-W3027	4G1,5 mm²	
DB01-W3028	4G1,5 mm²	
DB01-W3029	4G1,5 mm²	
JB380.3-W3001	4G2,5 mm²	
DB01-W3001	4G1,5 mm²	
JB440-W3002	4G1,5 mm²	
DB01-W3030	4G1,5 mm²	
DB01-W3031	4G1,5 mm²	
DB01-W3032	4G1,5 mm²	
DB01-W3033	4G1,5 mm²	
DB01-W3034	4G1,5 mm²	
DB01-W3035	4G1,5 mm²	

INDICE REVIS. N° / REVIS. INDEX N°				
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO	

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: MOTORS CONNECTION X15 +E15	POSIZ./LOCATION: +
CLIENTE/CUSTOMER			GRUPPO/SECTION: = H06
			PAGINE/PAGE: 4011
		SEL CTL4 LINE	RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, ne utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E15
X15

MOTORS CONNECTION

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		85		=H02/23.7	=H02-M237	56.03.01
		86		=H02/23.7	=H02-M237	56.03.01
		87		=H02/23.7	=H02-M237	56.03.01
		88		=H02/24.1	=H02-M241	56.03.05
		89		=H02/24.1	=H02-M241	56.03.05
		90		=H02/24.1	=H02-M241	56.03.05
		91		=H02/27.1		
		92		=H02/27.1		
		93		=H02/27.3		
		94		=H02/27.3		
		95		=H02/33.4	=H02-M334	40.04.01
		96		=H02/33.4	=H02-M334	40.04.01
		97		=H02/33.4	=H02-M334	40.04.01
		98		=H02/33.7	=H02-M337	40.05.01
		99		=H02/33.7	=H02-M337	40.05.01
		100		=H02/33.7	=H02-M337	40.05.01
		101		=H02/35.1	=H02-M351	40.06.01
		102		=H02/35.1	=H02-M351	40.06.01
		103		=H02/35.1	=H02-M351	40.06.01
		104		=H02/35.4	=H02-M354	40.07.01
		105		=H02/35.4	=H02-M354	40.07.01
		106		=H02/35.4	=H02-M354	40.07.01
		107		=H02/35.7	=H02-M357	40.08.01
		108		=H02/35.7	=H02-M357	40.08.01
		109		=H02/35.7	=H02-M357	40.08.01
		110		=H02/36.1	=H02-M361	40.09.01
		111		=H02/36.1	=H02-M361	40.09.01
		112		=H02/36.1	=H02-M361	40.09.01
		113		=H02/36.4	=H02-M364	40.10.01
		114		=H02/36.4	=H02-M364	40.10.01
		115		=H02/36.4	=H02-M364	40.10.01
		116		=H02/37.1	=H02-M371	66.03.05
		117		=H02/37.1	=H02-M371	66.03.05
		118		=H02/37.1	=H02-M371	66.03.05
		119		=H02/37.4	=H02-M374	68.03.05
		120		=H02/37.4	=H02-M374	68.03.05
		121		=H02/37.4	=H02-M374	68.03.05
		122		=H02/38.1	=H02-M381	76.01.04
		123		=H02/38.1	=H02-M381	76.01.04
		124		=H02/38.1	=H02-M381	76.01.04
		125		=H02/38.4	=H02-M384	77.03.04
		126		=H02/38.4	=H02-M384	77.03.04

| | | WIRE | | |

TERMINAL BOARD
+E15
X15

MOTORS CONNECTION

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		77.03.04	=H02-M384	=H02/38.4		-	243813
			XJB380.1	=H02/39.1		-	243902
			XJB380.1	=H02/39.1		-	243904
			XJB380.1	=H02/39.1		-	243906
				=H02/39.4		-	243909
				=H02/39.4		-	243911
				=H02/39.4		-	243913
				=H02/39.7		-	243916
				=H02/39.7		-	243918
				=H02/39.7		-	243920
				=H02/40.1		-	244002
				=H02/40.1		-	244004
				=H02/40.1		-	244006
				=H02/40.4		-	244009
				=H02/40.4		-	244011
				=H02/40.4		-	244013
DB01-W3054	4G1,5 mm²	3					
JB380.1-W3047	4G1,5 mm²		1	2	3		

4012 4014

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	MOTORS CONNECTION X15 +E15	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	PAGINE/PAGE 4013
				RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E14
X16

DC MOTORS CONNECTION

| DB01-W2006 4G1,5 mm² | | |

TERMINAL BOARD
+E12
X22
230V EXTERNAL SUPPLY

TERMINAL	WIRE	TYPE	POSITION	ACRONYM	MOTOR LIST
1	8801		=H00/38.1		
2	8802		=H00/38.1		
3			=H00/38.2		
4			=H00/38.2		
5	8801		=H00/38.3		
6	8802		=H00/38.3		
7					
8					

4014

4016

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: 230V EXTERNAL SUPPLY X22 +E12	POSIZ./LOCATION: + / GRUPPO/SECTION: = H06 / PAGINE/PAGE: 4015
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E12
X23
EMG CABINET

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		=H00-EMG	=H00/38.5		1	8803
		=H00-EMG	=H00/38.5		2	8804
		=H00-EMG	=H00/38.5		PE	8805
					-	
					-	
					-	
EMG-W3001 3G1.5 mm					1	2 GNYE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4015 4017

INDICE REVIS. N° / REVIS. INDEX N°				
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO	

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	EMG CABINET X23 +E12	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4016
RIF./REFERNCE

TERMINAL BOARD
+E13
X25

STRAPPING MACHINE SIGNODE CABINET

	TERMINAL		TYPE	POSITION	ACRONYM	MOTOR LIST
	-	1		=H00/39.1	=H00-SIGNODE	
	-	2		=H00/39.1	=H00-SIGNODE	
	-	3		=H00/39.2	=H00-SIGNODE	
	-	4		=H00/39.3		
	-	5		=H00/39.3		
	-	6		=H00/39.4		
	-	7		=H00/39.4		
	-	PE		=H00/39.2	=H00-SIGNODE	
WIRE	8901	8902	8903	8906	8905	8908	8907	8904
STR-W3001 4G4 mm²	1	2	3				GNYE	

4016

4018

INDICE REVIS. N° REVIS. INDEX N°							
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE			
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01			
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO				

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	STRAPPING MACHINE SIGNODE CABINET X25 +E13	+	= H06	4017
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E15
X30

HEATERS CONNECTION

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			XJB380.3	=H02/10.1		1	241002
			XJB380.3	=H02/10.1		2	241004
			XJB380.3	=H02/10.1		3	241006
		81.04.01	=H02-E103	=H02/10.3		4	241009
			=H02-E103	=H02/10.3		5	241011
			=H02-E103	=H02/10.3		6	241013
			XJB380.3	=H02/10.1		PE	
			=H02-E103	=H02/10.3		PE	
						-	
DB01-W3010	4G1,5 mm²					1	2
DB01-W3011	4G1,5 mm²					2	3

4017

4019

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: HEATERS CONNECTION X30 +E15	POSIZ./LOCATION: + / GRUPPO/SECTION: = H06 / PAGINE/PAGE: 4018
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E13
X90

DIRECT INPUT FROM FILED

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		1		=H01/1121.1	=H01-S11211	83.01.01
		2		=H01/1121.1		
		3		=H01/1121.1	=H01-S11211	83.01.01
		4		=H01/1121.2	=H01-S11212	14.01.06
		5		=H01/1121.2		
		6		=H01/1121.2	=H01-S11212	14.01.06
		7		=H01/1121.3	=H01-S11213	14.01.07
		8		=H01/1121.3		
		9		=H01/1121.3	=H01-S11213	14.01.07
		10		=H01/1121.4		
		11		=H01/1121.4		
		12		=H01/1121.4		
		13		=H01/1121.5		
		14		=H01/1121.5		
		15		=H01/1121.5		
		16		=H01/1121.6		
		17		=H01/1121.6		
		18		=H01/1121.6		
		19		=H01/1121.7		
		20		=H01/1121.7		
		21		=H01/1121.7		
		22		=H01/1121.8		
		23		=H01/1121.8		
		24		=H01/1121.8		
	WIRE					
		LP2				
		0V5				
		112101				
		LP2				
		112102				
		LP2				
		112103				
		112104				
		112105				
		112106				
		112107				
		LP2				
		0V5				
		112108				
DB01-W2010	3G1 mm	1		2		
DB01-W2011	3G1 mm				1	
DB01-W2012	3G1 mm					1

4018

4020

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	DIRECT INPUT FROM FILED X90 +E13	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4019
RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, ne utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E13
X140

CONNECTION WITH JB360

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		5		=H01/1111.1	XJB360	
		14		=H01/1111.1	XJB360	
		23		=H01/1111.1	XJB360	
		24		=H01/1111.2	XJB360	
		25		=H01/1111.3	XJB360	
		26		=H01/1111.4	XJB360	
		27		=H01/1111.5	XJB360	
		28		=H01/1111.6	XJB360	
		29		=H01/1111.7	XJB360	
		30		=H01/1111.8	XJB360	
		32		=H01/1131.8	XJB360	
		34		=H01/1131.1	XJB360	
		35		=H01/1131.3	XJB360	
		36		=H01/1131.5	XJB360	
		37		=H01/1131.7	XJB360	
		38		=H01/1132.1	XJB360	
		39		=H01/1132.3	XJB360	
		-	-	-	-	-
		-	-	-	-	-
		-	-	-	-	-

SCH_MORS_RBF-R1

TERMINAL BOARD
+E05
X150

CONNECTION WITH JB380

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		1		=G32/18.1	XJB380	
		9		=G32/18.1	XJB380	
		17		=G32/18.1	=G32-K131	
		18		=G32/18.2	=G32-K131	
		19		=G32/18.3	=G32-K131	
		20		=G32/18.4	=G32-K131	
		21		=G32/18.5	=G32-K131	
		22	-	=H01/1325.1	XJB380	
		23	-	=H01/1325.2	XJB380	
		24	-	=H01/1325.3	XJB380	
		25		=H01/1343.1	XJB380	
		26		=H01/1343.2	XJB380	
		27		=H01/1343.3	XJB380	
		28		=H01/1343.4	XJB380	
		29		=H01/1343.5	XJB380	
		30		=H01/1343.6	XJB380	
		31		=H01/1343.7	XJB380	
		32		=H01/1343.8	XJB380	
		33	-	=H01/1343.1	XJB380	
	WIRE					
JB380-W2001	16G1,5 mm²	1	2	3	4	5	6	7	8	9	10										
JB380-W3001	14G1.5 mm											1	2	3	4	5	6	7	8	9	

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	
21041I CTL04	CTL4 LINE	CONNECTION WITH JB380 X150 +E05	
CLIENTE/CUSTOMER			

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4021
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E05
X152

CONNECTION WITH JB380.2

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			X|JB380.2	=H01/1325.4		1	LP3
			X|JB380.2	=H01/1325.4		9	0V9
			X|JB380.2	=H01/1325.4	-	17	132504
			X|JB380.2	=H01/1325.5	-	18	132505
			X|JB380.2	=H01/1325.6	-	19	132506
			X|JB380.2	=H01/1325.7	-	20	132507
			X|JB380.2	=H01/1325.8	-	21	132508
			X|JB380.2	=H01/1328.1	-	22	132801
			X|JB380.2	=H01/1328.7	-	23	132807
			X|JB380.2	=H01/1328.8	-	24	132808
			X|JB380.2	=G32/20.1	-	28	9701
			X|JB380.2	=G32/20.1		32	42501
			X|JB380.2	=G32/20.2		33	42502
			X|JB380.2	=G32/20.3		34	42503
			X|JB380.2	=G32/20.4		35	42504
JB380.2-W2003	16G1,5 mm²						1	2	3	4	5	6	7	8	9	10					
JB380.2-W3001	10G1.5 mm																1	2	3	4	5

4021 4023

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	CONNECTION WITH JB380.2 X152 +E05
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER		
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO				

RBF DMAT
AUTOMATION TECHNOLOGY

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4022
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E05
X153
CONNECTION WITH JB380.2

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			X|B380.3	=H01/1326.1		16	LP3
			X|B380.3	=H01/1326.1		24	0V9
			X|B380.3	=H01/1326.1	-	32	132601
			X|B380.3	=H01/1326.2	-	33	132602
			X|B380.3	=H01/1326.3	-	34	132603
			X|B380.3	=H01/1326.4	-	35	132604
			X|B380.3	=H01/1326.5	-	36	132605
			X|B380.3	=H01/1326.6	-	37	132606
			X|B380.3	=H01/1326.7	-	38	132607
			X|B380.3	=H01/1326.8	-	39	132608
			X|B380.3	=H01/1344.1	-	40	9701
			X|B380.3	=H01/1344.1		46	134402
			X|B380.3	=H01/1344.2		47	134404
			X|B380.3	=H01/1344.3		48	134406
			X|B380.3	=H01/1344.4		49	134408
			X|B380.3	=H01/1344.5		50	134410
			X|B380.3	=H01/1344.6		51	134412
			X|B380.3	=H01/1355.2		52	LP7
			X|B380.3	=H01/1355.2		53	0V10
			X|B380.3	=H01/1355.1		54	135502
			X|B380.3	=H01/1355.2		55	135504
			X|B380.3	=H01/1355.6		56	LP7
			X|B380.3	=H01/1355.7		57	0V10
			X|B380.3	=H01/1355.6		58	135503
			X|B380.3	=H01/1355.6		59	135504
			X|B380.3	=H01/1355.3		SH	
			X|B380.3	=H01/1355.7		SH	

JB380.3-W2001	12G1.5 mm	1	2	3	4	5	6	7	8	9	10																										
JB380.3-W3003	10G1.5 mm											1	2	3	4	5	6	7																			
JB380.3-W1001	4x1 mm²																		WH	YE	BN	GN					SH										

4022 4024

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNECTION WITH JB380.2 X153 +E05	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4023
RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E06
X154

CONNECTION WITH JB380.3

	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	1		=G32/19.1	XJB380.4	
	20		=G32/19.1	XJB380.4	
	39		=G32/19.1	=G32-K131	
	40		=G32/19.2	=G32-K131	
	41		=G32/19.3	=G32-K131	
	42		=G32/19.4	=G32-K131	
	43		=G32/19.5	=G32-K131	
	44		=G32/19.6	=G32-K131	
	45		=H01/1327.1	XJB380.4	
	46		=H01/1327.2	XJB380.4	
	47		=H01/1327.3	XJB380.4	
	48		=H01/1327.4	XJB380.4	
	49		=H01/1327.5	XJB380.4	
	50		=H01/1327.6	XJB380.4	
	51		=H01/1327.7	XJB380.4	
	52		=H01/1327.8	XJB380.4	
	53		=H01/1328.2	XJB380.4	
	54		=H01/1328.3	XJB380.4	
	55		=H01/1328.4	XJB380.4	
	56		=H01/1328.5	XJB380.4	
	57		=H01/1328.6	XJB380.4	
	58		=H01/1344.7	XJB380.4	
	59		=H01/1344.8	XJB380.4	
	67		=H01/1344.7	XJB380.4	
	68		=H01/1344.8	XJB380.4	
	69		=H01/1345.1	XJB380.4	
	70		=H01/1345.2	XJB380.4	
	71		=H01/1345.3	XJB380.4	
	72		=H01/1345.4	XJB380.4	
	73		=H01/1345.5	XJB380.4	
	74		=H01/1345.6	XJB380.4	
	75		=H01/1345.7	XJB380.4	

	WIRE	TERMINAL
	LP3	-
	0V9	-
	42406	-
	42401	-
	42402	-
	42403	-
	42404	-
	42405	-
	132701	-
	132702	-
	132703	-
	132704	-
	132705	-
	132706	-
	132707	-
	132708	-
	132802	-
	132803	-
	132804	-
	132805	-
	132806	-
	9701	
	9701	
	134414	
	134416	
	134502	
	134504	
	134506	
	134508	
	134510	
	134512	
	134514	

JB380.4-W2002	25G1,5 mm²	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21														
JB380.4-W3002	14G1.5 mm																						1	2	3	4	5	6	7	8	9	10	11			

4023 4025

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: CONNECTION WITH JB380.3 X154 +E06	POSIZ./LOCATION: + / GRUPPO/SECTION: = H06 / PAGINE/PAGE: 4024
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E13
X160

CONNNECTION WITH JB410

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			XJB410	=H01/1112.1		1	LP2
			XJB410	=H01/1112.1		4	0V5
			XJB410	=H01/1112.1		7	111201
			XJB410	=H01/1112.2		8	111202
			XJB410	=H01/1112.3		9	111203
			XJB410	=H01/1133.4		10	9703
			XJB410	=H01/1133.1		11	113301
			XJB410	=H01/1133.3		12	113302
JB410-W2001	7G1,5 mm²						
JB410-W3001	7G1,5 mm²						

4024

4026

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNNECTION WITH JB410 X160 +E13	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	PAGINE/PAGE 4025
				RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E13
X170
CONNNECTION WITH JB420

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			XJB420	=H01/1112.4		1	LP2
			XJB420	=H01/1112.4		5	0V5
			XJB420	=H01/1112.4		9	111204
			XJB420	=H01/1112.5		10	111205
			XJB420	=H01/1112.6		11	111206
			XJB420	=H01/1112.7		12	111207
			XJB420	=H01/1134.4		13	9703
			XJB420	=H01/1134.1		14	113401
			XJB420	=H01/1134.3		15	113402
JB420-W2001	7G1,5 mm²						1 2 3 4 5 6
JB420-W3001	7G1,5 mm²						1 2 3

4025

4027

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	CONNNECTION WITH JB420 X170 +E13
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER		
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO				

RBF DMAT
AUTOMATION TECHNOLOGY

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4026
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E13
X180

CONNNECTION WITH JB440

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
						5	LP2
			XJB440	=H01/1112.8		8	0V5
			XJB440	=H01/1112.8		-	111208
			XJB440	=H01/1112.8		-	111601
			XJB440	=H01/1116.1		-	111602
			XJB440	=H01/1116.2		12	9703
				=H01/1140.8		13	114003
				=H01/1140.5		14	114004
				=H01/1140.7		15	
						16	
JB440-W2001	7G1,5 mm²						
		1	2	3	4	5	

4026

4028

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNNECTION WITH JB440 X180 +E13	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4027

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E13
X190

CONNNECTION WITH JB500

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			XJB500	=H01/1116.3		1	LP2
			XJB500	=H01/1116.3		6	0V5
			XJB500	=H01/1116.3		11	111603
			XJB500	=H01/1116.4		12	111604
			XJB500	=H01/1116.5		13	111605
			XJB500	=H01/1124.1		14	112401
			XJB500	=H01/1124.2		15	112402
JB500-W2001	12G1.5 mm					1	1
							2
							3
							4
							5
							6
							7

4027 4029

INDICE REVIS. N° / REVIS. INDEX N°							
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE			
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01			
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO				

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	CONNNECTION WITH JB500 X190 +E13	+	= H06	4028
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E13
X191

CONNECTION WITH JB500.10

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL
		XJB500.10	=H01/1136.4		1
			=H01/1136.8		2
		XJB500.10	=H01/1140.4		3
			=H01/1141.2		4
			=H01/1141.4		5
			=H01/1141.6		6
			=H01/1141.8		7
		XJB500.10	=H01/1136.1		8
		XJB500.10	=H01/1136.3		9
		XJB500.10	=H01/1136.5		10
		XJB500.10	=H01/1136.7		11
		XJB500.10	=H01/1140.1		12
		XJB500.10	=H01/1140.3		13
			=H01/1141.1		14
			=H01/1141.3		15
			=H01/1141.5		16
			=H01/1141.7		17

	WIRE																				
JB500.10-W3001 16G1,5 mm²	9703	9703	9703	9703			9703	113601	113602	113603	113604	114001	114002	114101	114102	114103	114104				
	1		2					3	4	5	6	7	8								

4028 4030

INDICE REVIS. N° / REVIS. INDEX N°							
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO				

DENOMINAZIONE/DESCRIPTION: CONNNECTION WITH JB500.10 X191 +E13

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4029
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, ne utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E13
X200

CONNNECTION WITH JB520

| | | |

SCH_MORS_RBF-R1

TERMINAL BOARD
+E13
X210

CONNNECTION WITH JB530

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			X|B530	=H01/1117.3		1	LP2
			X|B530	=H01/1117.3		11	0V5
			X|B530	=H01/1117.3	-	21	111702
			X|B530	=H01/1117.4	-	22	111703
			X|B530	=H01/1117.5	-	23	111704
			X|B530	=H01/1117.6	-	24	111705
			X|B530	=H01/1117.7	-	25	111706
			X|B530	=H01/1117.8	-	26	111707
			X|B530	=H01/1124.7	-	27	112407
			X|B530	=H01/1124.8	-	28	112408
			X|B530	=H01/1125.1	-	29	112501
			X|B530	=H01/1125.2	-	30	112502
JB530-W2001	16G1,5 mm²						1 2 3 4 6 7 8 9 5 10 11 12

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4030 4032

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNNECTION WITH JB530 X210 +E13	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4031
RIF./REFERNCE

SCH_MORS_RBF-R1

TERMINAL BOARD
+E13
X220

CONNNECTION WITH JB535

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			X|B535	=H01/1118.1		1	LP2
			X|B535	=H01/1118.1		11	0V5
			X|B535	=H01/1118.1		21	111801
			X|B535	=H01/1118.2		22	111802
			X|B535	=H01/1118.3		23	111803
			X|B535	=H01/1118.4		24	111804
			X|B535	=H01/1118.5		25	111805
			X|B535	=H01/1118.6		26	111806
			X|B535	=H01/1125.3		27	112503
			X|B535	=H01/1125.4		28	112504
			X|B535	=H01/1125.5		29	112505
			X|B535	=H01/1125.6		30	112506
JB535-W2001	16G1,5 mm²					1	2	3	4	5	6	7	8	9	10	11	12

4031

4033

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNNECTION WITH JB535 X220 +E13	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4032

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E13
X230

CONNNECTION WITH JB800

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			XJB800	=H01/1119.1		1	LP2
			XJB800	=H01/1119.1		9	0V5
			XJB800	=H01/1119.1		17 -	111901
			XJB800	=H01/1119.2		18 -	111902
			XJB800	=H01/1119.3		19 -	111903
			XJB800	=H01/1119.4		20 -	111904
			XJB800	=H01/1119.5		21 -	111905
			XJB800	=H01/1119.6		22 -	111906
			XJB800	=H01/1119.7		23 -	111907
			XJB800	=H01/1119.8		24 -	111908
			XJB800	=H01/1137.2		25 -	9703
			XJB800	=H01/1137.1		27	113701
			XJB800	=H01/1137.3		28	113702
JB800-W2001	14G1.5 mm					1	2 3 4 5 6 7 8 9 10
JB800-W3001	7G1,5 mm²						1 2 3

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	CONNNECTION WITH JB800 X230 +E13
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER		
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO				

RBF DMAT
AUTOMATION TECHNOLOGY

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4033
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E13
X250
ENCODER SUPPLY SECT.4

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		=H01-BG11442	=H01/1144.2		1	11802
		=H01-BG11442	=H01/1144.2		2	0V7
		=H01-BG11442	=H01/1144.2		PE	
			=H01/1144.6		3	11802
			=H01/1144.6		4	0V7
			=H01/1144.6		PE	

EMG-W2001 3G1.5 mm — 1 2 GNYE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4033 4035

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	ENCODER SUPPLY SECT.4 X250 +E13	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4034

TERMINAL BOARD
+E13
X251

ENCODER SUPPLY SECT.1-2

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
						1	11802
						2	0V7
						PE	PE
						3	11802
						4	0V7
						PE	PE
						-	-
						-	-
						-	-
DB01-W2002	3G1 mm		XJB380.4	=H01/1350.2		1	11802
DB01-W2003	3G1 mm		XJB380.4	=H01/1350.2		2	0V7
			XJB380.4	=H01/1350.2		PE	PE
			XJB380.4	=H01/1350.6		1	11802
			XJB380.4	=H01/1350.6		2	0V7
			XJB380.4	=H01/1350.6		PE	PE

4034

4036

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	ENCODER SUPPLY SECT.1-2 X251 +E13	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE: 4035

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E10
X301
G01 DRIVE

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	WIRE	1		=G01/11.6	=G01-Y116	01.01.02
		2		=G01/11.6	=G01-Y116	01.01.02
		3		=G01/11.8		
		4		=G01/11.8		
		5		=G01/11.8		
		6		=G01A/11.6	=G01A-Y116	01.01.04
		7		=G01A/11.6	=G01A-Y116	01.01.04
		-				
		-				
		-				
		-				
		-				
		-				
		-				
	24106					
	24107					
	24112					
	24114					
	24116					
	24604					
	24605					
G01-W3001 3G1.5 mm		1				
		2				
G01A-W3001 3G1.5 mm						
		1				
		2				

4035

4037

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
21041I CTL04	CTL4 LINE	G01 DRIVE X301 +E10	+ / = H06 / 4036
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E06
X302
G02 DRIVE

		TERMINAL		TYPE	POSITION	ACRONYM	MOTOR LIST
WIRE		-	1		=G02/11.6	=G02-Y116	06.01.05
WIRE		-	2		=G02/11.6	=G02-Y116	06.01.05
WIRE		-	3		=G02/11.8	=G02-M118	06.01.02
WIRE		-	4		=G02/11.8	=G02-M118	06.01.02
25106							
25107							
25112							
25115							
G02-W3001	3G1.5 mm	1	2				
G02-W3002	3G1.5 mm			1	2		

4036

4038

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	G02 DRIVE X302 +E06
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4037
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E06
X302A
G02 DRIVE

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		=G02-S127	=G02/12.7		1	25209
		=G02-S127	=G02/12.8		2	25210
		G02-W2002	=G02/12.8		SH	
					-	
					-	
					-	

G02-W2002	2x0,75 mm²	WH	BN	SH

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4037

4039

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION G02 DRIVE X302A +E06	POSIZ./LOCATION +	GRUPPO/SECTION = H06	PAGINE/PAGE 4038
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

SCH_MORS_RBF-R1

TERMINAL BOARD
+E06
X303
G03 DRIVE

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		12.01.02	=G03-Y116	=G03/11.6		1	25606
		12.01.02	=G03-Y116	=G03/11.6		2	25607
		12.01.03	=G03-M118	=G03/11.8		3	25612
		12.01.03	=G03-M118	=G03/11.8		4	25616
		12.01.03	=G03-M118	=G03/11.8		5	25617
G03-W3001	3G1.5 mm					-	
G03-W4002	4G1,5 mm²					-	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4038 4040

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	G03 DRIVE X303 +E06	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4039
RIF./REFERNCE

TERMINAL BOARD
+E14
X304
G04 DRIVE

		TERMINAL		TYPE	POSITION	ACRONYM	MOTOR LIST
	WIRE	-	1		=G04/11.6	XJB120	
		-	2		=G04/11.6	XJB120	
		-	3		=G04/11.8	=G04-M118	14.01.02
		-	4		=G04/11.8	=G04-M118	14.01.02
		-	5		=G04/11.8	=G04-M118	14.01.02
	26106		1				
	26107		2				
	26112		3				
	26114		4				
	26116		5				
X304-W3001	3G1.5 mm		1				
	26106		2				
G04-W3002	4G1,5 mm²		1				
	26112		2				
	26114		3				
	26116						

4039

4041

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION G04 DRIVE X304 +E14	POSIZ./LOCATION +	GRUPPO/SECTION = H06	PAGINE/PAGE 4040
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E05
X304A
G04 DRIVE

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		=G04-S127	=G04/12.7		1	26204
		=G04-S127	=G04/12.8		2	26205
			=G04/12.8		SH	
					-	
					-	
					-	
G04-W2001 2x0,75 mm²				WH	BN	SH

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION G04 DRIVE X304A +E05	POSIZ./LOCATION +	GRUPPO/SECTION = H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4041

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E10
X304B
G05 DRIVE

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	1	-		=G05/11.6	=G05-Y116	14.02.04
	2	-		=G05/11.6	=G05-Y116	
	3	-		=G05/11.6	=G05-Y116	14.02.04
	4	-		=G17/11.6	XJB290.1	
	5	-		=G17/11.6	XJB290.1	
	6	-		=G17/11.6	XJB290.1	

WIRE						
26604						
26606						
26608						
32604						
32606						
32608						
G05-W3002 4G1,5 mm²	1	2	3			
JB290.1-W3001 4G1,5 mm²				1	2	3

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION G05 DRIVE X304B +E10	POSIZ./LOCATION +	GRUPPO/SECTION = H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	PAGINE/PAGE 4042
				RIF./REFERNCE

TERMINAL BOARD
+E09
X307
G07 DRIVE

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		=G07-S107	=G07/10.5		1	27504
		=G07-S107	=G07/10.5		2	27505
			=G07/10.6		PE	
					-	
					-	
					-	
G07-W2001 2x0,75 mm²				WH	BN	SH

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION G07 DRIVE X307 +E09	POSIZ./LOCATION +	GRUPPO/SECTION = H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	PAGINE/PAGE 4043
				RIF./REFERNCE

SCH_MORS_RBF-R1

TERMINAL BOARD
+E09
X308
G08 DRIVE

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		=G08-S105	=G08/10.5		1	28003
		=G08-S105	=G08/10.5		2	28004
			=G08/10.6		PE	
					-	
					-	
					-	
G08-W2001 2x0,75 mm²				WH	BN	SH

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION G08 DRIVE X308 +E09
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE			
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER		
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO				

RBF DMAT
AUTOMATION TECHNOLOGY

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4044
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E14
X314
G14 DRIVE

		TERMINAL		TYPE	POSITION	ACRONYM	MOTOR LIST
	WIRE	31106	1		=G14/11.6	=G14-Y116	34.01.05
		31107	2		=G14/11.6	=G14-Y116	34.01.05
		31112	3		=G14/11.8	=G14-M118	34.01.02
		31114	4		=G14/11.8	=G14-M118	34.01.02
		31116	5		=G14/11.8	=G14-M118	34.01.02
G14-W3001	3G1.5 mm	1	2				
G14-W3002	4G1,5 mm²			1	2	3	

4044

4046

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION G14 DRIVE X314 +E14	POSIZ./LOCATION +	GRUPPO/SECTION = H06	PAGINE/PAGE 4045
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E05
X314A
G14 DRIVE

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		=G14-S127	=G14/12.7		1	31203
		=G14-S127	=G14/12.8		2	31204
			=G14/12.8		-	
					-	
					-	
G14-W2001 2x0,75 mm²					WH	BN SH

4045

4047

INDICE REVIS. N° / REVIS. INDEX N°				
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO	

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	G14 DRIVE X314A +E05	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4046

RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E09
X318
G18 DRIVE

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		=G18-S105	=G18/10.5		1	33003
		=G18-S105	=G18/10.5		2	33004
			=G18/11.8		3	33104
			=G18/11.8		4	33107
			=G18/10.6		PE	
					-	
G8-W2001 2x0,75 mm²						
						WH
						BN
						SH

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION G18 DRIVE X318 +E09	POSIZ./LOCATION +	GRUPPO/SECTION = H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4047

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E09
X319
G19 DRIVE

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	
		=G19-S105	=G19/10.5		1	
		=G19-S105	=G19/10.5		2	
			=G19/10.6		SH	
					-	
					-	
					-	
WIRE						
G19-W2001 2x0,75 mm²					WH	
					BN	
					SH	

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	G19 DRIVE X319 +E09	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4048
RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E14
X320
G20 DRIVE

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	
			XJBRB4	=G20/11.6		1	-
			XJBRB4	=G20/11.6		2	-
		40.01.02	=G20-M118	=G20/11.8		3	-
		40.01.02	=G20-M118	=G20/11.8		4	-
		40.01.02	=G20-M118	=G20/11.8		5	-
WIRE							
34106							
34107							
34112							
34114							
34116							
RB4-W3003	3G1.5 mm	1	2				
G20-W3001	4G1,5 mm²			1	2	3	

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION G20 DRIVE X320 +E14	POSIZ./LOCATION +	GRUPPO/SECTION = H06	PAGINE/PAGE 4049
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E05
X320A
G20 DRIVE

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XJBRB4	=G20/12.7		1	34209
		XJBRB4	=G20/12.8		2	34210
		XJBRB4	=G20/12.8		SH	
					-	
					-	
					-	
JBRB4-W2001 2x0,75 mm²		WH	BN	SH		

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION G20 DRIVE X320A +E05	POSIZ./LOCATION +	GRUPPO/SECTION = H06	PAGINE/PAGE 4050
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

SCH_MORS_RBF-R1

TERMINAL BOARD
+E14
X321
G20A DRIVE

| | | |

SCH_MORS_RBF-R1

TERMINAL BOARD
+E05
X321A
G20A DRIVE

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		X]BRB4	=G20A/12.7		1	34702
		X]BRB4	=G20A/12.8		2	34703
		X]BRB4	=G20A/12.8		SH	
					-	
					-	
					-	
JBRB4-W2003 2x0,75 mm²		WH	BN	SH		

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4051

4053

INDICE REVIS. N° / REVIS. INDEX N°				
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO	

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	G20A DRIVE X321A +E05	+	= H06	4052
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

SCH_MORS_RBF-R1

TERMINAL BOARD
+E10
X322
G27/G27A DRIVE

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		40.02.07	=G27-Y116	=G27/11.6		1	37104
			=G27-Y116	=G27/11.6		2	37106
		40.02.07	=G27-Y116	=G27/11.6		3	37108
		40.02.08	=G27A-Y116	=G27A/11.6		4	37604
			=G27A-Y116	=G27A/11.6		5	37606
		40.02.08	=G27A-Y116	=G27A/11.6		6	37608
G27-W3001	4G1,5 mm²					1	37104
						2	37106
						3	37108
G27A-W3001	4G1,5 mm²					1	37604
						2	37606
						3	37608

4052 4054

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	G27/G27A DRIVE X322 +E10
CLIENTE/CUSTOMER					

POSIZ./LOCATION	+	GRUPPO/SECTION	= H06	PAGINE/PAGE	4053
SEL CTL4 LINE				RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E10
X323
G28/G28A DRIVE

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		1		=G28/11.6	=G28-Y116	40.03.07
		2		=G28/11.6	=G28-Y116	
		3		=G28/11.6	=G28-Y116	40.03.07
		4		=G28A/11.6	=G28A-Y116	40.03.08
		5		=G28A/11.6	=G28A-Y116	
		6		=G28A/11.6	=G28A-Y116	40.03.08
		-				
		-				
		-				
		-				
		-				
		-				
WIRE		38104				
WIRE		38106				
WIRE		38108				
WIRE		38604				
WIRE		38606				
WIRE		38608				
G28-W3001	4G1,5 mm²	1				
		2				
		3				
G28A-W3001	4G1,5 mm²					
		1				
		2				
		3				

4053

4055

INDICE REVIS. N° / REVIS. INDEX N°							
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO				

DENOMINAZIONE/DESCRIPTION: G28/G28A DRIVE X323 +E10

POSIZ./LOCATION: +

GRUPPO/SECTION: = H06

PAGINE/PAGE: 4054

SEL CTL4 LINE

RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E11
X330
G29 DRIVE

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	
						1	-
						2	-
						3	-
	WIRE					39104	39106
JB330.1-W3001	4G1,5 mm²		XJB330.1	=G29/11.6		2	1
			XJB330.1	=G29/11.6		1	2
			XJB330.1	=G29/11.6		3	3

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°				
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO	

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	G29 DRIVE X330 +E11	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4055

SCH_MORS_RBF-R1

TERMINAL BOARD
+E10
X333
G31 DRIVE

| | | |

TERMINAL BOARD
+E10
X334
G31A DRIVE

| | | |

TERMINAL BOARD
+E14
X335
G32 DRIVE

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
	49.01.02	=G32-M118	=G32/11.8		1	41604
	49.01.02	=G32-M118	=G32/11.8		2	41607
					-	
					-	
G32-W3001 3G1.5 mm					1	2

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION G32 DRIVE X335 +E14	POSIZ./LOCATION +	GRUPPO/SECTION = H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4058

TERMINAL BOARD
+E05
X335A
G32 DRIVE

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		=G32-S127	=G32/12.7		1	41703
		=G32-S127	=G32/12.8		2	41704
			=G32/12.8		PE	
					-	
					-	
					-	
G32-W2001 2x0,75 mm²					WH	BN
						SH

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	G32 DRIVE X335A +E05	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE: 4059
RIF./REFERNCE:

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E14
X337
G33 DRIVE

		TERMINAL		TYPE	POSITION	ACRONYM	MOTOR LIST
	WIRE	43104	1		=G33/11.8	XJB380.1	
		43106	2		=G33/11.8	XJB380.1	
		43108	3		=G33/11.8	XJB380.1	
JB380.1-W3002	4G1,5 mm²	1	2	3			

4059

4061

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION G33 DRIVE X337 +E14	POSIZ./LOCATION +	GRUPPO/SECTION = H06	PAGINE/PAGE 4060
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E06
X337A
G33 DRIVE

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XJB380.2	=G33/10.8		1	43007
		XJB380.2	=G33/10.8		2	43008
		XJB380.2	=G33/10.8		PE	
					-	
JB380.2-W2001 2x0,75 mm²		WH	BN	SH		

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	G33 DRIVE X337A +E06	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4061
RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E09
X338
G34 DRIVE

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		=G34-S105	=G34/10.5		1	43509
		=G34-S105	=G34/10.5		2	43510
			=G34/11.6		3	43606
			=G34/11.6		4	43607
			=G34/11.8		5	43612
			=G34/11.8		6	43615
			=G34/10.6		-	
G34-W2001 2x0,75 mm²				WH	BN	SH

4061

4063

INDICE REVIS. N° / REVIS. INDEX N°							
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO				

DENOMINAZIONE/DESCRIPTION: G34 DRIVE X338 +E09

POSIZ./LOCATION: + | GRUPPO/SECTION: = H06 | PAGINE/PAGE: 4062

SEL CTL4 LINE | RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E09
X339
G35/G36 DRIVE

WIRE	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
44009	-	1	=G35/10.5		
44010	-	2	=G35/10.5		
44104	-	3	=G35/11.8		
44107	-	4	=G35/11.8		
44503	-	5	=G36/10.5		
44504	-	6	=G36/10.5		
44604	-	7	=G36/11.8		
44607	-	8	=G36/11.8		
	-	PE	=G35/10.6		
	-	PE	=G36/10.6		

4062

4064

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION G35/G36 DRIVE X339 +E09	POSIZ./LOCATION +	GRUPPO/SECTION = H06	PAGINE/PAGE 4063
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E11
X340
G38 DRIVE

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			=G38/11.6		1	45104
			=G38/11.6		2	45105
	56.04.02	=G38-Y116	=G38/10.5		3	45004
	56.04.02	=G38-Y116	=G38/10.5		4	45005
G38-W3001 3G1.5 mm					- - - -	1 2

4063

4065

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION G38 DRIVE X340 +E11	POSIZ./LOCATION +	GRUPPO/SECTION = H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4064

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E11
X341
G38A DRIVE

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			=G38A/11.6		1	45604
			=G38A/11.6		2	45605
	56.05.02	=G38A-Y116	=G38A/10.5		3	45505
	56.05.02	=G38A-Y116	=G38A/10.5		4	45506
G38A-W3001 3G1.5 mm					- - - -	

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION G38A DRIVE X341 +E11	POSIZ./LOCATION +	GRUPPO/SECTION = H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	PAGINE/PAGE 4065
				RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E11
X348
G42 DRIVE

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			=G42/11.6		1	48604
			=G42/11.6		2	48605
	56.11.02	=G42-Y116	=G42/10.5		3	48505
	56.11.02	=G42-Y116	=G42/10.5		4	48506
G42-W3001 3G1.5 mm					- - - -	1 2

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION G42 DRIVE X348 +E11
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	CLIENTE/CUSTOMER		
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01			
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO				

RBF DMAT
AUTOMATION TECHNOLOGY

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4066
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E11
X349
G42A DRIVE

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL
			=G42A/11.6		1
			=G42A/11.6		2
	56.12.02	=G42A-Y116	=G42A/10.5		3
	56.12.02	=G42A-Y116	=G42A/10.5		4
					-
					-
					-
					-

	WIRE
	49104
	49105
	49005
	49006
G42A-W3001 3G1.5 mm	
	1
	2

4066

4068

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION G42A DRIVE X349 +E11	POSIZ./LOCATION +	GRUPPO/SECTION = H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4067

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E10
X360
G49 DRIVE

MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		=G49/11.8		1	53604
		=G49/11.8		2	53607
				-	
				-	

4067

4069

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION
21041I CTL04	CTL4 LINE	G49 DRIVE X360 +E10
CLIENTE/CUSTOMER		

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4068
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB1
X401

CONNECTION WITH JB010

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XJB010	=H01/1905.1		1	11701
		XJB010	=H01/1905.1		7	0V1
		XJB010	=H01/1905.1		13	190501
		XJB010	=H01/1905.2		14	190502
		XJB010	=H01/1905.3		15	190503
		XJB010	=H01/1905.4		16	190504
		XJB010	=H01/1905.5		17	190505
		XJB010	=H01/1905.6		18	190506
JB010-W2001 14G1.5 mm					1	1
					7	2
					13	3
					14	4
					15	5
					16	6
					17	7
					18	8

4068 4070

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	CONNECTION WITH JB010 X401 +RB1
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER		
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO				

RBF DMAT
AUTOMATION TECHNOLOGY

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4069
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+RB1
X402

CONNECTION WITH JB010.1

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XJB010.1	=H01/1905.7		1	11701
		XJB010.1	=H01/1905.7		3	0V1
		XJB010.1	=H01/1905.7		-	190507
		XJB010.1	=H01/1905.8		-	190508
JB010.1-W2001 7G1,5 mm²					1	1
					2	2
					3	3
					4	4

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONNECTION WITH JB010.1 X402 +RB1	POSIZ./LOCATION +	GRUPPO/SECTION = H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4070

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB1
X403

CONNECTION WITH JB020

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XJB020	=H01/1906.1		1	11701
		XJB020	=H01/1906.1		4	0V1
		XJB020	=H01/1906.1		7	190601
		XJB020	=H01/1906.2		8	190602
		XJB020	=H01/1906.3		9	190603
JB020-W2001 7G1,5 mm²						
					-	-
					-	-
					-	-

TERMINAL BOARD
+RB1
X404

CONNECTION WITH JB030

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			XJB030	=H01/1906.4		1	11701
			XJB030	=H01/1906.4		5	0V1
			XJB030	=H01/1906.4		9	190604
			XJB030	=H01/1906.5		10	190605
			XJB030	=H01/1906.6		11	190606
			XJB030	=H01/1906.7		12	190607
			XJB030	=H01/1925.1		13	192501
			XJB030	=H01/1925.3		14	192502
			XJB030	=H01/1925.2		15	9705
			XJB030	=H01/1987.2		17	11802
			XJB030	=H01/1987.2		19	0V8
			XJB030	=H01/1987.2		PE	
JB030-W3001	10G1.5 mm						1 2 3 4 5 6
JB030-W2001	7G1,5 mm²						1 2 3
JB030-W2002	3G1.5 mm						1 2 GNYE

4071

4073

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	CONNECTION WITH JB030 X404 +RB1
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER		
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO				

RBF DMAT
AUTOMATION TECHNOLOGY

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4072
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB1
X405

CONNECTION WITH JB030.10

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		X|B030.10	=H01/1925.5		1	192503
		X|B030.10	=H01/1925.7		2	192504
		X|B030.10	=H01/1926.1		3	192601
		X|B030.10	=H01/1926.3		4	192602
		X|B030.10	=H01/1926.5		5	192603
		X|B030.10	=H01/1926.7		6	192604
		X|B030.10	=H01/1927.1		7	192701
		X|B030.10	=H01/1927.3		8	192702
		X|B030.10	=H01/1927.5		9	192703
		X|B030.10	=H01/1927.7		10	192704
		X|B030.10	=H01/1928.1		11	192801
		X|B030.10	=H01/1928.3		12	192802
		X|B030.10	=H01/1928.5		13	192803
		X|B030.10	=H01/1928.7		14	192804
		X|B030.10	=H01/1929.1		15	192901
		X|B030.10	=H01/1929.3		16	192902
		X|B030.10	=H01/1925.8		17	9705
			=H01/1926.8		20	
			=H01/1927.8		22	
			=H01/1928.8		24	
		X|B030.10	=H01/1929.4		25	9705
JB030.10-W3001 26G1.5 mm					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17				18

4072

4074

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNECTION WITH JB030.10 X405 +RB1	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4073

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB1
X406

CONNECTION WITH JB040

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			XJB040	=H01/1906.8		1	11701
			XJB040	=H01/1906.8		4	0V1
			XJB040	=H01/1906.8		7	190608
			XJB040	=H01/1907.1		8	190701
			XJB040	=H01/1907.2		9	190702
			XJB040	=H01/1929.5		10	192903
			XJB040	=H01/1929.7		11	192904
			XJB040	=H01/1930.1		12	193001
			XJB040	=H01/1930.3		13	193002
			XJB040	=H01/1929.6		14	9705
JB040-W2001	7G1,5 mm²						1 2 3 4 5
JB040-W3001	7G1,5 mm²						1 2 3 4 5

4073 4075

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNECTION WITH JB040 X406 +RB1	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4074

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB1
X407

CONNECTION WITH JB070

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XJB070	=H01/1907.3		1	11701
		XJB070	=H01/1907.3		3	0V1
		XJB070	=H01/1907.3		-	190703
		XJB070	=H01/1907.4		-	190704
JB070-W2001 7G1,5 mm²					1	11701
					2	0V1
					3	190703
					4	190704

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNECTION WITH JB070 X407 +RB1	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4075
RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+RB1
X408

CONNECTION WITH JB080

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		1		=H01/1907.5	XJB080	
		2		=H01/1907.5	XJB080	
		3	-	=H01/1907.5	XJB080	
		4		=H01/1930.5	XJB080	
		5		=H01/1930.7	XJB080	
		6		=H01/1931.1	XJB080	
		7		=H01/1931.3	XJB080	
		8	-	=H01/1930.8	XJB080	
		WIRE				
JB080-W2001	5G1.5 mm	1	2	3		
JB080-W3001	7G1,5 mm²				1	2	3	4	5			

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB1
X409

CONNECTION WITH JB120

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		X|B120	=H01/1907.6		1	11701
		X|B120	=H01/1909.6		19	11701
		X|B120	=H01/1907.6		20	0V1
		X|B120	=H01/1909.6		38	0V1
		X|B120	=H01/1907.6		39	190706
		X|B120	=H01/1907.7		40	190707
		X|B120	=H01/1907.8		41	190709
		X|B120	=H01/1907.8		42	190708
		X|B120	=H01/1908.1		43	190801
		X|B120	=H01/1908.2		44	190802
		X|B120	=H01/1908.3		45	190803
		X|B120	=H01/1908.4		46	190804
		X|B120	=H01/1908.5		47	190805
		X|B120	=H01/1908.6		48	190806
		X|B120	=H01/1908.7		49	190807
		X|B120	=H01/1908.8		50	190808
		X|B120	=H01/1909.1		51	190901
		X|B120	=H01/1909.2		52	190909
		X|B120	=H01/1909.2		53	190902
		X|B120	=H01/1909.3		54	190903
		X|B120	=H01/1909.4		55	190904
		X|B120	=H01/1909.5		56	190905
		X|B120	=H01/1909.6		57	190906
		X|B120	=H01/1931.5		58	193103
		X|B120	=H01/1931.7		59	193104
		X|B120	=H01/1932.1		60	193201
		X|B120	=H01/1932.3		61	193202
		X|B120	=H01/1932.5		62	193203
		X|B120	=H01/1932.7		63	193204
		X|B120	=H01/1933.1		64	193301
		X|B120	=H01/1933.3		65	193302
		X|B120	=H01/1933.5		66	193303
		X|B120	=H01/1933.7		67	193304
		X|B120	=H01/1934.1		68	193401
		X|B120	=H01/1934.3		69	193402
		X|B120	=H01/1934.5		70	193403
		X|B120	=H01/1934.7		71	193404
		X|B120	=H01/1935.1		72	193501
		X|B120	=H01/1935.3		73	193502
		X|B120	=H01/1931.8		74	9705
		X|B120	=H01/1933.4		78	9705
		X|B120	=H01/1935.4		81	9705

JB120-W2001	26G1.5 mm	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23																	
JB120-W3002	26G1.5 mm																								1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	20

4076

4078

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: CONNECTION WITH JB120 X409 +RB1	POSIZ./LOCATION: + / GRUPPO/SECTION: = H06 / PAGINE/PAGE: 4077
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, ne utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+RB1
X409

CONNECTION WITH JB120

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XJB120	=H01/1988.2		84	11802
		XJB120	=H01/1988.2		87	0V8
		XJB120	=H01/1988.2		PE	
					-	
					-	
JB120-W2002 3G1.5 mm			1		2	GNYE

4077

4079

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONNECTION WITH JB120 X409 +RB1
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE			
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER		
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO				

RBF DMAT
AUTOMATION TECHNOLOGY

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4078
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+RB1
X410

CONNECTION WITH JB140

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XJB140	=H01/1909.7		1	11701
		XJB140	=H01/1909.7		4	0V1
		XJB140	=H01/1909.7		-	190907
		XJB140	=H01/1909.8		-	190908
		XJB140	=H01/1910.1		-	191001
JB140-W2001 7G1,5 mm²					1	1
					2	2
					3	3
					4	4
					5	5

4078

4080

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONNECTION WITH JB140 X410 +RB1
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE			
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER		
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO				

RBF DMAT
AUTOMATION TECHNOLOGY

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4079
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+RB1
X411

CONNECTION WITH JB150

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XJB150	=H01/1910.2		4	11701
		XJB150	=H01/1910.2		6	0V1
		XJB150	=H01/1910.2		8	191002
		XJB150	=H01/1910.3		9	191003
JB150-W2001 7G1,5 mm²						
					-	-
					-	-

TERMINAL BOARD
+RB1
X412

CONNECTION WITH JB160

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		1		=H01/1910.4	XJB160	
		8		=H01/1910.4	XJB160	
		15	-	=H01/1910.4	XJB160	
		16	-	=H01/1910.5	XJB160	
		17	-	=H01/1910.6	XJB160	
		18	-	=H01/1910.7	XJB160	
		19	-	=H01/1910.8	XJB160	
		20	-	=H01/1911.1	XJB160	
		21	-	=H01/1911.2	XJB160	
		27		=H01/1936.1	XJB160	
		28		=H01/1936.3	XJB160	
		29		=H01/1936.5	XJB160	
		30		=H01/1936.7	XJB160	
		31		=H01/1937.1	XJB160	
		32		=H01/1937.3	XJB160	
		33	-	=H01/1936.4	XJB160	
		WIRE				
JB160-W2001	14G1.5 mm	11701	1			
		0V1	2			
		191004	3			
		191005	4			
		191006	5			
		191007	6			
		191008	7			
		191101	8			
		191102	9			
		193601		1		
JB160-W3001	10G1.5 mm	193602		2		
		193603		3		
		193604		4		
		193701		5		
		193702		6		
		9705		7		

4080 4082

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNECTION WITH JB160 X412 +RB1	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	PAGINE/PAGE 4081
				RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB3
X431

CONNECTION WITH JB310

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			X|JB310	=H01/2102.1		1	11701
			X|JB310	=H01/2102.1		8	0V1
			X|JB310	=H01/2102.1	-	15	210201
			X|JB310	=H01/2102.2	-	16	210202
			X|JB310	=H01/2102.3	-	17	210203
			X|JB310	=H01/2102.4	-	18	210204
			X|JB310	=H01/2102.5	-	19	210205
			X|JB310	=H01/2102.6	-	20	210206
			X|JB310	=H01/2102.7	-	21	210207
			X|JB310	=H01/2125.1		23	212501
			X|JB310	=H01/2125.3		24	212502
			X|JB310	=H01/2125.5		25	212503
			X|JB310	=H01/2125.7		26	212504
			X|JB310	=H01/2126.1		27	212601
			X|JB310	=H01/2126.3		28	212602
			X|JB310	=H01/2125.4	-	29	9705
JB310-W2001	14G1.5 mm							
JB310-W3001	10G1.5 mm							

JB310-W2001	14G1.5 mm	1	2	3	4	5	6	7	8	9
JB310-W3001	10G1.5 mm									

| | | | | | | | | |

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB3
X432

CONNECTION WITH JBX290

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		X]BX290	=H01/2102.8		1	11701
		X]BX290	=H01/2102.8		5	0V1
		X]BX290	=H01/2102.8		9	210208
		X]BX290	=H01/2103.1		10	210301
		X]BX290	=H01/2103.2		11	210302
		X]BX290	=H01/2103.3		12	210303
JB290-W2001 10G1.5 mm						
					-	1
					-	2
					-	3
					-	4
					-	5
					-	6

4082 4084

INDICE REVIS. N° REVIS. INDEX N°							
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO				

DENOMINAZIONE/DESCRIPTION: CONNECTION WITH JBX290 X432 +RB3

POSIZ./LOCATION: + | GRUPPO/SECTION: = H06 | PAGINE/PAGE: 4083

SEL CTL4 LINE | RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB3
X433

DIRECT CONNECTION

TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST	WIRE
1		=H01/2103.4	=H01-S21034	34.02.02	210309
2		=H01/2103.4	=H01-S21034		0V1
3		=H01/2103.4	=H01-S21034	34.02.02	210304
4		=H01/2103.5	=H01-S21035	34.03.02	210309
5		=H01/2103.5	=H01-S21035		0V1
6		=H01/2103.5	=H01-S21035	34.03.02	210305
7		=H01/2103.6	=H01-S21036	34.09.03	210309
8		=H01/2103.6			
9		=H01/2103.6	=H01-S21036	34.09.03	210306
10		=H01/2103.7	=H01-S21037	34.09.04	210309
11		=H01/2103.7			
12		=H01/2103.7	=H01-S21037	34.09.04	210307
13		=H01/2103.8	=H01-S21038	34.10.02	210309
14		=H01/2103.8			
15		=H01/2103.8	=H01-S21038	34.10.02	210308
16		=H01/2104.1	=H01-S21041	34.10.03	210409
17		=H01/2104.1			
18		=H01/2104.1	=H01-S21041	34.10.03	210401
19		=H01/2104.2	=H01-S21042	34.11.03	210409
20		=H01/2104.2			
21		=H01/2104.2	=H01-S21042	34.11.03	210402
22		=H01/2104.3	=H01-B21043	34.10.05	210409
23		=H01/2104.3	=H01-B21043	34.10.05	0V1
24		=H01/2104.3	=H01-B21043	34.10.05	210403
25		=H01/2104.4	=H01-S21044	34.11.02	210409
26		=H01/2104.4			
27		=H01/2104.4	=H01-S21044	34.11.02	210404
28		=H01/2104.5	=H01-B21044	34.12.02	210409
29		=H01/2104.5	=H01-B21044	34.12.02	0V1
30		=H01/2104.5	=H01-B21044	34.12.02	210405
31		=H01/2104.6	=H01-S21046	34.12.03	210409
32		=H01/2104.6			
33		=H01/2104.6	=H01-S21046	34.12.03	210406
34		=H01/2104.7	=H01-B2104	34.13.01	210409
35		=H01/2104.7	=H01-B2104	34.13.01	0V1
36		=H01/2104.7			
37		=H01/2104.7	=H01-B2104.1	34.13.01	210409
38		=H01/2104.7	=H01-B2104.1	34.13.01	0V1
39		=H01/2104.7	=H01-B2104.1	34.13.01	210407
40		=H01/2104.8	=H01-B21048	34.13.02	210409
41		=H01/2104.8	=H01-B21048	34.13.02	0V1
42		=H01/2104.8			

RB3-W2001	3x1 mm	1	2
RB3-W2002	3x1 mm		1 2
RB3-W2003	3x1 mm		1 2
RB3-W2004	3x1 mm		1 2
RB3-W2005	3x1 mm		1 2
RB3-W2006	3x1 mm		1 2
RB3-W2007	3x1 mm		1 2
RB3-W2008	3x1 mm		1 2 3
RB3-W2009	3x1 mm		1 2
RB3-W2010	3x1 mm		1 2 3
RB3-W2011	3x1 mm		1 2
RB3-W2012	3x1 mm		1 2
RB3-W2013	3x1 mm		1 2 3
RB3-W2014	3x1 mm		1 2

4083

4085

INDICE REVIS. N° / REVIS. INDEX N°				
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO	

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
21041I CTL04	CTL4 LINE	DIRECT CONNECTION X433 +RB3	+ / = H06 / 4084
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, ne utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB3
X433

DIRECT CONNECTION

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		43		=H01/2104.8	=H01-B21048.1	34.13.02
		44		=H01/2104.8	=H01-B21048.1	34.13.02
		45		=H01/2104.8	=H01-B21048.1	34.13.02
		46		=H01/2105.1	=H01-S21051	34.13.03
		47		=H01/2105.1		
		48		=H01/2105.1	=H01-S21051	34.13.03
		49		=H01/2126.5	=H01-Y21265	34.09.01
		50		=H01/2126.7	=H01-Y21265	34.09.01
		51		=H01/2126.8	=H01-Y21265	34.09.01
		52		=H01/2127.1	=H01-Y21271	34.09.02
		53		=H01/2127.2	=H01-Y21271	34.09.02
		54		=H01/2127.3		
		55		=H01/2127.4		
		56		=H01/2127.5	=H01-Y21275	34.10.01
		57		=H01/2127.7	=H01-Y21275	34.10.01
		58		=H01/2127.8	=H01-Y21275	34.10.01
		59		=H01/2128.1	=H01-Y21281	34.10.04
		60		=H01/2128.3	=H01-Y21281	34.10.04
		61		=H01/2128.4	=H01-Y21281	34.10.04
		62		=H01/2128.5	=H01-M21285	34.12.01
		63		=H01/2128.6	=H01-M21285	34.12.01
		64		=H01/2128.7		
		65		=H01/2128.8		
		66		=H01/2187.2	=H01-BG21872	
		67		=H01/2187.2	=H01-BG21872	
		68		=H01/2187.6	=H01-BG21876	
		69		=H01/2187.6	=H01-BG21876	
		70		=H01/2188.2	=H01-BG21882	
		71		=H01/2188.2	=H01-BG21882	
		72		=H01/2188.6	=H01-BG21886	
		73		=H01/2188.6	=H01-BG21886	
		74		=H01/2189.2	=H01-BG21892	
		75		=H01/2189.2	=H01-BG21892	
		76		=H01/2189.6	=H01-BG21896	
		77		=H01/2189.6	=H01-BG21896	
		78		=H01/2190.2	=H01-BG21902	
		79		=H01/2190.2	=H01-BG21902	
		PE		=H01/2187.2	=H01-BG21872	
		PE		=H01/2187.6	=H01-BG21876	
		PE		=H01/2188.2	=H01-BG21882	
		PE		=H01/2188.6	=H01-BG21886	
		PE		=H01/2189.2	=H01-BG21892	

| | | WIRE | | |

TERMINAL BOARD
+RB3
X433

DIRECT CONNECTION

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL		WIRE	
		=H01-BG21896	=H01/2189.6		PE	-		
		=H01-BG21902	=H01/2190.2		PE	-		
RB3-W2022							3G1 mm	GNYE
RB3-W2023							3G1 mm	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION DIRECT CONNECTION X433 +RB3	POSIZ./LOCATION +
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE					GRUPPO/SECTION = H06
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			PAGINE/PAGE 4086
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						SEL CTL4 LINE
									RIF./REFERNCE

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB4
X441

CONNECTION WITH JB320

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			=H01/2202.1		1	11701
			=H01/2202.1		8	0V1
			=H01/2202.1		15	220201
			=H01/2202.2		16	220202
			=H01/2202.3		17	220203
			=H01/2202.4		18	220204
			=H01/2202.5		19	220205
			=H01/2202.6		20	220206
			=H01/2202.7		21	220207
			=H01/2225.1		22	222501
			=H01/2225.3		23	222502
			=H01/2225.5		24	222503
			=H01/2225.7		25	222504
			=H01/2226.1		26	222601
			=H01/2226.3		27	222602
			=H01/2225.4		28	9705
			=H01/2225.8		29	
			=H01/2226.4		30	9705

4086

4088

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNECTION WITH JB320 X441 +RB4	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4087

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+RB4
X442

CONNECTION WITH JBX330

| | | |

TERMINAL BOARD
+RB4
X443

DIRECT CONNECTION

	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	1		=H01/2203.4	=H01-B22034	40.02.02
	2		=H01/2203.4	=H01-B22034	40.02.02
	3		=H01/2203.4	=H01-B22034	40.02.02
	4		=H01/2203.5	=H01-B22035	40.02.05
	5		=H01/2203.5	=H01-B22035	40.02.05
	6		=H01/2203.5	=H01-B22035	40.02.05
	7		=H01/2203.6	=H01-B22036	40.03.02
	8		=H01/2203.6	=H01-B22036	40.03.02
	9		=H01/2203.6	=H01-B22036	40.03.02
	10		=H01/2203.7	=H01-B22037	40.03.05
	11		=H01/2203.7	=H01-B22037	40.03.05
	12		=H01/2203.7	=H01-B22037	40.03.05
	13		=H01/2203.8	=H01-S22038	40.11.03
	14		=H01/2203.8		
	15		=H01/2203.8	=H01-S22038	40.11.03
	16		=H01/2204.1	=H01-S22041	40.11.04
	17		=H01/2204.1		
	18		=H01/2204.1	=H01-S22041	40.11.04
	19		=H01/2204.2	=H01-S22042	40.12.02
	20		=H01/2204.2		
	21		=H01/2204.2	=H01-S22042	40.12.02
	22		=H01/2204.3	=H01-S22043	40.12.03
	23		=H01/2204.3		
	24		=H01/2204.3	=H01-S22043	40.12.03
	25		=H01/2204.4	=H01-B22044	40.12.05
	26		=H01/2204.4	=H01-B22044	40.12.05
	27		=H01/2204.4	=H01-B22044	40.12.05
	28		=H01/2204.5	=H01-S22045	40.13.02
	29		=H01/2204.5		
	30		=H01/2204.5	=H01-S22045	40.13.02
	31		=H01/2204.6	=H01-S22043.1	40.13.03
	32		=H01/2204.6		
	33		=H01/2204.6	=H01-S22043.1	40.13.03
	34		=H01/2204.7	=H01-B22047	40.14.02
	35		=H01/2204.7	=H01-B22047	40.14.02
	36		=H01/2204.7	=H01-B22047	40.14.02
	37		=H01/2204.8	=H01-S22048	40.14.03
	38		=H01/2204.8		
	39		=H01/2204.8	=H01-S22048	40.14.03
	40		=H01/2205.1	=H01-B22057	40.15.01
	41		=H01/2205.1	=H01-B22057	40.15.01
	42		=H01/2205.1		

		WIRE																																							
RB4-W2001	3x1 mm	220309	0V1	220304																																						
RB4-W2002	3x1 mm				220309	0V1	220305																																				
RB4-W2003	3x1 mm							220309	0V1	220306																																		
RB4-W2004	3x1 mm										220309	0V1	220307																														
RB4-W2005	3x1 mm													220309		220308																										
RB4-W2006	3x1 mm																220409		220401																							
RB4-W2007	3x1 mm																			220409		220402																			
RB4-W2008	3x1 mm																						220409		220403																
RB4-W2009	3x1 mm																									220409	0V1	220404													
RB4-W2010	3x1 mm																												220409		220405										
RB4-W2011	3x1 mm																															220409		220406						
RB4-W2012	3x1 mm																																		220409	0V1	220407			
RB4-W2013	3x1 mm																																					220409		220408
RB4-W2014	3x1 mm																																						220509	0V1	

4088

4090

INDICE REVIS. N° / REVIS. INDEX N°				
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO	

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: DIRECT CONNECTION X443 +RB4	POSIZ./LOCATION: + / GRUPPO/SECTION: = H06 / PAGINE/PAGE: 4089
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, ne utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB4
X443

DIRECT CONNECTION

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		43		=H01/2205.1	=H01-B22057.1	40.15.01
		44		=H01/2205.1	=H01-B22057.1	40.15.01
		45		=H01/2205.1	=H01-B22057.1	40.15.01
		46		=H01/2205.2	=H01-B22058	40.15.02
		47		=H01/2205.2	=H01-B22058	40.15.02
		48		=H01/2205.2		
		49		=H01/2205.2	=H01-B22058.1	40.15.02
		50		=H01/2205.2	=H01-B22058.1	40.15.02
		51		=H01/2205.2	=H01-B22058.1	40.15.02
		52		=H01/2205.3	=H01-S22051	40.15.03
		53		=H01/2205.3		
		54		=H01/2205.3	=H01-S22051	40.15.03
		55		=H01/2226.5		
		56		=H01/2226.7		
		57		=H01/2226.8		
		58		=H01/2229.1		
		59		=H01/2229.3		
		60		=H01/2229.4		
		61		=H01/2229.5		
		62		=H01/2229.7		
		63		=H01/2229.8		
		64		=H01/2230.1	=H01-Y22301	40.11.01
		65		=H01/2230.3	=H01-Y22301	40.11.01
		66		=H01/2230.4	=H01-Y22301	40.11.01
		67		=H01/2230.5	=H01-Y22305	40.11.02
		68		=H01/2230.6	=H01-Y22305	40.11.02
		69		=H01/2230.7	=H01-M22307	40.14.01
		70		=H01/2230.8	=H01-M22307	40.14.01
		71		=H01/2231.1	=H01-Y22311	40.12.01
		72		=H01/2231.3	=H01-Y22311	40.12.01
		73		=H01/2231.4	=H01-Y22311	40.12.01
		74		=H01/2231.5	=H01-Y22315	40.12.04
		75		=H01/2231.7	=H01-Y22315	40.12.04
		76		=H01/2231.8	=H01-Y22315	40.12.04
		77		=H01/2287.2	=H01-BG22872	
		78		=H01/2287.2	=H01-BG22872	
		79		=H01/2287.6	=H01-BG22876	
		80		=H01/2287.6	=H01-BG22876	
		81		=H01/2288.2	=H01-BG22882	
		82		=H01/2288.2	=H01-BG22882	
		83		=H01/2288.6	=H01-BG22886	
		84		=H01/2288.6	=H01-BG22886	

| | | WIRE | 220509 | 0V1 | 220501 | 220509 | 0V1 | | 220509 | 0V1 | 220502 | 220509 | 0V1 | 220503 | 222603 | 222604 | 9705 | | |

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB4
X443

DIRECT CONNECTION

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		85		=H01/2289.2	=H01-BG22892	
		86		=H01/2289.2	=H01-BG22892	
		87		=H01/2289.6	=H01-BG22896	
		88		=H01/2289.6	=H01-BG22896	
		89		=H01/2290.2	=H01-BG22902	
		90		=H01/2290.2	=H01-BG22902	
		91		=H01/2290.6	=H01-BG22906	
		92		=H01/2290.6	=H01-BG22906	
		93		=H01/2291.2	=H01-BG22912	
		94		=H01/2291.2	=H01-BG22912	
		95		=H01/2291.6	=H01-BG22916	
		96		=H01/2291.6	=H01-BG22916	
		97		=H01/2292.2	=H01-BG22922	
		98		=H01/2292.2	=H01-BG22922	
		99		=H01/2233.1	=H01-U22331	
		100		=H01/2233.3	=H01-U22331	
		101		=H01/2233.5	=H01-U22331	
		102		=H01/2233.6	=H01-U22331	
		103		=H01/2233.7		
		104		=H01/2233.8		
		PE		=H01/2287.2	=H01-BG22872	
		PE		=H01/2287.6	=H01-BG22876	
		PE		=H01/2288.2	=H01-BG22882	
		PE		=H01/2288.6	=H01-BG22886	
		PE		=H01/2289.2	=H01-BG22892	
		PE		=H01/2289.6	=H01-BG22896	
		PE		=H01/2290.2	=H01-BG22902	
		PE		=H01/2290.6	=H01-BG22906	
		PE		=H01/2291.2	=H01-BG22912	
		PE		=H01/2291.6	=H01-BG22916	
		PE		=H01/2292.2	=H01-BG22922	

		WIRE
		11802
		0V8
		11802
		0V8
		11802
		0V8
		11802
		0V8
		11802
		0V8
		11802
		0V8
		11802
		0V8
		223301
		223302
		223303
		9705
		223304
		9705
		PE
		PE
		PE
		PE
		PE
		PE
		PE
		PE
		PE
		PE
RB4-W2023	3G1 mm	1 2
RB4-W2024	3G1 mm	1 2
RB4-W2025	3G1 mm	1 2
RB4-W2026	3G1 mm	1 2
RB4-W2027	3G1 mm	1 2
RB4-W2028	3G1 mm	1 2
RB4-W2029	3G1 mm	1 2
RB4-W2030	7G1,5 mm²	1 2 3 4
RB4-W2019	3G1 mm	GNYE
RB4-W2020	3G1 mm	GNYE
RB4-W2021	3G1 mm	
RB4-W2022	3G1 mm	

4090 4092

INDICE REVIS. N° / REVIS. INDEX N°				
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO	

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: DIRECT CONNECTION X443 +RB4	POSIZ./LOCATION: + / GRUPPO/SECTION: = H06 / PAGINE/PAGE: 4091
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+RB5
X451

CONNECTION WITH JB450.1

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		1		=H01/2303.1	XJB450.1	
		2		=H01/2303.1	XJB450.1	
		3		=H01/2303.2	XJB450.1	
		4		=H01/2303.6	XJB450.1	
		5		=H01/2303.6	XJB450.1	
		6		=H01/2303.6	XJB450.1	
		7		=H01/2309.1	XJB450.1	
		43		=H01/2313.4	XJB450.1	
		44		=H01/2309.1	XJB450.1	
		80		=H01/2313.4	XJB450.1	
		81		=H01/2309.1	XJB450.1	
		82		=H01/2309.2	XJB450.1	
		83		=H01/2309.3	XJB450.1	
		84		=H01/2309.4	XJB450.1	
		85		=H01/2309.5	XJB450.1	
		86		=H01/2309.6	XJB450.1	
		87		=H01/2309.7	XJB450.1	
		88		=H01/2309.8	XJB450.1	
		89		=H01/2310.1	XJB450.1	
		90		=H01/2310.2	XJB450.1	
		91		=H01/2310.3	XJB450.1	
		92		=H01/2310.4	XJB450.1	
		93		=H01/2310.5	XJB450.1	
		94		=H01/2310.6	XJB450.1	
		95		=H01/2310.7	XJB450.1	
		96		=H01/2310.8	XJB450.1	
		97		=H01/2311.1	XJB450.1	
		98		=H01/2311.2	XJB450.1	
		99		=H01/2311.3	XJB450.1	
		100		=H01/2311.4	XJB450.1	
		101		=H01/2311.5	XJB450.1	
		102		=H01/2311.6	XJB450.1	
		103		=H01/2311.7	XJB450.1	
		104		=H01/2311.8	XJB450.1	
		105		=H01/2312.1	XJB450.1	
		106		=H01/2312.2	XJB450.1	
		107		=H01/2312.3	XJB450.1	
		108		=H01/2312.4	XJB450.1	
		109		=H01/2312.5	XJB450.1	
		110		=H01/2312.6	XJB450.1	
		111		=H01/2312.7	XJB450.1	
		112		=H01/2312.8	XJB450.1	
	WIRE					
JB450.1-W1001	3x0,75 mm²	WH	BN	GN		
JB450.1-W1002	3x0,75 mm²				WH	BN
JB450.1-W2001	26G1.5 mm					
JB450.1-W2002	26G1.5 mm					

| | | | | |

TERMINAL BOARD
+RB5
X451

CONNECTION WITH JB450.1

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		113		=H01/2312.8	XJB450.1	
		114		=H01/2313.1	XJB450.1	
		115		=H01/2313.2	XJB450.1	
		116		=H01/2313.3	XJB450.1	
		117		=H01/2313.4	XJB450.1	
		118		=H01/2325.1	XJB450.1	
		119		=H01/2325.3	XJB450.1	
		120		=H01/2325.5	XJB450.1	
		121		=H01/2325.7	XJB450.1	
		122		=H01/2326.1	XJB450.1	
		123		=H01/2326.3	XJB450.1	
		124		=H01/2326.5	XJB450.1	
		125		=H01/2326.7	XJB450.1	
		126		=H01/2327.1	XJB450.1	
		127		=H01/2327.3	XJB450.1	
		128		=H01/2327.5	XJB450.1	
		129		=H01/2327.7	XJB450.1	
		130		=H01/2328.1	XJB450.1	
		131		=H01/2328.3	XJB450.1	
		132		=H01/2328.5	XJB450.1	
		133		=H01/2328.7	XJB450.1	
		134		=H01/2325.4	XJB450.1	
		137		=H01/2326.8		
		138		=H01/2327.4	XJB450.1	
		143		=H01/2328.8	XJB450.1	
		144		=H01/2341.1	XJB450.1	
		145		=H01/2341.3	XJB450.1	
		146		=H01/2341.5	XJB450.1	
		147		=H01/2341.6	XJB450.1	
		148		=H01/2341.7		
		149		=H01/2341.8		
		150		=H01/2387.2	XJB450.1	
		155		=H01/2387.2	XJB450.1	
		PE		=H01/2387.2	XJB450.1	
		SH		=H01/2303.2	XJB450.1	
		SH		=H01/2303.6	XJB450.1	

		WIRE
		231208
		231301
		231302
		231303
		231304
		232501
		232502
		232503
		232504
		232601
		232602
		232603
		232604
		232701
		232702
		232703
		232704
		232801
		232802
		232803
		232804
		9705
		9705
		9705
		234101
		234102
		234103
		9705
		234104
		9705
		11802
		0V8
JB450.1-W2002	26G1.5 mm	13 14 15 16 17
JB450.1-W3001	26G1.5 mm	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 19 20
JB450.1-W2003	7G1,5 mm²	1 2 3 4
JB450.1-W2004	3G1.5 mm	1 2 GNYE
JB450.1-W1001	3x0,75 mm²	SH
JB450.1-W1002	3x0,75 mm²	SH

4092 4094

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: CONNECTION WITH JB450.1 X451 +RB5	POSIZ./LOCATION: + / GRUPPO/SECTION: = H06 / PAGINE/PAGE: 4093
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, ne utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB5
X452

CONNECTION WITH JB450.2

	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	1		=H01/2313.5	XJB450.2	
	26		=H01/2316.5	XJB450.2	
	27		=H01/2313.5	XJB450.2	
	52		=H01/2316.5	XJB450.2	
	53		=H01/2313.5	XJB450.2	
	54		=H01/2313.6	XJB450.2	
	55		=H01/2313.7	XJB450.2	
	56		=H01/2313.8	XJB450.2	
	57		=H01/2314.1	XJB450.2	
	58		=H01/2314.2	XJB450.2	
	59		=H01/2314.3	XJB450.2	
	60		=H01/2314.4	XJB450.2	
	61		=H01/2314.5	XJB450.2	
	62		=H01/2314.6	XJB450.2	
	63		=H01/2314.7	XJB450.2	
	64		=H01/2314.8	XJB450.2	
	65		=H01/2315.1	XJB450.2	
	66		=H01/2315.2	XJB450.2	
	67		=H01/2315.3	XJB450.2	
	68		=H01/2315.4	XJB450.2	
	69		=H01/2315.5	XJB450.2	
	70		=H01/2315.6	XJB450.2	
	71		=H01/2315.7	XJB450.2	
	72		=H01/2315.8	XJB450.2	
	73		=H01/2316.1	XJB450.2	
	74		=H01/2316.2	XJB450.2	
	75		=H01/2316.3	XJB450.2	
	76		=H01/2316.4	XJB450.2	
	77		=H01/2316.4	XJB450.2	
	78		=H01/2316.5	XJB450.2	
	79		=H01/2329.1	XJB450.2	
	80		=H01/2329.3	XJB450.2	
	81		=H01/2329.5	XJB450.2	
	82		=H01/2329.7	XJB450.2	
	83		=H01/2330.1	XJB450.2	
	84		=H01/2330.3	XJB450.2	
	85		=H01/2330.5	XJB450.2	
	86		=H01/2330.7	XJB450.2	
	87		=H01/2331.1	XJB450.2	
	88		=H01/2331.3	XJB450.2	
	89		=H01/2331.5	XJB450.2	
	90		=H01/2331.7	XJB450.2	

		WIRE																																					
			11701	11701	0V1	0V1	231305	231306	231307	231308	231401	231402	231403	231404	231405	231406	231407	231408	231501	231502	231503	231504	231505	231506	231507	231508	231601	231602	231603	231609	231604	231605	232901	232902	232903	232904	233001	233002	233003	233004	233101	233102	233103	233104
JB450.2-W2001	26G1.5 mm		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24																		
JB450.2-W2002	7G1,5 mm²																										1	2	3	4	5	6												
JB450.2-W3001	26G1.5 mm																																1	2	3	4	5	6	7	8	9	10	11	12

4093

4095

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: CONNECTION WITH JB450.2 X452 +RB5	POSIZ./LOCATION: + / GRUPPO/SECTION: = H06 / PAGINE/PAGE: 4094
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB5
X452

CONNECTION WITH JB450.2

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			X|B450.2	=H01/2332.1		91	233201
			X|B450.2	=H01/2332.3		92	233202
			X|B450.2	=H01/2332.5		93	233203
			X|B450.2	=H01/2332.7		94	233204
			X|B450.2	=H01/2333.1		95	233301
			X|B450.2	=H01/2333.3		96	233302
			X|B450.2	=H01/2329.4		97	9705
				=H01/2330.4		99	
				=H01/2331.4		101	
				=H01/2332.4		103	
			X|B450.2	=H01/2333.4		106	9705
			X|B450.2	=H01/2390.2		107	11802
			X|B450.2	=H01/2390.2		112	0V8
			X|B450.2	=H01/2390.2		PE	
JB450.2-W3001	26G1.5 mm						13	14	15	16	17	18	19				20				
JB450.2-W2003	3G1.5 mm																	1	2	GNYE	

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	CONNECTION WITH JB450.2 X452 +RB5	+	= H06	4095
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB5
X453

CONNECTION WITH JB460

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XJB460	=H01/2316.6		1	11701
		XJB460	=H01/2316.6		7	0V1
		XJB460	=H01/2316.6	-	13	231606
		XJB460	=H01/2316.7	-	14	231607
		XJB460	=H01/2316.8	-	15	231608
		XJB460	=H01/2317.1	-	16	231701
		XJB460	=H01/2317.2	-	17	231702
		XJB460	=H01/2317.3	-	18	231703
		XJB460	=H01/2333.5		19	233303
		XJB460	=H01/2333.7		20	233304
		XJB460	=H01/2334.1		21	233401
		XJB460	=H01/2334.3		22	233402
		XJB460	=H01/2333.6		23	9705
		XJB460	=H01/2334.4		26	9705
		XJB460	=H01/2393.2		27	11802
		XJB460	=H01/2393.2	-	28	0V8
		XJB460	=H01/2393.2	-	PE	

JB460-W2001	14G1.5 mm	1	2	3	4	5	6	7	8											
JB460-W3001	7G1,5 mm²									1	2	3	4	5	6					
JB460-W2002	3G1.5 mm															1	2	GNYE		

4095

4097

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNECTION WITH JB460 X453 +RB5	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4096
RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+RB5
X454

CONNECTION WITH JB460.10

		TERMINAL	1	2	3	4	5	6	7	8	9	MOTOR LIST
		TYPE										
		POSITION	=H01/2306.2	=H01/2306.2	=H01/2306.1	=H01/2306.2	=H01/2306.6	=H01/2306.7	=H01/2306.6	=H01/2306.6	=H01/2317.4	=H01/2317.4
		ACRONYM	XJB460.10	XJB460.10	XJB460.10	XJB460.10	XJB460.10	XJB460.10	XJB460.10	XJB460.10	XJB460.10	XJB460.10
		WIRE	9605	9705	230601	230602	9605	9705	230603	230604	11701	0V1
JB460.10-W1001	4x1 mm²		WH	YE	BN	GN						
JB460.10-W1002	4x1 mm²						WH	YE	BN	GN		
JB460.10-W2001	7G1,5 mm²										1	2
JB460.10-W3001	7G1,5 mm²											

		TERMINAL	11	12	13	14	15	16	19	SH	SH	
		TYPE										
		POSITION	=H01/2317.4	=H01/2334.5	=H01/2334.7	=H01/2335.1	=H01/2335.3	=H01/2334.6	=H01/2335.4	=H01/2306.3	=H01/2306.7	
		ACRONYM	XJB460.10	XJB460.10	XJB460.10	XJB460.10	XJB460.10	XJB460.10	XJB460.10	XJB460.10	XJB460.10	
		WIRE	231704	233403	233404	233501	233502	9705	9705			
JB460.10-W1001	4x1 mm²									SH		
JB460.10-W1002	4x1 mm²										SH	
JB460.10-W2001	7G1,5 mm²		3									
JB460.10-W3001	7G1,5 mm²			1	2	3	4	5	6			

4096 4098

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNECTION WITH JB460.10 X454 +RB5	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4097
RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB5
X455
CONNECTION WITH JB465

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			XJB465	=H01/2317.5		1	11701
			XJB465	=H01/2317.5		7	0V1
			XJB465	=H01/2317.5		13	231705
			XJB465	=H01/2317.6		14	231706
			XJB465	=H01/2317.7		15	231707
			XJB465	=H01/2317.8		16	231708
			XJB465	=H01/2318.1		17	231801
			XJB465	=H01/2318.2		18	231802
			XJB465	=H01/2335.5		19	233503
			XJB465	=H01/2335.7		20	233504
			XJB465	=H01/2336.1		21	233601
			XJB465	=H01/2336.3		22	233602
			XJB465	=H01/2335.6		23	9705
			XJB465	=H01/2336.4		26	9705
			XJB465	=H01/2393.6		27	11802
			XJB465	=H01/2393.6		28	0V8
			XJB465	=H01/2393.6		PE	
JB465-W2001	14G1.5 mm	1	2	3	4	5	6	7	8								
JB465-W3001	7G1,5 mm²									1	2	3	4	5	6		
JB465-W2002	3G1.5 mm															1	2 GNYE

4097

4099

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: CONNECTION WITH JB465 X455 +RB5	POSIZ./LOCATION: + / GRUPPO/SECTION: = H06 / PAGINE/PAGE: 4098
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB5
X456
CONNECTION WITH JB470

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XJB470	=H01/2318.3		1	11701
		XJB470	=H01/2318.3		3	0V1
		XJB470	=H01/2318.3		5	231803
		XJB470	=H01/2318.4		6	231804
JB470-W2001 7G1,5 mm²						
					-	-
					-	-
					1	1
					2	2
					3	3
					4	4

4098

4100

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	CONNECTION WITH JB470 X456 +RB5
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= H06	4099	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB5
X457

CONNECTION WITH JB475

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XJB475	=H01/2318.5		1	11701
		XJB475	=H01/2318.5		3	0V1
		XJB475	=H01/2318.5		5	231805
		XJB475	=H01/2318.6		6	231806
					-	-
					-	-
JB475-W2001 16G1,5 mm²					1	1
					2	2
					3	3
					4	4

4099

4101

INDICE REVIS. N° / REVIS. INDEX N°				
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO	

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNECTION WITH JB475 X457 +RB5	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	PAGINE/PAGE 4100
				RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB5
X458

CONNECTION WITH JB490

	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	1		=H01/2318.7	XJB490	
	7		=H01/2318.7	XJB490	
	13	-	=H01/2318.7	XJB490	
	14	-	=H01/2318.8	XJB490	
	15	-	=H01/2319.1	XJB490	
	16	-	=H01/2319.2	XJB490	
	17	-	=H01/2319.3	XJB490	
	18	-	=H01/2319.4	XJB490	
	19		=H01/2336.5		
	20		=H01/2336.7		
	21		=H01/2337.1		
	22		=H01/2337.3		
	23		=H01/2336.8		
	24		=H01/2337.4		
	25		=H01/2394.2		
	26	-	=H01/2394.2		
	PE	-			
WIRE					
11701					
0V1		-			
231807		-			
231808		-			
231901		-			
231902		-			
231903		-			
231904		-			
233603					
233604					
9705					
9705					
11802					
0V8		-			
JB490-W2001 25G1,5 mm²	1	2	3	4	5	6	7	8												

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4100 4102

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: CONNECTION WITH JB490 X458 +RB5	POSIZ./LOCATION: + / GRUPPO/SECTION: = H06 / PAGINE/PAGE: 4101
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB5
X459

CONNECTION WITH JB495

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XJB495	=H01/2319.5		1	11701
		XJB495	=H01/2319.5		7	0V1
		XJB495	=H01/2319.5		13	231905
		XJB495	=H01/2319.6		14	231906
		XJB495	=H01/2319.7		15	231907
		XJB495	=H01/2319.8		16	231908
		XJB495	=H01/2320.1		17	232001
		XJB495	=H01/2320.2		18	232002
			=H01/2337.5		19	
			=H01/2337.7		20	
			=H01/2338.1		21	
			=H01/2338.3		22	
			=H01/2337.8		23	9705
			=H01/2338.4		24	9705
		XJB495	=H01/2394.6		25	11802
		XJB495	=H01/2394.6		26	0V8
		XJB495	=H01/2394.6		PE	

| | | |

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB5
X464
CONNECTION WITH

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL
			=H01/2395.6		1
			=H01/2395.6		2
			=H01/2395.6		PE
					-
					-
WIRE			11802		
			0V8		

4102

4104

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	CONNECTION WITH X464 +RB5	+	= H06	4103
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+P01
XBA2.1

CONNECTION WITH BA2.1

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			=H01-A15241	=H01/1524.4		1	8801
			=H01-A15241	=H01/1524.4		2	8802
			=H01-A15241	=H01/1524.1		3	152402
			=H01-A15241	=H01/1524.3		4	152403
			=H01-A15241	=H01/1524.6		5	15909
			=H01-A15246	=H01/1524.7		6	15910
			=H01-A15246	=H01/1524.7		7	152401
			=H01-A15246	=H01/1524.7		8	152402
BA2.1-W3001	3G1,5 mm²						
		1				-	8801
		2				-	8802
BA2.1-W2001	5G1 mm						
						-	152402
						-	152403
BA2.1-W2002	5G1 mm						
						-	15909
						-	15910
						-	152401
						-	152402

4103

4105

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	CONNECTION WITH BA2.1 XBA2.1 +P01
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER		
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO				

RBF DMAT
AUTOMATION TECHNOLOGY

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4104
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E02
XBRK

BRAKING MODULE

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		1		=G00/24.1	=G00-R241	
		2		=G00/24.1	=G00-R241	
		3		=G00/24.7	=G00-R241	
		4		=G00/24.7	=G00-R241	
		5		=G00/28.1	=G00-R281	
		6		=G00/28.1	=G00-R281	
		7		=G00/28.7	=G00-R281	
		8		=G00/28.7	=G00-R281	
	WIRE	22401	22402	10804	22404	22801	22802	10804	22804
DB01-W4005	1x50 mm²	BK							
DB01.1-W4006	1x50 mm²		BK						
DB01-W4007	2x1.5 mm			1	2				
DB01-W4008	1x50 mm²					BK			
DB01.1-W4009	1x50 mm²						BK		
DB01-W4010	2x1.5 mm							1	2

4104

4106

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION BRAKING MODULE XBRK +E02	POSIZ./LOCATION +	GRUPPO/SECTION = H06	PAGINE/PAGE 4105
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, ne utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+P00
XCD00

SPARE CONNECTIONS

WIRE	TERMINAL		TYPE	POSITION	ACRONYM	MOTOR LIST
140305		1		=H01/1403.5		
140306		2		=H01/1403.5		
140307		3		=H01/1403.7		
140308		4		=H01/1403.7		
140403		5		=H01/1404.3		
140404		6		=H01/1404.3		
140405		7		=H01/1404.5		
140406		8		=H01/1404.5		
140407		9		=H01/1404.7		
140408		10		=H01/1404.7		
14907		11		=H01/1407.5		
140705		12		=H01/1407.5		
140706		13		=H01/1407.6		
14907		14		=H01/1407.7		
140707		15		=H01/1407.7		
141204		16		=H01/1412.4		
14910		17		=H01/1412.4		
141205		18		=H01/1412.5		
141206		19		=H01/1412.6		
141207		20		=H01/1412.7		
		21		=H01/1412.7		
141208		22		=H01/1412.8		
141301		23		=H01/1413.1		
		24		=H01/1413.1		
141302		25		=H01/1413.2		
141303		26		=H01/1413.3		
		27		=H01/1413.3		
141304		28		=H01/1413.4		
141305		29		=H01/1413.5		
		30		=H01/1413.5		
141306		31		=H01/1413.6		
141307		32		=H01/1413.7		
14910		33		=H01/1413.7		
141308		34		=H01/1413.8		

4105

INDICE REVIS. N° —
REVIS. INDEX N° —
NOME REVIS. N° 3.0
REVIS. NAME N° —
DATA 06/04/2023
DATE
DISEGNATO P.CEOLATO
DRAWING
CONTROLLATO G.RUSSO
CHECKED
FIRMA SIG. P.CEOLATO
DISEGNATO DRAWING
DATA/DATE 2021/06/01

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04
CLIENTE/CUSTOMER
LINEA/LINE CTL4 LINE
DENOMINAZIONE/DESCRIPTION SPARE CONNECTIONS XCD00 +P00
POSIZ./LOCATION +
GRUPPO/SECTION = H06
SEL CTL4 LINE
PAGINE/PAGE 4106
RIF./REFERENCE

4107

SCH_MORS_RBF-R1

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+P01
XCD01

SPARE CONNECTIONS

TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST	WIRE
1		=H01/1503.5			150305
2		=H01/1503.5			150306
3		=H01/1503.7			150307
4		=H01/1503.7			150308
5		=H01/1504.5			150405
6		=H01/1504.5			150406
7		=H01/1504.7			150407
8		=H01/1504.7			150408
9		=H01/1506.5			15907
10		=H01/1506.5			15908
11		=H01/1506.5			150605
12		=H01/1506.6			150606
13		=H01/1506.7			
14		=H01/1506.7			150607
15		=H01/1506.8			150608
16		=H01/1507.1			
17		=H01/1507.1			
18		=H01/1507.1			150701
19		=H01/1507.2			150702
20		=H01/1507.3			
21		=H01/1507.3			150703
22		=H01/1507.4			150704
23		=H01/1507.5			
24		=H01/1507.5			
25		=H01/1507.5			150705
26		=H01/1507.6			150706
27		=H01/1507.7			15907
28		=H01/1507.7			150707
29		=H01/1507.8			150708
30		=H01/1508.3			15907
31		=H01/1508.3			
32		=H01/1508.3			150803
33		=H01/1508.4			150804
34		=H01/1508.5			150805
35		=H01/1508.6			
36		=H01/1508.6			
37		=H01/1508.6			150806
38		=H01/1508.7			150807
39		=H01/1508.8			150808
40		=H01/1509.1			
41		=H01/1509.1			15908
42		=H01/1509.1			150901

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°				
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO	

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SPARE CONNECTIONS XCD01 +P01	POSIZ./LOCATION +	GRUPPO/SECTION = H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4107

TERMINAL BOARD
+P01
XCD01

SPARE CONNECTIONS

WIRE	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
150902	-		=H01/1509.2		
15907	-		=H01/1509.3		
150903	-		=H01/1509.3		
150904	-		=H01/1509.4		
15907			=H01/1509.6		
150906	-		=H01/1509.6		
150907	-		=H01/1509.7		
151204	-		=H01/1512.4		
15910	-		=H01/1512.4		
151205	-		=H01/1512.5		
151206	-		=H01/1512.6		
151207	-		=H01/1512.7		
15910	-		=H01/1512.7		
151208	-		=H01/1512.8		
151303	-		=H01/1513.3		
15910	-		=H01/1513.3		
151304	-		=H01/1513.4		
151305	-		=H01/1513.5		
	-		=H01/1513.5		
151306	-		=H01/1513.6		
151307	-		=H01/1513.7		
15910	-		=H01/1513.7		
151308	-		=H01/1513.8		

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: SPARE CONNECTIONS XCD01 +P01	POSIZ./LOCATION: + / GRUPPO/SECTION: = H06 / PAGINE/PAGE: 4108
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+P03
XCD03

SPARE CONNECTIONS

WIRE	TERMINAL		TYPE	POSITION	ACRONYM	MOTOR LIST
170302	'	1		=H01/1703.1		
170301	'	2		=H01/1703.1		
170303	'	3		=H01/1703.3		
170304	'	4		=H01/1703.3		
170306	'	5		=H01/1703.5		
170305	'	6		=H01/1703.5		
170307	'	7		=H01/1703.7		
170308	'	8		=H01/1703.7		
170403	'	9		=H01/1704.3		
170404	'	10		=H01/1704.3		
170405	'	11		=H01/1704.5		
170406	'	12		=H01/1704.5		
170407	'	13		=H01/1704.7		
170408	'	14		=H01/1704.7		
17907	•	15		=H01/1707.1		
17908	•	16		=H01/1707.1		
170701	'	17		=H01/1707.1		
170702	'	18		=H01/1707.2		
	•	19		=H01/1707.3		
170703	'	20		=H01/1707.3		
170704	'	21		=H01/1707.4		
	•	22		=H01/1707.5		
	•	23		=H01/1707.5		
170705	'	24		=H01/1707.5		
170706	'	25		=H01/1707.6		
17907	•	26		=H01/1707.7		
170707	'	27		=H01/1707.7		
170708	'	28		=H01/1707.8		
17907	•	29		=H01/1708.3		
170803	'	30		=H01/1708.3		
170804	'	31		=H01/1708.4		
	•	32		=H01/1708.5		
	•	33		=H01/1708.5		
170805	'	34		=H01/1708.5		
170806	'	35		=H01/1708.6		
17907	•	36		=H01/1708.7		
	•	37		=H01/1708.7		
170807	'	38		=H01/1708.7		
170808	'	39		=H01/1708.8		
17907	•	40		=H01/1709.2		
	•	41		=H01/1709.2		
170902	'	42		=H01/1709.2		

SCH_MORS_RBF-R1

4108

INDICE REVIS. N° / REVIS. INDEX N°
NOME REVIS. N° / REVIS. NAME N°
DATA / DATE
DISEGNATO / DRAWING
CONTROLLATO / CHECKED

3.0			
06/04/2023	P.CEOLATO	P.CEOLATO	2021/06/01

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 210411 CTL04
CLIENTE/CUSTOMER:
LINEA/LINE: CTL4 LINE
DENOMINAZIONE/DESCRIPTION: SPARE CONNECTIONS XCD03 +P03
POSIZ./LOCATION: + SEL CTL4 LINE
GRUPPO/SECTION: = H06
PAGINE/PAGE: 4109
RIF./REFERENCE:

4110

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+P03
XCD03

SPARE CONNECTIONS

TERMINAL	WIRE	TYPE	POSITION	ACRONYM	MOTOR LIST
43	170903		=H01/1709.3		
44			=H01/1709.4		
45			=H01/1709.4		
46	170904		=H01/1709.4		
47	170905		=H01/1709.5		
48			=H01/1709.6		
49			=H01/1709.6		
50	170906		=H01/1709.6		
51	17907		=H01/1709.7		
52	17908		=H01/1709.7		
53	170907		=H01/1709.7		
54	171204		=H01/1712.4		
55	17910		=H01/1712.4		
56	171205		=H01/1712.5		
57	171206		=H01/1712.6		
58	171207		=H01/1712.7		
59	17910		=H01/1712.7		
60	171208		=H01/1712.8		
61	171303		=H01/1713.3		
62	17910		=H01/1713.3		
63	171304		=H01/1713.4		
64	171305		=H01/1713.5		
65			=H01/1713.5		
66	171306		=H01/1713.6		
67	171307		=H01/1713.7		
68	17910		=H01/1713.7		
69	171308		=H01/1713.8		

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4109

4111

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	SPARE CONNECTIONS XCD03 +P03	+	= H06	4110
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

TERMINAL BOARD
+P04
XCD04

SPARE CONNECTIONS

WIRE	TERMINAL		TYPE	POSITION	ACRONYM	MOTOR LIST
180305		1		=H01/1803.5		
180306		2		=H01/1803.5		
180307		3		=H01/1803.7		
180308		4		=H01/1803.7		
180405		5		=H01/1804.5		
180406		6		=H01/1804.5		
180407		7		=H01/1804.7		
180408		8		=H01/1804.7		
18907		9		=H01/1806.3		
180603		10		=H01/1806.3		
180604		11		=H01/1806.4		
		12		=H01/1806.5		
18908		13		=H01/1806.5		
180605		14		=H01/1806.5		
180606		15		=H01/1806.6		
18907		16		=H01/1806.7		
180607		17		=H01/1806.7		
180608		18		=H01/1806.8		
18907		19		=H01/1807.5		
		20		=H01/1807.5		
180705		21		=H01/1807.5		
180706		22		=H01/1807.6		
18907		23		=H01/1807.7		
18908		24		=H01/1807.7		
180707		25		=H01/1807.7		
180708		26		=H01/1807.8		
18907		27		=H01/1808.7		
18908		28		=H01/1808.7		
180807		29		=H01/1808.7		
180808		30		=H01/1808.8		
18907		31		=H01/1809.3		
		32		=H01/1809.3		
180903		33		=H01/1809.3		
180904		34		=H01/1809.4		
		35		=H01/1809.5		
		36		=H01/1809.5		
180905		37		=H01/1809.5		
180906		38		=H01/1809.6		
18907		39		=H01/1809.7		
18908		40		=H01/1809.7		
180907		41		=H01/1809.7		
181207		42		=H01/1812.7		

SCH_MORS_RBF-R1

4110

INDICE REVIS. N° / REVIS. INDEX N°
NOME REVIS. N° / REVIS. NAME N°
DATA / DATE
DISEGNATO / DRAWING
CONTROLLATO / CHECKED

3.0			
06/04/2023	P.CEOLATO	P.CEOLATO	G.RUSSO
	DISEGNATO / DRAWING	FIRMA SIG.	
	DATA/DATE		
	2021/06/01		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04
CLIENTE/CUSTOMER:
LINEA/LINE: CTL4 LINE
DENOMINAZIONE/DESCRIPTION: SPARE CONNECTIONS XCD04 +P04
POSIZ./LOCATION: +
GRUPPO/SECTION: = H06
PAGINE/PAGE: 4111
RIF./REFERENCE:
SEL CTL4 LINE

4112

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+P04
XCD04

SPARE CONNECTIONS

WIRE	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
18910	-		=H01/1812.7		
181208	-		=H01/1812.8		
181303	-		=H01/1813.3		
18910	-		=H01/1813.3		
181304	-		=H01/1813.4		
181305	-		=H01/1813.5		
	-		=H01/1813.5		
181306	-		=H01/1813.6		
181307	-		=H01/1813.7		
18910	-		=H01/1813.7		
181308	-		=H01/1813.8		

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	SPARE CONNECTIONS XCD04 +P04	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4112
RIF./REFERNCE

TERMINAL BOARD
+E12/+E11
XCI1

CABINET INTERCONNECTION SECT. 4-3

WIRE	TERMINAL		TYPE	POSITION	ACRONYM	MOTOR LIST
L1.2	,	1		=H00/12.4	XL1	
L2.2	,	2		=H00/12.4	XL2	
L3.2	,	3		=H00/12.4	XL3	
6301		4		=H00/13.5	=H00-H135	
6304		5		=H00/13.5	=H00-H135	
6306		6		=H00/13.5	=H00-H135	
		7				
		8				
		9				
6602	,	10		=H00/16.6	=H00-H168.1	
6601	,	11		=H00/16.6	=H00-S213	
5703	,	12		=H00/18.1	=H00-Q181	
5702	,	13		=H00/18.1	=H00-Q181	
7104	,	14		=H00/21.2	=H00-S211.3	
7001	,	15		=H00/21.5	XCI2	
7410	,	16		=H00/24.6	XCI2	
7409	,	17		=H00/24.6	XCI2	
7502	,	18		=H00/25.1	A252.1	
7501	,	19		=H00/25.1	A252	
8001	,	20		=H00/30.3	=H00-S304	
7405	,	21		=H00/30.3	=H00-K304	
	,	22		=G33/11.2		
	,	23		=H00/33.3	XCI2	
8210		24		=H00/35.1	A377	
	,	25		=H00/35.1	A351	
9008	,	26		=H00/40.5	XCI2	
9010	,	27		=H00/40.5	XCI2	
10105		28		=H00/51.1	=H00-Q511	
10106	,	29		=H00/51.2	=H00-Q511	
	,	30				
		31				
	,	32				
9403	,	33		=H00/48.1	XCI2	
9701	,	34		=H00/48.1	XCI2	
9904	,	35		=H00/49.5	A495.1	
10001	,	36		=H00/50.4	=H03-A25952	
10003	,	37		=H00/50.7	A507.1	
10010	,	38		=H00/50.9	=H03-A25952	
	,	39		=H00/66.6	XCI2	
		40		=H00/66.6	A665.1	
	,	41		=H00/66.8	XCI2	
		42		=H00/66.8	A668	

4112

INDICE REVIS. N° / REVIS. INDEX N°
NOME REVIS. N° / REVIS. NAME N°
DATA / DATE
DISEGNATO / DRAWING
P.CEOLATO | 3.0 | 06/04/2023

CONTROLLATO / CHECKED
DISEGNATO / DRAWING
FIRMA SIG.
DATA/DATE
G.RUSSO | P.CEOLATO | 2021/06/01

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB
210411 CTL04
CLIENTE/CUSTOMER

LINEA/LINE
CTL4 LINE

DENOMINAZIONE/DESCRIPTION
CABINET INTERCONNECTION SECT. 4-3 XCI1 +E12/+E11

POSIZ./LOCATION
+
SEL CTL4 LINE

GRUPPO/SECTION
= H06

PAGINE/PAGE
4113
RIF./REFERENCE

4114

SCH_MORS_RBF-R1

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E12/+E11
XCI1

CABINET INTERCONNECTION SECT. 4-3

TERMINAL		TYPE	POSITION	ACRONYM	MOTOR LIST
-	43		=H00/68.8	A688	
-	44		=H00/70.7	XCI2	
-	45		=H00/70.7	A707	
-	46		=H00/44.4		
-	47		=H00/69.5	=G38-T102	
-	48		=H00/69.7	=G01-T102	
-	49		=H00/70.1	A701	
-	50		=H00/70.3	A703	
-	51		=H00/70.5		
-	52		=H01/1041.3	=H03-A25224.1	
-	53				
-	54				
-	55				
-	56				

WIRE
0V
11904
12003
9406
24_S120A
24_S120B
24_S120C
24_S120D
24_S120G
104104

4113

4115

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	CABINET INTERCONNECTION SECT. 4-3 XCI1 +E12/+E11	+	= H06	4114
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E09
XCI2

CABINET INTERCONNECTION SECT. 3-2

WIRE	TERMINAL		TYPE	POSITION	ACRONYM	MOTOR LIST
L1.2	'	1		=H00/12.4	=G03-Q118	
L2.2	'	2		=H00/12.4	=G03-Q118	
L3.2	'	3		=H00/12.4	=G03-Q118	
6301		4		=H00/14.1	=H00-H142	
6304		5		=H00/14.1	=H00-H142	
6306		6		=H00/14.1	=H00-H142	
6602	'	7		=H00/16.2	=H00-H164.1	
6601	'	8		=H00/16.2	=H00-S211.1	
	'	9		=H00/18.1	XCI1	
	'	10		=H00/18.1	XCI1	
7009	'	11		=H00/20.8	=H00-S206.3	
	'	12		=H00/21.5	XCI3	
		13				
		14				
	'	15				
	'	16				
	'	17				
	'	18		=H00/24.6	XCI3	
	'	19		=H00/24.6	XCI3	
230LF_B.2	'	20		=H00/25.2	=G02-Q118	
230NF_B.2	'	21		=H00/25.2	=G02-Q118	
230_EME_Z4.	'	22		=H00/33.3	=H01-K13465	
	'	23		=H00/35.9	=H01-K13461	
	'	24		=H00/36.3		
8201	'	25		=H00/37.6		
230N_EME.2	'	26		=H00/37.8	=G02-K111	
	'	27		=H00/40.5	XCI3	
	'	28		=H00/40.5	XCI3	
	'	29		=H00/48.1	A481.1	
9701	'	30		=H00/48.1	A489	
9904	'	31		=H00/49.5	=H03-A26111	
10005	'	32		=H00/50.8	=H03-A26111	
10105	'	33		=H00/58.2	=H00-Q582	
10106	'	34		=H00/58.2	=H00-Q582	
LP3	'	35		=H00/66.6	X150	
	'	36		=H00/66.8	A668.1	
0V	'	37		=H00/68.8	A688.1	
11904	'	38		=H00/71.1	=H00-Q713	
12003	'	39		=H00/71.1	A718	
	'	40		=H00/70.3	=G07-T102	
		41		=G00/15.5	=G00-A151	
	'	42		=G33/11.2		

4114

INDICE REVIS. N° / REVIS. INDEX N°:
NOME REVIS. N° / REVIS. NAME N°: 3.0
DATA / DATE: 06/04/2023
DISEGNATO / DRAWING: P.CEOLATO
CONTROLLATO / CHECKED: G.RUSSO
FIRMA SIG.: P.CEOLATO
DATA/DATE: 2021/06/01

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04
CLIENTE/CUSTOMER:
LINEA/LINE: CTL4 LINE

DENOMINAZIONE/DESCRIPTION:
CABINET INTERCONNECTION SECT. 3-2 XCI2 +E09

POSIZ./LOCATION: + SEL CTL4 LINE
GRUPPO/SECTION: = H06
PAGINE/PAGE: 4115
RIF./REFERENCE:

4116

SCH_MORS_RBF-R1

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E09
XCI2

CABINET INTERCONNECTION SECT. 3-2

TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
-		=H01/1220.1	=H00-Q582	
-		=H01/1220.1	=H03-A25816	
-		=H01/1220.2	=H03-A25816	
-		=H01/1041.3	XCI1	
-		=H01/1222.7	=H03-A25817	
-				
-				
-				
-				
-				
-				

WIRE
LP4
122001
122002
122207

INDICE REVIS. N° / REVIS. INDEX N°				
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO	

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
21041I CTL04	CTL4 LINE	CABINET INTERCONNECTION SECT. 3-2 XCI2 +E09	+ / = H06 / 4116
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E04/E03
XCI3

CABINET INTERCONNECTION SECT. 2-1

WIRE	TERMINAL		TYPE	POSITION	ACRONYM	MOTOR LIST
6301		1		=H00/14.5	=H00-H145	
6304		2		=H00/14.5	=H00-H145	
6306		3		=H00/14.5	=H00-H145	
6601	'	4		=H00/16.5	=H00-S206.2	
6602	'	5		=H00/16.5	=H00-H168	
5703	'	6		=H00/18.1	XCI2	
5702	'	7		=H00/18.1	XCI2	
7005	'	8		=H00/20.6	=H00-S204.3	
	'	9		=H00/21.5	=H00-K203	
7109	'	10		=H00/21.6	XFIRE	
	'	11				
	'	12				
	'	13				
	'	14				
	'	15		=H00/24.6	A246.1	
	'	16		=H00/24.6	A246	
9008	'	17		=H00/40.5	=G00-K238	
9010	'	18		=H00/40.5	=G00-Q211.2	
10802	'	19		=H00/58.8		
10902	'	20		=H00/59.1	=G00-T231	
10805		21		=H00/59.1	=G00-T231	
10805	'	22		=G04/10.4	=G03-T101	
10908	'	23		=G14/10.4	XEP4	
10804	'	24		=H00/60.7	A606.1	
10805	'	25		=H00/60.7	=G00-A11	
10805	'	26		=H00/60.7		
24_S120F	'	27		=H00/71.5	A715	
24N_S120F	'	28		=H00/71.9	A719	
20108		29		=G00/1.2	=G00-A11	
20101		30		=G00/1.4	=G00-A11	
10904	'	31		=G04/10.4	=G03-T101	
26007	'	32		=G04/10.8	=G04-T102	
26008	'	33		=G04/10.8	=G04-T102	
26009	'	34		=G04/10.8	=G04-T102	
26204	'	35		=G04/12.7	X304A	
26205	'	36		=G04/12.8	X304A	
31007	'	37		=G14/10.8	=G14-T102	
31008	'	38		=G14/10.8	=G14-T102	
31009	'	39		=G14/10.8	=G14-T102	
31203	'	40		=G14/12.7	X314A	
31204	'	41		=G14/12.8	X314A	
	'	42				

4116

INDICE REVIS. N° / REVIS. INDEX N°
NOME REVIS. N° / REVIS. NAME N°
DATA / DATE
DISEGNATO / DRAWING: P.CEOLATO
CONTROLLATO / CHECKED: G.RUSSO

3.0			
06/04/2023	P.CEOLATO	P.CEOLATO	
		G.RUSSO	2021/06/01

DISEGNATO / DRAWING
FIRMA / SIG.
DATA/DATE

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04
CLIENTE/CUSTOMER

LINEA/LINE: CTL4 LINE

DENOMINAZIONE/DESCRIPTION: CABINET INTERCONNECTION SECT. 2-1 XCI3 +E04/E03

POSIZ./LOCATION: + SEL CTL4 LINE
GRUPPO/SECTION: = H06
PAGINE/PAGE: 4117
RIF./REFERENCE

4118

SCH_MORS_RBF-R1

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E04/E03
XCI3

CABINET INTERCONNECTION SECT. 2-1

TERMINAL		TYPE	POSITION	ACRONYM	MOTOR LIST
-	43				
-	44				
-	45				
-	46				
-	47		=H01/1303.1	=H01-S13031	
-	48		=H01/1303.1	=H01-S13031	
-	49		=H01/1303.3	=H01-S13031	
-	50		=H01/1303.3	=H01-S13031	
-	51		=H01/1320.1	A665.1	
-	52		=H01/1320.1	=G00-A11	
-	53		=H01/1320.2	=G00-Q211.2	
-	54		=H01/1320.3	=G00-K238	
-	55		=H01/1320.4	=G00-K353	
-	56		=H01/1320.5	=G00-B241	
-	57		=H01/1320.6	=G00-Q251.1	
-	58		=H01/1320.7	=G00-K278	
-	59		=H01/1320.8	=G00-K278.1	
-	60		=H01/1321.1	=G00-B281	
-	61		=H01/1321.2		
-	62		=H01/1321.3		
-	63		=H01/1321.4		
-	64		=H01/1321.5		
-	65		=H01/1322.8	=H00-K203	
-	66		=H01/1324.2	=H00-K75	
-	67		=H01/1324.3		
-	68		=H01/1324.4		
-	69		=H01/1324.5		
-	70		=H01/1324.6		
-	71		=H01/1324.7		
-	72		=H01/1324.8		
-	73		=H01/1342.1	=H01-K13421	
-	74		=H01/1342.1	=H01-K13421	
-	75		=H01/1342.2	=H01-K13422	
-	76		=H01/1342.3	=H01-K13423	
-	77		=H01/1342.4	=H01-K13424	
-	78		=H01/1342.5		
-	79		=H01/1342.6		
-	80		=H01/1342.7	=H01-K13427	
-	81		=H01/1342.8	=H01-K13428	
-	82		=G14/10.4		
-	83				

WIRE	
130301	
130302	
130303	
130304	
LP3	
132001	
132002	
132003	
132004	
132005	
132006	
132007	
132008	
132101	
132102	
132103	
132104	
132105	
132207	
132401	
132402	
132403	
132404	
132405	
132406	
132407	
134201	
0V10	
134202	
134203	
134204	
134205	
134206	
134207	
134208	
10805	

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE
21041I CTL04	CTL4 LINE
CLIENTE/CUSTOMER	

DENOMINAZIONE/DESCRIPTION
CABINET INTERCONNECTION SECT. 2-1 XCI3 +E04/E03

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4118
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E14
XD0

INTERNAL CONNECTION

WIRE	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
5703	- 1		=H00/20.1		
5702	- 2		=H00/20.1	XCI1	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	INTERNAL CONNECTION XD0 +E14	+	= H06	4119
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

TERMINAL BOARD
+E05
XDI1/2
SPARE INPUT SECT. 1-2

TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST	WIRE
-		=H01/1321.7			132107
-		=H01/1321.8			132108
-		=H01/1322.1			132201
-		=H01/1323.7			132307
-		=H01/1323.8			132308
-		=H01/1329.1			LP3
-		=H01/1329.1			0V9
-		=H01/1329.1			132901
-		=H01/1329.2			132902
-		=H01/1329.3			
-		=H01/1329.3			
-		=H01/1329.3			132903
-		=H01/1329.4			132904
-		=H01/1329.5			
-		=H01/1329.5			
-		=H01/1329.5			132905
-		=H01/1329.6			132906
-		=H01/1329.7			LP3
-		=H01/1329.7			0V9
-		=H01/1329.7			132907
-		=H01/1329.8			132908
-		=H01/1360.5			136005
-		=H01/1360.6			136006
-		=H01/1360.7			136007
-		=H01/1360.8			136008

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, ne utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°				
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO	

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: SPARE INPUT SECT. 1-2 XDI1/2 +E05	POSIZ./LOCATION: +	GRUPPO/SECTION: = H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE: 4120

SCH_MORS_RBF-R1

TERMINAL BOARD
+E11
XDI3
SPARE INPUT SECT. 3

TERMINAL	WIRE	TYPE	POSITION	ACRONYM	MOTOR LIST
1	122008		=H01/1220.8		
2	122101		=H01/1221.1		
3	122102		=H01/1221.2		
4	122205		=H01/1222.5		
5	LP4		=H01/1223.7		
6	0V11		=H01/1223.7		
7	122307		=H01/1223.7		
8	LP4		=H01/1224.5		
9			=H01/1224.5		
10	122405		=H01/1224.5		
11	122406		=H01/1224.6		
12	122407		=H01/1224.7		
13	122408		=H01/1224.8		
14			=H01/1225.1		
15			=H01/1225.1		
16	122501		=H01/1225.1		
17	122502		=H01/1225.2		
18	122503		=H01/1225.3		
19	122504		=H01/1225.4		
20	LP4		=H01/1225.5		
21	0V11		=H01/1225.5		
22	122505		=H01/1225.5		
23	122506		=H01/1225.6		
24	122507		=H01/1225.7		
25	122508		=H01/1225.8		

4120

4122

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SPARE INPUT SECT. 3 XDI3 +E11	POSIZ./LOCATION +	GRUPPO/SECTION = H06	PAGINE/PAGE 4121
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E15
XDI4
SPARE INPUT SECT. 4

WIRE	TERMINAL		TYPE	POSITION	ACRONYM	MOTOR LIST
102004		1		=H01/1020.4		
102008		2		=H01/1020.8		
LP1		3		=H01/1026.6		
		4		=H01/1026.6		
102606		5		=H01/1026.6		
102607		6		=H01/1026.7		
102608		7		=H01/1026.8		
LP1		8		=H01/1029.3		
		9		=H01/1029.3		
102903		10		=H01/1029.3		
102904		11		=H01/1029.4		
LP1		12		=H01/1029.5		
		13		=H01/1029.5		
102905		14		=H01/1029.5		
102906		15		=H01/1029.6		
103006		16		=H01/1030.6		
103007		17		=H01/1030.7		
103008		18		=H01/1030.8		
		19		=H01/1031.1		
		20		=H01/1031.1		
103101		21		=H01/1031.1		
103102		22		=H01/1031.2		
LP1		23		=H01/1031.3		
		24		=H01/1031.3		
103103		25		=H01/1031.3		
103104		26		=H01/1031.4		
103105		27		=H01/1031.5		
103106		28		=H01/1031.6		
LP1		29		=H01/1035.5		
		30		=H01/1035.5		
103507		31		=H01/1035.5		
103508		32		=H01/1035.6		
LP1		33		=H01/1035.7		
		34		=H01/1035.7		
103509		35		=H01/1035.7		
103510		36		=H01/1035.8		
LP1		37		=H01/1041.4		
		38		=H01/1041.4		
104105		39		=H01/1041.4		
104106		40		=H01/1041.5		
LP1		41		=H01/1041.6		
		42		=H01/1041.6		

SCH_MORS_RBF-R1

4121

INDICE REVIS. N° —
REVIS. INDEX N° —
NOME REVIS. N° 3.0
REVIS. NAME N°
DATA 06/04/2023
DATE
DISEGNATO P.CEOLATO
DRAWING
CONTROLLATO G.RUSSO
CHECKED
FIRMA SIG. P.CEOLATO
DISEGNATO DRAWING
DATA/DATE 2021/06/01

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04
CLIENTE/CUSTOMER
LINEA/LINE CTL4 LINE
DENOMINAZIONE/DESCRIPTION SPARE INPUT SECT. 4 XDI4 +E15
POSIZ./LOCATION + SEL CTL4 LINE
GRUPPO/SECTION = H06
PAGINE/PAGE 4122
RIF./REFERENCE

4123

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E15
XDI4

SPARE INPUT SECT. 4

TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
43		=H01/1041.6		
44		=H01/1041.7		
45		=H01/1041.8		
46		=H01/1044.5		
47		=H01/1044.5		
48		=H01/1044.5		
49		=H01/1044.6		
50		=H01/1044.7		
51		=H01/1044.7		
52		=H01/1044.7		
53		=H01/1044.8		

TERMINAL	WIRE
-	104107
-	104108
-	104109
-	LP1
-	
-	104405
-	104406
-	LP1
-	0V3
-	104407
-	104408

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	SPARE INPUT SECT. 4 XDI4 +E15	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4123

TERMINAL BOARD
+E14
XDI4.1
SPARE INPUT SECT. 4

TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST	WIRE
-	1	=H01/1118.7			111807
-	2	=H01/1118.8			111808
•	3	=H01/1120.1			LP2
	4	=H01/1120.1			0V5
-	5	=H01/1120.1			112001
-	6	=H01/1120.2			112002
•	7	=H01/1120.3			
	8	=H01/1120.3			
-	9	=H01/1120.3			112003
-	10	=H01/1120.4			112004
•	11	=H01/1120.5			
	12	=H01/1120.5			
-	13	=H01/1120.5			112005
-	14	=H01/1120.6			112006
•	15	=H01/1120.7			LP2
	16	=H01/1120.7			0V5
-	17	=H01/1120.7			112007
-	18	=H01/1120.8			112008
•	19	=H01/1122.5			LP2
	20	=H01/1122.5			0V5
-	21	=H01/1122.5			112201
-	22	=H01/1122.6			112202
•	23	=H01/1122.7			
	24	=H01/1122.7			
-	25	=H01/1122.7			112203
-	26	=H01/1122.8			112204
•	27	=H01/1123.1			
	28	=H01/1123.1			112301
-	29	=H01/1123.1			
•	30	=H01/1123.2			
	31	=H01/1123.2			
-	32	=H01/1123.2			112302
•	33	=H01/1123.3			
	34	=H01/1123.3			112303
-	35	=H01/1123.3			
•	36	=H01/1123.4			
	37	=H01/1123.4			
-	38	=H01/1123.4			112304
•	39	=H01/1123.5			
	40	=H01/1123.5			
-	41	=H01/1123.5			112305
	42	=H01/1123.6			

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4123

4125

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	SPARE INPUT SECT. 4 XDI4.1 +E14	+	= H06	4124
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

SCH_MORS_RBF-R1

TERMINAL BOARD
+E14
XDI4.1
SPARE INPUT SECT. 4

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			=H01/1123.6		43	
			=H01/1123.6		44	112306
			=H01/1123.7		45	
			=H01/1123.7		46	
			=H01/1123.7		47	112307
			=H01/1123.8		48	LP2
			=H01/1123.8		49	0V5
			=H01/1123.8		50	112308
			=H01/1125.7		51	112507
			=H01/1125.8		52	112508

Copying of this document and giving it to others and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4124

4126

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	SPARE INPUT SECT. 4 XDI4.1 +E14	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4125

TERMINAL BOARD
+E05
XDO1/2

SPARE OUTPUTS SECT. 1-2

TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST	WIRE
1		=H01/1347.1			134701
2		=H01/1347.1			0V10
3		=H01/1347.2			134702
4		=H01/1347.3			134703
5		=H01/1347.3			
6		=H01/1347.4			134704
7		=H01/1347.5			134705
8		=H01/1347.5			
9		=H01/1347.6			134706
10		=H01/1347.7			134707
11		=H01/1347.7			
12		=H01/1347.8			134708
13		=H01/1348.1			134801
14		=H01/1348.1			
15		=H01/1348.2			134802
16		=H01/1348.3			134803
17		=H01/1348.3			
18		=H01/1348.4			134804
19		=H01/1348.5			134805
20		=H01/1348.5			
21		=H01/1348.6			134806
22		=H01/1348.7			134807
23		=H01/1348.7			0V10
24		=H01/1348.8			134808
25		=H01/1341.5			0V10
26		=H01/1341.5			134103
27		=H01/1341.6			134104

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	SPARE OUTPUTS SECT. 1-2 XDO1/2 +E05	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4126
RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E11
XDO3

SPARE OUTPUTS SECT. 3

TERMINAL	WIRE	TYPE	POSITION	ACRONYM	MOTOR LIST
1	124602		=H01/1246.3		
2	0V12		=H01/1246.3		
3	124603		=H01/1246.4		
4	124604		=H01/1246.5		
5			=H01/1246.5		
6	124605		=H01/1246.6		
7	124606		=H01/1246.7		
8	0V12		=H01/1246.7		
9	124607		=H01/1246.8		
10	125901		=H01/1259.1		
11	0V12		=H01/1259.1		
12	125902		=H01/1259.2		
13	125903		=H01/1259.3		
14			=H01/1259.3		
15	125904		=H01/1259.4		
16	125905		=H01/1259.5		
17	0V12		=H01/1259.5		
18	125906		=H01/1259.6		
19	125907		=H01/1259.7		
20	LP8		=H01/1259.7		
21	125908		=H01/1259.8		

4126 4128

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: SPARE OUTPUTS SECT. 3 XDO3 +E11	POSIZ./LOCATION: + / GRUPPO/SECTION: = H06 / PAGINE/PAGE: 4127
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E15
XDO4

SPARE OUTPUTS SECT. 4

TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST	WIRE
1		=H01/1062.1			106203
-					
2		=H01/1062.1			106202
-					
3		=H01/1062.2			106206
-					
4		=H01/1062.2			106205
-					
5		=H01/1062.3			106208
-					
6		=H01/1062.3			106207
-					
7		=H01/1062.4			106212
-					
8		=H01/1062.4			106211
-					
9		=H01/1062.5			106215
-					
10		=H01/1062.5			106214
-					
11		=H01/1062.6			106218
-					
12		=H01/1062.6			106217
-					
13		=H01/1062.7			106221
-					
14		=H01/1062.7			106220
-					
15		=H01/1062.8			106224
-					
16		=H01/1062.8			106223
-					
17		=H01/1063.7			106315
-					
18		=H01/1063.7			106314
-					
19		=H01/1065.4			106504
-					
20		=H01/1065.4			0V4
-					
21		=H01/1065.5			106505
-					
22		=H01/1065.6			106506
-					
23		=H01/1065.6			0V4
-					
24		=H01/1065.7			106507
-					
25		=H01/1065.8			106508
-					

4127

4129

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	SPARE OUTPUTS SECT. 4 XDO4 +E15	+	= H06	4128
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E14
XDO4.1
SPARE OUTPUTS SECT. 4

TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST	WIRE
1		=H01/1132.5			113203
2		=H01/1132.7			113204
3		=H01/1132.8			9703
4		=H01/1133.5			113303
5		=H01/1133.7			113304
6		=H01/1133.8			9703
7		=H01/1134.5			113403
8		=H01/1134.7			113404
9		=H01/1134.8			9703
10		=H01/1137.5			113703
11		=H01/1137.6			9703
12		=H01/1137.7			113704
13		=H01/1137.8			
14		=H01/1138.1			113801
15		=H01/1138.2			
16		=H01/1138.3			113802
17		=H01/1138.4			
18		=H01/1138.5			113803
19		=H01/1138.6			
20		=H01/1138.7			113804
21		=H01/1138.8			9703

4128

4130

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	SPARE OUTPUTS SECT. 4 XDO4.1 +E14	+	= H06	4129
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E13
XENC7

ENCODER CONNECTION

| | | |

TERMINAL BOARD
+E
XEP1

INTERNAL CONNECTION

MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
	XCI3	=H00/59.1		1	10902
	XCI3	=H00/59.1		2	10805

4130

4132

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	INTERNAL CONNECTION XEP1 +E	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4131

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E
XEP2

INTERNAL CONNECTION

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL
WIRE 10904		=G02-T102	=H00/59.3		1
WIRE 10805		=G02-T102	=H00/59.3		2

4131 4133

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	INTERNAL CONNECTION XEP2 +E	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4132
RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E
XEP3

INTERNAL CONNECTION

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL
WIRE 10906			=H00/59.5		1
			=H00/59.5		2

4132

4134

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	INTERNAL CONNECTION XEP3 +E	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4133

RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E
XEP4

INTERNAL CONNECTION

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL
		XCI3	=H00/59.7		1
			=H00/59.7		2
WIRE					
10908					
10805					

4133 4135

INDICE REVIS. N° / REVIS. INDEX N°								
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE				
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	INTERNAL CONNECTION XEP4 +E	+	= H06	4134
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E
XEP5

INTERNAL CONNECTION

MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL
	=G32-T103	=H00/60.1		1
	=G32-T103	=H00/60.1		2

WIRE
11002
10805

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4134

4136

INDICE REVIS. N° / REVIS. INDEX N°				
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO	

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	INTERNAL CONNECTION XEP5 +E	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE: 4135
RIF./REFERNCE:

TERMINAL BOARD
+E
XEP6

INTERNAL CONNECTION

MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL
		=H00/60.3		1
		=H00/60.4		2
WIRE 11004				

4135

4137

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION INTERNAL CONNECTION XEP6 +E
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER		
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01				
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4136
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E05
XFIRE

FIRE FIGHTING SYSTEM

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
						1	5703
				=H00/21.6		2	7109
				=H00/21.6		-	LP3
				=H00/21.7		3	132412
				=H00/21.7		4	
						-	
XFIRE-W3001	2x1.5 mm					1	2
XFIRE-W3002	2x1.5 mm					2	1

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	FIRE FIGHTING SYSTEM XFIRE +E05	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4137

TERMINAL BOARD
+P01
XFTC1.1
CONNECTION WITH FTC1.1

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		=H01-B15221	=H01/1522.1		1	PE
		=H01-B15221	=H01/1522.1		2	152202
		=H01-B15221	=H01/1522.1		3	152202
		=H01-B15221	=H01/1522.1		4	15910
		=H01-B15222	=H01/1522.2		5	152202
		=H01-B15222	=H01/1522.2		6	15910
		=H01-B15222	=H01/1522.2		7	152201
			=H01/1522.2		8	
		=H01-B15222	=H01/1522.2		9	152203

FTC1.1-W2001	5G1 mm	1	2	3	4					
FTC1.1-W2002	7G1 mm					1	2	3		4

4137

4139

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONNECTION WITH FTC1.1 XFTC1.1 +P01	POSIZ./LOCATION +	GRUPPO/SECTION = H06	PAGINE/PAGE 4138
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+P01
XFTC2.1
CONNECTION WITH FTC2.1

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
						1	PE
			=H01-B15231	=H01/1523.1		-	152302
			=H01-B15231	=H01/1523.1		-	152302
			=H01-B15231	=H01/1523.1		-	15910
			=H01-B15232	=H01/1523.2		-	152302
			=H01-B15232	=H01/1523.2		-	15910
			=H01-B15232	=H01/1523.2		-	152301
				=H01/1523.2		-	
			=H01-B15232	=H01/1523.2		-	152308
FTC2.1-W2001	5G1 mm					1	
FTC2.1-W2002	7G1 mm					2	
						3	
						4	
						5	
						6	
						7	
						8	

4138 4140

INDICE REVIS. N° / REVIS. INDEX N°								
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONNECTION WITH FTC2.1 XFTC2.1 +P01
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER		
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4139
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+P00
XFTC4.1
CONNECTION WITH FTC4.1

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			=H01-B14221	=H01/1422.1		1	PE
			=H01-B14221	=H01/1422.1		2	142201
			=H01-B14221	=H01/1422.1		3	142201
			=H01-B14221	=H01/1422.1		4	14910
			=H01-B14092	=H01/1422.2		5	142201
			=H01-B14092	=H01/1422.2		6	14910
			=H01-B14092	=H01/1422.2		7	142205
				=H01/1422.2		8	
			=H01-B14092	=H01/1422.2		9	142206
FTC4.1-W2001	5G1 mm					1	
FTC4.1-W2002	7G1 mm					2	
						3	
						4	
						1	
						2	
						3	
						4	

4139

4141

INDICE REVIS. N° / REVIS. INDEX N°							
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE			
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01			
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO				

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	CONNECTION WITH FTC4.1 XFTC4.1 +P00	+	= H06	4140
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+P03
XFTC6.1
CONNECTION WITH FTC6.1

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
						1	PE
			=H01-B17221	=H01/1722.1		-	172204
			=H01-B17221	=H01/1722.1		-	172204
			=H01-B17221	=H01/1722.1		-	17910
			=H01-B17222	=H01/1722.2		-	172204
			=H01-B17222	=H01/1722.2		-	17910
			=H01-B17222	=H01/1722.2		-	172205
				=H01/1722.2		-	
			=H01-B17222	=H01/1722.2		-	172208
FTC6.1-W2001	5G1 mm					1	
FTC6.1-W2002	7G1 mm					2	
						3	
						4	
						5	
						6	
						7	
						8	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4140

4142

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: CONNECTION WITH FTC6.1 XFTC6.1 +P03	POSIZ./LOCATION: +	GRUPPO/SECTION: = H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE: 4141

TERMINAL BOARD
+P04
XFTC8.1
CONNECTION WITH FTC8.1

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			=H01-B18221	=H01/1822.1		1	PE
			=H01-B18221	=H01/1822.1		2	182202
			=H01-B18221	=H01/1822.1		3	182202
			=H01-B18221	=H01/1822.1		4	18910
			=H01-B18222	=H01/1822.2		5	182202
			=H01-B18222	=H01/1822.2		6	18910
			=H01-B18222	=H01/1822.2		7	182209
				=H01/1822.2		8	
			=H01-B18222	=H01/1822.2		9	182210
FTC8.1-W2001	5G1 mm					1	
FTC8.1-W2002	7G1 mm					2	
						3	
						4	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4141

4143

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNECTION WITH FTC8.1 XFTC8.1 +P04	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4142

SCH_MORS_RBF-R1

TERMINAL BOARD
+P01
XG1.1

CONNECTION WITH XG1.1

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		=H01-S15211	=H01/1521.1		1	150401
		=H01-S15211	=H01/1521.1		2	150402
		=H01-S15211	=H01/1521.1		3	152101
		=H01-S15211	=H01/1521.1		4	152103
		=H01-S15211	=H01/1521.2		5	15907
		=H01-S15211	=H01/1521.2		6	152103
		=H01-S15211	=H01/1521.3		7	152104
		=H01-S15211	=H01/1521.3		8	152105
G1.1-W3001	10G1 mm				1	2	3	4	5	6	7	8

4142

4144

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	CONNECTION WITH XG1.1 XG1.1 +P01	+	= H06	4143
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+P00
XG5.1
CONNECTION WITH G5.1

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		=H01-S14211	=H01/1421.1		1	140401
		=H01-S14211	=H01/1421.1		2	140402
		=H01-S14211	=H01/1421.1		3	142101
		=H01-S14211	=H01/1421.1		4	142103
		=H01-S14211	=H01/1421.2		5	14907
		=H01-S14211	=H01/1421.2		6	142103
		=H01-S14211	=H01/1421.3		7	142104
		=H01-S14211	=H01/1421.3		8	140703
G5.1-W3001 10G1 mm					1	2	3	4	5	6	7	8

4143 4145

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONNECTION WITH G5.1 XG5.1 +P00	POSIZ./LOCATION +	GRUPPO/SECTION = H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4144

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+P03
XG7.1
CONNECTION WITH G7.1

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			=H01-S17211	=H01/1721.1		1	170401
			=H01-S17211	=H01/1721.1		2	170402
			=H01-S17211	=H01/1721.1		3	172101
			=H01-S17211	=H01/1721.1		4	172103
			=H01-S17211	=H01/1721.2		5	17907
			=H01-S17211	=H01/1721.2		6	172103
			=H01-S17211	=H01/1721.3		7	172104
			=H01-S17211	=H01/1721.3		8	170901
G7.1-W3001	10G1 mm					1	170401
						2	170402
						3	172101
						4	172103
						5	17907
						6	172103
						7	172104
						8	170901

4144

4146

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNECTION WITH G7.1 XG7.1 +P03	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4145
RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+P04
XG8.1

CONNECTION WITH G8.1

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			=H01-S18211	=H01/1821.1		1	180401
			=H01-S18211	=H01/1821.1		2	180402
			=H01-S18211	=H01/1821.1		3	182101
			=H01-S18211	=H01/1821.1		4	182103
			=H01-S18211	=H01/1821.2		5	18907
			=H01-S18211	=H01/1821.2		6	182103
			=H01-S18211	=H01/1821.3		7	182104
			=H01-S18211	=H01/1821.3		8	180901
G8.1-W3001	10G1 mm					1	180401
						2	180402
						3	182101
						4	182103
						5	18907
						6	182103
						7	182104
						8	180901

4145

4147

INDICE REVIS. N° / REVIS. INDEX N°				
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO	

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNECTION WITH G8.1 XG8.1 +P04	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4146

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+P04
XG8.2

CONNECTION WITH G8.2

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		=H01-S18215	=H01/1821.5		1	180403
		=H01-S18215	=H01/1821.5		2	180404
		=H01-S18215	=H01/1821.5		3	182105
		=H01-S18215	=H01/1821.5		4	182107
		=H01-S18215	=H01/1821.6		5	18907
		=H01-S18215	=H01/1821.6		6	182106
		=H01-S18215	=H01/1821.7		7	182108
		=H01-S18215	=H01/1821.7		8	180902

G8.2-W3001	10G1 mm	1	2	3	4	5	6	7	8

4146

4148

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNECTION WITH G8.2 XG8.2 +P04	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4147

RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E13
XGATE

GATE CONNECTION

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		1		=H01/1145.1		
		2		=H01/1145.1		
		3		=H01/1145.1		
		4		=H01/1145.1		
		5		=H01/1145.2		
		6		=H01/1145.2		
		7		=H01/1145.3		
		8		=H01/1145.3		
		9		=H01/1145.5	=H01-S11455	
		10		=H01/1145.5	=H01-S11455	
		11		=H01/1145.5	=H01-S11455	
		12		=H01/1145.5	=H01-S11455	
		13		=H01/1145.5	=H01-S11455	
		14		=H01/1145.6	=H01-S11455	
		15		=H01/1145.6	=H01-S11455	
		16		=H01/1145.7	=H01-S11455	
		17		=H01/1146.1	=H01-S11461	
		18		=H01/1146.1	=H01-S11461	
		19		=H01/1146.1	=H01-S11461	
		20		=H01/1146.1	=H01-S11461	
		21		=H01/1146.2	=H01-S11461	
		22		=H01/1146.2	=H01-S11461	
		23		=H01/1146.3	=H01-S11461	
		24		=H01/1146.3	=H01-S11461	
		25		=H01/1146.5	=H01-S11465	
		26		=H01/1146.5	=H01-S11465	
		27		=H01/1146.5	=H01-S11465	
		28		=H01/1146.5	=H01-S11465	
		29		=H01/1146.5	=H01-S11465	
		30		=H01/1146.6	=H01-S11465	
		31		=H01/1146.6	=H01-S11465	
		32		=H01/1146.7	=H01-S11465	
	WIRE					
		114511	-			
		114512	-			
		114503	-			
		114505	-			
		LP2				
		114504	-			
		114506	-			
		114501	-			
		114513	-			
		114514	-			
		114507	-			
		114509	-			
		LP2				
		114508	-			
		114510	-			
		114502	-			
		114611	-			
		114612	-			
		114603	-			
		114605	-			
		LP2				
		114604	-			
		114606	-			
		114601	-			
		114613	-			
		114614	-			
		114607	-			
		114609	-			
		LP2				
		114608	-			
		114610	-			
		114602	-			
G4.2-W3001	10G1 mm			1	2	3	4	5	6	7	8																														
G5.2-W3001	10G1 mm																	1	2	3	4	5	6	7	8																
G7.2-W3001	10G1 mm																									1	2	3	4	5	6	7	8								

4147

4149

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: GATE CONNECTION XGATE +E13	POSIZ./LOCATION: + / GRUPPO/SECTION: = H06 / PAGINE/PAGE: 4148
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E
XINT
MAIN SWITCH CONTACT

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			=H00/9.0		1	5901
			=H00/9.1		2	5902
			=H00/9.1		3	5903
			=H00/9.2		4	5904
			=H00/9.2		5	
			=H00/9.2		6	
			=H00/9.3		7	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4148

4150

INDICE REVIS. N° / REVIS. INDEX N°				
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO	

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
21041I CTL04	CTL4 LINE	MAIN SWITCH CONTACT XINT +E	+ / = H06 / 4149
CLIENTE/CUSTOMER		SEL CTL4 LINE	RIF./REFERNCE

TERMINAL BOARD
+JB
XJB010
JUNCTION BOX JB010

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
	01.01.05	=H01-B19051	=H01/1905.1		1	11701
	01.01.06	=H01-B19052	=H01/1905.2		2	
	01.01.07	=H01-B19053	=H01/1905.3		3	
	01.01.08	=H01-B19054	=H01/1905.4		4	
	01.01.09	=H01-B19055	=H01/1905.5		5	
	01.01.10	=H01-B19056	=H01/1905.6		6	
	01.01.05	=H01-B19051	=H01/1905.1		7	0V1
	01.01.06	=H01-B19052	=H01/1905.2		8	
	01.01.07	=H01-B19053	=H01/1905.3		9	
	01.01.08	=H01-B19054	=H01/1905.4		10	
	01.01.09	=H01-B19055	=H01/1905.5		11	
	01.01.10	=H01-B19056	=H01/1905.6		12	
	01.01.05	=H01-B19051	=H01/1905.1		13	190501
	01.01.06	=H01-B19052	=H01/1905.2		14	190502
	01.01.07	=H01-B19053	=H01/1905.3		15	190503
	01.01.08	=H01-B19054	=H01/1905.4		16	190504
	01.01.09	=H01-B19055	=H01/1905.5		17	190505
	01.01.10	=H01-B19056	=H01/1905.6		18	190506
JB010-W2001 14G1.5 mm					1	2

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: JUNCTION BOX JB010 XJB010 +JB	POSIZ./LOCATION: + / GRUPPO/SECTION: = H06 / PAGINE/PAGE: 4150
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+JB
XJB010.1
JUNCTION BOX JB010.1

		TYPE	POSITION	ACRONYM	MOTOR LIST
TERMINAL	1		=H01/1905.7	=H01-B19057	01.02.02
	2		=H01/1905.8	=H01-B19058	01.02.03
	3		=H01/1905.7	=H01-B19057	01.02.02
	4		=H01/1905.8	=H01-B19058	01.02.03
	-		=H01/1905.7	=H01-B19057	01.02.02
	-		=H01/1905.8	=H01-B19058	01.02.03
WIRE	11701		0V1	190507	190508
JB010.1-W2001 7G1,5 mm²	1		2	3	4

4150

4152

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	JUNCTION BOX JB010.1 XJB010.1 +JB	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4151

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+JB
XJB020
JUNCTION BOX JB020

TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
1		=H01/1906.1	=H01-B19061	03.01.01
2		=H01/1906.2	=H01-B19062	03.01.02
3		=H01/1906.3	=H01-B19063	03.01.03
4		=H01/1906.1	=H01-B19061	03.01.01
5		=H01/1906.2	=H01-B19062	03.01.02
6		=H01/1906.3	=H01-B19063	03.01.03
7		=H01/1906.1	=H01-B19061	03.01.01
8		=H01/1906.2	=H01-B19062	03.01.02
9		=H01/1906.3	=H01-B19063	03.01.03

WIRE	TERMINAL
11701	1
	2
	3
0V1	4
	5
	6
190601	-
190602	-
190603	-

JB020-W2001	7G1,5 mm²	1			2			3	4	5

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4151

4153

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	JUNCTION BOX JB020 XJB020 +JB	+	= H06	4152
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

SCH_MORS_RBF-R1

TERMINAL BOARD
+JB
XJB030
JUNCTION BOX JB030

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		1		=H01/1906.4	=H01-B19064	04.02.04
		2		=H01/1906.5	=H01-B19065	04.02.05
		3		=H01/1906.6	=H01-B19066	04.03.04
		4		=H01/1906.7	=H01-B19067	04.03.05
		5		=H01/1906.4	=H01-B19064	04.02.04
		6		=H01/1906.5	=H01-B19065	04.02.05
		7		=H01/1906.6	=H01-B19066	04.03.04
		8		=H01/1906.7	=H01-B19067	04.03.05
		9		=H01/1906.4	=H01-B19064	04.02.04
		10		=H01/1906.5	=H01-B19065	04.02.05
		11		=H01/1906.6	=H01-B19066	04.03.04
		12		=H01/1906.7	=H01-B19067	04.03.05
		13		=H01/1925.1	=H01-Y19251	04.03.03
		14		=H01/1925.3		
		15		=H01/1925.2	=H01-Y19251	04.03.03
		16		=H01/1925.4		
		17		=H01/1987.2	=H01-BG19872	
		18		=H01/1987.6	=H01-BG19876	
		19		=H01/1987.2	=H01-BG19872	
		20		=H01/1987.6	=H01-BG19876	
		SH		=H01/1987.2	=H01-BG19872	
		SH		=H01/1987.6	=H01-BG19876	

		WIRE
		11701
		0V1
		190604
		190605
		190606
		190607
		192501
		192502
		9705
		11802
		0V8

SCH_MORS_RBF-R1

TERMINAL BOARD
+JB
XJB030.10
JUNCTION BOX JB030.10

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	1	-		=H01/1925.5	=H01-Y19255	01.02.01
	2	-		=H01/1925.6	=H01-Y19255	01.02.01
	3	-		=H01/1926.1	=H01-Y19261	04.02.01
	4	-		=H01/1926.2	=H01-Y19261	04.02.01
	5	-		=H01/1926.5	=H01-Y19265	04.02.02
	6	-		=H01/1926.7	=H01-Y19267	04.02.03
	7	-		=H01/1927.1	=H01-Y19271	04.03.01
	8	-		=H01/1927.2	=H01-Y19271	04.03.01
	9	-		=H01/1927.5	=H01-Y19275	04.03.02
	10	-		=H01/1927.6	=H01-Y19275	04.03.02
	11	-		=H01/1928.1	=H01-Y19281	04.04.01
	12	-		=H01/1928.2	=H01-Y19281	04.04.01
	13	-		=H01/1928.5		
	14	-		=H01/1928.6		
	15	-		=H01/1929.1	=H01-Y19291	06.04.01
	16	-		=H01/1929.2	=H01-Y19291	06.04.01
	17	-		=H01/1925.8	=H01-Y19255	01.02.01
	18	-		=H01/1926.4	=H01-Y19261	04.02.01
	19	-		=H01/1926.6	=H01-Y19265	04.02.02
	20	-		=H01/1926.8	=H01-Y19267	04.02.03
	21	-		=H01/1927.4	=H01-Y19271	04.03.01
	22	-		=H01/1927.8	=H01-Y19275	04.03.02
	23	-		=H01/1928.4	=H01-Y19281	04.04.01
	24	-		=H01/1928.8		
	25	-		=H01/1929.4	=H01-Y19291	06.04.01

	WIRE
	192503
	192504
	192601
	192602
	192603
	192604
	192701
	192702
	192703
	192704
	192801
	192802
	192803
	192804
	192901
	192902
	9705
	9705
	9705
	9705
	9705
	9705
	9705
	9705

JB030.10-W3001	26G1.5 mm	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17								18

4153

4155

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE
CLIENTE/CUSTOMER			

DENOMINAZIONE/DESCRIPTION
JUNCTION BOX JB030.10 XJB030.10 +JB

POSIZ./LOCATION	+	GRUPPO/SECTION	= H06
PAGINE/PAGE	4154		
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+JB
XJB040
JUNCTION BOX JB040

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
						1	11701
		06.02.03	=H01-S19068	=H01/1906.8		2	
		06.03.02	=H01-S19071	=H01/1907.1		3	
		06.03.03	=H01-B19072	=H01/1907.2			
				=H01/1906.8		4	0V1
				=H01/1907.1		5	
		06.03.03	=H01-B19072	=H01/1907.2		6	
		06.02.03	=H01-S19068	=H01/1906.8		7	190608
		06.03.02	=H01-S19071	=H01/1907.1		8	190701
		06.03.03	=H01-B19072	=H01/1907.2		9	190702
		06.02.02	=H01-Y19295	=H01/1929.5		10	192903
				=H01/1929.7		11	192904
		06.03.01	=H01-Y19301	=H01/1930.1		12	193001
		06.03.01	=H01-Y19301	=H01/1930.2		13	193002
		06.02.02	=H01-Y19295	=H01/1929.6		14	9705
				=H01/1929.8		15	
		06.03.01	=H01-Y19301	=H01/1930.4		16	9705
JB040-W2001	7G1,5 mm²						
JB040-W3001	7G1,5 mm²						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4154

4156

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	JUNCTION BOX JB040 XJB040 +JB	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4155

RIF./REFERNCE

TERMINAL BOARD
+JB
XJB070
JUNCTION BOX JB070

	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	1		=H01/1907.3	=H01-B19073	06.04.02
	2		=H01/1907.4	=H01-B19074	06.04.03
	3		=H01/1907.3	=H01-B19073	06.04.02
	4		=H01/1907.4	=H01-B19074	06.04.03
	5		=H01/1907.3	=H01-B19073	06.04.02
	6		=H01/1907.4	=H01-B19074	06.04.03
	-				
	-				
WIRE					
11701					
0V1					
190703					
190704					
JB070-W2001 7G1,5 mm²	1		2		3	4				

TERMINAL BOARD
+JB
XJB080
JUNCTION BOX JB080

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	WIRE	-				
	11701	1		=H01/1907.5	=H01-B19075	06.05.02
	0V1	2		=H01/1907.5	=H01-B19075	06.05.02
	190705	3		=H01/1907.5	=H01-B19075	06.05.02
	193003	4		=H01/1930.5	=H01-Y19305	06.05.01
	193004	5		=H01/1930.6	=H01-Y19305	06.05.01
	193101	6		=H01/1931.1	=H01-Y19311	06.05.03
	193102	7		=H01/1931.2	=H01-Y19311	06.05.03
	9705	8		=H01/1930.8	=H01-Y19305	06.05.01
	9705	9		=H01/1931.4	=H01-Y19311	06.05.03
JB080-W2001 5G1.5 mm		1	2	3		
JB080-W3001 7G1,5 mm²					1	2	3	4	5		

4156

4158

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	JUNCTION BOX JB080 XJB080 +JB
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER		
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO				

RBF DMAT
AUTOMATION TECHNOLOGY

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4157
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+JB
XJB120
JUNCTION BOX JB120

TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST	WIRE
1		=H01/1907.6	=H01-B19076	10.01.02	11701
2		=H01/1907.7	=H01-B19077.1	06.05.04	
3		=H01/1907.8	=H01-B19077	06.05.04	
4		=H01/1907.8	=H01-B19078	10.02.02	
5		=H01/1908.1	=H01-B19081	10.02.03	
6		=H01/1908.2	=H01-B19082	10.03.02	
7		=H01/1908.3	=H01-B19083	10.04.02	
8		=H01/1908.4	=H01-B19084	12.02.03	
9		=H01/1908.5	=H01-B19085	12.02.04	
10		=H01/1908.6	=H01-B19086	12.02.05	
11		=H01/1908.7	=H01-S19087	14.02.02	
12		=H01/1908.8	=H01-S19088	14.03.02	
13		=H01/1909.1	=H01-B19091.1	14.04.01	
14		=H01/1909.2	=H01-B19091	14.04.01	
15		=H01/1909.2	=H01-B19092	16.01.02	
16		=H01/1909.3	=H01-B19093	16.01.03	
17		=H01/1909.4	=H01-B19094	16.01.04	
18		=H01/1909.5	=H01-B19095	16.02.02	
19		=H01/1909.6	=H01-B19096	16.02.03	11701
20		=H01/1907.6	=H01-B19076	10.01.02	0V1
21		=H01/1907.7	=H01-B19077.1	06.05.04	
22		=H01/1907.8	=H01-B19077	06.05.04	
23		=H01/1907.8	=H01-B19078	10.02.02	
24		=H01/1908.1	=H01-B19081	10.02.03	
25		=H01/1908.2	=H01-B19082	10.03.02	
26		=H01/1908.3	=H01-B19083	10.04.02	
27		=H01/1908.4	=H01-B19084	12.02.03	
28		=H01/1908.5	=H01-B19085	12.02.04	
29		=H01/1908.6	=H01-B19086	12.02.05	
30		=H01/1908.7			
31		=H01/1908.8			
32		=H01/1909.1	=H01-B19091.1	14.04.01	
33		=H01/1909.2	=H01-B19091	14.04.01	
34		=H01/1909.2	=H01-B19092	16.01.02	
35		=H01/1909.3	=H01-B19093	16.01.03	
36		=H01/1909.4	=H01-B19094	16.01.04	0V1
37		=H01/1909.5	=H01-B19095	16.02.02	190706
38		=H01/1909.6	=H01-B19096	16.02.03	190707
39		=H01/1907.6	=H01-B19076	10.01.02	190709
40		=H01/1907.7	=H01-B19077.1	06.05.04	190708
41		=H01/1907.8			
42		=H01/1907.8	=H01-B19078	10.02.02	

JB120-W2001	26G1.5 mm	1	2	3
			4	5
				6
				7
				8

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°				
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO	

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION JUNCTION BOX JB120 XJB120 +JB	POSIZ./LOCATION +	GRUPPO/SECTION = H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4158

SCH_MORS_RBF-R1

TERMINAL BOARD
+JB
XJB120
JUNCTION BOX JB120

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		43		=H01/1908.1	=H01-B19081	10.02.03
		44		=H01/1908.2	=H01-B19082	10.03.02
		45		=H01/1908.3	=H01-B19083	10.04.02
		46		=H01/1908.4	=H01-B19084	12.02.03
		47		=H01/1908.5	=H01-B19085	12.02.04
		48		=H01/1908.6	=H01-B19086	12.02.05
		49		=H01/1908.7	=H01-S19087	14.02.02
		50		=H01/1908.8	=H01-S19088	14.03.02
		51		=H01/1909.1	=H01-B19091.1	14.04.01
		52		=H01/1909.2		
		53		=H01/1909.2	=H01-B19092	16.01.02
		54		=H01/1909.3	=H01-B19093	16.01.03
		55		=H01/1909.4	=H01-B19094	16.01.04
		56		=H01/1909.5	=H01-B19095	16.02.02
		57		=H01/1909.6	=H01-B19096	16.02.03
		58		=H01/1931.5	=H01-Y19315	10.01.01
		59		=H01/1931.6	=H01-Y19315	10.01.01
		60		=H01/1932.1	=H01-Y19321	10.02.01
		61		=H01/1932.2	=H01-Y19321	10.02.01
		62		=H01/1932.5	=H01-Y19325	10.03.01
		63		=H01/1932.6	=H01-Y19325	10.03.01
		64		=H01/1933.1	=H01-Y19331	10.04.01
		65		=H01/1933.2	=H01-Y19331	10.04.01
		66		=H01/1933.5	=H01-Y19335	12.02.01
		67		=H01/1933.6	=H01-Y19335	12.02.01
		68		=H01/1934.1	=H01-Y19341	12.02.02
		69		=H01/1934.2	=H01-Y19341	12.02.02
		70		=H01/1934.5	=H01-Y19345	16.01.01
		71		=H01/1934.6	=H01-Y19345	16.01.01
		72		=H01/1935.1	=H01-Y19351	16.03.01
		73		=H01/1935.2	=H01-Y19351	16.03.01
		74		=H01/1931.8	=H01-Y19315	10.01.01
		75		=H01/1932.4	=H01-Y19321	10.02.01
		76		=H01/1932.8	=H01-Y19325	10.03.01
		77		=H01/1933.4	=H01-Y19331	10.04.01
		78		=H01/1933.8	=H01-Y19335	12.02.01
		79		=H01/1934.4	=H01-Y19341	12.02.02
		80		=H01/1934.8	=H01-Y19345	16.01.01
		81		=H01/1935.4	=H01-Y19351	16.03.01
		82		=G04/11.6	=G04-Y116	14.01.05
		83		=G04/11.6	=G04-Y116	14.01.05
		84		=H01/1988.2	=H01-BG19882	

| | | WIRE | | |

SCH_MORS_RBF-R1

TERMINAL BOARD
+JB
XJB120
JUNCTION BOX JB120

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			=H01-BG19886	=H01/1988.6		85	
			=H01-BG19892	=H01/1989.2		86	
			=H01-BG19882	=H01/1988.2		87	0V8
			=H01-BG19886	=H01/1988.6		88	
			=H01-BG19892	=H01/1989.2		89	
			=G04-Y116	=G04/11.6	PE	-	
			=H01-BG19882	=H01/1988.2	PE	-	
			=H01-BG19886	=H01/1988.6	PE	-	
			=H01-BG19892	=H01/1989.2	PE	-	
JB120-W2002	3G1.5 mm						2
XJB120-W3001	3G1.5 mm						
X304-W3001	3G1.5 mm						

4159

4161

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION JUNCTION BOX JB120 XJB120 +JB	POSIZ./LOCATION +	GRUPPO/SECTION = H06	PAGINE/PAGE 4160
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER				SEL CTL4 LINE	RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+JB
XJB140
JUNCTION BOX JB140

	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	1		=H01/1909.7	=H01-B19097	16.03.02
	2		=H01/1909.8	=H01-B19098	16.03.03
	3		=H01/1910.1	=H01-B19101	16.03.04
	4		=H01/1909.7	=H01-B19097	16.03.02
	5		=H01/1909.8	=H01-B19098	16.03.03
	6		=H01/1910.1	=H01-B19101	16.03.04
	7	-	=H01/1909.7	=H01-B19097	16.03.02
	8	-	=H01/1909.8	=H01-B19098	16.03.03
	9	-	=H01/1910.1	=H01-B19101	16.03.04
WIRE					
11701					
0V1					
190907					
190908					
191001					
JB140-W2001 7G1,5 mm²	1		2		3	4	5		

4160

4162

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
21041I CTL04	CTL4 LINE	JUNCTION BOX JB140 XJB140 +JB	+ / = H06 / 4161
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+JB
XJB150
JUNCTION BOX JB150

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		1		=H02/14.4		
		2		=H02/14.4		
		3		=H02/14.4		
		4		=H01/1910.2	=H01-S19102	18.01.02
		5		=H01/1910.3	=H01-S19103	18.01.03
		6		=H01/1910.2		
		7		=H01/1910.3		
		8		=H01/1910.2	=H01-S19102	18.01.02
		9		=H01/1910.3	=H01-S19103	18.01.03
		PE		=H02/14.5		
		-	-	-	-	-
	WIRE	241409	241411	241413	11701	0V1	191002	191003	
JB150-W3001	4G1,5 mm²	1	2	3					GNYE
JB150-W2001	7G1,5 mm²				1		2		3	4	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION JUNCTION BOX JB150 XJB150 +JB	POSIZ./LOCATION +	GRUPPO/SECTION = H06	PAGINE/PAGE 4162
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

TERMINAL BOARD
+JB
XJB160
JUNCTION BOX JB160

	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	1		=H01/1910.4	=H01-B19104	20.01.04
	2		=H01/1910.5	=H01-B19105	20.02.04
	3		=H01/1910.6	=H01-B19106	20.03.02
	4		=H01/1910.7	=H01-B19107	20.03.03
	5		=H01/1910.8	=H01-B19108	20.03.04
	6		=H01/1911.1	=H01-U19111	
	7		=H01/1911.2	=H01-U19112	
	8		=H01/1910.4	=H01-B19104	20.01.04
	9		=H01/1910.5	=H01-B19105	20.02.04
	10		=H01/1910.6	=H01-B19106	20.03.02
	11		=H01/1910.7	=H01-B19107	20.03.03
	12		=H01/1910.8	=H01-B19108	20.03.04
	13		=H01/1911.1	=H01-U19111	
	14		=H01/1911.2	=H01-U19112	
	15		=H01/1910.4	=H01-B19104	20.01.04
	16		=H01/1910.5	=H01-B19105	20.02.04
	17		=H01/1910.6	=H01-B19106	20.03.02
	18		=H01/1910.7	=H01-B19107	20.03.03
	19		=H01/1910.8	=H01-B19108	20.03.04
	20		=H01/1911.1	=H01-U19111	
	21		=H01/1911.2	=H01-U19112	
	22				
	23				
	24				
	25				
	26				
	27		=H01/1936.1	=H01-Y19361	20.01.03
	28		=H01/1936.2	=H01-Y19361	20.01.03
	29		=H01/1936.5	=H01-Y19365	20.02.03
	30		=H01/1936.6	=H01-Y19365	20.02.03
	31		=H01/1937.1	=H01-Y19371	20.03.01
	32		=H01/1937.2	=H01-Y19371	20.03.01
	33		=H01/1936.4	=H01-Y19361	20.01.03
	34		=H01/1936.8	=H01-Y19365	20.02.03
	35		=H01/1937.4	=H01-Y19371	20.03.01
WIRE					
11701					
0V1					
191004					
191005					
191006					
191007					
191008					
191101					
191102					
193601					
193602					
193603					
193604					
193701					
193702					
9705					
9705					
9705					
JB160-W2001 14G1.5 mm	1		2		3
JB160-W3001 10G1.5 mm					1
	4				2
	5				3
	6				4
	7				5
	8				6
	9				7

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4162

4164

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: JUNCTION BOX JB160 XJB160 +JB	POSIZ./LOCATION: +
CLIENTE/CUSTOMER			GRUPPO/SECTION: = H06
			PAGINE/PAGE: 4163
		SEL CTL4 LINE	RIF./REFERNCE

TERMINAL BOARD
+JB
XJB290.1
JUNCTION BOX JB290.1

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		1		=G17/10.3	=G17-M103	36.01.01
		2		=G17/10.3	=G17-M103	36.01.01
		3		=G17/10.3	=G17-M103	36.01.01
		4		=G17/11.6	=G17-Y116	36.01.02
		5		=G17/11.6	=G17-Y116	
		6		=G17/11.6	=G17-Y116	36.01.02
		PE		=G17/10.4	=G17-M103	36.01.01
		PE		=G17/11.7	=G17-Y116	36.01.02
		SH		=G17/10.4		
		-	-	-	-	-
WIRE						
JB290.1-W4001A	4G1,5 mm²	BN	BK	GY	GN-YE	
JB290.1-W4001	4G1,5 mm²	BN	BK	GY	GN-YE	SH
JB290.1-W3001A	4G1,5 mm²				1 2 3 GNYE	
JB290.1-W3001	4G1,5 mm²				1 2 3 GNYE	

4163

4165

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: JUNCTION BOX JB290.1 XJB290.1 +JB	POSIZ./LOCATION: +
CLIENTE/CUSTOMER			GRUPPO/SECTION: = H06
			PAGINE/PAGE: 4164
		SEL CTL4 LINE	RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+JB
XJB310
JUNCTION BOX JB310

TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST	WIRE
1		=H01/2102.1	=H01-B21021	38.01.04	11701
2		=H01/2102.2	=H01-B21022	38.02.04	
3		=H01/2102.3	=H01-B21023	38.03.02	
4		=H01/2102.4	=H01-B21024	38.03.03	
5		=H01/2102.5	=H01-B21025	38.03.04	
6		=H01/2102.6	=H01-U21026		
7		=H01/2102.7	=H01-U21027		
8		=H01/2102.1	=H01-B21021	38.01.04	0V1
9		=H01/2102.2	=H01-B21022	38.02.04	
10		=H01/2102.3	=H01-B21023	38.03.02	
11		=H01/2102.4	=H01-B21024	38.03.03	
12		=H01/2102.5	=H01-B21025	38.03.04	
13		=H01/2102.6	=H01-U21026		
14		=H01/2102.7	=H01-U21027		
15	-	=H01/2102.1	=H01-B21021	38.01.04	210201
16	-	=H01/2102.2	=H01-B21022	38.02.04	210202
17	-	=H01/2102.3	=H01-B21023	38.03.02	210203
18	-	=H01/2102.4	=H01-B21024	38.03.03	210204
19	-	=H01/2102.5	=H01-B21025	38.03.04	210205
20	-	=H01/2102.6	=H01-U21026		210206
21	-	=H01/2102.7	=H01-U21027		210207
22	-				
23	-	=H01/2125.1	=H01-Y21251	38.01.03	212501
24	-	=H01/2125.2	=H01-Y21251	38.01.03	212502
25	-	=H01/2125.5	=H01-Y21255	38.02.03	212503
26	-	=H01/2125.6	=H01-Y21255	38.02.03	212504
27	-	=H01/2126.1	=H01-Y21261	38.03.01	212601
28	-	=H01/2126.2	=H01-Y21261	38.03.01	212602
29	-	=H01/2125.4	=H01-Y21251	38.01.03	9705
30	-	=H01/2125.8	=H01-Y21255	38.02.03	9705
31	-	=H01/2126.4	=H01-Y21261	38.03.01	9705

JB310-W2001	14G1.5 mm	1							2							3	4	5	6	7	8	9														
JB310-W3001	10G1.5 mm																							1	2	3	4	5	6	7						

4164

4166

INDICE REVIS. N° / REVIS. INDEX N°							
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO				

DENOMINAZIONE/DESCRIPTION: JUNCTION BOX JB310 XJB310 +JB

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4165
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+JB
XJB330.1
JUNCTION BOX JB330.1

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		1		=G29/10.3	=G29-M103	41.16.01
		2		=G29/10.3	=G29-M103	41.16.01
		3		=G29/10.3	=G29-M103	41.16.01
		4		=G29/11.6	=G29-Y116.1	
		5		=G29/11.6	=G29-Y116.1	41.16.02
		6		=G29/11.6	=G29-Y116.1	41.16.02
		PE		=G29/10.4	=G29-M103	41.16.01
		PE		=G29/11.7	=G29-Y116.1	41.16.02
		SH		=G29/10.4		
		-	-	-	-	
	WIRE	39001	39002	39003	39106	39104	39108	39004	39105		
---	---	---	---	---	---	---	---	---	---	---	---
JB330.1-W4001A	4G1,5 mm²	BN	BK	GY			GN-YE				
JB330.1-W4001	4G1,5 mm²	BN	BK	GY			GN-YE			SH	
JB330.1-W3001A	4G1,5 mm²				1	2	3	GNYE			
JB330.1-W3001	4G1,5 mm²				1	2	3	GNYE			

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	JUNCTION BOX JB330.1 XJB330.1 +JB	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4166
RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+JB
XJB360
JUNCTION BOX JB360

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		1		=G31/10.5	=G31-S105	
		2		=G31/10.5	=G31-S105	
		3		=G31A/10.5	=G31A-S105	
		4		=G31A/10.5	=G31A-S105	
		5		=H01/1111.1	=H01-B11111	45.01.02
		6		=H01/1111.2	=H01-B11112	45.01.03
		7		=H01/1111.3	=H01-B11113	45.02.02
		8		=H01/1111.4	=H01-B11114.1	45.03.01
		9		=H01/1111.5	=H01-B11114	45.03.01
		10		=H01/1111.5	=H01-B11115	47.02.02
		11		=H01/1111.6	=H01-B11116	47.02.03
		12		=H01/1111.7		
		13		=H01/1111.8		
		14		=H01/1111.1	=H01-B11111	45.01.02
		15		=H01/1111.2	=H01-B11112	45.01.03
		16		=H01/1111.3	=H01-B11113	45.02.02
		17		=H01/1111.4	=H01-B11114.1	45.03.01
		18		=H01/1111.5	=H01-B11114	45.03.01
		19		=H01/1111.5	=H01-B11115	47.02.02
		20		=H01/1111.6	=H01-B11116	47.02.03
		21		=H01/1111.7		
		22		=H01/1111.8		
		23		=H01/1111.1	=H01-B11111	45.01.02
		24		=H01/1111.2	=H01-B11112	45.01.03
		25		=H01/1111.3	=H01-B11113	45.02.02
		26		=H01/1111.4	=H01-B11114.1	45.03.01
		27		=H01/1111.5	=H01-B11115	47.02.02
		28		=H01/1111.6	=H01-B11116	47.02.03
		29		=H01/1111.7		
		30		=H01/1111.8		
		31		=H01/1131.4	=H01-Y11311	45.01.01
		32		=H01/1131.8	=H01-Y11315	45.02.01
		33		=H01/1132.4	=H01-Y11321	47.02.01
		34		=H01/1131.1	=H01-Y11311	45.01.01
		35		=H01/1131.2	=H01-Y11311	45.01.01
		36		=H01/1131.5	=H01-Y11315	45.02.01
		37		=H01/1131.6	=H01-Y11315	45.02.01
		38		=H01/1132.1	=H01-Y11321	47.02.01
		39		=H01/1132.2	=H01-Y11321	47.02.01
		SH		=G31/10.6	XJB360	
		SH		=G31A/10.6	XJB360	

		TERMINAL	WIRE
		-	40503
		-	40504
		-	41004
		-	41005
			LP2
			0V5
		-	111101
		-	111102
		-	111103
		-	111104
		-	111105
		-	111106
		-	111107
		-	111108
		-	9703
			9703
			9703
		-	113101
		-	113102
		-	113103
		-	113104
		-	113201
		-	113202
		-	40501
		-	40501
JB360-W2002A	2x0,75 mm²	BN	WH
JB360-W2002	2x0,75 mm²	BN	WH
JB360-W2003A	2x0,75 mm²		
JB360-W2003	2x0,75 mm²		
JB360-W2001	14G1.5 mm		
JB360-W3001	12G1.5 mm		

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4166

4168

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION
21041I CTL04	CTL4 LINE	JUNCTION BOX JB360 XJB360 +JB	+
CLIENTE/CUSTOMER			SEL CTL4 LINE

GRUPPO/SECTION	PAGINE/PAGE	RIF./REFERNCE
= H06	4167	

SCH_MORS_RBF-R1

TERMINAL BOARD
+JB
XJB380
JUNCTION BOX JB380

	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	1		=G32/18.1	=G32-B181	49.01.05
	2		=G32/18.2	=G32-B182	49.01.06
	3		=G32/18.3	=G32-B183	49.01.07
	4		=G32/18.4	=G32-B184	49.01.08
	5		=G32/18.5		
	6		=H01/1325.1		
	7		=H01/1325.2		
	8		=H01/1325.3		
	9		=G32/18.1	=G32-B181	49.01.05
	10		=G32/18.2	=G32-B182	49.01.06
	11		=G32/18.3	=G32-B183	49.01.07
	12		=G32/18.4	=G32-B184	49.01.08
	13		=G32/18.5		
	14		=H01/1325.1		
	15		=H01/1325.2		
	16		=H01/1325.3		
	17		=G32/18.1	X150	
	18		=G32/18.2	X150	
	19		=G32/18.3	X150	
	20		=G32/18.4	X150	
	21		=G32/18.5	X150	
-	22		=H01/1325.1		
-	23		=H01/1325.2		
-	24		=H01/1325.3		
-	25		=H01/1343.1	=H01-Y13431	49.07.06
-	26		=H01/1343.2	=H01-Y13435	49.07.04
-	27		=H01/1343.3	=H01-Y13435	49.07.04
-	28		=H01/1343.4		
-	29		=H01/1343.5		
-	30		=H01/1343.6		
-	31		=H01/1343.7		
-	32		=H01/1343.8		
	33		=H01/1343.1	=H01-Y13431	49.07.06
	34		=H01/1343.2	=H01-Y13435	49.07.04
	35		=H01/1343.4		
	36		=H01/1343.6		
	37		=H01/1343.7		
	38		=H01/1343.8		

	WIRE
	LP3
	0V9
	42301
	42302
	42303
	42304
	42305
-	132501
-	132502
-	132503
-	134302
-	134304
-	134306
-	134308
-	134310
-	134312
-	134314
-	134316
	9701

| | | |

SCH_MORS_RBF-R1

TERMINAL BOARD
+JB
XJB380.1
JUNCTION BOX JB380.1

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		1		=G33/10.3	=G33-M103	49.02.01
		1		=H02/39.1		
		2		=G33/10.3	=G33-M103	49.02.01
		2		=H02/39.1		
		3		=G33/10.3	=G33-M103	49.02.01
		3		=H02/39.1		
		5		=G33/11.8	=G33-M118	49.02.15
		6		=G33/11.8	=G33-M118	49.02.15
		7		=G33/11.8	=G33-M118	49.02.15
		11		=H02/13.5		
		12		=H02/13.5		
		13		=H02/13.5		
		14		=H02/20.7	=H02-M207	49.05.01
		15		=H02/20.7	=H02-M207	49.05.01
		16		=H02/20.7	=H02-M207	49.05.01
		PE		=G33/10.4	=G33-M103	49.02.01
		PE		=G33/11.9	=G33-M118	49.02.15
		PE		=H02/13.5		
		PE		=H02/20.7	=H02-M207	49.05.01
		PE		=H02/39.1		
		SH		=G33/10.4		
	WIRE	-	-	-	-	-
		43003	243902	43004	243904	43005
JB380.1-W4001A	3x50+3x25/3 mm²	BN		BK		GY
JB380.1-W4001	3x50+3x25/3 mm²	BN		BK		GY
JB380.1-W3047	4G1,5 mm²		1		2	
JB380.1-W3003	4G1,5 mm²					
JB380.1-W3002	4G1,5 mm²					
JB380.1-W3001	4G1,5 mm²					
DB01-W3001	4G1,5 mm²					

| | | | | |

TERMINAL BOARD
+JB
XJB380.2
JUNCTION BOX JB380.2

	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	1		=H01/1325.4	=H01-U13256	
	2		=H01/1325.5		
	3		=H01/1325.6	=H01-S13258	49.08.07
	4		=H01/1325.7		
	5		=H01/1325.8		
	6		=H01/1328.1		
	7		=H01/1328.7		
	8		=H01/1328.8		
	9		=H01/1325.4	=H01-U13256	
	10		=H01/1325.5		
	11		=H01/1325.6		
	12		=H01/1325.7		
	13		=H01/1325.8		
	14		=H01/1328.1		
	15		=H01/1328.7		
	16		=H01/1328.8		
	17	-	=H01/1325.4	=H01-U13256	
	18	-	=H01/1325.5		
	19	-	=H01/1325.6	=H01-S13258	49.08.07
	20	-	=H01/1325.7		
	21	-	=H01/1325.8		
	22	-	=H01/1328.1		
	23	-	=H01/1328.7		
	24	-	=H01/1328.8		
	25	-	=G32/20.1	=G32-Y201	49.02.09
	26	-	=G32/20.2		
	27	-	=G32/20.3		
	28	-	=G32/20.4		
	29	-	=G32/20.1	=G32-Y201	49.02.09
	30	-	=G32/20.2		
	31	-	=G32/20.3		
	32	-	=G32/20.4		
	33	-	=G33/10.8	=G33-S109	
	34	-	=G33/10.8	=G33-S109	
	35	-	=G32/17.3	=G32-A170	
	36	-	=G32/17.3	=G32-A170	
	37	-	=G32/17.3	=G32-A170	
	38	-	=G32/17.3	=G32-A170	
	39	-	=G32/17.3	=G32-A170	
	40	-	=G32/17.3	=G32-A170	
	SH	-	=G32/17.3		
	SH	-	=G33/10.8	JB380.2-W2001A	

		WIRE																																		
		LP3								0V9								132504	132505	132506	132507	132508	132801	132807	132808	9701				42501	42502	42503	42504	43007	43008	42201	42202	42203	42204	42205	42206		
JB380.2-W2003	16G1,5 mm²	1								2								3	4	5	6	7	8	9	10																		
JB380.2-W3001	10G1.5 mm																									1				2	3	4	5										
JB380.2-W2001A	2x0,75 mm²																																	WH	BN								SH
JB380.2-W2001	2x0,75 mm²																																	WH	BN								SH
JB380.2-W2005	8x0,5 mm²																																			WH	BN	GN	YE	GY	PK		
JB380.2-W2004	8x0,5 mm²																																			WH	BN	GN	YE	GY	PK		

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, ne utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4169

4171

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: JUNCTION BOX JB380.2 XJB380.2 +JB	POSIZ./LOCATION: +
CLIENTE/CUSTOMER			GRUPPO/SECTION: = H06
			PAGINE/PAGE: 4170
		SEL CTL4 LINE	RIF./REFERNCE

SCH_MORS_RBF-R1

TERMINAL BOARD
+JB
XJB380.3
JUNCTION BOX JB380.3

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		-		=H02/10.1	=H02-E101	49.03.09
		-		=H02/10.1	=H02-E101	
		-		=H02/10.1	=H02-E101	
		-		=H02/11.5	=H02-M115	49.03.01
		-		=H02/11.5	=H02-M115	49.03.01
		-		=H02/11.5	=H02-M115	49.03.01
		-		=H02/11.7	=H02-M117	49.03.03
		-		=H02/11.7	=H02-M117	49.03.03
		-		=H02/11.7	=H02-M117	49.03.03
		-		=H02/12.1		
		-		=H02/12.1		
		-		=H02/12.1		
		-		=H02/20.1		
		-		=H02/20.1		
		-		=H02/20.1		
		-		=H01/1326.1	=H01-S13265	49.03.04
		-		=H01/1326.2	=H01-S13266	49.03.05
		-		=H01/1326.3	=H01-S13267	49.03.06
		-		=H01/1326.4	=H01-S13268	49.03.07
		-		=H01/1326.5		
		-		=H01/1326.6	=H01-S13266.1	49.09.03
		-		=H01/1326.7		
		-		=H01/1326.8		
		-		=H01/1326.1		
		-		=H01/1326.2		
		-		=H01/1326.3		
		-		=H01/1326.4		
		-		=H01/1326.5		
		-		=H01/1326.6		
		-		=H01/1326.7		
		-		=H01/1326.8		
		-		=H01/1326.1	=H01-S13265	49.03.04
		-		=H01/1326.2	=H01-S13266	49.03.05
		-		=H01/1326.3	=H01-S13267	49.03.06
		-		=H01/1326.4	=H01-S13268	49.03.07
		-		=H01/1326.5		
		-		=H01/1326.6	=H01-S13266.1	49.09.03
		-		=H01/1326.7		
		-		=H01/1326.8		
		-		=H01/1344.1	=H01-Y13442	49.09.02
		-		=H01/1344.2	=H01-Y13443	49.09.04
		-		=H01/1344.3	=H01-Y13444A	49.07.06

		WIRE
		241002
		241004
		241006
		241116
		241118
		241120
		241123
		241125
		241127
		241202
		241204
		241206
		242002
		242004
		242006
		LP3
		0V9
		132601
		132602
		132603
		132604
		132605
		132606
		132607
		132608
		9701
JB380.3-W3010	4G1,5 mm²	1 2 3
DB01-W3010	4G1,5 mm²	1 2 3
JB380.3-W3014	4G1,5 mm²	1 2 3
DB01-W3014	4G1,5 mm²	1 2 3
JB380.3-W3015	4G1,5 mm²	1 2 3
DB01-W3015	4G1,5 mm²	1 2 3
DB01-W3016	4G1,5 mm²	1 2 3
JB380.3-W3001	4G2,5 mm²	1 2 3
JB380.3-W2001	12G1.5 mm	1 2 3 4 5 6 7 8 9 10
JB380.3-W3003	10G1.5 mm	1

4170

4172

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: JUNCTION BOX JB380.3 XJB380.3 +JB	POSIZ./LOCATION: + / GRUPPO/SECTION: = H06 / PAGINE/PAGE: 4171
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, ne utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+JB
XJB380.3
JUNCTION BOX JB380.3

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		43		=H01/1344.4	=H01-Y13444B	49.07.06
		44		=H01/1344.5	=H01-Y13445	49.07.06
		45		=H01/1344.6		
		46		=H01/1344.1	=H01-Y13442	49.09.02
		47		=H01/1344.2	=H01-Y13443	49.09.04
		48		=H01/1344.3	=H01-Y13444A	49.07.06
		49		=H01/1344.4	=H01-Y13444B	49.07.06
		50		=H01/1344.5	=H01-Y13445	49.07.06
		51		=H01/1344.6		
		52		=H01/1355.2	=H01-Y13551	
		53		=H01/1355.2	=H01-Y13551	
		54		=H01/1355.1	=H01-Y13551	
		55		=H01/1355.2	=H01-Y13551	
		PE		=H02/10.1	=H02-E101	
		PE		=H02/11.5	=H02-M115	49.03.01
		PE		=H02/11.7	=H02-M117	49.03.03
		PE		=H02/12.1		
		PE		=H02/20.1		
		SH		=H01/1355.3	=H01-Y13551	
	TERMINAL	-	-	-	-	-
	WIRE			134402	134404	134406
JB380.3-W3003	10G1.5 mm			2	3	4
JB380.3-W1001	4x1 mm²					
JB380.3-W3010	4G1,5 mm²					
DB01-W3010	4G1,5 mm²					
JB380.3-W3014	4G1,5 mm²					
DB01-W3014	4G1,5 mm²					
JB380.3-W3015	4G1,5 mm²					
DB01-W3015	4G1,5 mm²					
DB01-W3016	4G1,5 mm²					
JB380.3-W3001	4G2,5 mm²					

| | | | | |

TERMINAL BOARD

+JB

XJB380.4

JUNCTION BOX JB380.4

JB380.4-W2002 25G1,5 mm²	WIRE	TERMINAL		TYPE	POSITION	ACRONYM	MOTOR LIST
1	LP3		1		=G32/19.1	=G32-B191	49.02.04
			2		=G32/19.2	=G32-B192	49.02.05
			3		=G32/19.3	=G32-B193	49.02.06
			4		=G32/19.4	=G32-B194	49.02.07
			5		=G32/19.5	=G32-B195	49.02.08
			6		=G32/19.6		
			7		=H01/1327.1	=H01-U13275	
			8		=H01/1327.2	=H01-U13276	
			9		=H01/1327.3	=H01-U13277	
			10		=H01/1327.4		
			11		=H01/1327.5		
			12		=H01/1327.6		
			13		=H01/1327.7		
			14		=H01/1328.8	=H01-S13278	
			15		=H01/1328.2	=H01-U13282	
			16		=H01/1328.3	=H01-U13283	
			17		=H01/1328.4	=H01-U13284	
			18		=H01/1328.5	=H01-U13285	
			19		=H01/1328.6	=H01-U13286	
2	0V9		20		=G32/19.1	=G32-B191	49.02.04
			21		=G32/19.2	=G32-B192	49.02.05
			22		=G32/19.3	=G32-B193	49.02.06
			23		=G32/19.4	=G32-B194	49.02.07
			24		=G32/19.5	=G32-B195	49.02.08
			25		=G32/19.6		
			26		=H01/1327.1	=H01-U13275	
			27		=H01/1327.2	=H01-U13276	
			28		=H01/1327.3	=H01-U13277	
			29		=H01/1327.4		
			30		=H01/1327.5		
			31		=H01/1327.6		
			32		=H01/1327.7		
			33		=H01/1327.8		
			34		=H01/1328.2	=H01-U13282	
			35		=H01/1328.3	=H01-U13283	
			36		=H01/1328.4	=H01-U13284	
			37		=H01/1328.5	=H01-U13285	
			38		=H01/1328.6	=H01-U13286	
3	42406	-	39		=G32/19.1	=G32-B191	49.02.04
4	42401	-	40		=G32/19.2	=G32-B192	49.02.05
5	42402	-	41		=G32/19.3	=G32-B193	49.02.06
6	42403	-	42		=G32/19.4	=G32-B194	49.02.07

SCH_MORS_RBF-R1

4172

INDICE REVIS. N° —
REVIS. INDEX N° —
NOME REVIS. N° 3.0
REVIS. NAME N° 06/04/2023
DATA P.CEOLATO
DATE
DISEGNATO
DRAWING
CONTROLLATO
CHECKED

	FIRMA SIG.	DATA/DATE
DISEGNATO DRAWING	P.CEOLATO	2021/06/01
CONTROLLATO CHECKED	G.RUSSO	

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04
CLIENTE/CUSTOMER

LINEA/LINE CTL4 LINE

DENOMINAZIONE/DESCRIPTION
JUNCTION BOX JB380.4 XJB380.4 +JB

POSIZ./LOCATION + SEL CTL4 LINE
GRUPPO/SECTION = H06
PAGINE/PAGE 4173
RIF./REFERENCE

4174

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+JB
XJB380.4
JUNCTION BOX JB380.4

	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	-		=G32/19.5	=G32-B195	49.02.08
	-		=G32/19.6		
	-		=H01/1327.1	=H01-U13275	
	-		=H01/1327.2	=H01-U13276	
	-		=H01/1327.3	=H01-U13277	
	-		=H01/1327.4		
	-		=H01/1327.5		
	-		=H01/1327.6		
	-		=H01/1327.7		
	-		=H01/1327.8	=H01-S13278	
	-		=H01/1328.2	=H01-U13282	
	-		=H01/1328.3	=H01-U13283	
	-		=H01/1328.4	=H01-U13284	
	-		=H01/1328.5	=H01-U13285	
	-		=H01/1328.6	=H01-U13286	
	-		=H01/1344.7	=H01-Y13447	49.04.01
	-		=H01/1344.8	=H01-Y13448	49.04.04
	-		=H01/1345.1	=H01-Y13456.1	49.04.05
	-		=H01/1345.2	=H01-Y13457A	49.05.05
	-		=H01/1345.3	=H01-Y13457B	49.05.05
	-		=H01/1345.4		
	-		=H01/1345.5	=H01-Y13459	
	-		=H01/1345.6	=H01-Y134510	
	-		=H01/1345.7	=H01-Y134511	
	-		=H01/1344.7	=H01-Y13447	49.04.01
	-		=H01/1344.8	=H01-Y13448	49.04.04
	-		=H01/1345.1	=H01-Y13456.1	49.04.05
	-		=H01/1345.2	=H01-Y13457A	49.05.05
	-		=H01/1345.3	=H01-Y13457B	49.05.05
	-		=H01/1345.4		
	-		=H01/1345.5	=H01-Y13459	
	-		=H01/1345.6	=H01-Y134510	
	-		=H01/1345.7	=H01-Y134511	
	-		=H01/1350.6	=H01-BG13506	
	-		=H01/1350.6	=H01-BG13506	
	-		=H01/1350.2	=H01-BG13502	
	-		=H01/1350.2	=H01-BG13502	
	-		=H02/30.7	=H02-M307	49.06.01
	-		=H02/30.7	=H02-M307	49.06.01
	-		=H02/30.7		
	-		=H01/1350.2	=H01-BG13502	
	-		=H01/1350.6	=H01-BG13506	

| | WIRE | 42404 | 42405 | 132701 | 132702 | 132703 | 132704 | 132705 | 132706 | 132707 | 132708 | 132802 | 132803 | 132804 | 132805 | 132806 | 9701 | 9701 | | |

TERMINAL BOARD
+JB
XJB410
JUNCTION BOX JB410

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		1		=H01/1112.1	=H01-B11121	51.02.02
		2		=H01/1112.2	=H01-B11122	51.02.03
		3		=H01/1112.3		
		4		=H01/1112.1	=H01-B11121	51.02.02
		5		=H01/1112.2	=H01-B11122	51.02.03
		6		=H01/1112.3		
		7		=H01/1112.1	=H01-B11121	51.02.02
		8		=H01/1112.2	=H01-B11122	51.02.03
		9		=H01/1112.3		
		10		=H01/1133.4	=H01-Y11331	51.02.01
		11		=H01/1133.1	=H01-Y11331	51.02.01
		12		=H01/1133.2	=H01-Y11331	51.02.01

SCH_MORS_RBF-R1

TERMINAL BOARD
+JB
XJB420
JUNCTION BOX JB420

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		1		=H01/1112.4	=H01-B11124	52.04.02
		2		=H01/1112.5	=H01-B11125	52.04.03
		3		=H01/1112.6	=H01-B11126	52.05.01
		4		=H01/1112.7		
		5		=H01/1112.4	=H01-B11124	52.04.02
		6		=H01/1112.5	=H01-B11125	52.04.03
		7		=H01/1112.6	=H01-B11126	52.05.01
		8		=H01/1112.7		
		9	-	=H01/1112.4	=H01-B11124	52.04.02
		10	-	=H01/1112.5	=H01-B11125	52.04.03
		11	-	=H01/1112.6	=H01-B11126	52.05.01
		12	-	=H01/1112.7		
		13	-	=H01/1134.4	=H01-Y11341	52.04.01
		14	-	=H01/1134.1	=H01-Y11341	52.04.01
		15	-	=H01/1134.2	=H01-Y11341	52.04.01
JB420-W2001	7G1,5 mm²	1	2			
JB420-W3001	7G1,5 mm²			1	2	3

WIRE		LP2	0V5	111204	111205	111206	111207	9703	113401	113402
JB420-W2001	7G1,5 mm²	1	2	3	4	5	6			
JB420-W3001	7G1,5 mm²							1	2	3

4175

4177

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	JUNCTION BOX JB420 XJB420 +JB	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4176

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+JB
XJB440
JUNCTION BOX JB440

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		1		=H02/21.1	=H02-M211	54.01.01
		2		=H02/21.1	=H02-M211	54.01.01
		3		=H02/21.1	=H02-M211	54.01.01
		5		=H01/1112.8	=H01-S11128	54.01.02
		6		=H01/1116.1	=H01-S11161	54.01.03
		7		=H01/1116.2		
		8		=H01/1112.8		
		9		=H01/1116.1		
		10		=H01/1116.2		
		11		=H01/1112.8	=H01-S11128	54.01.02
		12		=H01/1116.1	=H01-S11161	54.01.03
		13		=H01/1116.2		
		PE		=H02/21.1	=H02-M211	54.01.01
		-	-	-	-	
		-	-	-	-	
		-	-	-	-	
		-				
		-				
		-				
		-	-	-	-	
		-	-	-	-	
		-	-	-	-	
		-	-	-	-	
	WIRE	242102	242104	242106	LP2	
JB440-W3002A	4G1,5 mm²	1	2	3		
JB440-W3002	4G1,5 mm²	1	2	3		
JB440-W2001	7G1,5 mm²				1	

| | | | |

TERMINAL BOARD
+JB
XJB450.1
JUNCTION BOX JB450.1

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		-				
		1		=H01/2303.1	=H01-R23034	56.09.04
		2		=H01/2303.1	=H01-R23034	56.09.04
		3		=H01/2303.2	=H01-R23034	56.09.04
		4		=H01/2303.6	=H01-R23036	56.09.08
		5		=H01/2303.6	=H01-R23036	56.09.08
		6		=H01/2303.6	=H01-R23036	56.09.08
		7		=H01/2309.1	=H01-S23021	56.01.02
		8		=H01/2309.2	=H01-S23022	56.01.03
		9		=H01/2309.3	=H01-S23023	56.01.10
		10		=H01/2309.4	=H01-S23024	56.01.11
		11		=H01/2309.5	=H01-S23025	56.02.02
		12		=H01/2309.6	=H01-S23026	56.02.03
		13		=H01/2309.7	=H01-S23027	56.03.02
		14		=H01/2309.8	=H01-S23028	56.03.03
		15		=H01/2310.1	=H01-B23031	56.04.04
		16		=H01/2310.2	=H01-B23032	56.04.05
		17		=H01/2310.3	=H01-B23033	56.04.06
		18		=H01/2310.4	=H01-B23034	56.05.04
		19		=H01/2310.5	=H01-B23035	56.05.05
		20		=H01/2310.6	=H01-B23036	56.05.06
		21		=H01/2310.7	=H01-B23037	56.06.02
		22		=H01/2310.8	=H01-B23038	56.06.03
		23		=H01/2311.1	=H01-B23041	56.07.02
		24		=H01/2311.2	=H01-B23042	56.07.03
		25		=H01/2311.3	=H01-S23043	56.08.02
		26		=H01/2311.4	=H01-S23044	56.08.03
		27		=H01/2311.5	=H01-B23045	56.08.06
		28		=H01/2311.6	=H01-B23046	56.08.07
		29		=H01/2311.7	=H01-B23047	56.08.09
		30		=H01/2311.8	=H01-B23048	56.08.10
		31		=H01/2312.1	=H01-B23051	56.08.12
		32		=H01/2312.2	=H01-B23052	56.08.13
		33		=H01/2312.3	=H01-S23052	56.09.02
		34		=H01/2312.4	=H01-S23053	56.09.03
		35		=H01/2312.5	=H01-S23054	56.09.06
		36		=H01/2312.6	=H01-S23055	56.09.07
		37		=H01/2312.7	=H01-B23057	56.10.01
		38		=H01/2312.8	=H01-B23058	56.10.02
		39		=H01/2312.8	=H01-B23058.1	56.10.02
		40		=H01/2313.1	=H01-B23061	56.11.04
		41		=H01/2313.2	=H01-B23062	56.11.05
		42		=H01/2313.3	=H01-B23063	56.12.04
	WIRE					
JB450.1-W1001	3x0,75 mm²	WH	BN	GN		
JB450.1-W1002	3x0,75 mm²				WH	BN	GN	
JB450.1-W2001	26G1.5 mm							1

4177

4179

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	JUNCTION BOX JB450.1 XJB450.1 +JB	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4178

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+JB
XJB450.1
JUNCTION BOX JB450.1

	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	43		=H01/2313.4	=H01-B23064	56.12.05
	44		=H01/2309.1		
	45		=H01/2309.2		
	46		=H01/2309.3		
	47		=H01/2309.4		
	48		=H01/2309.5		
	49		=H01/2309.6		
	50		=H01/2309.7		
	51		=H01/2309.8		
	52		=H01/2310.1	=H01-B23031	56.04.04
	53		=H01/2310.2	=H01-B23032	56.04.05
	54		=H01/2310.3	=H01-B23033	56.04.06
	55		=H01/2310.4	=H01-B23034	56.05.04
	56		=H01/2310.5	=H01-B23035	56.05.05
	57		=H01/2310.6	=H01-B23036	56.05.06
	58		=H01/2310.7		
	59		=H01/2310.8		
	60		=H01/2311.1		
	61		=H01/2311.2		
	62		=H01/2311.3		
	63		=H01/2311.4		
	64		=H01/2311.5		
	65		=H01/2311.6		
	66		=H01/2311.7		
	67		=H01/2311.8		
	68		=H01/2312.1	=H01-B23051	56.08.12
	69		=H01/2312.2		
	70		=H01/2312.3		
	71		=H01/2312.4		
	72		=H01/2312.5		
	73		=H01/2312.6		
	74		=H01/2312.7	=H01-B23057	56.10.01
	75		=H01/2312.8	=H01-B23058	56.10.02
	76		=H01/2312.8	=H01-B23058.1	56.10.02
	77		=H01/2313.1	=H01-B23061	56.11.04
	78		=H01/2313.2	=H01-B23062	56.11.05
	79		=H01/2313.3	=H01-B23063	56.12.04
	80		=H01/2313.4	=H01-B23064	56.12.05
-	81		=H01/2309.1	=H01-S23021	56.01.02
-	82		=H01/2309.2	=H01-S23022	56.01.03
-	83		=H01/2309.3	=H01-S23023	56.01.10
-	84		=H01/2309.4	=H01-S23024	56.01.11

WIRE	
11701	0V1

TERMINAL BOARD
+JB
XJB450.1
JUNCTION BOX JB450.1

	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	-		=H01/2309.5	=H01-S23025	56.02.02
	-		=H01/2309.6	=H01-S23026	56.02.03
	-		=H01/2309.7	=H01-S23027	56.03.02
	-		=H01/2309.8	=H01-S23028	56.03.03
	-		=H01/2310.1	=H01-B23031	56.04.04
	-		=H01/2310.2	=H01-B23032	56.04.05
	-		=H01/2310.3	=H01-B23033	56.04.06
	-		=H01/2310.4	=H01-B23034	56.05.04
	-		=H01/2310.5	=H01-B23035	56.05.05
	-		=H01/2310.6	=H01-B23036	56.05.06
	-		=H01/2310.7	=H01-B23037	56.06.02
	-		=H01/2310.8	=H01-B23038	56.06.03
	-		=H01/2311.1	=H01-B23041	56.07.02
	-		=H01/2311.2	=H01-B23042	56.07.03
	-		=H01/2311.3	=H01-S23043	56.08.02
	-		=H01/2311.4	=H01-S23044	56.08.03
	-		=H01/2311.5	=H01-B23045	56.08.06
	-		=H01/2311.6	=H01-B23046	56.08.07
	-		=H01/2311.7	=H01-B23047	56.08.09
	-		=H01/2311.8	=H01-B23048	56.08.10
	-		=H01/2312.1	=H01-B23051	56.08.12
	-		=H01/2312.2	=H01-B23052	56.08.13
	-		=H01/2312.3	=H01-S23052	56.09.02
	-		=H01/2312.4	=H01-S23053	56.09.03
	-		=H01/2312.5	=H01-S23054	56.09.06
	-		=H01/2312.6	=H01-S23055	56.09.07
	-		=H01/2312.7	=H01-B23057	56.10.01
	-		=H01/2312.8		
	-		=H01/2312.8	=H01-B23058.1	56.10.02
	-		=H01/2313.1	=H01-B23061	56.11.04
	-		=H01/2313.2	=H01-B23062	56.11.05
	-		=H01/2313.3	=H01-B23063	56.12.04
	-		=H01/2313.4	=H01-B23064	56.12.05
	-		=H01/2325.1	=H01-Y23251	56.06.01
	-		=H01/2325.2	=H01-Y23251	56.06.01
	-		=H01/2325.5	=H01-Y23255	56.06.04
	-		=H01/2325.6	=H01-Y23255	56.06.04
	-		=H01/2326.1	=H01-Y23261	56.06.05
	-		=H01/2326.2	=H01-Y23261	56.06.05
	-		=H01/2326.5	=H01-Y23265	56.07.01
	-		=H01/2326.6	=H01-Y23265	56.07.01
	-		=H01/2327.1	=H01-Y23271	56.07.04

	WIRE																																							
		85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126
		230905	230906	230907	230908	231001	231002	231003	231004	231005	231006	231007	231008	231101	231102	231103	231104	231105	231106	231107	231108	231201	231202	231203	231204	231205	231206	231207	231209	231208	231301	231302	231303	231304	232501	232502	232503	232504	232601	232602	232603	232604	232701
JB450.1-W2001	26G1.5 mm	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24																										
JB450.1-W2002	26G1.5 mm																	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17									
JB450.1-W3001	26G1.5 mm																																		1	2	3	4	5	6	7	8	9

4179

4181

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION JUNCTION BOX JB450.1 XJB450.1 +JB	POSIZ./LOCATION +
CLIENTE/CUSTOMER			GRUPPO/SECTION = H06
			PAGINE/PAGE 4180
			SEL CTL4 LINE
			RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+JB
XJB450.1
JUNCTION BOX JB450.1

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		-		=H01/2327.2	=H01-Y23271	56.07.04
		-		=H01/2327.5	=H01-Y23275	56.07.05
		-		=H01/2327.6	=H01-Y23275	56.07.05
		-		=H01/2328.1	=H01-Y23281	56.08.05
		-		=H01/2328.3	=H01-Y23283	56.08.11
		-		=H01/2328.4	=H01-Y23283	56.08.11
		-		=H01/2328.7	=H01-Y23287	56.08.08
		-		=H01/2325.4	=H01-Y23251	56.06.01
		-		=H01/2325.8	=H01-Y23255	56.06.04
		-		=H01/2326.4	=H01-Y23261	56.06.05
		-		=H01/2326.8	=H01-Y23265	56.07.01
		-		=H01/2327.4	=H01-Y23271	56.07.04
		-		=H01/2327.8	=H01-Y23275	56.07.05
		-		=H01/2328.2	=H01-Y23281	56.08.05
		-		=H01/2328.4		
		-		=H01/2328.6	=H01-Y23283	56.08.11
		-		=H01/2328.8	=H01-Y23287	56.08.08
		-		=H01/2341.1	=H01-U23291	
		-		=H01/2341.3	=H01-U23291	
		-		=H01/2341.5	=H01-U23291	
		-		=H01/2341.6	=H01-U23291	
		-				
		-				
		-		=H01/2387.2	=H01-BG23872	
		-		=H01/2387.6	=H01-BG23876	
		-		=H01/2388.2	=H01-BG23882	
		-		=H01/2388.6	=H01-BG23886	
		-		=H01/2389.2	=H01-BG23892	
		-		=H01/2387.2	=H01-BG23872	
		-		=H01/2387.6	=H01-BG23876	
		-		=H01/2388.2	=H01-BG23882	
		-		=H01/2388.6	=H01-BG23886	
		-		=H01/2389.2	=H01-BG23892	
		PE		=H01/2387.2	=H01-BG23872	
		PE		=H01/2387.6	=H01-BG23876	
		PE		=H01/2388.2	=H01-BG23882	
		PE		=H01/2388.6	=H01-BG23886	
		PE		=H01/2389.2	=H01-BG23892	
		SH		=H01/2303.2	XJB450.1	
		SH		=H01/2303.6	XJB450.1	

		WIRE
		232702
		232703
		232704
		232801
		232802
		232803
		232804
		9705
		9705
		9705
		9705
		9705
		9705
		9705
		9705
		9705
		234101
		234102
		234103
		9705
		11802
		0V8

TERMINAL BOARD
+JB
XJB450.2
JUNCTION BOX JB450.2

TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
1		=H01/2313.5	=H01-S23065	56.01.06
2		=H01/2313.6	=H01-S23066	56.01.07
3		=H01/2313.7	=H01-S23067	56.01.14
4		=H01/2313.8	=H01-S23068	56.01.15
5		=H01/2314.1	=H01-S23071	56.02.06
6		=H01/2314.2	=H01-S23072	56.02.07
7		=H01/2314.3	=H01-S23073	56.03.06
8		=H01/2314.4	=H01-S23074	56.03.07
9		=H01/2314.5	=H01-B23075	56.11.06
10		=H01/2314.6	=H01-B23076	56.12.06
11		=H01/2314.7	=H01-B23077	56.13.02
12		=H01/2314.8	=H01-B23078	56.13.03
13		=H01/2315.1	=H01-B23081	56.14.02
14		=H01/2315.2	=H01-B23082	56.14.03
15		=H01/2315.3	=H01-B23083	56.15.02
16		=H01/2315.4	=H01-B23084	56.15.03
17		=H01/2315.5	=H01-S23085	56.15.05
18		=H01/2315.6	=H01-S23086	56.15.06
19		=H01/2315.7	=H01-B23087	56.15.09
20		=H01/2315.8	=H01-B23088	56.15.10
21		=H01/2316.1	=H01-B23091	56.15.12
22		=H01/2316.2	=H01-B23092	56.15.13
23		=H01/2316.3	=H01-B23093	56.16.01
24		=H01/2316.4	=H01-B23094	56.10.02
25		=H01/2316.4	=H01-B23094.1	56.16.02
26		=H01/2316.5	=H01-B23095	56.16.03
27		=H01/2313.5		
28		=H01/2313.6		
29		=H01/2313.7		
30		=H01/2313.8		
31		=H01/2314.1		
32		=H01/2314.2		
33		=H01/2314.3		
34		=H01/2314.4		
35		=H01/2314.5	=H01-B23075	56.11.06
36		=H01/2314.6	=H01-B23076	56.12.06
37		=H01/2314.7		
38		=H01/2314.8		
39		=H01/2315.1		
40		=H01/2315.2		
41		=H01/2315.3		
42		=H01/2315.4		

WIRE	TERMINAL
11701	1
	2
	3
	4
	5
	6
	7
	8
	9
	10
	11
	12
	13
	14
	15
	16
	17
	18
	19
	20
	21
	22
	23
	24
	25
11701	26
0V1	27
	28
	29
	30
	31
	32
	33
	34
	35
	36
	37
	38
	39
	40
	41
	42

JB450.2-W2001	26G1.5 mm	1	2	3

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4181

4183

INDICE REVIS. N° / REVIS. INDEX N°				
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO	

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: JUNCTION BOX JB450.2 XJB450.2 +JB	POSIZ./LOCATION: +
CLIENTE/CUSTOMER			GRUPPO/SECTION: = H06
			PAGINE/PAGE: 4182
			SEL CTL4 LINE
			RIF./REFERNCE

SCH_MORS_RBF-R1

TERMINAL BOARD
+JB
XJB450.2
JUNCTION BOX JB450.2

	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	43		=H01/2315.5		
	44		=H01/2315.6		
	45		=H01/2315.7		
	46		=H01/2315.8		
	47		=H01/2316.1	=H01-B23091	56.15.12
	48		=H01/2316.2	=H01-B23092	56.15.13
	49		=H01/2316.3	=H01-B23093	56.16.01
	50		=H01/2316.4	=H01-B23094	56.10.02
	51		=H01/2316.4	=H01-B23094.1	56.16.02
	52		=H01/2316.5	=H01-B23095	56.16.03
	53		=H01/2313.5	=H01-S23065	56.01.06
	54		=H01/2313.6	=H01-S23066	56.01.07
	55		=H01/2313.7	=H01-S23067	56.01.14
	56		=H01/2313.8	=H01-S23068	56.01.15
	57		=H01/2314.1	=H01-S23071	56.02.06
	58		=H01/2314.2	=H01-S23072	56.02.07
	59		=H01/2314.3	=H01-S23073	56.03.06
	60		=H01/2314.4	=H01-S23074	56.03.07
	61		=H01/2314.5	=H01-B23075	56.11.06
	62		=H01/2314.6	=H01-B23076	56.12.06
	63		=H01/2314.7	=H01-B23077	56.13.02
	64		=H01/2314.8	=H01-B23078	56.13.03
	65		=H01/2315.1	=H01-B23081	56.14.02
	66		=H01/2315.2	=H01-B23082	56.14.03
	67		=H01/2315.3	=H01-B23083	56.15.02
	68		=H01/2315.4	=H01-B23084	56.15.03
	69		=H01/2315.5	=H01-S23085	56.15.05
	70		=H01/2315.6	=H01-S23086	56.15.06
	71		=H01/2315.7	=H01-B23087	56.15.09
	72		=H01/2315.8	=H01-B23088	56.15.10
	73		=H01/2316.1	=H01-B23091	56.15.12
	74		=H01/2316.2	=H01-B23092	56.15.13
	75		=H01/2316.3	=H01-B23093	56.16.01
	76		=H01/2316.4		
	77		=H01/2316.4	=H01-B23094.1	56.16.02
	78		=H01/2316.5	=H01-B23095	56.16.03
	79		=H01/2329.1	=H01-Y23291	56.13.01
	80		=H01/2329.2	=H01-Y23291	56.13.01
	81		=H01/2329.5	=H01-Y23295	56.13.04
	82		=H01/2329.6	=H01-Y23295	56.13.04
	83		=H01/2330.1	=H01-Y23301	56.13.05
	84		=H01/2330.2	=H01-Y23301	56.13.05

	WIRE																																							
											0V1	231305	231306	231307	231308	231401	231402	231403	231404	231405	231406	231407	231408	231501	231502	231503	231504	231505	231506	231507	231508	231601	231602	231603	231609	231604	231605	232901	232902	232903	232904	233001	233002
JB450.2-W2001	26G1.5 mm										4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24												
JB450.2-W2002	7G1,5 mm²																														1	2	3	4	5	6						
JB450.2-W3001	26G1.5 mm																																				1	2	3	4	5	6

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4182

4184

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: JUNCTION BOX JB450.2 XJB450.2 +JB	POSIZ./LOCATION: + / GRUPPO/SECTION: = H06 / PAGINE/PAGE: 4183
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

SCH_MORS_RBF-R1

TERMINAL BOARD
+JB
XJB450.2
JUNCTION BOX JB450.2

| | | |

SCH_MORS_RBF-R1

TERMINAL BOARD
+JB
XJB460
JUNCTION BOX JB460

TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
1		=H01/2316.6	=H01-B23096	58.01.03
2		=H01/2316.7	=H01-U23097	
3		=H01/2316.8	=H01-U23098	
4		=H01/2317.1	=H01-B23101	58.03.02
5		=H01/2317.2	=H01-B23102	58.03.04
6		=H01/2317.3	=H01-B23103	58.03.06
7		=H01/2316.6	=H01-B23096	58.01.03
8		=H01/2316.7	=H01-U23097	
9		=H01/2316.8	=H01-U23098	
10		=H01/2317.1	=H01-B23101	58.03.02
11		=H01/2317.2	=H01-B23102	58.03.04
12		=H01/2317.3	=H01-B23103	58.03.06
13	-	=H01/2316.6	=H01-B23096	58.01.03
14	-	=H01/2316.7	=H01-U23097	
15	-	=H01/2316.8	=H01-U23098	
16	-	=H01/2317.1	=H01-B23101	58.03.02
17	-	=H01/2317.2	=H01-B23102	58.03.04
18	-	=H01/2317.3	=H01-B23103	58.03.06
19	-	=H01/2333.5	=H01-Y23335	58.03.01
20	-	=H01/2333.7	=H01-Y23337	58.03.03
21	-	=H01/2334.1	=H01-Y23341	58.03.05
22	-	=H01/2334.3		
23	-	=H01/2333.6	=H01-Y23335	58.03.01
24	-	=H01/2333.8	=H01-Y23337	58.03.03
25	-	=H01/2334.2	=H01-Y23341	58.03.05
26	-	=H01/2334.4		
27	-	=H01/2393.2	=H01-BG23932	
28	-	=H01/2393.2	=H01-BG23932	
PE	-	=H01/2393.2	=H01-BG23932	

WIRE	JB460-W2001 14G1.5 mm	JB460-W3001 7G1,5 mm²	JB460-W2002 3G1.5 mm
11701	1		
0V1	2		
231606	3		
231607	4		
231608	5		
231701	6		
231702	7		
231703	8		
233303		1	
233304		2	
233401		3	
233402		4	
9705		5	
9705			
9705			
9705		6	
11802			1
0V8			2
			GNYE

4184

4186

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	JUNCTION BOX JB460 XJB460 +JB	+	= H06	4185
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+JB
XJB460.10
JUNCTION BOX JB460.10

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		1		=H01/2306.2	=H01-Y23061	
		2		=H01/2306.2	=H01-Y23061	
		3		=H01/2306.1	=H01-Y23061	
		4		=H01/2306.2	=H01-Y23061	
		5		=H01/2306.6	=H01-Y23065	
		6		=H01/2306.7	=H01-Y23065	
		7		=H01/2306.6	=H01-Y23065	
		8		=H01/2306.6	=H01-Y23065	
		9		=H01/2317.4	=H01-S23104	58.01.05
		10		=H01/2317.4		
		11		=H01/2317.4	=H01-S23104	58.01.05
		12		=H01/2334.5	=H01-Y23345	58.01.05
		13		=H01/2334.7	=H01-Y23347	58.01.02
		14		=H01/2335.1	=H01-Y23351	60.01.02
		15		=H01/2335.3		
		16		=H01/2334.6	=H01-Y23345	58.01.05
		17		=H01/2334.8	=H01-Y23347	58.01.02
		18		=H01/2335.2	=H01-Y23351	60.01.02
		19		=H01/2335.4		
		SH		=H01/2306.3	=H01-Y23061	
		SH		=H01/2306.7	=H01-Y23065	
	WIRE		-	-	-	-
			9605	9705	230601	230602
			9605	9705	230603	230604
			11701	0V1	231704	233403
			233404	233501	233502	9705
			9705	9705	9705	

JB460.10-W1001	4x1 mm²	WH	YE	BN	GN																SH															
JB460.10-W1002	4x1 mm²					WH	YE	BN	GN													SH														
JB460.10-W2001	7G1,5 mm²									1	2	3																								
JB460.10-W3001	7G1,5 mm²												1	2	3	4	5			6																

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4185

4187

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: JUNCTION BOX JB460.10 XJB460.10 +JB	POSIZ./LOCATION: +
CLIENTE/CUSTOMER			GRUPPO/SECTION: = H06
			PAGINE/PAGE: 4186
		SEL CTL4 LINE	RIF./REFERNCE

SCH_MORS_RBF-R1

TERMINAL BOARD
+JB
XJB465
JUNCTION BOX JB465

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST	WIRE
		1		=H01/2317.5	=H01-B23105	60.01.03	11701
		2		=H01/2317.6	=H01-U23106		
		3		=H01/2317.7	=H01-U23107		
		4		=H01/2317.8	=H01-B23178	60.03.02	
		5		=H01/2318.1	=H01-B23111	60.03.04	
		6		=H01/2318.2	=H01-B23112	60.03.06	
		7		=H01/2317.5	=H01-B23105	60.01.03	0V1
		8		=H01/2317.6	=H01-U23106		
		9		=H01/2317.7	=H01-U23107		
		10		=H01/2317.8	=H01-B23178	60.03.02	
		11		=H01/2318.1	=H01-B23111	60.03.04	
		12		=H01/2318.2	=H01-B23112	60.03.06	
		-		=H01/2317.5	=H01-B23105	60.01.03	231705
		-		=H01/2317.6	=H01-U23106		231706
		-		=H01/2317.7	=H01-U23107		231707
		-		=H01/2317.8	=H01-B23178	60.03.02	231708
		-		=H01/2318.1	=H01-B23111	60.03.04	231801
		-		=H01/2318.2	=H01-B23112	60.03.06	231802
		-		=H01/2335.5	=H01-Y23355	60.03.01	233503
		-		=H01/2335.7	=H01-Y23357	60.03.03	233504
		-		=H01/2336.1	=H01-Y23361	60.03.05	233601
		-		=H01/2336.3			233602
		-		=H01/2335.6	=H01-Y23355	60.03.01	9705
		-		=H01/2335.8	=H01-Y23357	60.03.03	9705
		-		=H01/2336.2	=H01-Y23361	60.03.05	9705
		-		=H01/2336.4			9705
		-		=H01/2393.6	=H01-BG23936		11802
		-		=H01/2393.6	=H01-BG23936		0V8
		-		=G44A/10.3	=G44A-M103	60.02.01	50503
		-		=G44A/10.4	=G44A-M103	60.02.01	50504
		-		=G44A/10.4	=G44A-M103	60.02.01	50505
		-		=G44A/10.4	=G44A-M103	60.02.01	50502
		PE		=G44A/10.4			
		PE		=H01/2393.6	=H01-BG23936		
		PE					

| | | | | |

TERMINAL BOARD
+JB
XJB470
JUNCTION BOX JB470

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		=H01-U23113	=H01/2318.3		1	11701
		=H01-U23114	=H01/2318.4		2	
		=H01-U23113	=H01/2318.3		3	0V1
		=H01-U23114	=H01/2318.4		4	
		=H01-U23113	=H01/2318.3		5	231803
		=H01-U23114	=H01/2318.4		6	231804
JB470-W2001 7G1,5 mm²					1	
					2	
					3	
					4	

4187

4189

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	JUNCTION BOX JB470 XJB470 +JB	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4188
RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+JB
XJB475
JUNCTION BOX JB475

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		=H01-U23115	=H01/2318.5		1	11701
		=H01-U23116	=H01/2318.6		2	
		=H01-U23115	=H01/2318.5		3	0V1
		=H01-U23116	=H01/2318.6		4	
		=H01-U23115	=H01/2318.5		5	231805
		=H01-U23116	=H01/2318.6		6	231806
JB475-W2001 16G1,5 mm²					1	
					2	
					3	
					4	

4188 4190

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION JUNCTION BOX JB475 XJB475 +JB
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	CLIENTE/CUSTOMER		
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01			
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO				

RBF DMAT
AUTOMATION TECHNOLOGY

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4189
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+JB
XJB490
JUNCTION BOX JB490

TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
1		=H01/2318.7	=H01-U23117	
2		=H01/2318.8	=H01-U23118	
3		=H01/2319.1	=H01-B23121	66.03.03
4		=H01/2319.2	=H01-B23122	66.03.04
5		=H01/2319.3	=H01-U23123	
6		=H01/2319.4	=H01-U23124	
7		=H01/2318.7	=H01-U23117	
8		=H01/2318.8	=H01-U23118	
9		=H01/2319.1	=H01-B23121	66.03.03
10		=H01/2319.2	=H01-B23122	66.03.04
11		=H01/2319.3	=H01-U23123	
12		=H01/2319.4	=H01-U23124	
13	-	=H01/2318.7	=H01-U23117	
14	-	=H01/2318.8	=H01-U23118	
15	-	=H01/2319.1	=H01-B23121	66.03.03
16	-	=H01/2319.2	=H01-B23122	66.03.04
17	-	=H01/2319.3	=H01-U23123	
18	-	=H01/2319.4	=H01-U23124	

WIRE	JB490-W2001 25G1,5 mm²
11701	1
0V1	2
231807	3
231808	4
231901	5
231902	6
231903	7
231904	8

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	JUNCTION BOX JB490 XJB490 +JB	+	= H06	4190
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+JB
XJB495
JUNCTION BOX JB495

TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
1		=H01/2319.5	=H01-U23125	
2		=H01/2319.6	=H01-U23126	
3		=H01/2319.7	=H01-B23127	68.03.03
4		=H01/2319.8	=H01-B23128	68.03.04
5		=H01/2320.1	=H01-U23131	
6		=H01/2320.2	=H01-U23132	
7		=H01/2319.5	=H01-U23125	
8		=H01/2319.6	=H01-U23126	
9		=H01/2319.7	=H01-B23127	68.03.03
10		=H01/2319.8	=H01-B23128	68.03.04
11		=H01/2320.1	=H01-U23131	
12		=H01/2320.2	=H01-U23132	
13	-	=H01/2319.5	=H01-U23125	
14	-	=H01/2319.6	=H01-U23126	
15	-	=H01/2319.7	=H01-B23127	68.03.03
16	-	=H01/2319.8	=H01-B23128	68.03.04
17	-	=H01/2320.1	=H01-U23131	
18	-	=H01/2320.2	=H01-U23132	
19	-	=H01/2394.6		
20	-	=H01/2394.6		
PE	-	=H01/2394.6		

WIRE		
11701	JB495-W2001	25G1,5 mm²
0V1	JB495-W2001	25G1,5 mm²
231905	JB495-W2001	25G1,5 mm²
231906	JB495-W2001	25G1,5 mm²
231907	JB495-W2001	25G1,5 mm²
231908	JB495-W2001	25G1,5 mm²
232001	JB495-W2001	25G1,5 mm²
232002	JB495-W2001	25G1,5 mm²
11802	JB495-W2002	3G1.5 mm
0V8	JB495-W2002	3G1.5 mm

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°				
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO	

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	JUNCTION BOX JB495 XJB495 +JB	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4191

SCH_MORS_RBF-R1

TERMINAL BOARD
+JB
XJB500
JUNCTION BOX JB500

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		=H01-U11163	=H01/1116.3		1	LP2
		=H01-U11164	=H01/1116.4		2	
			=H01/1116.5		3	
		=H01-U11241	=H01/1124.1		4	
		=H01-U11242	=H01/1124.2		5	
		=H01-U11163	=H01/1116.3		6	0V5
		=H01-U11164	=H01/1116.4		7	
			=H01/1116.5		8	
		=H01-U11241	=H01/1124.1		9	
		=H01-U11242	=H01/1124.2		10	
		=H01-U11163	=H01/1116.3		11	111603
		=H01-U11164	=H01/1116.4		12	111604
			=H01/1116.5		13	111605
		=H01-U11241	=H01/1124.1		14	112401
		=H01-U11242	=H01/1124.2		15	112402
JB500-W2001 12G1.5 mm					1	2 3 4 5 6 7

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4191

4193

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION JUNCTION BOX JB500 XJB500 +JB	POSIZ./LOCATION +	GRUPPO/SECTION = H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4192

TERMINAL BOARD
+JB
XJB500.10
JUNCTION BOX JB500.10

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
						1	
		76.01.01	=H01-Y11361	=H01/1136.4		-	9703
				=H01/1136.8		-	
		74.02.01	=H01-Y11401	=H01/1140.4		-	9703
		76.01.01	=H01-Y11361	=H01/1136.1		-	113601
		76.01.01	=H01-Y11361	=H01/1136.2		-	113602
				=H01/1136.5		-	113603
				=H01/1136.6		-	113604
		74.02.01	=H01-Y11401	=H01/1140.1		-	114001
		74.02.01	=H01-Y11401	=H01/1140.2		-	114002
JB500.10-W3001	16G1,5 mm²					1	1
						2	2
						3	3
						4	4
						5	5
						6	6
						7	7
						8	8

4192

4194

INDICE REVIS. N° REVIS. INDEX N°							
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO				

DENOMINAZIONE/DESCRIPTION
JUNCTION BOX JB500.10 XJB500.10 +JB

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4193
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+JB
XJB520
JUNCTION BOX JB520

TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST	WIRE
1		=H01/1116.6	=H01-B11166	74.02.02	LP2
2		=H01/1116.7	=H01-B11167	74.02.03	
3		=H01/1116.8	=H01-U11168		
4		=H01/1117.1	=H01-U11171		
5		=H01/1117.2			
6		=H01/1124.3	=H01-U11243		
7		=H01/1124.4	=H01-U11244		
8		=H01/1124.5	=H01-B11245	80.21.05	
9		=H01/1124.6	=H01-B11246	80.21.06	
10		=H01/1116.6	=H01-B11166	74.02.02	0V5
11		=H01/1116.7	=H01-B11167	74.02.03	
12		=H01/1116.8	=H01-U11168		
13		=H01/1117.1	=H01-U11171		
14		=H01/1117.2			
15		=H01/1124.3	=H01-U11243		
16		=H01/1124.4	=H01-U11244		
17		=H01/1124.5	=H01-B11245	80.21.05	
18		=H01/1124.6	=H01-B11246	80.21.06	
19	-	=H01/1116.6	=H01-B11166	74.02.02	111606
20	-	=H01/1116.7	=H01-B11167	74.02.03	111607
21	-	=H01/1116.8	=H01-U11168		111608
22	-	=H01/1117.1	=H01-U11171		111701
23	-	=H01/1117.2			111710
24	-	=H01/1124.3	=H01-U11243		112403
25	-	=H01/1124.4	=H01-U11244		112404
26	-	=H01/1124.5	=H01-B11245	80.21.05	112405
27	-	=H01/1124.6	=H01-B11246	80.21.06	112406

| | | |

TERMINAL BOARD
+JB
XJB530
JUNCTION BOX JB530

	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST	WIRE
	1		=H01/1117.3	=H01-B11173	76.01.02	LP2
	2		=H01/1117.4	=H01-B11174	76.01.03	
	3		=H01/1117.5	=H01-U11175		
	4		=H01/1117.6	=H01-U11176		
	5		=H01/1117.7			
	6		=H01/1117.8			
	7		=H01/1124.7	=H01-B11247	80.22.03	
	8		=H01/1124.8	=H01-B11248	80.22.04	
	9		=H01/1125.1	=H01-U11251		
	10		=H01/1125.2	=H01-U11252		
	11		=H01/1117.3	=H01-B11173	76.01.02	0V5
	12		=H01/1117.4	=H01-B11174	76.01.03	
	13		=H01/1117.5	=H01-U11175		
	14		=H01/1117.6	=H01-U11176		
	15		=H01/1117.7			
	16		=H01/1117.8			
	17		=H01/1124.7	=H01-B11247	80.22.03	
	18		=H01/1124.8	=H01-B11248	80.22.04	
	19		=H01/1125.1	=H01-U11251		
	20		=H01/1125.2	=H01-U11252		
	21	-	=H01/1117.3	=H01-B11173	76.01.02	111702
	22	-	=H01/1117.4	=H01-B11174	76.01.03	111703
	22	-	=H01/1124.7	=H01-B11247	80.22.03	112407
	23	-	=H01/1117.5	=H01-U11175		111704
	24	-	=H01/1117.6	=H01-U11176		111705
	25	-	=H01/1117.7			111706
	26	-	=H01/1117.8			111707
	27	-	=H01/1124.8	=H01-B11248	80.22.04	112408
	29	-	=H01/1125.1	=H01-U11251		112501
	30	-	=H01/1125.2	=H01-U11252		112502
JB530-W2001 16G1,5 mm²	1					2
						3
						4
						5
						6
						7
						8
						9
						10
						11
						12

4194

4196

INDICE REVIS. N° REVIS. INDEX N°				
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO	

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04
LINEA/LINE	CTL4 LINE
CLIENTE/CUSTOMER	
DENOMINAZIONE/DESCRIPTION	JUNCTION BOX JB530 XJB530 +JB
POSIZ./LOCATION	+
GRUPPO/SECTION	= H06
PAGINE/PAGE	4195
	SEL CTL4 LINE
RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+JB
XJB535
JUNCTION BOX JB535

| | | |

TERMINAL BOARD
+JB
XJB800
JUNCTION BOX JB800

TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
1		=H01/1119.1	=H01-S11191	81.03.02
2		=H01/1119.2	=H01-S11192	81.03.04
3		=H01/1119.3	=H01-S11193	81.04.02
4		=H01/1119.4	=H01-S11194	81.05.01
5		=H01/1119.5	=H01-S11195	81.05.02
6		=H01/1119.6	=H01-S11196	81.05.03
7		=H01/1119.7	=H01-S11197	81.05.04
8		=H01/1119.8		
9		=H01/1119.1		
10		=H01/1119.2		
11		=H01/1119.3		
12		=H01/1119.4		
13		=H01/1119.5		
14		=H01/1119.6		
15		=H01/1119.7		
16		=H01/1119.8		
17	-	=H01/1119.1	=H01-S11191	81.03.02
18	-	=H01/1119.2	=H01-S11192	81.03.04
19	-	=H01/1119.3	=H01-S11193	81.04.02
20	-	=H01/1119.4	=H01-S11194	81.05.01
21	-	=H01/1119.5	=H01-S11195	81.05.02
22	-	=H01/1119.6	=H01-S11196	81.05.03
23	-	=H01/1119.7	=H01-S11197	81.05.04
24	-	=H01/1119.8		
25	-	=H01/1137.2	=H01-Y11371	81.01.02
26	-	=H01/1137.4	=H01-Y11373	81.02.02
27	-	=H01/1137.1	=H01-Y11371	81.01.02
28	-	=H01/1137.3	=H01-Y11373	81.02.02

		WIRE
		LP2
		0V5
		111901
		111902
		111903
		111904
		111905
		111906
		111907
		111908
		9703
		9703
		113701
		113702

TERMINAL BOARD
+JB
XJBRB4
JUNCTION BOX JBRB4

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		40.01.05	=G20-Y116	=G20/11.6		1	34106
		40.01.05	=G20-Y116	=G20/11.6		2	34107
			=G20-S127.1	=G20/12.7		3	34209
			=G20-S127.1	=G20/12.8		4	34210
		40.01.05	=G20A-Y116	=G20A/11.6		5	34606
		40.01.05	=G20A-Y116	=G20A/11.6		6	34607
			=G20A-S127.1	=G20A/12.7		7	34702
			=G20A-S127.1	=G20A/12.8		8	34703
			=G20A-Y116	=G20A/11.6		PE	34608
				=G20/12.8		SH	
			JBRB4-W2004	=G20A/12.8		SH	
						-	
						-	
						-	
						-	
						-	
						-	
						-	
						-	
						-	
						-	

| | | | | | |

SCH_MORS_RBF-R1

TERMINAL BOARD
+JB
XJBX290
JUNCTION BOX JBX290

	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	1		=H01/2102.8	=H01-S21028	36.01.03
	2		=H01/2103.1	=H01-S21033	36.01.04
	3		=H01/2103.2	=H01-B21032	36.01.05
	4		=H01/2103.3	=H01-B21033	36.01.06
	5		=H01/2102.8		
	6		=H01/2103.1		
	7		=H01/2103.2	=H01-B21032	36.01.05
	8		=H01/2103.3	=H01-B21033	36.01.06
	9	-	=H01/2102.8	=H01-S21028	36.01.03
	10	-	=H01/2103.1	=H01-S21033	36.01.04
	11	-	=H01/2103.2	=H01-B21032	36.01.05
	12	-	=H01/2103.3	=H01-B21033	36.01.06
WIRE	11701				
	0V1				
	210207				
	210301				
	210302				
	210303				
JB290-W2001 10G1.5 mm	1		2		3	4	5	6			

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION JUNCTION BOX JBX290 XJBX290 +JB	POSIZ./LOCATION + / GRUPPO/SECTION = H06 / PAGINE/PAGE 4199
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

TERMINAL BOARD
+JB
XJBX330
JUNCTION BOX JBX330

	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	1		=H01/2202.8	=H01-S22028	41.16.03
	2		=H01/2203.1	=H01-S22031	41.16.04
	3		=H01/2203.2	=H01-B22032	41.16.05
	4		=H01/2203.3	=H01-B22033	41.16.06
	5		=H01/2202.8		
	6		=H01/2203.1		
	7		=H01/2203.2	=H01-B22032	41.16.05
	8		=H01/2203.3	=H01-B22033	41.16.06
	9	-	=H01/2202.8	=H01-S22028	41.16.03
	10	-	=H01/2203.1	=H01-S22031	41.16.04
	11	-	=H01/2203.2	=H01-B22032	41.16.05
	12	-	=H01/2203.3	=H01-B22033	41.16.06
WIRE	11701	0V1	220208	220301	220302	220303
JB330-W2001 10G1.5 mm	1	2	3	4	5	6

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4199

4201

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION JUNCTION BOX JBX330 XJBX330 +JB	POSIZ./LOCATION +	GRUPPO/SECTION = H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4200

TERMINAL BOARD
+E
XL1

INTERNAL CONNECTION

MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	TERMINAL	WIRE
	XCI2	=H00/12.4	6 mm²			

4200 4202

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION INTERNAL CONNECTION XL1 +E	POSIZ./LOCATION +	GRUPPO/SECTION = H06	PAGINE/PAGE 4201
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E
XL2

INTERNAL CONNECTION

MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	TERMINAL	WIRE
	XCI2	=H00/12.4	6 mm²			

4201 4203

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE
21041I CTL04	CTL4 LINE
CLIENTE/CUSTOMER	

DENOMINAZIONE/DESCRIPTION
INTERNAL CONNECTION XL2 +E

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4202
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E
XL3

INTERNAL CONNECTION

MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	TERMINAL	WIRE
	XCI2	=H00/12.4	6 mm²			

4202 4204

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE
21041I CTL04	CTL4 LINE
CLIENTE/CUSTOMER	

DENOMINAZIONE/DESCRIPTION
INTERNAL CONNECTION XL3 +E

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4203
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E14
XP00

P00 DESK CONNECTION

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		1		=H00/74.1	XP00.1	
		2		=H00/74.1	XP00.1	
		3		=H00/74.1	XP00.1	
		4		=H00/74.2	XP00.1	
		5		=H00/74.2	XP00.1	
		6		=H00/74.2	XP00.1	
		7		=H00/74.3		
		8		=H00/74.3		
		9		=H00/74.3	XP00.1	
		10		=H00/74.3	XP00.1	
		11				
		12				
		13				
		14				
		15				
		16				
		17		=H00/27.1	XP00.1	
		18		=H00/27.2		
		19		=H00/27.1	=H00-K271	
		20		=H00/27.1		
		21		=H00/27.2	=H00-K272	
		22		=H00/27.7	XP00.1	
		23		=H00/27.7	=H00-K275	
		PE		=H00/74.4	XP00.1	
		-	-	-	-	-
	WIRE	12401	12402	12403	12404	7504	7503			LP1	12407						7414		7701	7416	7703	7706	7415		
P00-W3001	7G1,5 mm²	1	2	3	4	5	6																		
P00-W3002	4G2,5 mm²									1	2														
P00-W3004	7G1,5 mm²																1		2	3	4	5	6		
P00-W3003	1x25 mm²																								

4203

4205

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: P00 DESK CONNECTION XP00 +E14	POSIZ./LOCATION: + / GRUPPO/SECTION: = H06 / PAGINE/PAGE: 4204
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+P00
XP00.1

P00 DESK CONNECTION

	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	1		=H00/96.2	XP00	
	2		=H00/96.2	XP00	
	3		=H00/96.3	XP00	
	4		=H00/96.4	XP00	
	5		=H00/96.5	XP00	
	6		=H00/96.6	XP00	
	9		=H00/96.7	XP00	
	10		=H00/96.8	XP00	
	11				
	12				
	13				
	14				
	15				
	16				
	17		=H00/27.1	=H00-S271	
	18		=H00/27.2		
	19		=H00/27.1	XP00	
	20		=H00/27.1	XP00	
	21		=H00/27.2	XP00	
	22		=H00/27.7	=H00-H277	WH
	23		=H00/27.7	XP00	
	24		=H00/9.4	=H00-S94	GN
	25		=H00/9.4	XP00A	
	26		=H00/9.5	=H00-S94	
	27		=H00/9.5	XP00A	
	28		=H00/9.6	=H00-K98	
	29		=H00/9.6	XP00A	
	PE		=H00/96.1	XP00	

	WIRE
	12401
	12402
	12403
	12404
	7504
	7503
	LP1
	12407
	7414
	7701
	7416
	7703
	7706
	7415
	5703
	5805
	5802
	5908
	5809
	5804

| | | | |

SCH_MORS_RBF-R1

TERMINAL BOARD
+E01
XP00A

P00 DESK CONNECTION

| | | |

TERMINAL BOARD
+P01
XP1.1

CONNECTION WITH P1.1

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XP1.1.1	=H01/1508.1		1	15907
		XP1.1.1	=H01/1512.1		2	15910
		XP1.1.1	=H01/1508.1		3	150801
		XP1.1.1	=H01/1508.2		4	150802
		XP1.1.1	=H01/1512.1		5	151201
		XP1.1.1	=H01/1512.2		6	151202
		XP1.1.1	=H01/1512.3		7	151203
P1.1-W2001 10G1.5 mm					1	15907
					2	15910
					3	150801
					4	150802
					5	151201
					6	151202
					7	151203

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONNECTION WITH P1.1 XP1.1 +P01	POSIZ./LOCATION +	GRUPPO/SECTION = H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4207

SCH_MORS_RBF-R1

TERMINAL BOARD
+P01
XP1.1.1
CONNECTION BETWEEN P1.1

| | | |

SCH_MORS_RBF-R1

TERMINAL BOARD
+E14
XP01

P01 DESK CONNECTION

| | | |

SCH_MORS_RBF-R1

TERMINAL BOARD
+P01
XP01.1

P01 DESK CONNECTION

| | | |

TERMINAL BOARD
+E14
XP02

P02 DESK CONNECTION

TERMINAL	WIRE	TYPE	POSITION	ACRONYM	MOTOR LIST
1	12401		=H00/75.1		
2	12402		=H00/75.1		
3	12501		=H00/75.1		
4	12502		=H00/75.2		
5	7504		=H00/75.2		
6	7503		=H00/75.2		
7			=H00/75.3		
8			=H00/75.3		
9	LP1		=H00/75.3		
10	12505		=H00/75.3		
11					
12					
13					
14					
15					
16					
PE	-		=H00/75.4		

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4210 4212

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	P02 DESK CONNECTION XP02 +E14	+	= H06	4211
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

SCH_MORS_RBF-R1

TERMINAL BOARD
+E14
XP03

P03 DESK CONNECTION

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		1		=H00/75.5	XP03.1	
		2		=H00/75.6	XP03.1	
		3		=H00/75.6	XP03.1	
		4		=H00/75.6	XP03.1	
		5		=H00/75.6	XP03.1	
		6		=H00/75.6	XP03.1	
		7		=H00/75.7		
		8		=H00/75.7		
		9		=H00/75.8	XP03.1	
		10		=H00/75.8	XP03.1	
		11				
		12				
		13				
		14				
		15				
		16				
		PE		=H00/75.8	XP03.1	
		-				
		WIRE				
P03-W3001	7G1,5 mm²	12401				
P03-W3002	4G2,5 mm²	12402				
P03-W3003	1x25 mm²	12503				
		12504				
		7504				
		7503				
		LP1				
		12506				
		PE				

| | | | | | |

SCH_MORS_RBF-R1

TERMINAL BOARD
+P03
XP03.1

P03 DESK CONNECTION

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			XP03	=H00/126.2		-	12401
			XP03	=H00/126.2		-	12402
			XP03	=H00/126.3		-	12503
			XP03	=H00/126.4		-	12504
			XP03	=H00/126.5		-	7504
			XP03	=H00/126.6		-	7503
						-	
						-	
			XP03	=H00/126.7		-	LP1
			XP03	=H00/126.8		-	12506
						-	
						-	
						-	
						-	
						-	
			XP03	=H00/126.1		-	PE
P03-W3001	7G1,5 mm²					1	1
P03-W3001	7G1,5 mm²					2	2
P03-W3001	7G1,5 mm²					3	3
P03-W3001	7G1,5 mm²					4	4
P03-W3001	7G1,5 mm²					5	5
P03-W3001	7G1,5 mm²					6	6
P03-W3002	4G2,5 mm²					1	LP1
P03-W3002	4G2,5 mm²					2	12506
P03-W3003	1x25 mm²						PE

4212

4214

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION / PAGINE/PAGE
21041I CTL04	CTL4 LINE	P03 DESK CONNECTION XP03.1 +P03	+ / = H06 / 4213
CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E12
XP4.1

CONNECTION WITH P4.1

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			=H01/1042.1		1	LP1
			=H01/1063.8		2 -	0V4
			=H01/1042.1		3 -	104201
			=H01/1042.2		4 -	104202
			=H01/1063.8		5 -	106316
			=H01/1064.1		6 -	106401
			=H01/1064.2		7 -	106402

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4213

4215

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONNECTION WITH P4.1 XP4.1 +E12	POSIZ./LOCATION +	GRUPPO/SECTION = H06	PAGINE/PAGE 4214
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

TERMINAL BOARD
+E12
XP4.2

CONNECTION WITH P4.2

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL
						1
			XP4.2.1	=H01/1042.3		-
			XP4.2.1	=H01/1064.3		2
			XP4.2.1	=H01/1042.3		3
			XP4.2.1	=H01/1042.4		4
			XP4.2.1	=H01/1064.3		5
			XP4.2.1	=H01/1064.4		6
			XP4.2.1	=H01/1064.5		7
						-
	WIRE					LP1
						0V4
						104203
						104204
						106403
						106404
						106405
P4.2-W2001	10G1.5 mm					1 2 3 4 5 6 7

4214

4216

INDICE REVIS. N° / REVIS. INDEX N°								
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONNECTION WITH P4.2 XP4.2 +E12
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER		
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4215
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E
XP4.2.1

CONNECTION BETWEEN P4.2

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		WH	=H01-S10423	=H01/1042.3		1	LP1
		RD	=H01-H10643	=H01/1064.3		2	0V4
		WH	=H01-S10423	=H01/1042.3		3	104203
		BU	=H01-S10424	=H01/1042.4		4	104204
		RD	=H01-H10643	=H01/1064.3		5	106403
			=H01-S10423	=H01/1064.4		6	106404
			=H01-S10424	=H01/1064.5		7	106405
P4.2-W2001	10G1.5 mm					1	2 3 4 5 6 7

4215

4217

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNECTION BETWEEN P4.2 XP4.2.1 +E	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4216

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E14
XP04

P04 DESK CONNECTION

| | | |

SCH_MORS_RBF-R1

TERMINAL BOARD
+P04
XP04.1

P04 DESK CONNECTION

| | | |

SCH_MORS_RBF-R1

TERMINAL BOARD
+P00
XP5.1

CONNECTION WITH P5.1

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XP5.1.1	=H01/1407.1		1	14907
		XP5.1.1	=H01/1412.1		2	14910
		XP5.1.1	=H01/1407.1		3	140701
		XP5.1.1	=H01/1407.2		4	140702
		XP5.1.1	=H01/1412.1		5	141201
		XP5.1.1	=H01/1412.2		6	141202
		XP5.1.1	=H01/1412.3		7	141203
P5.1-W2001 10G1.5 mm					1	14907
					2	14910
					3	140701
					4	140702
					5	141201
					6	141202
					7	141203

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	CONNECTION WITH P5.1 XP5.1 +P00
CLIENTE/CUSTOMER					

POSIZ./LOCATION	+	GRUPPO/SECTION	= H06	PAGINE/PAGE	4219
SEL CTL4 LINE				RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E12
XP5.2

CONNECTION WITH P5.2

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XP5.2.1	=H01/1042.5		1	LP1
		XP5.2.1	=H01/1064.6		2	0V4
		XP5.2.1	=H01/1042.5		3	104205
		XP5.2.1	=H01/1042.6		4	104206
		XP5.2.1	=H01/1064.6		5	106406
		XP5.2.1	=H01/1064.7		6	106407
		XP5.2.1	=H01/1064.8		7	106408
P5.2-W2001 10G1.5 mm					1	LP1
					2	0V4
					3	104205
					4	104206
					5	106406
					6	106407
					7	106408

4219 4221

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNECTION WITH P5.2 XP5.2 +E12	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4220
RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+P00
XP5.1.1
CONNECTION BETWEEN P5.1

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL
	WH	=H01-S14071	=H01/1407.1		1
	RD	=H01-H14121	=H01/1412.1		2
	WH	=H01-S14071	=H01/1407.1		3
	BU	=H01-S14072	=H01/1407.2		4
	RD	=H01-H14121	=H01/1412.1		5
		=H01-S14071	=H01/1412.2		6
		=H01-S14072	=H01/1412.3		7
			=H01/1412.3		8

	WIRE	TERMINAL
	14907	-
	14910	-
	140701	-
	140702	-
	141201	-
	141202	-
	141203	-
		-

P5.1-W2001	10G1.5 mm	1	2	3	4	5	6	7

4220 4222

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNECTION BETWEEN P5.1 XP5.1.1 +P00	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4221
RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E
XP5.2.1

CONNECTION BETWEEN P5.2

		TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
		1		=H01/1042.5	=H01-S10425	WH
		2		=H01/1064.6	=H01-H10646	RD
		3		=H01/1042.5	=H01-S10425	WH
		4		=H01/1042.6	=H01-S10426	BU
		5		=H01/1064.6	=H01-H10646	RD
		6		=H01/1064.7	=H01-S10425	
		7		=H01/1064.8	=H01-S10426	
		-	-	-	-	
	WIRE	LP1	0V4	104205	104206	106406	106407	106408
P5.2-W2001	10G1.5 mm	1	2	3	4	5	6	7

4221 4223

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	CONNECTION BETWEEN P5.2 XP5.2.1 +E	+	= H06	4222
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+P03
XP7.1

CONNECTION WITH P7.1

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XP7.1.1	=H01/1708.1		1	17907
		XP7.1.1	=H01/1712.1		2	17910
		XP7.1.1	=H01/1708.1		3	170801
		XP7.1.1	=H01/1708.2		4	170802
		XP7.1.1	=H01/1712.1		5	171201
		XP7.1.1	=H01/1712.2		6	171202
		XP7.1.1	=H01/1712.3		7	171203
P7.1-W2001 10G1.5 mm					1	17907
					2	17910
					3	170801
					4	170802
					5	171201
					6	171202
					7	171203

4222 4224

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNECTION WITH P7.1 XP7.1 +P03	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4223
RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E12
XP7.2

CONNECTION WITH P7.2

| | | |

SCH_MORS_RBF-R1

TERMINAL BOARD
+P03
XP7.1.1
CONNECTION BETWEEN P7.1

| | | |

SCH_MORS_RBF-R1

TERMINAL BOARD
+E
XP7.2.1

CONNECTION BETWEEN P7.2

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		WH	=H01-S10427	=H01/1042.7		1	LP1
		RD	=H01-H10653	=H01/1065.1		2	0V4
		WH	=H01-S10427	=H01/1042.7		3	104207
		BU	=H01-S10428	=H01/1042.8		4	104208
		RD	=H01-H10653	=H01/1065.1		5	106501
			=H01-S10427	=H01/1065.2		6	106502
			=H01-S10428	=H01/1065.3		7	106503
P7.2-W2001	10G1.5 mm					1	2 3 4 5 6 7

4225 4227

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNECTION BETWEEN P7.2 XP7.2.1 +E	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4226

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+P04
XP8.1

CONNECTION WITH P8.1

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XP8.1.1	=H01/1807.1		1	18907
		XP8.1.1	=H01/1812.1		2	18910
		XP8.1.1	=H01/1807.1		3	180701
		XP8.1.1	=H01/1807.2		4	180702
		XP8.1.1	=H01/1812.1		5	181201
		XP8.1.1	=H01/1812.2		6	181202
		XP8.1.1	=H01/1812.3		7	181203
P8.1-W2001 10G1.5 mm					1	1
					2	2
					3	3
					4	4
					5	5
					6	6
					7	7

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONNECTION WITH P8.1 XP8.1 +P04	POSIZ./LOCATION +	GRUPPO/SECTION = H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4227

TERMINAL BOARD
+P04
XP8.2
CONNECTION WITH P8.2

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL
			XP8.2.1	=H01/1807.3		1
			XP8.2.1	=H01/1812.4		2
			XP8.2.1	=H01/1807.3		3
			XP8.2.1	=H01/1807.4		4
			XP8.2.1	=H01/1812.4		5
			XP8.2.1	=H01/1812.5		6
			XP8.2.1	=H01/1812.6		7
						-
	WIRE					
P8.2-W2001	10G1.5 mm					
		18907		1		-
		18910		2		-
		180703		3		-
		180704		4		-
		181204		5		-
		181205		6		-
		181206		7		-

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNECTION WITH P8.2 XP8.2 +P04	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4228
RIF./REFERNCE

SCH_MORS_RBF-R1

TERMINAL BOARD
+P04
XP8.1.1

CONNECTION BETWEEN P8.1

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		WH	=H01-S18071	=H01/1807.1		1	18907
		RD	=H01-H18121	=H01/1812.1		2	18910
		WH	=H01-S18071	=H01/1807.1		3	180701
		BU	=H01-S18072	=H01/1807.2		4	180702
		RD	=H01-H18121	=H01/1812.1		5	181201
			=H01-S18071	=H01/1812.2		6	181202
			=H01-S18072	=H01/1812.3		7	181203
P8.1-W2001	10G1.5 mm					1	18907
						2	18910
						3	180701
						4	180702
						5	181201
						6	181202
						7	181203

4228

4230

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE		CLIENTE/CUSTOMER	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		DENOMINAZIONE/DESCRIPTION: CONNECTION BETWEEN P8.1 XP8.1.1 +P04	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO				

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4229
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+P04
XP8.2.1

CONNECTION BETWEEN P8.2

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
	WH	=H01-S18073	=H01/1807.3		1	18907
	RD	=H01-H18124	=H01/1812.4		2	18910
	WH	=H01-S18073	=H01/1807.3		3	180703
	BU	=H01-S18074	=H01/1807.4		4	180704
	RD	=H01-H18124	=H01/1812.4		5	181204
		=H01-S18073	=H01/1812.5		6	181205
		=H01-S18074	=H01/1812.6		7	181206
P8.2-W2001 10G1.5 mm					1	18907
					2	18910
					3	180703
					4	180704
					5	181204
					6	181205
					7	181206

4229

4231

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNECTION BETWEEN P8.2 XP8.2.1 +P04	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE: 4230
RIF./REFERNCE:

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+P01
XP10

CONNECTION WITH P10

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XP10.1	=H01/1551.1		1	15909
		XP10.1	=H01/1551.1		2	15910
		XP10.1	=H01/1503.1		3	150302
		XP10.1	=H01/1503.1		4	150301
		XP10.1	=H01/1503.1		5	150304
		XP10.1	=H01/1503.2		6	150303
P10-W2001 10G1.5 mm					1	1
					2	2
					3	3
					4	4
					5	5
					6	6

4230

4232

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	CONNECTION WITH P10 XP10 +P01	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE 4231

RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+P01
XP10.1

CONNECTION BETWEEN P10.1

| | | MOTOR LIST | | |

SCH_MORS_RBF-R1

TERMINAL BOARD
+P00
XP15
CONNECTION WITH P15

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XP15.1	=H01/1460.1		1	14909
		XP15.1	=H01/1460.1		2	14910
					-	
					-	
P15-W2001 10G1.5 mm					1	2

4232

4234

INDICE REVIS. N° / REVIS. INDEX N°									
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION CONNECTION WITH P15 XP15 +P00	POSIZ./LOCATION +
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			GRUPPO/SECTION = H06
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						PAGINE/PAGE 4233
									SEL CTL4 LINE
									RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+P00
XP15.1

CONNECTION BETWEEN P15

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		=H01-K14600	=H01/1460.1		1	14909
		=H01-K14600	=H01/1460.1		2	14910
					-	
P15-W2001 10G1.5 mm					1	2

4233

4235

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	CONNECTION BETWEEN P15 XP15.1 +P00	+	= H06	4234
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO							

RBF DMAT
AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+P00
XP16
CONNECTION WITH P16

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XP16.1	=H01/1465.1		1	14909
		XP16.1	=H01/1465.1		2	14910
P16-W2001 10G1.5 mm					-	
					-	

SCH_MORS_RBF-R1

TERMINAL BOARD
+P00
XP16.1

CONNECTION BETWEEN P16

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		=H01-K14650	=H01/1465.1		1	14909
		=H01-K14650	=H01/1465.1		2	14910
					-	
P16-W2001 10G1.5 mm					1	1
						2

4235 4237

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	CONNECTION BETWEEN P16 XP16.1 +P00
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER		
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO				

RBF DMAT
AUTOMATION TECHNOLOGY

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
+	= H06	4236
SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+P04
XP17
CONNECTION WITH P17

WIRE	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
18907	1		=H01/1808.1		
18908	2		=H01/1808.1		
180801	3	-	=H01/1808.1		
180802	4	-	=H01/1808.2		
180803	5	-	=H01/1808.3		
180804	6	-	=H01/1808.4		
180805	7	-	=H01/1808.5		
180806	8	-	=H01/1808.6		

4236

4238

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	CONNECTION WITH P17 XP17 +P04	+	= H06	4237
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E14
XRB1

RIO1 CABINET CONNECTION

| | | |

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB1
XRB1.1

RIO01 CABINET CONNECTION

	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	1	+RB1	=H01/1901.1	=H03-A28011	
	2	-	=H01/1901.1	=H03-A28011	
	3		=H01/1901.2	X401	
	4		=H01/1901.2		
	5		=H01/1901.2		
	6		=H01/1901.2	=H03-A28030	
	7		=H01/1901.2	=H03-A28038	
	8		=H01/1901.3	X404	
	9	-	=H01/1901.3	X404	
	10	-	=H01/1901.3		
	11	-	=H01/1901.3		
	12	-	=H01/1901.3	X401	
	13	-	=H01/1901.4		
	14	—	=H01/1901.4	X404	
	15	—	=H01/1901.4		
	16	-	=H01/1901.4		
	17	-	=H01/1901.4		
	PE	-	=H01/1901.5	XPE	
WIRE					
13101					
10006		-			
11701					
11702					
9406					
9414					
9501					
11802					
0V8		-			
13101		-			
13102		-			
0V1		-			
0V2		-			
9705		—			
9705		—			
		-			
		-			
PE		-			

| | | | | |

TERMINAL BOARD
+E14
XRB2

RIO2 CABINET CONNECTION

TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
1		=H00/81.5		
2		=H00/81.5		
3		=H00/81.5		
4		=H00/81.6		
5		=H00/81.6		
6		=H00/81.6		
7		=H00/81.6		
8		=H00/81.6		
9		=H00/81.7		
10		=H00/81.7		
11		=H00/81.7		
12		=H00/81.7		
13		=H00/81.7		
14		=H00/81.8		
15		=H00/81.8		
16		=H00/81.8		
17		=H00/81.8		
PE		=H00/81.8		

TERMINAL	WIRE
1	13101
2	10006
3	11701
4	11702
5	9406
6	9505
7	
8	11802
9	0V8
10	
11	
12	0V1
13	0V2
14	9705
15	9705
16	
17	
PE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4239

4241

INDICE REVIS. N° / REVIS. INDEX N°				
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO	

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: RIO2 CABINET CONNECTION XRB2 +E14	POSIZ./LOCATION: +
CLIENTE/CUSTOMER			GRUPPO/SECTION: = H06
			PAGINE/PAGE: 4240
		SEL CTL4 LINE	RIF./REFERNCE

TERMINAL BOARD
+E14
XRB3

RIO3 CABINET CONNECTION

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XRB3.1	=H00/82.1		1	13101
		XRB3.1	=H00/82.1		2	10006
		XRB3.1	=H00/82.1		3	11701
		XRB3.1	=H00/82.1		4	11702
		XRB3.1	=H00/82.2		5	9406
		XRB3.1	=H00/82.2		6	9509
		XRB3.1	=H00/82.2		7	13201
		XRB3.1	=H00/82.2		8	11802
		XRB3.1	=H00/82.2		9	0V8
		XRB3.1	=H00/82.3		10	13202
		XRB3.1	=H00/82.3		11	13203
		XRB3.1	=H00/82.3		12	0V1
		XRB3.1	=H00/82.3		13	0V2
		XRB3.1	=H00/82.3		14	9705
		XRB3.1	=H00/82.4		15	9705
			=H00/82.4		16	
			=H00/82.4		17	
		XRB3.1	=H00/82.4		PE	PE

| | | |

TERMINAL BOARD
+RB3
XRB3.1

RIO03 CABINET CONNECTION

	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
	1	+RB3	=H01/2101.1	=H03-A28511	
	2		=H01/2101.1	=H03-A28511	
	3		=H01/2101.2	X431	
	4		=H01/2101.2		
	5		=H01/2101.2	XRIO3	
	6		=H01/2101.2	=H03-A28530	
	7		=H01/2101.2		
	8		=H01/2101.3	X433	
	9		=H01/2101.3	X433	
	10		=H01/2101.3		
	11		=H01/2101.3		
	12		=H01/2101.3	X431	
	13		=H01/2101.4		
	14		=H01/2101.4	X431	
	15		=H01/2101.4		
	16		=H01/2101.4		
	17		=H01/2101.4		
	PE		=H01/2101.5	XPE	

	TERMINAL	WIRE
	1	13101
	-	10006
		11701
		11702
		9406
		9509
		13201
		11802
	-	0V8
	-	13202
	-	13203
	-	0V1
	-	0V2
	—	9705
		9705
	-	
	-	
	-	PE

| | | |

TERMINAL BOARD
+E14
XRB4

RIO4 CABINET CONNECTION

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			XRB4.1	=H00/82.5		1	13101
			XRB4.1	=H00/82.5		2	10006
			XRB4.1	=H00/82.5		3	11701
			XRB4.1	=H00/82.6		4	11702
			XRB4.1	=H00/82.6		5	9406
			XRB4.1	=H00/82.6		6	9509
			XRB4.1	=H00/82.6		7	9702
			XRB4.1	=H00/82.6		8	11802
			XRB4.1	=H00/82.7		9	0V8
			XRB4.1	=H00/82.7		10	13204
			XRB4.1	=H00/82.7		11	13205
			XRB4.1	=H00/82.7		12	0V1
			XRB4.1	=H00/82.7		13	0V2
			XRB4.1	=H00/82.8		14	9705
			XRB4.1	=H00/82.8		15	9705
				=H00/82.8		16	
				=H00/82.8		17	
			XRB4.1	=H00/82.8		PE	PE

| | | | |

SCH_MORS_RBF-R1

TERMINAL BOARD
+XRB4
XRB4.1

RIO04 CABINET CONNECTION

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		=H03-A28811	=H01/2201.1		1	13101
		=H03-A28811	=H01/2201.1		2	10006
		X441	=H01/2201.2		3	11701
			=H01/2201.2		4	11702
		XRIO4	=H01/2201.2		5	9406
		=H03-A28830	=H01/2201.2		6	9509
		=H03-A28837	=H01/2201.2		7	9702
		X443	=H01/2201.3		8	11802
		X443	=H01/2201.3		9	0V8
			=H01/2201.3		10	13204
			=H01/2201.3		11	13205
		X441	=H01/2201.3		12	0V1
			=H01/2201.4		13	0V2
		X441	=H01/2201.4		14	9705
			=H01/2201.4		15	9705
			=H01/2201.4		16	
			=H01/2201.4		17	
		XPE	=H01/2201.5		PE	PE

| | | |

TERMINAL BOARD
+E14
XRB5

RIO5 CABINET CONNECTION

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		XRB5.1	=H00/84.1		1	13101
		XRB5.1	=H00/84.1		2	10006
		XRB5.1	=H00/84.1		3	11701
		XRB5.1	=H00/84.1		4	11702
		XRB5.1	=H00/84.2		5	9406
		XRB5.1	=H00/84.2		6	9605
		XRB5.1	=H00/84.2		7	9702
		XRB5.1	=H00/84.2		8	11802
		XRB5.1	=H00/84.2		9	0V8
		XRB5.1	=H00/84.3		10	13401
		XRB5.1	=H00/84.3		11	13402
		XRB5.1	=H00/84.3		12	0V1
		XRB5.1	=H00/84.3		13	0V2
		XRB5.1	=H00/84.3		14	9705
		XRB5.1	=H00/84.4		15	9705
			=H00/84.4		16	
			=H00/84.4		17	
		XRB5.1	=H00/84.4		PE	PE

| | | |

SCH_MORS_RBF-R1

TERMINAL BOARD
+XRB5
XRB5.1

RIO05 CABINET CONNECTION

	MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
		=H03-A29111	=H01/2301.1	+RB5	1	13101
		=H03-A29111	=H01/2301.1		2	10006
		=H01-T23035	=H01/2301.2		3	11701
		=H01-Q23017	=H01/2301.2		4	11702
		XRIO5	=H01/2301.2		5	9406
		X454	=H01/2301.2		6	9605
		=H03-A29170	=H01/2301.2		7	9702
		X451	=H01/2301.3		8	11802
		X451	=H01/2301.3		9	0V8
			=H01/2301.3		10	13401
			=H01/2301.3		11	13402
		=H03-A29122.1	=H01/2301.3		12	0V1
		=H01-A23017	=H01/2301.4		13	0V2
		X454	=H01/2301.4		14	9705
			=H01/2301.4		15	9705
			=H01/2301.4		16	
			=H01/2301.4		17	
		XPE	=H01/2301.5		PE	PE

| | | |

TERMINAL BOARD
+RB1
XRIO1

SPARE FILED CONNECTIONS

WIRE	TERMINAL		TYPE	POSITION	ACRONYM	MOTOR LIST
191109		1		=H01/1911.3		
0V1		2		=H01/1911.3		
191103		3		=H01/1911.3		
		4		=H01/1911.4		
		5		=H01/1911.4		
191104		6		=H01/1911.4		
		7		=H01/1911.5		
		8		=H01/1911.5		
191105		9		=H01/1911.5		
		10		=H01/1911.6		
		11		=H01/1911.6		
191106		12		=H01/1911.6		
		13		=H01/1911.7		
		14		=H01/1911.7		
191107		15		=H01/1911.7		
		16		=H01/1911.8		
		17		=H01/1911.8		
191108		18		=H01/1911.8		
191209		19		=H01/1912.1		
0V1		20		=H01/1912.1		
191201		21		=H01/1912.1		
		22		=H01/1912.2		
		23		=H01/1912.2		
191202		24		=H01/1912.2		
		25		=H01/1912.3		
		26		=H01/1912.3		
191203		27		=H01/1912.3		
		28		=H01/1912.4		
		29		=H01/1912.4		
191204		30		=H01/1912.4		
		31		=H01/1912.5		
		32		=H01/1912.5		
191205		33		=H01/1912.5		
		34		=H01/1912.6		
		35		=H01/1912.6		
191206		36		=H01/1912.6		
		37		=H01/1912.7		
		38		=H01/1912.7		
191207		39		=H01/1912.7		
		40		=H01/1912.8		
		41		=H01/1912.8		
191208		42		=H01/1912.8		

SCH_MORS_RBF-R1

4246

INDICE REVIS. N° —
REVIS. INDEX N° —
NOME REVIS. N° 3.0
REVIS. NAME N°
DATA 06/04/2023
DATE
DISEGNATO P.CEOLATO
DRAWING
CONTROLLATO G.RUSSO
CHECKED
FIRMA SIG. P.CEOLATO
DISEGNATO DRAWING
DATA/DATE 2021/06/01

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04
CLIENTE/CUSTOMER
LINEA/LINE CTL4 LINE

DENOMINAZIONE/DESCRIPTION
SPARE FILED CONNECTIONS XRIO1 +RB1

POSIZ./LOCATION +
GRUPPO/SECTION = H06
PAGINE/PAGE 4247
RIF./REFERENCE

SEL CTL4 LINE

4248

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+RB1
XRIO1

SPARE FILED CONNECTIONS

WIRE	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
193503	43		=H01/1935.5		
193504	44		=H01/1935.7		
9705	45	-	=H01/1935.8		
193703	46		=H01/1937.5		
193704	47		=H01/1937.7		
9705	48	-	=H01/1937.8		
	49		=H01/1938.1		
	50	-	=H01/1938.2		
	51		=H01/1938.3		
	52	-	=H01/1938.4		
	53		=H01/1938.5		
	54	-	=H01/1938.6		
	55		=H01/1938.7		
	56	-	=H01/1938.8		
11802	57		=H01/1989.6		
0V8	58	-	=H01/1989.6		
	PE	-	=H01/1989.6		

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4247

4249

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	SPARE FILED CONNECTIONS XRIO1 +RB1	+	= H06	4248
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

4248

TERMINAL BOARD
+RB3
XRIO3
SPARE FILED CONNECTIONS

WIRE	TERMINAL		TYPE	POSITION	ACRONYM	MOTOR LIST
210509		1		=H01/2105.2		
0V1		2		=H01/2105.2		
210502		3		=H01/2105.2		
		4		=H01/2105.3		
		5		=H01/2105.3		
210503		6		=H01/2105.3		
		7		=H01/2105.4		
		8		=H01/2105.4		
210504		9		=H01/2105.4		
		10		=H01/2105.5		
		11		=H01/2105.5		
210505		12		=H01/2105.5		
		13		=H01/2105.6		
		14		=H01/2105.6		
210506		15		=H01/2105.6		
		16		=H01/2105.7		
		17		=H01/2105.7		
210507		18		=H01/2105.7		
		19		=H01/2105.8		
		20		=H01/2105.8		
210508		21		=H01/2105.8		
		22		=H01/2129.1		
		23		=H01/2129.3		
9705		24		=H01/2129.4		
		25		=H01/2129.5		
		26		=H01/2129.7		
		27		=H01/2129.8		
9414		28		=H01/2180.1		
		29		=H01/2180.2		
		30		=H01/2180.3		
9705		31		=H01/2180.4		
11802		32		=H01/2190.6		
0V8		33		=H01/2190.6		
		PE		=H01/2190.6		

4250

INDICE REVIS. N°	
REVIS. INDEX N°	
NOME REVIS. N°	
REVIS. NAME N°	
DATA	3.0
DATE	06/04/2023
DISEGNATO	P.CEOLATO
DRAWING	
CONTROLLATO	G.RUSSO
CHECKED	
FIRMA	P.CEOLATO
SIG.	
DATA/DATE	2021/06/01

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04
CLIENTE/CUSTOMER	
LINEA/LINE	CTL4 LINE
DENOMINAZIONE/DESCRIPTION	SPARE FILED CONNECTIONS XRIO3 +RB3
POSIZ./LOCATION	+
GRUPPO/SECTION	= H06
	SEL CTL4 LINE
PAGINE/PAGE	4249
RIF./REFERENCE	

SCH_MORS_RBF-R1

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+RB4
XRIO4

SPARE FILED CONNECTIONS

WIRE	TERMINAL		TYPE	POSITION	ACRONYM	MOTOR LIST
220509		1		=H01/2205.4		
0V1		2		=H01/2205.4		
220504		3		=H01/2205.4		
		4		=H01/2205.5		
		5		=H01/2205.5		
220505		6		=H01/2205.5		
		7		=H01/2205.6		
		8		=H01/2205.6		
220506		9		=H01/2205.6		
		10		=H01/2205.7		
		11		=H01/2205.7		
220507		12		=H01/2205.7		
		13		=H01/2205.8		
		14		=H01/2205.8		
220508		15		=H01/2205.8		
220609		16		=H01/2206.1		
0V1		17		=H01/2206.1		
220601		18		=H01/2206.1		
		19		=H01/2206.2		
		20		=H01/2206.2		
220602		21		=H01/2206.2		
		22		=H01/2206.3		
		23		=H01/2206.3		
220603		24		=H01/2206.3		
		25		=H01/2206.4		
		26		=H01/2206.4		
220604		27		=H01/2206.4		
		28		=H01/2206.5		
		29		=H01/2206.5		
220605		30		=H01/2206.5		
		31		=H01/2206.6		
		32		=H01/2206.6		
220606		33		=H01/2206.6		
		34		=H01/2206.7		
		35		=H01/2206.7		
220607		36		=H01/2206.7		
		37		=H01/2206.8		
		38		=H01/2206.8		
220608		39		=H01/2206.8		
		40		=H01/2232.1		
		41		=H01/2232.3		
9705		42		=H01/2232.2		

SCH_MORS_RBF-R1

4249

INDICE REVIS. N° —
REVIS. INDEX N° —
NOME REVIS. N° 3.0
REVIS. NAME N°
DATA 06/04/2023
DATE
DISEGNATO P.CEOLATO
DRAWING
CONTROLLATO G.RUSSO
CHECKED
FIRMA SIG. P.CEOLATO
DISEGNATO
DRAWING
DATA/DATE 2021/06/01

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04
CLIENTE/CUSTOMER
LINEA/LINE CTL4 LINE
DENOMINAZIONE/DESCRIPTION SPARE FILED CONNECTIONS XRIO4 +RB4
POSIZ./LOCATION + SEL CTL4 LINE
GRUPPO/SECTION = H06
PAGINE/PAGE 4250
RIF./REFERENCE

4251

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+RB4
XRIO4

SPARE FILED CONNECTIONS

TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
43		=H01/2232.4		
44		=H01/2232.6		
45		=H01/2232.5		
46		=H01/2232.7		
47		=H01/2232.8		
48		=H01/2280.1		
49		=H01/2280.2		
50		=H01/2280.4		
51		=H01/2280.3		
52		=H01/2292.6		
53		=H01/2292.6		
PE		=H01/2292.6		

WIRE
9705
9406
9705
9705
11802
0V8

4250

4252

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	SPARE FILED CONNECTIONS XRIO4 +RB4	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE: 4251
RIF./REFERNCE:

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+RB5
XRIO5

SPARE FILED CONNECTIONS

WIRE	TERMINAL		TYPE	POSITION	ACRONYM	MOTOR LIST
232009		1		=H01/2320.3		
0V1		2		=H01/2320.3		
232003		3		=H01/2320.3		
		4		=H01/2320.4		
		5		=H01/2320.4		
232004		6		=H01/2320.4		
		7		=H01/2320.5		
		8		=H01/2320.5		
232005		9		=H01/2320.5		
		10		=H01/2320.6		
		11		=H01/2320.6		
232006		12		=H01/2320.6		
		13		=H01/2320.7		
		14		=H01/2320.7		
232007		15		=H01/2320.7		
		16		=H01/2320.8		
		17		=H01/2320.8		
232008		18		=H01/2320.8		
232109		19		=H01/2321.1		
0V1		20		=H01/2321.1		
232101		21		=H01/2321.1		
		22		=H01/2321.2		
		23		=H01/2321.2		
232102		24		=H01/2321.2		
		25		=H01/2321.3		
		26		=H01/2321.3		
232103		27		=H01/2321.3		
		28		=H01/2321.4		
		29		=H01/2321.4		
232104		30		=H01/2321.4		
		31		=H01/2321.5		
		32		=H01/2321.5		
232105		33		=H01/2321.5		
		34		=H01/2321.6		
		35		=H01/2321.6		
232106		36		=H01/2321.6		
		37		=H01/2321.7		
		38		=H01/2321.7		
232107		39		=H01/2321.7		
		40		=H01/2321.8		
		41		=H01/2321.8		
232108		42		=H01/2321.8		

SCH_MORS_RBF-R1

4251

INDICE REVIS. N° / REVIS. INDEX N°:
NOME REVIS. N° / REVIS. NAME N°: 3.0
DATA / DATE: 06/04/2023
DISEGNATO / DRAWING: P.CEOLATO
CONTROLLATO / CHECKED: G.RUSSO
FIRMA SIG.: P.CEOLATO
DATA/DATE: 2021/06/01

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04
CLIENTE/CUSTOMER:
LINEA/LINE: CTL4 LINE

DENOMINAZIONE/DESCRIPTION:
SPARE FILED CONNECTIONS XRIO5 +RB5

POSIZ./LOCATION: +
GRUPPO/SECTION: = H06
SEL CTL4 LINE

PAGINE/PAGE: 4252
RIF./REFERENCE:

4253

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+RB5
XRIO5

SPARE FILED CONNECTIONS

TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST	WIRE
43		=H01/2338.5			
44		=H01/2338.7			
45		=H01/2338.8			9705
46		=H01/2339.1			
47		=H01/2339.3			
48		=H01/2339.2			
49		=H01/2339.4			
50		=H01/2339.5			
51		=H01/2339.7			
52		=H01/2339.6			
53		=H01/2339.8			
54		=H01/2340.1			
55		=H01/2340.3			
56		=H01/2340.2			
57		=H01/2340.4			
58		=H01/2340.5			
59		=H01/2340.7			
60		=H01/2340.6			
61		=H01/2340.8			9705
62		=H01/2380.1			9606
63		=H01/2380.2			9705
64		=H01/2380.3			
65		=H01/2380.4			9705
66		=H01/2398.2			11802
67		=H01/2398.2			0V8
68		=H01/2398.6			
69		=H01/2398.6			
PE		=H01/2398.2			
PE		=H01/2398.6			

4252

4254

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	SPARE FILED CONNECTIONS XRIO5 +RB5	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4253

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E05
XSI1/2

SPARE SAFE INPUT SECT.1-2

TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST	WIRE
1		=H01/1302.5			130207
2		=H01/1302.5			130208
3		=H01/1302.7			130209
4		=H01/1302.7			130210
5		=H01/1303.7			130305
6		=H01/1303.7			130306
7		=H01/1305.1			130501
8		=H01/1305.1			130502
9		=H01/1305.3			130503
10		=H01/1305.3			130504
11		=H01/1305.5			130505
12		=H01/1305.5			130506
13		=H01/1305.7			130507
14		=H01/1305.7			130508
15		=H01/1306.1			130601
16		=H01/1306.1			130602
17		=H01/1306.3			130603
18		=H01/1306.3			130604
19		=H01/1306.5			130605
20		=H01/1306.5			130606
21		=H01/1306.7			130607
22		=H01/1306.7			130608

4253

4255

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	SPARE SAFE INPUT SECT.1-2 XSI1/2 +E05	+	= H06	4254
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E11
XSI3

SPARE SAFE INPUT SECT.3

TERMINAL	WIRE	TYPE	POSITION	ACRONYM	MOTOR LIST
1	120401		=H01/1204.1		
2	120402		=H01/1204.1		
3	120403		=H01/1204.3		
4	120404		=H01/1204.3		
5	120405		=H01/1204.5		
6	120406		=H01/1204.5		
7	120407		=H01/1204.7		
8	120408		=H01/1204.7		

4254

4256

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	SPARE SAFE INPUT SECT.3 XSI3 +E11	+	= H06	4255
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E15
XSI4

SPARE SAFE INPUT SECT.4

TERMINAL	WIRE	TYPE	POSITION	ACRONYM	MOTOR LIST
1	100307		=H01/1003.5		
2	100308		=H01/1003.5		
3	100501		=H01/1005.1		
4	100502		=H01/1005.1		
5	100505		=H01/1005.3		
6	100506		=H01/1005.3		
7	100509		=H01/1005.5		
8	100510		=H01/1005.5		
9	100513		=H01/1005.7		
10	100514		=H01/1005.7		
-	-	-	-	-	-

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

4255

4257

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
21041I CTL04	CTL4 LINE	SPARE SAFE INPUT SECT.4 XSI4 +E15	+	= H06	4256
CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE

TERMINAL BOARD
+E05
XSO1/2

SPARE SAFE OUTPUTS SECT.1-2

WIRE	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
131105	-		=H01/1311.5		
131106	-		=H01/1311.5		
131107	-		=H01/1311.7		
131108	-		=H01/1311.7		
131201	-		=H01/1312.1		
131202	-		=H01/1312.1		
131203	-		=H01/1312.3		
131204	-		=H01/1312.3		
131205	-		=H01/1312.5		
131206	-		=H01/1312.5		
131207	-		=H01/1312.7		
131208	-		=H01/1312.7		

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: SPARE SAFE OUTPUTS SECT.1-2 XSO1/2 +E05	POSIZ./LOCATION: +
CLIENTE/CUSTOMER			GRUPPO/SECTION: = H06
			PAGINE/PAGE: 4257
		SEL CTL4 LINE	RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E11
XSO3

SPARE SAFE OUTPUTS SECT.3

WIRE	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
121207	- 1		=H01/1212.7		
121208	- 2		=H01/1212.7		

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SPARE SAFE OUTPUTS SECT.3 XSO3 +E11	POSIZ./LOCATION +	GRUPPO/SECTION = H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4258

TERMINAL BOARD
+E15
XSO4

SPARE SAFE OUTPUTS SECT.4

WIRE	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
101305	-		=H01/1013.5		
101306	-		=H01/1013.5		
101307	-		=H01/1013.7		
101308	-		=H01/1013.7		
101401	-		=H01/1014.1		
101402	-		=H01/1014.1		
101403	-		=H01/1014.3		
101404	-		=H01/1014.3		
101405	-		=H01/1014.5		
101406	-		=H01/1014.5		
101407	-		=H01/1014.7		
101408	-		=H01/1014.7		

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SPARE SAFE OUTPUTS SECT.4 XSO4 +E15	POSIZ./LOCATION +	GRUPPO/SECTION = H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE 4259

TERMINAL BOARD
+E14
XSO4.1

SPARE SAFE OUTPUTS SECT.4

WIRE	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
110701	-		=H01/1107.1		
110702	-		=H01/1107.1		
110703	-		=H01/1107.3		
110704	-		=H01/1107.3		
110705	-		=H01/1107.5		
110706	-		=H01/1107.5		
110707	-		=H01/1107.7		
110708	-		=H01/1107.7		

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	SPARE SAFE OUTPUTS SECT.4 XSO4.1 +E14	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE

PAGINE/PAGE: 4260

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

TERMINAL BOARD
+E12
XTL

EXTERNAL MACHINE SUPPLY

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL
				=H00/86.2		1
				=H00/86.2		2
				=H00/86.2		3
			=H00-U866	=H00/86.7		4
			=H00-U866	=H00/86.7		5
				=H00/87.1		6
				=H00/87.1		7
				=H00/86.3		PE
			=H00-U866	=H00/86.7		PE
				=H00/87.2		PE
						-
						-
						-
						-
						-
						-
						-
						-
						-
						-
						WIRE
WEIG-W3002	3G1.5 mm			1	GNYE	2

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01			
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO				

DENOMINAZIONE/DESCRIPTION: EXTERNAL MACHINE SUPPLY XTL +E12

POSIZ./LOCATION: +
GRUPPO/SECTION: = H06
PAGINE/PAGE: 4261
RIF./REFERNCE:

SEL CTL4 LINE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+P04
XTL1

EXTERNAL MACHINE SUPPLY

WIRE	TERMINAL	TYPE	POSITION	ACRONYM	MOTOR LIST
18801	1		=H00/138.2		
18802	2		=H00/138.2		
	PE		=H00/138.3		
	-				
	-				
	-				

4261

4263

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION
21041I CTL04	CTL4 LINE	EXTERNAL MACHINE SUPPLY XTL1 +P04	+	= H06
CLIENTE/CUSTOMER			SEL CTL4 LINE	

PAGINE/PAGE: 4262
RIF./REFERNCE:

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SCH_MORS_RBF-R1

TERMINAL BOARD
+E12
XUPS
UPS POWER SUPPLY

		MOTOR LIST	ACRONYM	POSITION	TYPE	TERMINAL	WIRE
			=H00-U401	=H00/40.1		1	9001
			=H00-U401	=H00/40.1		2	9003
			=H00-U401	=H00/40.1		3	9002
			=H00-U401	=H00/40.1		4	9004
			=H00-U401	=H00/40.3		5	10105
			=H00-U401	=H00/40.3		6	10106
			=H00-U401	=H00/40.5		7	9007
			=H00-U401	=H00/40.5		8	9009
			=H00-U401	=H00/40.6		9	9011
			=H00-U401	=H00/40.7		10	9012
			=H00-U401	=H00/40.8		11	9013
			=H00-U401	=H00/40.8		12	9014
			=H00-U401	=H00/40.1		PE	PE
			=H00-U401	=H00/40.1		PE	PE
			=H00-U401	=H00/40.3		PE	PE
			=H00-U401	=H00/40.5		PE	PE
			=H00-U401	=H00/40.7		PE	PE
			=H00-U401	=H00/40.9		PE	PE
UPS-W3001	3G6 mm						
UPS-W3002	3G2,5 mm²						
UPS-W3003	3G2,5 mm²						
UPS-W3004	3G2,5 mm²						
UPS-W3005	3G2,5 mm²						
UPS-W3006	3G2,5 mm²						

4262

=H07/4501

INDICE REVIS. N° / REVIS. INDEX N°					
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE	
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO		

RBF DMAT
AUTOMATION TECHNOLOGY

COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: UPS POWER SUPPLY XUPS +E12	POSIZ./LOCATION: +
CLIENTE/CUSTOMER			GRUPPO/SECTION: = H06
			PAGINE/PAGE: 4263
		SEL CTL4 LINE	RIF./REFERNCE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9

CTL4 8mm LINE

BOARD DESCRIPTION	
CUSTOMER JOB N°	CTL4 LINE
END USER	
OBJECT	
CONSTRUCTOR	RBF DMAT s.r.l.
REVISION	3.0
DATE REVISION	06/04/2023

Tabella Revisioni
Revisions Table

Descrizione/ Description	Step	Rel.	Data/ Date	Disegnato/ Drawn	Controllato/ Checked	Approvato/ Approved
Per Approvazione/ For Approval						
Per Costruzione/ For Construction						
Dopo Collaudo Interno/ After Factory Test						
Dopo Messa in Servizio/ After Site Test						

Lista Documenti emessi da UTE
UTE Documents List

Sigla/ Code	Descrizione/ Description	Data/ Date	Emesso/ Issued
DAD	Disegni Dimensionali/ Dimensions Arrangement Drawing		
SLD	Schemi Unifilari/ Single Line Diagram		
WFD	Schemi Funzionali (multifilari)/ Wiring Function Diagram		
TCT	Tabelle Morsettiere/ Terminals connection Tables		
MTL	Lista Materiali/ Material Table List		

Member of CISQ Federation
RINA CERTIFIED IQNet MANAGEMENT SYSTEM
CERTIFIED MANAGEMENT SYSTEM
ISO 9001

CUSTOMER

RBF DMAT JOB N°

RBF DMAT
AUTOMATION TECHNOLOGY

=H06/4263

4502

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION + / GRUPPO/SECTION = H07 / PAGINE/PAGE 4501
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY CABLES

N° CABLE	EXIT POSITION	DESTINATION	CABLE TYPE	CONDUCTORS	SECTION mm²	USED	LENGHT mt	VOLTAGE V	DESCRIPTION
BA2.1-W2001	+P01 XBA2.1	L =H01-A15241	ÖLFLEX® CLASSIC 110	5G	1	2		300/500 V	BA2.1 SAFETY BARRIER OPEN - CLOSE
BA2.1-W2002	XBA2.1	=H01-A15246	ÖLFLEX® CLASSIC 110	5G	1	4		300/500 V	BA2.1 SAFETY BARRIER CLOSED
BA2.1-W3001	XBA2.1	L =H01-A15241	ÖLFLEX® CLASSIC 110	3G	1,5	2		300/500V	BA2.1 SAFETY BARRIER SUPPLY
DB01-W1001	XENC7	L =H01-B11391	UNITRONIC® LiYY (TP)	8	0,5	4		Achtung Sc	CONVEYOR TO STACKER AUXILIARY CONTROL PINCH ROLL ROTATION
DB01-W2002	XJB380.4	X251	ÖLFLEX® CLASSIC 110	3G	1	2		300/500 V	FLYING SHEAR CUTTING POSITION CONTROL POSITION
DB01-W2003	XJB380.4	X251	ÖLFLEX® CLASSIC 110	3G	1	2		300/500 V	FLYING SHEAR BLADE GAP CONTROL POSITION
DB01-W2004	XJB380.4	=H01-BG13502	ÖLFLEX® CLASSIC 110	3G	1	3		300/500 V	FLYING SHEAR CUTTING POSITION CONTROL POSITION
DB01-W2005	XJB380.4	=H01-BG13506	ÖLFLEX® CLASSIC 110	3G	1	3		300/500 V	FLYING SHEAR BLADE GAP CONTROL POSITION
DB01-W2006	XJB380.4	X16	ÖLFLEX® CLASSIC 110	4G	1,5	3		300/500V	FLYING SHEAR GREASE LUBRICATION PUMP
DB01-W2010	X90	=H01-S11211	ÖLFLEX® CLASSIC 110	3G	1	2		300/500 V	PNEUMATIC CIRCUIT AUXILIARY PRESSURE CONTROL
DB01-W2011	X90	=H01-S11212	ÖLFLEX® CLASSIC 110	3G	1	2		300/500 V	STRAIGHTENER OIL LUBRICATION PRESSURE CONTROL
DB01-W2012	X90	=H01-S11213	ÖLFLEX® CLASSIC 110	3G	1	2		300/500 V	STRAIGHTENER OIL LUBRICATION FILTER CLOGGED
DB01-W3001	XJB380.1	X15	DB01-W3015	4G	1,5	4		300/500V	FLYING SHEAR BLADE GAP INCREASE-DECREASE
DB01-W3010	XJB380.3	X30	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	FLYING SHEAR HYDRAULIC STATION OIL HEATING
DB01-W3011	X30	=H02-E103	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	HYDRAULIC UNIT OIL HEATING
DB01-W3013	X15	=H02-M113	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	LEVELLER 2 OIL LUBRICATION PUMP
DB01-W3014	XJB380.3	X15	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	FLYING SHEAR HYDRAULIC POWER STATION FOR CUTTING COOL UNIT
DB01-W3015	XJB380.3	X15	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	FLYING SHEAR HYDRAULIC POWER STATION OIL COOLING MAIN PUMP
DB01-W3016	XJB380.3	X15	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	FLYING SHEAR HU POWER STATION FAN
DB01-W3017	X15	=H02-M123	ÖLFLEX® CLASSIC 110	4G	35	4		300/500V	HYDRAULIC STATION PUMP 1
DB01-W3018	X15	=H02-M125	ÖLFLEX® CLASSIC 110	4G	35	4		300/500V	HYDRAULIC STATION PUMP 2
DB01-W3019	X15	=H02-M127	ÖLFLEX® CLASSIC 110	4G	2,5	4		300/500V	HYDRAULIC STATION OIL COOLING RECIRCULATION PUMP
DB01-W3021	X15	=H02-M133	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	STRAIGHTENER OIL LUBRICATION PUMP
DB01-W3022	X15	=H02-M141	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	CROP SHEAR BLADE GAP INCREASE-DECREASE
DB01-W3025	X15	=H02-M167	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	LEVELLER 1 BACK UP ROLL 1 RAISE-LOWER
DB01-W3026	X15	=H02-M171	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	LEVELLER 1 BACK UP ROLL 2 RAISE-LOWER

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY CABLES	POSIZ./LOCATION +	GRUPPO/SECTION = H07	PAGINE/PAGE 4502
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY CABLES

N° CABLE	EXIT POSITION	DESTINATION	CABLE TYPE	CONDUCTORS	SECTION mm²	USED	LENGHT mt	VOLTAGE V	DESCRIPTION
DB01-W3027	X15	=H02-M174	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	LEVELLER 1 BACK UP ROLL 3 RAISE-LOWER
DB01-W3028	X15	=H02-M177	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	LEVELLER 1 BACK UP ROLL 4 RAISE-LOWER
DB01-W3029	X15	=H02-M181	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	LEVELLER 1 BACK UP ROLL 5 RAISE-LOWER
DB01-W3030	X15	=H02-M214	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	STACKER CAR RACKET BOX 1 O.S. OPEN-CLOSE
DB01-W3031	X15	=H02-M217	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	STACKER CAR RACKET BOX 2 O.S. OPEN-CLOSE
DB01-W3032	X15	=H02-M221	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	STACKER CAR RACKET BOX 1 M.S. OPEN-CLOSE
DB01-W3033	X15	=H02-M224	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	STACKER CAR RACKET BOX 2 M.S. OPEN-CLOSE
DB01-W3034	X15	=H02-M231	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	STACKER SIDE GUIDE BOX 1 M.S. OPEN-CLOSE
DB01-W3035	X15	=H02-M234	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	STACKER SIDE GUIDE BOX 2 M.S. OPEN-CLOSE
DB01-W3036	X15	=H02-M237	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	STACKER SIDE GUIDE BOX 1 O.S. OPEN-CLOSE
DB01-W3038	X15	=H02-M334	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	LEVELLER 2 BACK UP ROLL 1 RAISE-LOWER
DB01-W3039	+E15 X15	L =H02-M337	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	LEVELLER 2 BACK UP ROLL 2 RAISE-LOWER
DB01-W3040	X15	=H02-M351	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	LEVELLER 2 BACK UP ROLL 3 RAISE-LOWER
DB01-W3041	X15	=H02-M354	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	LEVELLER 2 BACK UP ROLL 4 RAISE-LOWER
DB01-W3042	X15	=H02-M357	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	LEVELLER 2 BACK UP ROLL 5 RAISE-LOWER
DB01-W3043	X15	=H02-M361;JB360.1	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	LEVELLER 2 BACK UP ROLL 6 RAISE-LOWER
DB01-W3044	X15	=H02-M364	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	LEVELLER 2 BACK UP ROLL 7 RAISE-LOWER
DB01-W3045	X15	=H02-M371	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	ROLLS AND CHAINS BOX 1 90° RISE-LOWER
DB01-W3046	X15	=H02-M374	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	ROLLS AND CHAINS BOX 2 90° RISE-LOWER
DB01-W3053	X15	=H02-M137	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	LEVELLER 1 OIL LUBRICATION PUMP
DB01-W3054	X15	=H02-M384	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	ROLLS AND CHAINS EXIT 4 STRUT LIFTING RISE-LOWER
DB01-W3055	X15	=H02-M381	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	ROLLS AND CHAINS EXIT 3 STRUT LIFTING RISE-LOWER
DB01-W4001	L =H00-CUSTOMER	+E00 =H00-Q103	H07RN-F	15	240	1		750 V	MAIN LINE SUPPLY
DB01-W4002	L =H00-CUSTOMER	+E00 =H00-Q103	H07RN-F	15	240	1		750 V	MAIN LINE SUPPLY
DB01-W4003	L =H00-CUSTOMER	+E00 =H00-Q103	H07RN-F	15	240	1		750 V	MAIN LINE SUPPLY
DB01-W4004	L =H00-CUSTOMER	+E01 =H00-PE1	ÖLFLEX® FD 90	8	240	1		1000 V	MAIN LINE SUPPLY

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY CABLES	POSIZ./LOCATION +	GRUPPO/SECTION = H07	PAGINE/PAGE 4503
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY CABLES

N° CABLE	EXIT POSITION	DESTINATION	CABLE TYPE	CONDUCTORS	SECTION mm²	USED	LENGHT mt	VOLTAGE V	DESCRIPTION
DB01-W4005	XBRK	=G00-R241	N2XH	1	50	1		1000 V	BRAKING RESISTOR MODULE
DB01-W4007	XBRK	=G00-R241	ÖLFLEX® CLASSIC 110	2	1.5	2		300/500 V	BRAKING RESISTOR OVERTEMPERATURE RELAY
DB01-W4008	XBRK	=G00-R281	N2XH	1	50	1		1000 V	BRAKING RESISTOR MODULE
DB01-W4010	XBRK	=G00-R281	ÖLFLEX® CLASSIC 110	2	1.5	2		300/500 V	BRAKING RESISTOR OVERTEMPERATURE RELAY
DB01.1-W4006	XBRK	=G00-R241	N2XH	1	50	1		1000 V	BRAKING RESISTOR MODULE
DB01.1-W4009	XBRK	=G00-R281	N2XH	1	50	1		1000 V	BRAKING RESISTOR MODULE
DB01.2-W3037	X15	=H02-M241	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	STACKER SIDE GUIDE BOX 2 O.S. OPEN-CLOSE
DP-W0003	=H01-BG22892	=H03-K25011	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0004	=H01-BG22892	=H01-BG22896	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0005	=H01-BG22896	=H01-BG22902	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0006	=H01-BG22902	=H01-BG22906	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0007	=H01-BG22906	=H01-BG22912	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0008	=H01-BG22912	=H01-BG22916	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0009			PROFIBUS® DP	2	0,64	0		250 V	ENCODER PROFIBUS
DP-W0010			PROFIBUS® DP	2	0,64	0		250 V	ENCODER PROFIBUS
DP-W0011			PROFIBUS® DP	2	0,64	0		250 V	ENCODER PROFIBUS
DP-W0012			PROFIBUS® DP	2	0,64	0		250 V	ENCODER PROFIBUS
DP-W0013			PROFIBUS® DP	2	0,64	0		250 V	ENCODER PROFIBUS
DP-W0014	=H01-BG22886	=H03-K28670	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0015	=H01-BG21882	=H03-K28670	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0016	=H01-BG21882	=H01-BG21886	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0017	=H01-BG21886	=H01-BG21892	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0018	=H01-BG21892	=H01-BG21896	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0019	=H01-BG21896	=H01-BG21902	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0020	=H01-BG21872	=H01-BG21902	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0021	=H01-BG21872	=H01-BG21876	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY CABLES	POSIZ./LOCATION +	GRUPPO/SECTION = H07	PAGINE/PAGE 4504
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY CABLES

N° CABLE	EXIT POSITION	DESTINATION	CABLE TYPE	CONDUCTORS	SECTION mm²	USED	LENGHT mt	VOLTAGE V	DESCRIPTION
DP-W0027	=H01-BG19892	=H01-BG21876	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0028	=H01-BG19882	=H01-BG19892	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0029	=H01-BG19882	=H01-BG19886	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0030	=H01-BG11442	=H01-BG19886	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0031	=H01-BG11442	=H01-BG19872	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0031.1	=H01-BG19872	=H01-BG19876	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0032	=H01-BG23872	=H03-K25011	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0033	=H01-BG23872	=H01-BG23882	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0034	=H01-BG23876	=H01-BG23882	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0035	=H01-BG23876	=H01-BG23886	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0036	=H01-BG23886	=H01-BG23892	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0037	=H01-BG23892	=H01-BG23922	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0038	=H01-BG23902	=H01-BG23922	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0039	=H01-BG23902	=H03-K29380	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0040	=H01-BG23916	=H03-K29380	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0041	=H01-BG23906	=H01-BG23916	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0042	=H01-BG23906	=H01-BG23912	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0043	=H01-BG23912	=H01-BG23932	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
DP-W0044	=H01-BG23932	=H01-BG23936	PROFIBUS® DP	2	0,64	1		250 V	ENCODER PROFIBUS
EMG-W1001	=H00-EMG	=H03-A25062	UNITRONIC® LAN-Kabel (Strukturierte Verk	8	23	1		-	PROFINET CONNECTION
EMG-W2001	X250	=H01-BG11442	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	EMG ENCODER SUPPLY
EMG-W3001	X23	=H00-EMG	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	EMG CABINET
FTC1.1-W2001	+P01 XFTC1.1	L =H01-B15221	ÖLFLEX® CLASSIC 110	5G	1	4		300/500 V	EMITTER LIGHT BARRIER FTC1.1
FTC1.1-W2002	XFTC1.1	L =H01-B15222	ÖLFLEX® CLASSIC 110	7G	1	4		300/500 V	RECEIVER LIGHT BARRIER FTC1.1
FTC2.1-W2001	+P01 XFTC2.1	L =H01-B15231	ÖLFLEX® CLASSIC 110	5G	1	4		300/500 V	EMITTER LIGHT BARRIER FTC2.1
FTC2.1-W2002	XFTC2.1	L =H01-B15232	ÖLFLEX® CLASSIC 110	7G	1	4		300/500 V	RECEIVER LIGHT BARRIER FTC2.1

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY CABLES	POSIZ./LOCATION +	GRUPPO/SECTION = H07	PAGINE/PAGE 4505
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA / DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY CABLES

N° CABLE	EXIT POSITION	DESTINATION	CABLE TYPE	CONDUCTORS	SECTION mm²	USED	LENGHT mt	VOLTAGE V	DESCRIPTION
FTC4.1-W2001	+P00 XFTC4.1	L =H01-B14221	ÖLFLEX® CLASSIC 110	5G	1	4		300/500 V	EMITTER LIGHT BARRIER FTC4.1
FTC4.1-W2002	XFTC4.1	L =H01-B14092	ÖLFLEX® CLASSIC 110	7G	1	4		300/500 V	RECEIVER LIGHT BARRIER FTC4.1
FTC6.1-W2001	+P03 XFTC6.1	L =H01-B17221	ÖLFLEX® CLASSIC 110	5G	1	4		300/500 V	EMITTER LIGHT BARRIER FTC6.1
FTC6.1-W2002	XFTC6.1	L =H01-B17222	ÖLFLEX® CLASSIC 110	7G	1	4		300/500 V	RECEIVER LIGHT BARRIER FTC6.1
FTC8.1-W2001	+P04 XFTC8.1	L =H01-B18221	ÖLFLEX® CLASSIC 110	5G	1	4		300/500 V	EMITTER LIGHT BARRIER FTC8.1
FTC8.1-W2002	XFTC8.1	L =H01-B18222	ÖLFLEX® CLASSIC 110	7G	1	4		300/500 V	RECEIVER LIGHT BARRIER FTC8.1
G1.1-W3001	XG1.1	=H01-S15211	ÖLFLEX® CLASSIC 110	10G	1	8		300/500 V	ACCESS GATE G1.1
G01-W3001	+E05 X301;=G01-PE	=G01-Y116	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	BRAKE STORAGE COIL CAR TRANSLATION M1
G01-W4001	=G01-M103	=G01-T102	2XSLCY-J	4G	2,5	4		600/1000 V	STORAGE COIL CAR TRANSLATION M1
G01A-W3001	+E12 X301;=G01A-PE	=G01A-Y116	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	BRAKE STORAGE COIL CAR TRANSLATION M2
G01A-W4001	=G01-T102	=G01A-M103	2XSLCY-J	4G	2,5	4		600/1000 V	STORAGE COIL CAR TRANSLATION M2
G02-W2001	=G02-A126	=H03-A28181	SINAMICS DRIVE CLIQ	6	0,20+0,38	1		30 V	DECOILER MOTOR ENCODER
G02-W2002	X302A	L =G02-S127	UNITRONIC® LiYCY	2	0,75	2		50 V	DECOILER THERMIC PROBE
G02-W3001	+E05 X302;=G02-PE	=G02-Y116	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	BRAKE DECOILER MANDREL ROTATION
G02-W3002	+E05 X302;=G02-PE	=G02-M118	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	FAN DECOILER MANDREL ROTATION
G02-W4001	=G02-M103;=G03-T101	=G02-T102	2XSLCY-J	3x	70+3x35/3	4		600/1000 V	DECOILER MANDREL ROTATION
G03-W2001	=G03-A124	=G03-A125	UNITRONIC® LiYY (TP)	8	0,5	0		Achtung Sc	ENTRY PINCH ROLL ENCODER AC MOTOR
G03-W2002		=G03-S127	UNITRONIC® LiYCY	2	0,75	0		50 V	ENTRY PINCH ROLL ENCODER AC MOTOR
G03-W3001	+E05 X303;=G03-PE	=G03-Y116	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	BRAKE ENTRY PINCH ROLL
G03-W4001	=G03-M103	=G03-T101	2XSLCY-J	3x	35+3x16/3	4		600/1000 V	ENTRY PINCH ROLL
G03-W4002	+E05 X303;=G03-PE	=G03-M118	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	FAN ENTRY PINCH ROLL
G4.2-W3001	XGATE	=H01-S11455	ÖLFLEX® CLASSIC 110	10G	1	8		300/500 V	ACCESS GATE G4.2
G04-W0001	=G04-A125	=H03-A28181	SINAMICS DRIVE CLIQ	6	0,20+0,38	1	8	30 V	STRAIGHTENER MOTOR ENCODER
G04-W2001	X304A	L =G04-S127	UNITRONIC® LiYCY	2	0,75	2		50 V	STRAIGHTENER THERMIC PROBE
G04-W3002	+E05 X304;=G04-PE	=G04-M118	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	FAN STRAIGHTENER
G04-W4001	L =G04-M103	=G04-T102	2XSLCY-J	3x	300+3x150/34			600/1000 V	STRAIGHTENER

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY CABLES	POSIZ./LOCATION +	GRUPPO/SECTION = H07	PAGINE/PAGE 4506
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER					RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					SEL CTL4 LINE		
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY CABLES

N° CABLE	EXIT POSITION	DESTINATION	CABLE TYPE	CONDUCTORS	SECTION mm²	USED	LENGHT mt	VOLTAGE V	DESCRIPTION
G04-W4002	L =G04-M103	=G04-T102	2XSLCY-J	3x	300+3x150/3	2		600/1000 V	STRAIGHTENER
G04-W4003	L =G04-M103	=G04-T102	2XSLCY-J	3x	300+3x150/3	3		600/1000 V	STRAIGHTENER
G5.1-W3001	XG5.1	=H01-S14211	ÖLFLEX® CLASSIC 110	10G	1	8		300/500 V	ACCESS GATE G5.1
G5.2-W3001	XGATE	=H01-S11461	ÖLFLEX® CLASSIC 110	10G	1	8		300/500 V	ACCESS GATE G5.2
G05-W3002	+E05 X304B;=G05-PE	=G05-Y116	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	BRAKE STRAIGHTENER UPPER ROLL MOTOR
G05-W4001	=G05-M103	=G05-T102	2XSLCY-J	4G	4	4		600/1000 V	STRAIGHTENER UPPER ROLL MOTOR
G06-W4001	=G06-M103	=G06-T102	2XSLCY-J	4G	2,5	4		600/1000 V	STRAIGHTENER CORRECTOR ROLL MOTOR
G7.1-W3001	XG7.1	=H01-S17211	ÖLFLEX® CLASSIC 110	10G	1	8		300/500 V	ACCESS GATE G7.1
G7.2-W3001	XGATE	=H01-S11465	ÖLFLEX® CLASSIC 110	10G	1	8		300/500 V	ACCESS GATE G7.2
G07-W2001	X307	L =G07-S107	UNITRONIC® LiYCY	2	0,75	2		50 V	BRUSHER 1 UPPER ROLL THERMIC PROBE
G07-W4001	=G07-T102	=G07-M103;=G08-T102	2XSLCY-J	4G	4	4		600/1000 V	BRUSHER 1 UPPER ROLL MOTOR
G8-W2001	X318	L =G18-S105	UNITRONIC® LiYCY	2	0,75	2		50 V	BRUSHER 2 UPPER ROLLER THERMIC PROBE
G8.1-W3001	XG8.1	=H01-S18211	ÖLFLEX® CLASSIC 110	10G	1	8		300/500 V	ACCESS GATE G8.1
G8.2-W3001	XG8.2	=H01-S18215	ÖLFLEX® CLASSIC 110	10G	1	8		300/500 V	ACCESS GATE G8.2
G08-W2001	X308	L =G08-S105	UNITRONIC® LiYCY	2	0,75	2		50 V	BRUSHER 1 LOWER ROLL THERMIC PROBE
G08-W4001	=G08-M103	=G08-T102	2XSLCY-J	4G	4	4		600/1000 V	BRUSHER 1 LOWER ROLL MOTOR
G14-W0001	=G14-A126	=H03-A28691	SINAMICS DRIVE CLIQ	6	0,20+0,38	1		30 V	LEVELLER 1 MOTOR ENCODER
G14-W2001	X314A	L =G14-S127	UNITRONIC® LiYCY	2	0,75	2		50 V	LEVELLER 1 MOTOR THERMIC PROBE
G14-W3001	+E05 X314;=G14-PE	=G14-Y116	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	BRAKE LEVELLER 1 MOTOR
G14-W3002	+E05 X314;=G14-PE	=G14-M118	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	FAN LEVELLER 1 MOTOR
G14-W4001	L =G14-M103;=G15-T102	=G14-T102	2XSLCY-J	3x	300+3x150/3	4		600/1000 V	LEVELLER 1 MOTOR
G14-W4002	L =G14-M103	=G14-T102	2XSLCY-J	3x	300+3x150/3	3		600/1000 V	LEVELLER 1 MOTOR
G14-W4003	L =G14-M103	=G14-T102	2XSLCY-J	3x	300+3x150/3	3		600/1000 V	LEVELLER 1 MOTOR
G15-W4001	=G15-M103	=G15-T102	2XSLCY-J	4G	4	4		600/1000 V	LEVELLER 1 ENTRY RISE-LOWER MOTOR
G15-W4002	=G16-M103	=G16-T102	2XSLCY-J	4G	4	4		600/1000 V	LEVELLER 1 EXIT RISE-LOWER MOTOR
G18-W4001	=G18-M103	=G18-T102	2XSLCY-J	4G	4	4		600/1000 V	BRUSHER 2 UPPER ROLLER MOTOR

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY CABLES	POSIZ./LOCATION +	GRUPPO/SECTION = H07	PAGINE/PAGE 4507
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY CABLES

N° CABLE	EXIT POSITION	DESTINATION	CABLE TYPE	CONDUCTORS	SECTION mm²	USED	LENGHT mt	VOLTAGE V	DESCRIPTION
G19-W2001	X319	L =G19-S105	UNITRONIC® LiYCY	2	0,75	2		50 V	BRUSHER 2 LOWER ROLLER THERMIC PROBE
G19-W4001	=G19-M103	=G19-T102	2XSLCY-J	4G	4	4		600/1000 V	BRUSHER 2 LOWER ROLLER MOTOR
G20-W3001	+E05 X320;=G20-PE	=G20-M118	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	FAN LEVELLER 2 MOTOR 1
G20-W4001/1	L =G20-M103	=G20-T103	2XSLCY-J	3x	150+3x70/3	4		600/1000 V	LEVELLER 2 MOTOR 1
G20-W4001/2	L =G20-M103	=G20-T103	2XSLCY-J	3x	150+3x70/3	3		600/1000 V	LEVELLER 2 MOTOR 1
G20-W4001/3	L =G20-M103	=G20-T103	2XSLCY-J	3x	150+3x70/3	3		600/1000 V	LEVELLER 2 MOTOR 1
G20A-W3001	+E05 X321;=G20A-PE	=G20A-M118	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	FAN LEVELLER 2 MOTOR 2
G20A-W4001/1	L =G20A-M103	=G20A-T103	G20A-W4001/1	3x	150+3x70/3	4		600/1000 V	LEVELLER 2 MOTOR 2
G20A-W4001/2	L =G20A-M103	=G20A-T103	2XSLCY-J	3x	150+3x70/3	3		600/1000 V	LEVELLER 2 MOTOR 2
G20A-W4001/3	L =G20A-M103	=G20A-T103	2XSLCY-J	3x	150+3x70/3	3		600/1000 V	LEVELLER 2 MOTOR 2
G27-W3001	+E05 X322;=G27-PE	=G27-Y116	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	BRAKE LEVELLER 2 ENTRY RISE-LOWER MOTOR SIDE
G27-W4001	=G27-M103	=G27-T102	2XSLCY-J	4G	2,5	4		600/1000 V	LEVELLER 2 ENTRY RISE-LOWER M.S.
G27-W4002	=G27-T102	=G27A-M103	2XSLCY-J	4G	2,5	4		600/1000 V	LEVELLER 2 ENTRY RISE-LOWER O.S.
G27A-W3001	+E05 X322;=G27A-PE	=G27A-Y116	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	BRAKE LEVELLER 2 ENTRY RISE-LOWER OPERATOR SIDE
G28-W3001	+E05 X323;=G28-PE	=G28-Y116	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	BRAKE LEVELLER 2 EXIT RISE-LOWER MOTOR SIDE
G28-W4003	=G28-M103	=G28-T102	2XSLCY-J	4G	2,5	4		600/1000 V	LEVELLER 2 EXIT RISE-LOWER MOTOR SIDE
G28-W4004	=G28-T102	=G28A-M103	2XSLCY-J	4G	2,5	4		600/1000 V	LEVELLER 2 EXIT RISE-LOWER OPERATOR SIDE
G28A-W3001	+E05 X323;=G28A-PE	=G28A-Y116	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	BRAKE LEVELLER 2 EXIT RISE-LOWER OPERATOR SIDE
G31-W3001	+E05 X333;=G31-PE	=G31-M118	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	FAN ENTRY SHEAR PINCH ROLL ROTATION UP
G31-W4001	=G31-M103	=G31-T102	2XSLCY-J	4G	4	4		600/1000 V	ENTRY SHEAR PINCH ROLL ROTATION UP
G31A-W3001	+E05 X333;X334;=G31A-PE	=G31A-M118	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	FAN ENTRY SHEAR PINCH ROLL ROTATION LOWER
G31A-W4001	=G31A-M103	=G31A-T102	2XSLCY-J	4G	4	4		600/1000 V	ENTRY SHEAR PINCH ROLL ROTATION LOWER
G32-W0001	=G32-A126	=G32-T103	SINAMICS DRIVE CLIQ	6	0,20+0,38	1		30 V	FLYING SHEAR CARRIAGE MOTOR ENCODER
G32-W2001	X335A	L =G32-S127	UNITRONIC® LiYCY	2	0,75	2		50 V	FLYING SHEAR CARRIAGE MOTOR THERMIC PROBE
G32-W2002	=G32-A150	+E05;+E05 =G32-A154;=G32-A154-X521;=G32-A154-X531	UNITRONIC® LiYY (TP)	8	0,5	6		Achtung Sc	MEASURE WHEEL LOWER ROLLER MEASURING
G32-W3001	+E05 X335;X355;=G32-PE	=G32-M118	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	FAN FLYING SHEAR CARRIAGE MOTOR

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY CABLES	POSIZ./LOCATION +	GRUPPO/SECTION = H07	PAGINE/PAGE 4508
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY CABLES

N° CABLE	EXIT POSITION	DESTINATION	CABLE TYPE	CONDUCTORS	SECTION mm²	USED	LENGHT mt	VOLTAGE V	DESCRIPTION
G32-W4001	=G32-M103	=G32-T103	2XSLCY-J	3x	185+3x95/3	4		600/1000 V	FLYING SHEAR CARRIAGE MOTOR
G34-W2001	X338	L =G34-S105	UNITRONIC® LiYCY	2	0,75	2		50 V	FLYING SHEAR BELT CONVEYOR BACKWARD-FORWARD THERMIC PROBE
G34-W4001	=G34-M103	=G34-T102	2XSLCY-J	4G	4	4		600/1000 V	FLYING SHEAR BELT CONVEYOR BACKWARD-FORWARD
G35-W4001	=G35-M103	=G35-T102	2XSLCY-J	4G	4	4		600/1000 V	CONVEYOR DEFLECTOR
G36-W4001	=G36-M103	=G36-T102	2XSLCY-J	4G	4	4		600/1000 V	CONVEYOR TO STACKER
G38-W2001	=G38-A126	=G38-T102	SINAMICS DRIVE CLIQ	6	0,20+0,38	1		30 V	STACKER RACKET M.S. BOX 1 OPEN-CLOSE ENCODER
G38-W3001	+E05 X340;=G38-PE	=G38-Y116	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	BRAKE STACKER RACKET M.S. BOX 1 OPEN-CLOSE
G38-W4001	=G38-M103	=G38-T102	2XSLCY-J	4G	1,5	4		600/1000 V	STACKER RACKET M.S. BOX 1 OPEN-CLOSE
G38-W4002	=G38-T102	=G38A-M103	2XSLCY-J	4G	1,5	4		600/1000 V	STACKER RACKET O.S. BOX 1 OPEN-CLOSE
G38A-W2001	=G38-T102	=G38A-A126	SINAMICS DRIVE CLIQ	6	0,20+0,38	1		30 V	STACKER RACKET O.S. BOX 1 OPEN-CLOSE MOTOR ENCODER
G38A-W3001	+E05 X341;=G38A-PE	=G38A-Y116	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	BRAKE STACKER RACKET O.S. BOX 1 OPEN-CLOSE
G39-W4001	=G39-M103	=G39-T102	2XSLCY-J	4G	1,5	4		600/1000 V	STACKER HEAD STOP BOX 1 FORWARD-BACKWARD
G40-W4001	=G40-M103	=G40-T101	2XSLCY-J	4G	1,5	4		600/1000 V	STACKER BELT CONVEYOR BOX 1 RAISE LOWER M.S.
G40-W4002	=G40-T101	=G40A-M103	2XSLCY-J	4G	1,5	4		600/1000 V	STACKER BELT CONVEYOR BOX 1 RAISE LOWER O.S.
G41-W4001	=G41-M103	=G41-T102	2XSLCY-J	4G	1,5	4		600/1000 V	STACKER BELT CONVEYOR BOX 1 ROTATION M.S.
G41-W4002	=G41-T102	=G41A-M103	2XSLCY-J	4G	1,5	4		600/1000 V	STACKER BELT CONVEYOR BOX 1 ROTATION O.S.
G42-W2001	=G42-A126	=G42-T102	SINAMICS DRIVE CLIQ	6	0,20+0,38	1		30 V	STACKER RACKET M.S. BOX 2 OPEN-CLOSE ENCODER
G42-W3001	+E05 X348;=G42-PE	=G42-Y116	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	BRAKE STACKER RACKET M.S. BOX 2 OPEN-CLOSE
G42-W4001	=G42-M103	=G42-T102	G42-W4001	4G	1,5	4		600/1000 V	STACKER RACKET M.S. BOX 2 OPEN-CLOSE
G42-W4002	=G42-T102	=G42A-M103	2XSLCY-J	4G	1,5	4		600/1000 V	STACKER RACKET O.S. BOX 2 OPEN-CLOSE
G42A-W2001	=G42-T102	=G42A-A126	SINAMICS DRIVE CLIQ	6	0,20+0,38	1		30 V	STACKER RACKET O.S. BOX 2 OPEN-CLOSE ENCODER
G42A-W3001	+E05 X349;=G42A-PE	=G42A-Y116	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	BRAKE STACKER RACKET O.S. BOX 2 OPEN-CLOSE
G43-W4001	=G43-M103	=G43-T102	2XSLCY-J	4G	1,5	4		600/1000 V	STACKER HEAD STOP BOX 2 FORWARD-BACKWARD
G44-W4001	=G44-M103	=G44-T102	2XSLCY-J	4G	1,5	4		600/1000 V	PLATFORM BOX 1 ROLL ROTATION
G45-W4001	=G45-M103	=G45-T102	2XSLCY-J	4G	1,5	4		600/1000 V	MIDDLE EXIT PLATFORM BOX 1 ROLL ROTATION
G45-W4002	=G45-T102	=G45A-M103	2XSLCY-J	4G	1,5	4		600/1000 V	MIDDLE EXIT PLATFORM BOX 2 ROLL ROTATION

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY CABLES	POSIZ./LOCATION +	GRUPPO/SECTION = H07	PAGINE/PAGE 4509
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY CABLES

N° CABLE	EXIT POSITION	DESTINATION	CABLE TYPE	CONDUCTORS	SECTION mm²	USED	LENGHT mt	VOLTAGE V	DESCRIPTION
G46-W4001	=G46-M103	=G46-T102	2XSLCY-J	4G	1,5	4		600/1000 V	ROLLS AND CHAINS BOX 1 °90 ROLL ROTATION
G46-W4003	=G46-T102	=G48-M103	2XSLCY-J	4G	1,5	4		600/1000 V	ROLLS AND CHAINS BOX 2 °90 ROLL ROTATION
G47-W4002	=G47-M103	=G47-T102	2XSLCY-J	4G	2,5	4		600/1000 V	ROLLS AND CHAINS BOX 1 °90 CHAINS ROTATION
G47-W4004	=G47-T102	=G49-M103	2XSLCY-J	4G	2,5	4		600/1000 V	ROLLS AND CHAINS BOX 2 °90 CHAINS ROTATION
G50-W4001	=G50-M103	=G50-T102	2XSLCY-J	4G	2,5	4		600/1000 V	CHAINS 1 ROTATION
G50-W4002	=G50-T102	=G50A-M103	2XSLCY-J	4G	2,5	4		600/1000 V	CHAINS 2 ROTATION
G51-W4001	=G51-M103.1	=G51-T102.1	2XSLCY-J	4G	2,5	4		600/1000 V	CHAINS EXIT 3 ROTATION
G51-W4002	=G51-T102.1	=G51A-M103.1	2XSLCY-J	4G	2,5	4		600/1000 V	CHAINS EXIT 4 ROTATION
JB010-W2001	XJB010	X401	ÖLFLEX® CLASSIC 110	14G	1.5	8		300/500 V	SENSOR CONNECTION WITH JB010
JB010.1-W2001	XJB010.1	X402	ÖLFLEX® CLASSIC 110	7G	1,5	4		300/500V	SENSOR CONNECTION WITH JB010.1
JB020-W2001	XJB020	X403	ÖLFLEX® CLASSIC 110	7G	1,5	5		300/500V	SENSOR CONNECTION WITH JB020
JB030-W2001	XJB030	X404	ÖLFLEX® CLASSIC 110	7G	1,5	3		300/500V	VALVE CONNECTION WITH JB030
JB030-W2002	XJB030	X404	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	ENCODER SUPPLY CONNECTION WITH JB030
JB030-W3001	XJB030	X404	ÖLFLEX® CLASSIC 110	10G	1.5	6		300/500 V	SENSOR CONNECTION WITH JB030
JB030.10-W3001	XJB030.10	X405	ÖLFLEX® CLASSIC 110	26G	1.5	18		300/500 V	VALVE CONNECTION WITH JB030.10
JB040-W2001	XJB040	X406	ÖLFLEX® CLASSIC 110	7G	1,5	5		300/500V	SENSOR CONNECTION WITH JB040
JB040-W3001	XJB040	X406	ÖLFLEX® CLASSIC 110	7G	1,5	5		300/500V	SENSOR CONNECTION WITH JB040
JB070-W2001	XJB070	X407	ÖLFLEX® CLASSIC 110	7G	1,5	4		300/500V	SENSOR CONNECTION WITH JB070
JB080-W2001	XJB080	X408	ÖLFLEX® CLASSIC 110	5G	1.5	3		300/500 V	SENSOR CONNECTION WITH JB080
JB080-W3001	XJB080	X408	ÖLFLEX® CLASSIC 110	7G	1,5	5		300/500V	SENSOR CONNECTION WITH JB080
JB120-W2001	XJB120	X409	ÖLFLEX® CLASSIC 110	26G	1.5	23		300/500 V	SENSOR CONNECTION WITH JB120
JB120-W2002	XJB120	X409	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	ENCODER SUPPLY CONNECTION WITH JB120
JB120-W3002	XJB120	X409	ÖLFLEX® CLASSIC 110	26G	1.5	20		300/500 V	VALVE CONNECTION WITH JB120
JB140-W2001	XJB140	X410	ÖLFLEX® CLASSIC 110	7G	1,5	5		300/500V	SENSOR CONNECTION WITH JB410
JB150-W2001	XJB150	X411	ÖLFLEX® CLASSIC 110	7G	1,5	4		300/500V	SENSOR CONNECTION WITH JB150
JB150-W3001	XJB150	X15	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	SPARE

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY CABLES	POSIZ./LOCATION +	GRUPPO/SECTION = H07
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE					PAGINE/PAGE 4510
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY CABLES

N° CABLE	EXIT POSITION	DESTINATION	CABLE TYPE	CONDUCTORS	SECTION mm²	USED	LENGHT mt	VOLTAGE V	DESCRIPTION
JB160-W2001	XJB160	X412	ÖLFLEX® CLASSIC 110	14G	1.5	9		300/500 V	SENSOR CONNECTION WITH JB160
JB160-W3001	XJB160	X412	ÖLFLEX® CLASSIC 110	10G	1.5	7		300/500 V	VALVE CONNECTION WITH JB160
JB290-W2001	XJBX290	X432	ÖLFLEX® CLASSIC 110	10G	1.5	6		300/500 V	SENSOR CONNECTION WITH JB290
JB290.1-W3001	XJB290.1	+E05 X304B;=G17-PE	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	BRAKE LEVELLER 1 CHANGE PACKAGE CASSETTE EXTRAXTION CAR FORWARD-BACKWARD
JB290.1-W3001A	XJB290.1	=G17-Y116	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	BRAKE LEVELLER 1 CHANGE PACKAGE CASSETTE EXTRAXTION CAR FORWARD-BACKWARD
JB290.1-W4001	XJB290.1	=G17-T101	2XSLCY-J	4G	1,5	4		600/1000 V	LEVELLER 1 CHANGE PACKAGE CASSETTE EXTRAXTION CAR FORWARD-BACKWARD
JB290.1-W4001A	XJB290.1	L =G17-M103	2XSLCY-J	4G	1,5	4		600/1000 V	LEVELLER 1 CHANGE PACKAGE CASSETTE EXTRAXTION CAR FORWARD-BACKWARD
JB310-W2001	XJB310	X431	ÖLFLEX® CLASSIC 110	14G	1.5	9		300/500 V	SENSOR CONNECTION WITH JB310
JB310-W3001	XJB310	X431	ÖLFLEX® CLASSIC 110	10G	1.5	7		300/500 V	VALVE CONNECTION WITH JB310
JB330-W2001	XJBX330	X442	ÖLFLEX® CLASSIC 110	10G	1.5	6		300/500 V	SENSOR CONNECTION WITH JB330
JB330.1-W3001	XJB330.1	+E05 X330;=G29-PE	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	BRAKE LEVELLER 2 CHANGE PACKAGE CASSETTE EXTRAXTION CAR FORWARD-BACKWARD
JB330.1-W3001A	XJB330.1	=G29-Y116.1	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	BRAKE LEVELLER 2 CHANGE PACKAGE CASSETTE EXTRAXTION CAR FORWARD-BACKWARD
JB330.1-W4001	XJB330.1	=G17-T101	2XSLCY-J	4G	1,5	4		600/1000 V	LEVELLER 2 CHANGE PACKAGE CASSETTE EXTRAXTION CAR FORWARD-BACKWARD
JB330.1-W4001A	XJB330.1	L =G29-M103	2XSLCY-J	4G	1,5	4		600/1000 V	LEVELLER 2 CHANGE PACKAGE CASSETTE EXTRAXTION CAR FORWARD-BACKWARD
JB360-W0001	XJB360	=G31-T102	SINAMICS DRIVE CLIQ	6	0,20+0,38	1		30 V	ENTRY SHEAR PINCH ROLL ROTATION UP MOTOR ENCODER
JB360-W0001A	XJB360	=G31-A126	SINAMICS DRIVE CLIQ	6	0,20+0,38	1		30 V	ENTRY SHEAR PINCH ROLL ROTATION UP MOTOR ENCODER
JB360-W0002	XJB360	=G31A-T102	SINAMICS DRIVE CLIQ	6	0,20+0,38	1		30 V	ENTRY SHEAR PINCH ROLL ROTATION LOWER MOTOR ENCODER
JB360-W0002A	XJB360	=G31A-A126	SINAMICS DRIVE CLIQ	6	0,20+0,38	1		30 V	ENTRY SHEAR PINCH ROLL ROTATION LOWER MOTOR ENCODER
JB360-W2001	XJB360	X140	ÖLFLEX® CLASSIC 110	14G	1.5	10		300/500 V	SENSOR CONNECTION WITH JB360
JB360-W2002	XJB360	X333	UNITRONIC® LiYCY	2	0,75	2		50 V	ENTRY SHEAR PINCH ROLL ROTATION UP THERMIC PROBE
JB360-W2002A	XJB360	L =G31-S105;XJB360	UNITRONIC® LiYCY	2	0,75	2		50 V	ENTRY SHEAR PINCH ROLL ROTATION UP THERMIC PROBE
JB360-W2003	XJB360	X334	UNITRONIC® LiYCY	2	0,75	2		50 V	ENTRY SHEAR PINCH ROLL ROTATION LOWER THERMIC PROBE
JB360-W2003A	XJB360	L =G31A-S105	UNITRONIC® LiYCY	2	0,75	2		50 V	ENTRY SHEAR PINCH ROLL ROTATION LOWER THERMIC PROBE
JB360-W3001	XJB360	X140	ÖLFLEX® CLASSIC 110	12G	1.5	7		300/500 V	VALVE CONNECTION WITH JB360
JB380-W2001	XJB380	X150	ÖLFLEX® CLASSIC 110	16G	1,5	10		300/500V	SENSOR CONNECTION WITH JB380
JB380-W3001	XJB380	X150	ÖLFLEX® CLASSIC 110	14G	1.5	9		300/500 V	VALVE CONNECTION WITH JB380

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY CABLES	POSIZ./LOCATION +	GRUPPO/SECTION = H07	PAGINE/PAGE 4511
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER					
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY CABLES

N° CABLE	EXIT POSITION	DESTINATION	CABLE TYPE	CONDUCTORS	SECTION mm²	USED	LENGHT mt	VOLTAGE V	DESCRIPTION
JB380.1-W3001	XJB380.1	=H02-M207	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	FLYING SHEAR BLADE GAP INCREASE-DECREASE
JB380.1-W3002	XJB380.1	X337;=G33-PE	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	FLYING SHAER CUTTING MOTOR FAN SUPPLY
JB380.1-W3003	XJB380.1	=G33-M118	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	FLYING SHAER CUTTING MOTOR FAN SUPPLY
JB380.1-W3047	XJB380.1	+E15 X15	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	SPARE
JB380.1-W4001	XJB380.1	=G33-T101	2XSLCY-J	3x	50+3x25/3	4		600/1000 V	FLYING SHEAR CUTTING MOTOR
JB380.1-W4001A	XJB380.1	L =G33-M103	2XSLCY-J	3x	50+3x25/3	4		600/1000 V	FLYING SHEAR CUTTING MOTOR
JB380.2-W2001	XJB380.2	X337A	UNITRONIC® LiYCY	2	0,75	2		50 V	FLYING SHEAR CUTTING MOTOR THERMIC PROBE
JB380.2-W2001A	XJB380.2	L =G33-S109	UNITRONIC® LiYCY	2	0,75	2		50 V	FLYING SHEAR CUTTING MOTOR THERMIC PROBE
JB380.2-W2003	XJB380.2	X152	ÖLFLEX® CLASSIC 110	16G	1,5	10		300/500V	SENSOR CONNECTION WITH JB380.2
JB380.2-W2004	XJB380.2	+E05 =G32-A174;=G32-A174-X520	UNITRONIC® LiYY (TP)	8	0,5	6		Achtung Sc	FLYING SHEAR TAIL MEASURE ROLL LENGHT MATERIAL MEASURE
JB380.2-W2005	XJB380.2	L =G32-A170	UNITRONIC® LiYY (TP)	8	0,5	6		Achtung Sc	FLYING SHEAR TAIL MEASURE ROLL LENGHT MATERIAL MEASURE
JB380.2-W3001	XJB380.2	X152	ÖLFLEX® CLASSIC 110	10G	1.5	5		300/500 V	VALVE CONNECTION WITH JB380.2
JB380.3-W1001	XJB380.3	X153	UNITRONIC® LiYCY	4	1	4		50 V	FLYING SHEAR GREASE LUBRICATION TAIL MEASURE SLOW/FAST FORWARD - BACKWARD
JB380.3-W2001	XJB380.3	X153	ÖLFLEX® CLASSIC 110	12G	1.5	10		300/500 V	VALVE CONNECTION WITH JB380.3
JB380.3-W3001	XJB380.3	X15	ÖLFLEX® CLASSIC 110	4G	2,5	4		300/500V	SPARE
JB380.3-W3003	XJB380.3	X153	ÖLFLEX® CLASSIC 110	10G	1.5	7		300/500 V	VALVE CONNECTION WITH JB380.5
JB380.3-W3010	XJB380.3	=H02-E101	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	FLYING SHEAR HYDRAULIC STATION OIL HEATING
JB380.3-W3014	XJB380.3	=H02-M115	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	FLYING SHEAR HYDRAULIC POWER STATION FOR CUTTING COOL UNIT
JB380.3-W3015	XJB380.3	=H02-M117	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	FLYING SHEAR HYDRAULIC POWER STATION OIL COOLING MAIN PUMP
JB380.4-W2002	XJB380.4	X154	ÖLFLEX® CLASSIC 110	25G	1,5	21		300/500V	SENSOR CONNECTION WITH JB380.4
JB380.4-W3002	XJB380.4	X154	ÖLFLEX® CLASSIC 110	14G	1.5	11		300/500 V	VALVE CONNECTION WITH JB380.4
JB410-W2001	XJB410	X160	ÖLFLEX® CLASSIC 110	7G	1,5	5		300/500V	SENSOR CONNECTION WITH JB410
JB410-W3001	XJB410	X160	ÖLFLEX® CLASSIC 110	7G	1,5	3		300/500V	VALVE CONNECTION WITH JB410
JB420-W2001	XJB420	X170	ÖLFLEX® CLASSIC 110	7G	1,5	6		300/500V	SENSOR CONNECTION WITH JB420
JB420-W3001	XJB420	X170	ÖLFLEX® CLASSIC 110	7G	1,5	3		300/500V	VALVE CONNECTION WITH JB420
JB440-W2001	XJB440	X180	ÖLFLEX® CLASSIC 110	7G	1,5	5		300/500V	SENSOR CONNECTION WITH JB440

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY CABLES	POSIZ./LOCATION +	GRUPPO/SECTION = H07	PAGINE/PAGE 4512
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY CABLES

N° CABLE	EXIT POSITION	DESTINATION	CABLE TYPE	CONDUCTORS	SECTION mm²	USED	LENGHT mt	VOLTAGE V	DESCRIPTION
JB440-W3002	XJB440	X15	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	SCRAP CARRIAGE TRANSLATION IN LINE-OUT LINE
JB440-W3002A	XJB440	=H02-M211	ÖLFLEX® CLASSIC 110	4G	1,5	4		300/500V	SCRAP CARRIAGE TRANSLATION IN LINE-OUT LINE
JB450.1-W1001	XJB450.1	X451	UNITRONIC® LiYCY	3	0,75	3		50 V	STACKER BELT CONVEYOR BOX 1 POSITION M.S.
JB450.1-W1002	XJB450.1	X451	UNITRONIC® LiYCY	3	0,75	3		50 V	STACKER BELT CONVEYOR BOX 1 POSITION O.S.
JB450.1-W2001	XJB450.1	X451	ÖLFLEX® CLASSIC 110	26G	1.5	24		300/500 V	SENSOR CONNECTION WITH JB450.1
JB450.1-W2002	XJB450.1	X451	ÖLFLEX® CLASSIC 110	26G	1.5	17		300/500 V	SENSOR CONNECTION WITH JB450.1
JB450.1-W2003	XJB450.1	X451	ÖLFLEX® CLASSIC 110	7G	1,5	4		300/500V	DIRECT SIGNALLING COLUMN CONNECTION
JB450.1-W2004	XJB450.1	X451	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	ENCODER SUPPLY CONNECTION WITH JB450.1
JB450.1-W3001	XJB450.1	X451	ÖLFLEX® CLASSIC 110	26G	1.5	20		300/500 V	VALVE CONNECTION WITH JB450.1
JB450.2-W2001	XJB450.2	X452	ÖLFLEX® CLASSIC 110	26G	1.5	24		300/500 V	SENSOR CONNECTION WITH JB450.2
JB450.2-W2002	XJB450.2	X452	ÖLFLEX® CLASSIC 110	7G	1,5	6		300/500V	SENSOR CONNECTION WITH JB452
JB450.2-W2003	XJB450.2	X452	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	ENCODER SUPPLY CONNECTION WITH JB450.2
JB450.2-W3001	XJB450.2	X452	ÖLFLEX® CLASSIC 110	26G	1.5	20		300/500 V	VALVE CONNECTION WITH JB450.2
JB460-W2001	XJB460	X453	ÖLFLEX® CLASSIC 110	14G	1.5	8		300/500 V	SENSOR CONNECTION WITH JB460
JB460-W2002	XJB460	X453	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	ENCODER SUPPLY CONNECTION WITH JB460
JB460-W3001	XJB460	X453	ÖLFLEX® CLASSIC 110	7G	1,5	6		300/500V	VALVE CONNECTION WITH JB460
JB460.10-W1001	XJB460.10	X454	UNITRONIC® LiYCY	4	1	4		50 V	PLATFORM BOX 1 PLATFORM RAISE UP -0- DOWN
JB460.10-W1002	XJB460.10	X454	UNITRONIC® LiYCY	4	1	4		50 V	PLATFORM BOX 2 PLATFORM RAISE UP -0- DOWN
JB460.10-W2001	XJB460.10	X454	ÖLFLEX® CLASSIC 110	7G	1,5	3		300/500V	SENSOR CONNECTION WITH JB460.10
JB460.10-W3001	XJB460.10	X454	ÖLFLEX® CLASSIC 110	7G	1,5	6		300/500V	VALVE CONNECTION WITH JB460.10
JB465-W2001	XJB465	X455	ÖLFLEX® CLASSIC 110	14G	1.5	8		300/500 V	SENSOR CONNECTION WITH JB465
JB465-W2002	XJB465	X455	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	ENCODER SUPPLY CONNECTION WITH JB465
JB465-W3001	XJB465	X455	ÖLFLEX® CLASSIC 110	7G	1,5	6		300/500V	VALVE CONNECTION WITH JB465
JB465-W4001	XJB465	=G44-T102	2XSLCY-J	4G	1,5	4		600/1000 V	PLATFORM BOX 2 ROLL ROTATION
JB465-W4001A	XJB465	L =G44A-M103	2XSLCY-J	4G	1,5	4		600/1000 V	PLATFORM BOX 2 ROLL ROTATION
JB470-W2001	XJB470	X456	ÖLFLEX® CLASSIC 110	7G	1,5	4		300/500V	SENSOR CONNECTION WITH JB470

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY CABLES	POSIZ./LOCATION +	GRUPPO/SECTION = H07	PAGINE/PAGE 4513
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY CABLES

N° CABLE	EXIT POSITION	DESTINATION	CABLE TYPE	CONDUCTORS	SECTION mm²	USED	LENGHT mt	VOLTAGE V	DESCRIPTION
JB475-W2001	XJB475	X457	ÖLFLEX® CLASSIC 110	16G	1,5	4		300/500V	SENSOR CONNECTION WITH JB475
JB490-W2001	XJB490	X458	ÖLFLEX® CLASSIC 110	25G	1,5	8		300/500V	SENSOR CONNECTION WITH JB490
JB495-W2001	XJB495	X459	ÖLFLEX® CLASSIC 110	25G	1,5	8		300/500V	SENSOR CONNECTION WITH JB495
JB495-W2002	XJB495	X459	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	ENCODER SUPPLY CONNECTION WITH JB495
JB500-W2001	XJB500	X190	ÖLFLEX® CLASSIC 110	12G	1.5	7		300/500 V	SENSOR CONNECTION WITH JB500
JB500.10-W3001	XJB500.10	X191	ÖLFLEX® CLASSIC 110	16G	1,5	8		300/500V	VALVE CONNECTION WITH JB500.10
JB520-W2001	XJB520	X200	ÖLFLEX® CLASSIC 110	16G	1,5	11		300/500V	SENSOR CONNECTION WITH JB520
JB530-W2001	XJB530	X210	ÖLFLEX® CLASSIC 110	16G	1,5	12		300/500V	SENSOR CONNECTION WITH JB530
JB535-W2001	XJB535	X220	ÖLFLEX® CLASSIC 110	16G	1,5	12		300/500V	SENSOR CONNECTION WITH JB535
JB800-W2001	XJB800	X230	ÖLFLEX® CLASSIC 110	14G	1.5	10		300/500 V	SENSOR CONNECTION WITH JB800
JB800-W3001	XJB800	X230	ÖLFLEX® CLASSIC 110	7G	1,5	3		300/500V	VALVE CONNECTION WITH JB800
JBRB4-W2001	XJBRB4	X320A	UNITRONIC® LiYCY	2	0,75	2		50 V	LEVELLER 2 MOTOR 1 THERMIC PROBE
JBRB4-W2002	XJBRB4	L =G20-S127.1	UNITRONIC® LiYCY	2	0,75	2		50 V	LEVELLER 2 MOTOR 1 THERMIC PROBE
JBRB4-W2003	XJBRB4	X321A	UNITRONIC® LiYCY	2	0,75	2		50 V	LEVELLER 2 MOTOR 2 THERMIC PROBE
JBRB4-W2004	XJBRB4	L =G20A-S127.1	UNITRONIC® LiYCY	2	0,75	2		50 V	LEVELLER 2 MOTOR 2 THERMIC PROBE
JBRB4-W3006	XJBRB4	=G20A-Y116	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	BRAKE LEVELLER 2 MOTOR 2
P00-W3001	XP00	+P00 XP00.1	ÖLFLEX® CLASSIC 110	7G	1,5	6		300/500V	CONNECTION WITH P00
P00-W3002	XP00	XP00.1	ÖLFLEX® CLASSIC 110	4G	2,5	2		300/500V	CONNECTION WITH P00
P00-W3003	XP00	XP00.1	N2XH	1	25	1		1000 V	EARTH CONNECTION WITH P00
P00-W3004	XP00	XP00.1	ÖLFLEX® CLASSIC 110	7G	1,5	6		300/500V	CONNECTION WITH P00
P00-W3005	XP00A	XP00.1	ÖLFLEX® CLASSIC 110	16G	1,5	6		300/500V	CONNECTION WITH P00
P1.1-W2001	XP1.1	XP1.1.1	ÖLFLEX® CLASSIC 110	10G	1.5	7		300/500 V	CONNECTION WITH P1.1
P01-W1001	=H03-A26622	=H03-A27002	UNITRONIC® LAN-Kabel (Strukturierte Verk	8	23	1		-	PROFINET CONNECTION
P01-W3001	XP01	+P01 XP01.1	ÖLFLEX® CLASSIC 110	7G	1,5	6		300/500V	CONNECTION WITH P01
P01-W3002	XP01	XP01.1	ÖLFLEX® CLASSIC 110	5G	2,5	4		300/500V	CONNECTION WITH P01
P01-W3003	XP01	XP01.1	N2XH	1	25	1		1000 V	EARTH CONNECTION WITH P01

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY CABLES	POSIZ./LOCATION +	GRUPPO/SECTION = H07	PAGINE/PAGE 4514
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY CABLES

N° CABLE	EXIT POSITION	DESTINATION	CABLE TYPE	CONDUCTORS	SECTION mm²	USED	LENGHT mt	VOLTAGE V	DESCRIPTION
P03-W1001	=H03-A26622	=H03-A27612	UNITRONIC® LAN-Kabel (Strukturierte Verk	8	23	1		-	PROFINET CONNECTION
P03-W3001	XP03	+P03 XP03.1	ÖLFLEX® CLASSIC 110	7G	1,5	6		300/500V	CONNECTION WITH P03
P03-W3002	XP03	XP03.1	ÖLFLEX® CLASSIC 110	4G	2,5	2		300/500V	CONNECTION WITH P03
P03-W3003	XP03	XP03.1	N2XH	1	25	1		1000 V	EARTH CONNECTION WITH P03
P4.2-W2001	XP4.2	XP4.2.1	ÖLFLEX® CLASSIC 110	10G	1.5	7		300/500 V	CONNECTION WITH P4.2
P04-W1001			UNITRONIC® LAN-Kabel (Strukturierte Verk	8	23	0		-	PROFINET CONNECTION
P04-W3001	XP04	+P04 XP04.1	ÖLFLEX® CLASSIC 110	7G	1,5	6		300/500V	CONNECTION WITH P04
P04-W3002	XP04	XP04.1	ÖLFLEX® CLASSIC 110	5G	2,5	4		300/500V	CONNECTION WITH P04
P04-W3003	XP04	XP04.1	N2XH	1	25	1		1000 V	EARTH CONNECTION WITH P04
P5.1-W2001	XP5.1	XP5.1.1	ÖLFLEX® CLASSIC 110	10G	1.5	7		300/500 V	CONNECTION WITH P5.1
P5.2-W2001	XP5.2	XP5.2.1	ÖLFLEX® CLASSIC 110	10G	1.5	7		300/500 V	CONNECTION WITH P5.2
P7.1-W2001	XP7.1	XP7.1.1	ÖLFLEX® CLASSIC 110	10G	1.5	7		300/500 V	CONNECTION WITH P7.1
P7.2-W2001	XP7.2	XP7.2.1	ÖLFLEX® CLASSIC 110	10G	1.5	7		300/500 V	CONNECTION WITH P7.2
P8.1-W2001	XP8.1	XP8.1.1	ÖLFLEX® CLASSIC 110	10G	1.5	7		300/500 V	CONNECTION WITH P8.1
P8.2-W2001	XP8.2	XP8.2.1	ÖLFLEX® CLASSIC 110	10G	1.5	7		300/500 V	CONNECTION WITH P8.2
P10-W1001	=H01-K15510	=H03-A27002	UNITRONIC® LAN-Kabel (Strukturierte Verk	8	23	1		-	PROFINET CONNECTION
P10-W2001	+P10 XP10.1	XP10	ÖLFLEX® CLASSIC 110	10G	1.5	6		300/500 V	CONNECTION WITH P10
P15-W1001	=H01-K14600	=H03-A26612	UNITRONIC® LAN-Kabel (Strukturierte Verk	8	23	1		-	PROFINET CONNECTION
P15-W2001	XP15	XP15.1	ÖLFLEX® CLASSIC 110	10G	1.5	2		300/500 V	CONNECTION WITH P15
P16-W1001	=H01-K14650	=H03-A26612	UNITRONIC® LAN-Kabel (Strukturierte Verk	8	23	1		-	PROFINET CONNECTION
P16-W2001	XP16	XP16.1	ÖLFLEX® CLASSIC 110	10G	1.5	2		300/500 V	CONNECTION WITH P16
PN21-W1001	=H03-A25052	=H03-A26622	UNITRONIC® LAN-Kabel (Strukturierte Verk	8	23	1		-	PROFINET CONNECTION
PN25-W1002	=H03-A25062	=H03-A26632	UNITRONIC® LAN-Kabel (Strukturierte Verk	8	23	1		-	ETHERNET CONNECTION
RB1-W1001	=H03-A28011	=H03-A28682	UNITRONIC® LAN-Kabel (Strukturierte Verk	8	23	1		-	PROFINET CONNECTION
RB1-W1002	=G00-A131	=H03-A28181	UNITRONIC® LAN-Kabel (Strukturierte Verk	8	23	1		-	DRIVE-CLiQ CONNECTION
RB1-W3001	XRB1	XRB1.1	ÖLFLEX® CLASSIC 110	18G	2.5	15		300/500 V	CONNECTION WITH RB1

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY CABLES	POSIZ./LOCATION +	GRUPPO/SECTION = H07	PAGINE/PAGE 4515
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY CABLES

N° CABLE	EXIT POSITION	DESTINATION	CABLE TYPE	CONDUCTORS	SECTION mm²	USED	LENGHT mt	VOLTAGE V	DESCRIPTION
RB1-W3002	XRB1	XRB1.1	N2XH	1	25	1		1000 V	EARTH CONNECTION WITH RB1
RB3-W1001	=H03-A25052	=H03-A28682	UNITRONIC® LAN-Kabel (Strukturierte Verk	8	23	1		-	PROFINET CONNECTION
RB3-W1004	=G00-A151	=H03-A28691	UNITRONIC® LAN-Kabel (Strukturierte Verk	8	23	1		-	DRIVE-CLiQ CONNECTION
RB3-W2000	=G20A-A126	=H03-A28691	SINAMICS DRIVE CLIQ	6	0,20+0,38	1		30 V	LEVELLER 2 MOTOR 2 ENCODER
RB3-W2001	X433	=H01-S21034	ÖLFLEX® CLASSIC 110	3	1	3		300/500 V	DIRECT SENSOR CONNECTION
RB3-W2002	X433	=H01-S21035	ÖLFLEX® CLASSIC 110	3	1	3		300/500 V	DIRECT SENSOR CONNECTION
RB3-W2003	X433	=H01-S21036	ÖLFLEX® CLASSIC 110	3	1	2		300/500 V	DIRECT SENSOR CONNECTION
RB3-W2004	X433	=H01-S21037	ÖLFLEX® CLASSIC 110	3	1	2		300/500 V	DIRECT SENSOR CONNECTION
RB3-W2005	X433	=H01-S21038	ÖLFLEX® CLASSIC 110	3	1	2		300/500 V	DIRECT SENSOR CONNECTION
RB3-W2006	X433	=H01-S21041	ÖLFLEX® CLASSIC 110	3	1	2		300/500 V	DIRECT SENSOR CONNECTION
RB3-W2007	X433	=H01-S21042	ÖLFLEX® CLASSIC 110	3	1	2		300/500 V	DIRECT SENSOR CONNECTION
RB3-W2008	X433	=H01-B21043	ÖLFLEX® CLASSIC 110	3	1	3		300/500 V	DIRECT SENSOR CONNECTION
RB3-W2009	X433	=H01-S21044	ÖLFLEX® CLASSIC 110	3	1	2		300/500 V	DIRECT SENSOR CONNECTION
RB3-W2010	X433	=H01-B21044	ÖLFLEX® CLASSIC 110	3	1	3		300/500 V	DIRECT SENSOR CONNECTION
RB3-W2011	X433	=H01-S21046	ÖLFLEX® CLASSIC 110	3	1	2		300/500 V	DIRECT SENSOR CONNECTION
RB3-W2012	X433	=H01-B2104	ÖLFLEX® CLASSIC 110	3	1	2		300/500 V	DIRECT SENSOR CONNECTION
RB3-W2013	X433	=H01-B2104.1	ÖLFLEX® CLASSIC 110	3	1	3		300/500 V	DIRECT SENSOR CONNECTION
RB3-W2014	X433	=H01-B21048	ÖLFLEX® CLASSIC 110	3	1	2		300/500 V	DIRECT SENSOR CONNECTION
RB3-W2015	X433	=H01-B21048.1	ÖLFLEX® CLASSIC 110	3	1	3		300/500 V	DIRECT SENSOR CONNECTION
RB3-W2016	X433	=H01-S21051	ÖLFLEX® CLASSIC 110	3	1	2		300/500 V	DIRECT SENSOR CONNECTION
RB3-W2017	X433	=H01-BG21872	ÖLFLEX® CLASSIC 110	3G	1	3		300/500 V	ENCODER DIRECT SUPPLY CONNECTION
RB3-W2018	X433	=H01-BG21876	ÖLFLEX® CLASSIC 110	3G	1	3		300/500 V	ENCODER DIRECT SUPPLY CONNECTION
RB3-W2019	X433	=H01-BG21882	ÖLFLEX® CLASSIC 110	3G	1	3		300/500 V	ENCODER DIRECT SUPPLY CONNECTION
RB3-W2020	X433	=H01-BG21886	ÖLFLEX® CLASSIC 110	3G	1	3		300/500 V	ENCODER DIRECT SUPPLY CONNECTION
RB3-W2021	X433	=H01-BG21892	ÖLFLEX® CLASSIC 110	3G	1	3		300/500 V	ENCODER DIRECT SUPPLY CONNECTION
RB3-W2022	X433	=H01-BG21896	ÖLFLEX® CLASSIC 110	3G	1	3		300/500 V	ENCODER DIRECT SUPPLY CONNECTION

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY CABLES	POSIZ./LOCATION +	GRUPPO/SECTION = H07	PAGINE/PAGE 4516
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY CABLES

N° CABLE	EXIT POSITION	DESTINATION	CABLE TYPE	CONDUCTORS	SECTION mm²	USED	LENGHT mt	VOLTAGE V	DESCRIPTION
RB3-W2023	X433	=H01-BG21902	ÖLFLEX® CLASSIC 110	3G	1	3		300/500 V	ENCODER DIRECT SUPPLY CONNECTION
RB3-W3001	XRB3	XRB3.1	ÖLFLEX® CLASSIC 110	18G	2.5	15		300/500 V	CONNECTION WITH RB3
RB3-W3002	XRB3	XRB3.1	N2XH	1	25	1		1000 V	EARTH CONNECTION WITH RB3
RB3-W3003	X433	L =H01-Y21265	ÖLFLEX® CLASSIC 110	4G	1	3		300/500 V	VALVE DIRECT CONNECTION
RB3-W3004	X433	=H01-Y21271	ÖLFLEX® CLASSIC 110	3G	1	2		300/500 V	VALVE DIRECT CONNECTION
RB3-W3005	X433	L =H01-Y21275	ÖLFLEX® CLASSIC 110	4G	1	3		300/500 V	VALVE DIRECT CONNECTION
RB3-W3006	X433	L =H01-Y21281	ÖLFLEX® CLASSIC 110	4G	1	3		300/500 V	VALVE DIRECT CONNECTION
RB3-W3007	X433	=H01-M21285	ÖLFLEX® CLASSIC 110	3G	1	2		300/500 V	MOTOR DIRECT CONNECTION
RB4-W1001	=G20-A126	=H03-A28691	SINAMICS DRIVE CLIQ	6	0,20+0,38	1		30 V	LEVELLER 2 MOTOR 1 ENCODER
RB4-W1002	=H03-A28682	=H03-A28811	UNITRONIC® LAN-Kabel (Strukturierte Verk	8	23	1		-	PROFINET CONNECTION
RB4-W2001	X443	=H01-B22034	ÖLFLEX® CLASSIC 110	3	1	3		300/500 V	SENSOR DIRECT CONNECTION
RB4-W2002	X443	=H01-B22035	ÖLFLEX® CLASSIC 110	3	1	3		300/500 V	SENSOR DIRECT CONNECTION
RB4-W2003	X443	=H01-B22036	ÖLFLEX® CLASSIC 110	3	1	3		300/500 V	SENSOR DIRECT CONNECTION
RB4-W2004	X443	=H01-B22037	ÖLFLEX® CLASSIC 110	3	1	3		300/500 V	SENSOR DIRECT CONNECTION
RB4-W2005	X443	=H01-S22038	ÖLFLEX® CLASSIC 110	3	1	2		300/500 V	SENSOR DIRECT CONNECTION
RB4-W2006	X443	=H01-S22041	ÖLFLEX® CLASSIC 110	3	1	2		300/500 V	SENSOR DIRECT CONNECTION
RB4-W2007	X443	=H01-S22042	ÖLFLEX® CLASSIC 110	3	1	2		300/500 V	SENSOR DIRECT CONNECTION
RB4-W2008	X443	=H01-S22043	ÖLFLEX® CLASSIC 110	3	1	2		300/500 V	SENSOR DIRECT CONNECTION
RB4-W2009	X443	=H01-B22044	ÖLFLEX® CLASSIC 110	3	1	3		300/500 V	SENSOR DIRECT CONNECTION
RB4-W2010	X443	=H01-S22045	ÖLFLEX® CLASSIC 110	3	1	2		300/500 V	SENSOR DIRECT CONNECTION
RB4-W2011	X443	=H01-S22043.1	ÖLFLEX® CLASSIC 110	3	1	2		300/500 V	SENSOR DIRECT CONNECTION
RB4-W2012	X443	=H01-B22047	ÖLFLEX® CLASSIC 110	3	1	3		300/500 V	SENSOR DIRECT CONNECTION
RB4-W2013	X443	=H01-S22048	ÖLFLEX® CLASSIC 110	3	1	2		300/500 V	SENSOR DIRECT CONNECTION
RB4-W2014	X443	=H01-B22057	ÖLFLEX® CLASSIC 110	3	1	2		300/500 V	SENSOR DIRECT CONNECTION
RB4-W2015	X443	=H01-B22057.1	ÖLFLEX® CLASSIC 110	3	1	3		300/500 V	SENSOR DIRECT CONNECTION
RB4-W2016	X443	=H01-B22058	ÖLFLEX® CLASSIC 110	3	1	2		300/500 V	SENSOR DIRECT CONNECTION

INDICE REVIS. N° REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	SUMMARY CABLES	+	= H07	4517
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY CABLES

N° CABLE	EXIT POSITION	DESTINATION	CABLE TYPE	CONDUCTORS	SECTION mm²	USED	LENGHT mt	VOLTAGE V	DESCRIPTION
RB4-W2017	X443	=H01-B22058.1	ÖLFLEX® CLASSIC 110	3	1	3		300/500 V	SENSOR DIRECT CONNECTION
RB4-W2018	X443	=H01-S22051	ÖLFLEX® CLASSIC 110	3	1	2		300/500 V	SENSOR DIRECT CONNECTION
RB4-W2019	X443	=H01-BG22872	ÖLFLEX® CLASSIC 110	3G	1	3		300/500 V	ENCODER DIRECT SUPPLY CONNECTION
RB4-W2020	X443	=H01-BG22876	ÖLFLEX® CLASSIC 110	3G	1	3		300/500 V	ENCODER DIRECT SUPPLY CONNECTION
RB4-W2021	X443	=H01-BG22882	ÖLFLEX® CLASSIC 110	3G	1	3		300/500 V	ENCODER DIRECT SUPPLY CONNECTION
RB4-W2022	X443	=H01-BG22886	ÖLFLEX® CLASSIC 110	3G	1	3		300/500 V	ENCODER DIRECT SUPPLY CONNECTION
RB4-W2023	X443	=H01-BG22892	ÖLFLEX® CLASSIC 110	3G	1	3		300/500 V	ENCODER DIRECT SUPPLY CONNECTION
RB4-W2024	X443	=H01-BG22896	ÖLFLEX® CLASSIC 110	3G	1	3		300/500 V	ENCODER DIRECT SUPPLY CONNECTION
RB4-W2025	X443	=H01-BG22902	ÖLFLEX® CLASSIC 110	3G	1	3		300/500 V	ENCODER DIRECT SUPPLY CONNECTION
RB4-W2026	X443	=H01-BG22906	ÖLFLEX® CLASSIC 110	3G	1	3		300/500 V	ENCODER DIRECT SUPPLY CONNECTION
RB4-W2027	X443	=H01-BG22912	ÖLFLEX® CLASSIC 110	3G	1	3		300/500 V	ENCODER DIRECT SUPPLY CONNECTION
RB4-W2028	X443	=H01-BG22916	ÖLFLEX® CLASSIC 110	3G	1	3		300/500 V	ENCODER DIRECT SUPPLY CONNECTION
RB4-W2029	X443	=H01-BG22922	ÖLFLEX® CLASSIC 110	3G	1	3		300/500 V	ENCODER DIRECT SUPPLY CONNECTION
RB4-W2030	X443	=H01-U22331	ÖLFLEX® CLASSIC 110	7G	1,5	4		300/500V	DIRECT SIGNALLING COLUMN CONNECTION
RB4-W3001	XRB4	XRB4.1	ÖLFLEX® CLASSIC 110	18G	2.5	15		300/500 V	CONNECTION WITH RB4
RB4-W3002	XRB4	XRB4.1	N2XH	1	25	1		1000 V	EARTH CONNECTION WITH RB4
RB4-W3003	+E05 XJBRB4;=G20-PE	X320;=G20-Y116	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	BRAKE LEVELLER 2 MOTOR 1
RB4-W3005	XJBRB4	+E05 X321;=G20A-PE	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	BRAKE LEVELLER 2 MOTOR 2
RB4-W3013	X443	L =H01-Y22301	ÖLFLEX® CLASSIC 110	4G	1	3		300/500 V	DIRECT VALVE CONNECTION
RB4-W3014	X443	=H01-Y22305	ÖLFLEX® CLASSIC 110	3G	1	2		300/500 V	DIRECT VALVE CONNECTION
RB4-W3015	X443	=H01-M22307	ÖLFLEX® CLASSIC 110	3G	1	2		300/500 V	DIRECT MOTOR CONNECTION
RB4-W3016	X443	L =H01-Y22311	ÖLFLEX® CLASSIC 110	4G	1	3		300/500 V	DIRECT VALVE CONNECTION
RB4-W3017	X443	L =H01-Y22315	ÖLFLEX® CLASSIC 110	4G	1	3		300/500 V	DIRECT VALVE CONNECTION
RB5-W1001	=H03-A25052	=H03-A29111	UNITRONIC® LAN-Kabel (Strukturierte Verk	8	23	1		-	PROFINET CONNECTION
RB5-W3001	XRB5	XRB5.1	ÖLFLEX® CLASSIC 110	18G	2.5	15		300/500 V	CONNECTION WITH RB5
RB5-W3002	XRB5	XRB5.1	N2XH	1	25	1		1000 V	EARTH CONNECTION WITH RB5

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY CABLES	POSIZ./LOCATION +	GRUPPO/SECTION = H07	PAGINE/PAGE 4518
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUMMARY CABLES

N° CABLE	EXIT POSITION	DESTINATION	CABLE TYPE	CONDUCTORS	SECTION mm²	USED	LENGHT mt	VOLTAGE V	DESCRIPTION
RIVA-W1001	=H01-BG13506	=H03-A25062	UNITRONIC® LAN-Kabel (Strukturierte Verk	8	23	1		-	PROFINET CONNECTION
RIVA-W1002			UNITRONIC® LAN-Kabel (Strukturierte Verk	8	23	0		-	PROFINET CONNECTION
SIGNODE-W1001	=H00-SIGNODE	=H03-A25062	UNITRONIC® LAN-Kabel (Strukturierte Verk	8	23	1		-	PROFINET CONNECTION
STR-W3001	X25	=H00-SIGNODE	ÖLFLEX® CLASSIC 110	4G	4	4		300/500V	STRAPPING MACHINE
TOLEDO-W1001	=H00-U866	=H03-A25062	UNITRONIC® LAN-Kabel (Strukturierte Verk	8	23	1		-	PROFINET CONNECTION
UPS-W3001	XUPS	=H00-U401	ÖLFLEX® CLASSIC 110	3G	6	3		300/500 V	UPS UNIT SUPPLY
UPS-W3002	XUPS	=H00-U401	ÖLFLEX® CLASSIC 110	3G	2,5	3		300/500V	UPS UNIT SUPPLY
UPS-W3003	XUPS	=H00-U401	ÖLFLEX® CLASSIC 110	3G	2,5	3		300/500V	UPS UNIT SUPPLY
UPS-W3004	XUPS	=H00-U401	ÖLFLEX® CLASSIC 110	3G	2,5	3		300/500V	UPS UNIT SUPPLY
UPS-W3005	XUPS	=H00-U401	ÖLFLEX® CLASSIC 110	3G	2,5	3		300/500V	UPS UNIT SUPPLY
UPS-W3006	XUPS	=H00-U401	ÖLFLEX® CLASSIC 110	3G	2,5	3		300/500V	UPS UNIT SUPPLY
WEIG-W3002	XTL	=H00-U866	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	SUPPLY 230Vac WEIGHING MACHINE
X304-W3001	XJB120	+E05 X304;=G04-PE	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	BRAKE STRAIGHTENER
XFIRE-W3001	+E05 XFIRE		ÖLFLEX® CLASSIC 110	2	1.5	2		300/500 V	FIRE FIGHTING SYSTEM
XFIRE-W3002	XFIRE		ÖLFLEX® CLASSIC 110	2	1.5	2		300/500 V	FIRE FIGHTING SYSTEM
XJB120-W3001	XJB120	=G04-Y116	ÖLFLEX® CLASSIC 110	3G	1.5	3		300/500 V	BRAKE STRAIGHTENER
XJB380.4-W2006A	XJB380.4	=H02-M307	ÖLFLEX® CLASSIC 110	4G	1,5	2		300/500V	FLYING SHEAR GREASE LUBRICATION PUMP
XJRB4-W3004	XJBRB4	=G20-Y116	ÖLFLEX® CLASSIC 110	3G	1.5	2		300/500 V	BRAKE LEVELLER 2 MOTOR 1

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUMMARY CABLES	POSIZ./LOCATION +	GRUPPO/SECTION = H07	PAGINE/PAGE 4519
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design. Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

0	1	2	3	4	5	6	7	8	9

CTL4 8mm LINE

BOARD DESCRIPTION	
CUSTOMER JOB N°	CTL4 LINE
END USER	
OBJECT	
CONSTRUCTOR	RBF DMAT s.r.l.
REVISION	3.0
DATE REVISION	06/04/2023

Tabella Revisioni
Revisions Table

Descrizione/ Description	Step	Rel.	Data/ Date	Disegnato/ Drawn	Controllato/ Checked	Approvato/ Approved
Per Approvazione/ For Approval						
Per Costruzione/ For Construction						
Dopo Collaudo Interno/ After Factory Test						
Dopo Messa in Servizio/ After Site Test						

Lista Documenti emessi da UTE
UTE Documents List

Sigla/ Code	Descrizione/ Description	Data/ Date	Emesso/ Issued
DAD	Disegni Dimensionali/ Dimensions Arrangement Drawing		
SLD	Schemi Unifilari/ Single Line Diagram		
WFD	Schemi Funzionali (multifilari)/ Wiring Function Diagram		
TCT	Tabelle Morsettiere/ Terminals connection Tables		
MTL	Lista Materiali/ Material Table List		

Member of CISQ Federation
RINA CERTIFIED IQNet MANAGEMENT SYSTEM
CERTIFIED MANAGEMENT SYSTEM
ISO 9001

=H07/4519

CUSTOMER

RBF DMAT JOB N°


RBF DMAT
AUTOMATION TECHNOLOGY

5502

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION + / GRUPPO/SECTION = H08 / PAGINE/PAGE 5501
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

EXAMPLE ACRONYM COMPONENTS



COMPONENT -S55022.0

- QUALIFICATION
- TYPE
- PAGE NUMBER
- COLUMN NUMBER
- NUMBER IN THE COLUMN IN CASE OF MORE COMPONENTS EQUAL

SECTION =A00

- QUALIFICATION
- SECTION

PLACE +E01

- QUALIFICATION
- PLACE

TERMINAL X2 5

- TERMINAL BOARD
- NUMBER

WIRE 550201

- PAGE
- WIRE PROGRESSIVE NUMBER

INDICE REVIS. N° / REVIS. INDEX N°					COMMESSA/JOB	LINEA/LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION / GRUPPO/SECTION	PAGINE/PAGE
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	21041I CTL04	CTL4 LINE	SIMBOLS LEGEND	+ / = H08	5502
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01	CLIENTE/CUSTOMER			SEL CTL4 LINE	RIF./REFERNCE
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						

RBF DMAT AUTOMATION TECHNOLOGY

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SIMBOLS LEGEND

	PLS	PUSHBUTTON
	PLS-LMN	LIGHT PUSHBUTTON
E	PLS-FNG	EMERGENCY FUNGUS PUSHBUTTON
	LMP	LAMP
	PTNZ	POTENTIOMETER
	SLT	SELECTOR
	SLT-CH	KEY SELECTOR
	MNP	KNOB SWITCH
	2P-F	2 FIX POSITION
	3P-F	3 FIX POSITION
	3P-RC	3 POSITIONS RETURN TO THE CENTRE

COMPONENT IDENTIFICATION

21

IDENTIFICATION ON TOPOGRAPHIC

COMPONENT TYPE

ELECTRICAL CONTACTS

N.O.	NORMALLY OPEN CONTACT
N.C.	NORMALLY CLOSED CONTACT

COLORS

R	RED	BL	BLUE
V	GREEN	G	YELLOW
N	BLACK	B	WHITE

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SIMBOLS LEGEND	POSIZ./LOCATION +	GRUPPO/SECTION = H08	PAGINE/PAGE 5503
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

0	1	2	3	4	5	6	7	8	9

CTL4 8mm LINE

BOARD DESCRIPTION	CTL4 8mm LINE
CUSTOMER JOB N°	CTL4 LINE
END USER	
OBJECT	
CONSTRUCTOR	RBF DMAT s.r.l.
REVISION	3.0
DATE REVISION	06/04/2023

Tabella Revisioni
Revisions Table

Descrizione/ Description	Step	Rel.	Data/ Date	Disegnato/ Drawn	Controllato/ Checked	Approvato/ Approved
Per Approvazione/ For Approval						
Per Costruzione/ For Construction						
Dopo Collaudo Interno/ After Factory Test						
Dopo Messa in Servizio/ After Site Test						

Lista Documenti emessi da UTE
UTE Documents List

Sigla/ Code	Descrizione/ Description	Data/ Date	Emesso/ Issued
DAD	Disegni Dimensionali/ Dimensions Arrangement Drawing		
SLD	Schemi Unifilari/ Single Line Diagram		
WFD	Schemi Funzionali (multifilari)/ Wiring Function Diagram		
TCT	Tabelle Morsettiere/ Terminals connection Tables		
MTL	Lista Materiali/ Material Table List		

Member of CISQ Federation
RINA CERTIFIED IQNet MANAGEMENT SYSTEM
CERTIFIED MANAGEMENT SYSTEM
ISO 9001

CUSTOMER

RBF DMAT JOB N°


RBF DMAT
AUTOMATION TECHNOLOGY

=H08/5503

2

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION + / GRUPPO/SECTION = N01 / PAGINE/PAGE 1
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01					
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION NETWORK PROFINET	POSIZ./LOCATION + E	GRUPPO/SECTION = N01	PAGINE/PAGE 2
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

=H03-A25952
=H03/2595.2
ETHERNET SWITCH
E11

=H03-A26242
=H03/2624.2
ETHERNET SWITCH
E05

2.8 / PN01

2.9 / SIMOT

=H03-A25812
=H03/2581.2
PN PN

=G00-A21
=G00/2.1
E11
PN PN

=G00-A61
=G00/6.1
E11
PN PN

=G00-A101
=G00/10.1
E10
PN PN

=H03-A26111
=H03/2611.1
PN PN

=G00-A131
=G00/13.1
E05
PN PN

=G32-K131
=G32/13.1
E05
PN PN PN

=G00-A31
=G00/3.1
E11
PN PN

=G00-A71
=G00/7.1
E10
PN PN

=G00-A111
=G00/11.1
E10
PN PN

=G00-A41
=G00/4.1
E11
PN PN

=G00-A81
=G00/8.1
E10
PN PN

=G00-A121
=G00/12.1
E10
PN PN

=G00-A151
=G00/15.1
E05
PN PN

=G00-A51
=G00/5.1
E11
PN PN

=G00-A91
=G00/9.1
E10
PN PN


=G00-A11
=G00/1.1
E01
PN PN

2

4


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION NETWORK PROFINET	POSIZ./LOCATION + E	GRUPPO/SECTION = N01	PAGINE/PAGE 3
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION NETWORK PROFINET	POSIZ./LOCATION + E	GRUPPO/SECTION = N01	PAGINE/PAGE 4
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								


Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



4 6

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION NETWORK PROFINET	POSIZ./LOCATION + P	GRUPPO/SECTION = N01	PAGINE/PAGE 5
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




5

7


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION NETWORK PROFINET	POSIZ./LOCATION + P	GRUPPO/SECTION = N01	PAGINE/PAGE 6
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION NETWORK PROFINET	POSIZ./LOCATION + P	GRUPPO/SECTION = N01	PAGINE/PAGE 7
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION NETWORK PROFINET	POSIZ./LOCATION + P	GRUPPO/SECTION = N01	PAGINE/PAGE 9
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							




INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION NETWORK PROFINET	POSIZ./LOCATION + P04	GRUPPO/SECTION = N01	PAGINE/PAGE 10
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION NETWORK PROFINET	POSIZ./LOCATION + P	GRUPPO/SECTION = N01	PAGINE/PAGE 11
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION NETWORK PROFINET	POSIZ./LOCATION + P	GRUPPO/SECTION = N01	PAGINE/PAGE 12
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION NETWORK ETHERNET	POSIZ./LOCATION + P	GRUPPO/SECTION = N01	PAGINE/PAGE 13
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.




13

15


INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION NETWORK PROFIBUS	POSIZ./LOCATION + PB	GRUPPO/SECTION = N01	PAGINE/PAGE 14
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION NETWORK PROFIBUS	POSIZ./LOCATION + PB	GRUPPO/SECTION = N01	PAGINE/PAGE 15
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE							
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER DAMING			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.



Copying of this document and giving it to others, and the use or comunication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° / REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB: 21041I CTL04	LINEA/LINE: CTL4 LINE	DENOMINAZIONE/DESCRIPTION: NETWORK PROFIBUS	POSIZ./LOCATION: + PB
NOME REVIS. N° / REVIS. NAME N°	3.0		FIRMA / SIG.	DATA/DATE		CLIENTE/CUSTOMER: DAMING			GRUPPO/SECTION: = N01
DATA / DATE	06/04/2023	DISEGNATO / DRAWING	P.CEOLATO	2021/06/01					PAGINE/PAGE: 16
DISEGNATO / DRAWING	P.CEOLATO	CONTROLLATO / CHECKED	G.RUSSO						RIF./REFERNCE: SEL CTL4 LINE

0	1	2	3	4	5	6	7	8	9

CTL4 8mm LINE

BOARD DESCRIPTION	
CUSTOMER JOB N°	CTL4 LINE
END USER	
OBJECT	
CONSTRUCTOR	RBF DMAT s.r.l.
REVISION	3.0
DATE REVISION	06/04/2023

Tabella Revisioni
Revisions Table

Descrizione/ Description	Step	Rel.	Data/ Date	Disegnato/ Drawn	Controllato/ Checked	Approvato/ Approved
Per Approvazione/ For Approval						
Per Costruzione/ For Construction						
Dopo Collaudo Interno/ After Factory Test						
Dopo Messa in Servizio/ After Site Test						

Lista Documenti emessi da UTE
UTE Documents List

Sigla/ Code	Descrizione/ Description	Data/ Date	Emesso/ Issued
DAD	Disegni Dimensionali/ Dimensions Arrangement Drawing		
SLD	Schemi Unifilari/ Single Line Diagram		
WFD	Schemi Funzionali (multifilari)/ Wiring Function Diagram		
TCT	Tabelle Morsettiere/ Terminals connection Tables		
MTL	Lista Materiali/ Material Table List		

Member of CISQ Federation
CERTIFIED MANAGEMENT SYSTEM
ISO 9001
=N01/16

CUSTOMER

RBF DMAT JOB N°

RBF DMAT AUTOMATION TECHNOLOGY

2

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION	POSIZ./LOCATION +	GRUPPO/SECTION = H22	PAGINE/PAGE 1
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUM COMPONENT LIST

AMOUNT Piece	DESCRIPTION	PRODUCER	CODEX ARTICLE	UNITARY PRICE €	TOTAL PRICE €	TOTAL €
2	CP-T 24/40.0 Power supply	ABB	CP-T 24/40.0	0,00	0,00	
90	HK1-20 Auxiliary Contact	ABB	HK1-20	0,00	0,00	
1	HKF1-20 Auxiliary Contact	ABB	HKF1-20	0,00	0,00	
2	MS165-20 Manual Motor Starter	ABB	MS165-20	0,00	0,00	
60	S2C-H20L - Auxiliary / Signal Contacts	ABB	S2C-H20L	0,00	0,00	
12	Miniature Circuit Breaker - S200 - 2P - C - 6 A	ABB	S202-C6	0,00	0,00	
4	Miniature Circuit Breaker - S200 - 2P - C - 10 A	ABB	S202-C10	0,00	0,00	
5	Miniature Circuit Breaker - S200 - 1P - C - 4 A	ABB	S201-C4	0,00	0,00	
5	Miniature Circuit Breaker - S200 - 2P - C - 4 A	ABB	S202-C4	0,00	0,00	
2	Miniature Circuit Breaker - S200 - 2P - C - 16 A	ABB	S202-C16	0,00	0,00	
1	Miniature Circuit Breaker - S200 - 2P - C - 50 A	ABB	S202-C50	0,00	0,00	
32	Miniature Circuit Breaker - S200 - 1P - C - 10 A	ABB	S201-C10	0,00	0,00	
1	Miniature Circuit Breaker - S200 - 1P - C - 16 A	ABB	S201-C16	0,00	0,00	
5	Miniature Circuit Breaker - S200 - 1P - C - 1 A	ABB	S201-C1	0,00	0,00	
2	Miniature Circuit Breaker - S200 - 1P - C - 2 A	ABB	S201-C2	0,00	0,00	
2	CP-E 24/20.0 Power supply	ABB	CP-E 24/20.0	0,00	0,00	
3	MS132-0.16 Manual Motor Starter	ABB	MS132-0.16	0,00	0,00	
1	MS132-0.63 Manual Motor Starter	ABB	MS132-0.63	0,00	0,00	
11	MS132-1.6 Manual Motor Starter	ABB	MS132-1.6	0,00	0,00	
25	MS132-2.5 Manual Motor Starter	ABB	MS132-2.5	0,00	0,00	
33	MS132-4.0 Manual Motor Starter	ABB	MS132-4.0	0,00	0,00	
1	MS132-6.3 Manual Motor Starter	ABB	MS132-6.3	0,00	0,00	
12	MS132-10 Manual Motor Starter	ABB	MS132-10	0,00	0,00	
3	MS132-6.3T Circuit-breaker for primary transformer protection	ABB	MS132-6.3T	0,00	0,00	
2	Acer 21.5" Full HD Monitor	ACER	K222HQL	0,00	0,00	
10	SWITCH 3PBC 12A-400V 2NO + LEVER + SHUTTER	BLUMEL	URR1/8EHS/Z2/Z8 X70A F312	0,00	0,00	
1	POWER SW NOT-IS 20...28VCC_5..15VCC_2,5A	EZM	011088	0,00	0,00	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUM COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H22	PAGINE/PAGE 2
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

SUM COMPONENT LIST

AMOUNT Piece	DESCRIPTION	PRODUCER	CODEX ARTICLE	UNITARY PRICE €	TOTAL PRICE €	TOTAL €
2	Voltage Transformer 500Vac/100Vac	FRER	TTV006500XCO	0,00	0,00	
1	Line Filter	GEFRAN	S4ZZ2	0,00	0,00	
10	8Port E-Net Rail Switch	HIRSCHMAN	SPIDER-SL-20-08T1999999SZ9HHHH	0,00	0,00	
1	Minicomputer	HEWLETT PACKARD	MINI PC 260 GI-I3-4GB-500GB	0,00	0,00	
1	Network monitor 80...265Vca/ac - 110...300V cc/dc MULT 690V MAX	IME	MF96021A	0,00	0,00	
3	Current transformer 4000/5A	IME	TASS50D400	0,00	0,00	
3	Fuse 315A gG 500V NH2	ITALWEBER	1520315	0,00	0,00	
2	Fuse 25A gG 500V 10x38	ITALWEBER	1421025	0,00	0,00	
3	Fuse 4A gG 500V 10x38	ITALWEBER	1421004	0,00	0,00	
9	Fuse 10A gG 500V 10x38	ITALWEBER	1421010	0,00	0,00	
3	Fuse 20A gG 500V 10x38	ITALWEBER	1421020	0,00	0,00	
1	Fuse 2A gG 500V 10x38	ITALWEBER	1421002	0,00	0,00	
8	FUSE BASES 1250A, NH1 1400V, SIZE 1/110MM	ITALWEBER	170H3006	0,00	0,00	
6	Fuse 63A aM 500V NH00	ITALWEBER	1602063	0,00	0,00	
3	Fuse 125A aM 500V NH00	ITALWEBER	1602125	0,00	0,00	
28	One-pole fuse base NH00	ITALWEBER	2572010	0,00	0,00	
4	Portafusibili unipolare NH-1	ITALWEBER	2570110	0,00	0,00	
1	Fuse 16A gG 500V 10x38	ITALWEBER	1421016	0,00	0,00	
16	Fuse 6A gG 500V 10x38	ITALWEBER	1421006	0,00	0,00	
1	Mouse / keyboard for PS/2 desktop	K TRONIC	KT-101-DVI-02	0,00	0,00	
4	FUSIBILE		10X38 2A	0,50	2,00	
3	Fuse 63A aM 500V 22.2x58	MERSEN	FR22AM69V63	0,00	0,00	
1	MPL POWER SUPPLY	MURR	85937	0,00	0,00	
14	FLASHING SIGNALLING DEVICE	NUOVA ELFIN	050DSL	0,00	0,00	
13	Electronic ceiling light 13W 240V 50 / 60Hz + C7	NUOVA ELFIN	050PE13C	0,00	0,00	
14	Interlock limit switch sensor 1NA	NUOVA ELFIN	030FAP	0,00	0,00	
14	Interlock limit switch sensor 3C	NUOVA ELFIN	050FI03	0,00	0,00	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUM COMPONENT LIST	POSIZ./LOCATION + / GRUPPO/SECTION = H22 / PAGINE/PAGE 3
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE / RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO						

SUM COMPONENT LIST

AMOUNT Piece	DESCRIPTION	PRODUCER	CODEX ARTICLE	UNITARY PRICE €	TOTAL PRICE €	TOTAL €
14	Tripolar limit switch 3NC	NUOVA ELFIN	050FC3C	0,00	0,00	
2	Signal conditioner	PHOENIX CONTACT	MINI MCR-SL-UI-UI-NC	0,00	0,00	
7	Solid state relay module	PHOENIX CONTACT	PLC-OSC- 24DC/ 24DC/ 2	0,00	0,00	
203	Relay holder module	PHOENIX CONTACT	PLC-RSC- 24DC/21	0,00	0,00	
1	Metal fixing collar pillar for electrical block	SCHNEIDER EL.	ZB4BZ009	0,00	0,00	
1	Head for Key selector + Key	SCHNEIDER EL.	ZB4BG412	0,00	0,00	
3	Contact block for pushbutton - ZBEØ 22 - 1NO	SCHNEIDER EL.	ZBE101	0,00	0,00	
4	BASE ONEEPOLAR FUSEHOLDER 10X38	SCHNEIDER EL.	15636	0,00	0,00	
2	SINAMICS S120 Chassis-2 MoMo 630kW	Siemens AG	6SL3321-1TE41-2AA0	0,00	0,00	
1	Accessories circuit breaker 3WL	Siemens AG	3WL9111-0AP02-0AA0	0,00	0,00	
2	SINAMICS S120 MOMO, DC 510V – DC 720V	Siemens AG	6SL3320-1TE37-5AA3	0,00	0,00	
4	Fuse switch disconnector	Siemens AG	3NP1123-1CA20	0,00	0,00	
17	AUXILIARY CONTACT 1NC, 1NO 3RT2	Siemens AG	3RH2911-1HA11	0,00	0,00	
10	AUXILIARY SWITCH 2OE	Siemens AG	5ST3011	0,00	0,00	
73	Auxiliary switch on the front	Siemens AG	3RH2911-1FA22	0,00	0,00	
4	Auxiliary switch transverse	Siemens AG	3RV2901-1F	0,00	0,00	
2	Auxiliary contact	Siemens AG	3NP1920-1FA00	0,00	0,00	
1	Auxiliary contact	Siemens AG	3NP1930-1FA00	0,00	0,00	
1	Auxiliary contact	Siemens AG	3NP1940-1FA00	0,00	0,00	
2	One-pole fuse base NH00	Siemens AG	3NH3030	0,00	0,00	
1	CIRCUIT BREAKER 6KA 1POL C1	Siemens AG	5SY6101-7	0,00	0,00	
2	CIRCUIT BREAKER, SCREW-TYPE, 84 A	Siemens AG	3RV2041-4RA10	0,00	0,00	
1	CIRCUIT-BREAKER	Siemens AG	3RV2421-4AA10	0,00	0,00	
1	CIRCUIT-BREAKER	Siemens AG	3RV2011-1GA10	0,00	0,00	
2	CONT.,AC3:45KW,1NO+1NC,230VAC 50/60HZ	Siemens AG	3RT2046-1AL20	0,00	0,00	
2	CONTACTOR AC3 3KW 1NO AC230V 50/60HZ	Siemens AG	3RT2015-1AP01	0,00	0,00	
3	CONTACTOR AC-3, 5,5KW/400V, 1S+1OE, AC 230V 50HZ, 3-POLE, SZ S0	Siemens AG	3RT2024-1AP00	0,00	0,00	

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	SUM COMPONENT LIST
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= H22	4	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUM COMPONENT LIST

AMOUNT Piece	DESCRIPTION	PRODUCER	CODEX ARTICLE	UNITARY PRICE €	TOTAL PRICE €	TOTAL €
5	CONTACT MODULE 1NC	Siemens AG	3SU1400-1AA10-1CA0	0,00	0,00	
42	CONTACT MODULE 1NO	Siemens AG	3SU1400-1AA10-1BA0	0,00	0,00	
2	CONTACTOR 3NO+1NC, AC 230V, 50/60 HZ, SIZE S00	Siemens AG	3RH2131-1AP00	0,00	0,00	
2	CONTACTEUR 4NO, DC 24V, SIZE S00	Siemens AG	3RH2140-1BB40	0,00	0,00	
5	CONTACTOR, 4NA, 230VAC, 50/60 Hz, Size S00	Siemens AG	3RH2140-1AP00	0,00	0,00	
63	Contactor relay	Siemens AG	3RH2262-1BB40	0,00	0,00	
9	EM. STOP MUSHROOM PUSHBUTTON, 40MM, RED	Siemens AG	3SU1050-1HB20-0AA0	0,00	0,00	
2	ET200S MODULE 8 DIGITAL INPUT DC24V ST	Siemens AG	6ES7131-4BF00-0AA0	0,00	0,00	
2	Draw-out circuit breaker with slide-in module frame	Siemens AG	3WL1220-2BB34-4AN2-Z	0,00	0,00	
1	FUSE-SWITCH-DISCONNECTOR, 3-POLE, NH2, 400A	Siemens AG	3NP1153-1DA10	0,00	0,00	
258	HOLDER	Siemens AG	3SU1550-0AA10-0AA0	0,00	0,00	
8	HOLDER	Siemens AG	3SU1500-0AA10-0AA0	0,00	0,00	
2	ILLUM. PUSHB., RED INDICATOR LIGHT ATEX	Siemens AG	3SU1051-0AD20-0AA1	0,00	0,00	
2	SELECTOR SWITCH, O-I, BLACK	Siemens AG	3SU1052-2BF10-0AA0	0,00	0,00	
106	SELECTOR SWITCH, I>O<II, BLACK	Siemens AG	3SU1052-2BM10-0AA0	0,00	0,00	
20	ILLUMINATED PUSHBUTTON, BLUE	Siemens AG	3SU1051-0AB50-0AA0	0,00	0,00	
2	ILLUMINATED PUSHBUTTON, GREEN	Siemens AG	3SU1051-0AB40-0AA0	0,00	0,00	
68	ILLUMINATED PUSHBUTTON, WHITE	Siemens AG	3SU1051-0AB60-0AA0	0,00	0,00	
8	INDICATOR LIGHT, RED	Siemens AG	3SU1051-6AA20-0AA0	0,00	0,00	
2	INDICATOR LIGHT, WHITE	Siemens AG	3SU1051-6AA60-0AA0	0,00	0,00	
1	FIXED-MOUNTED CIRCUIT BREAKER	Siemens AG	3WL1240-2CB61-1AS2-Z S01+S33	0,00	0,00	
10	LED MODULE, BLUE	Siemens AG	3SU1401-1BB50-1AA0	0,00	0,00	
8	LED MODULE, RED	Siemens AG	3SU1401-1BB20-1AA0	0,00	0,00	
8	LED MODULE, WHITE	Siemens AG	3SU1401-1BB60-1AA0	0,00	0,00	
1	LED MODULE, GREEN	Siemens AG	3SU1401-1BF40-1AA0	0,00	0,00	
1	LED MODULE, GREEN	Siemens AG	3SU1401-1BF40-3AA0	0,00	0,00	
2	LED MODULE, RED	Siemens AG	3SU1401-1BF20-1AA0	0,00	0,00	

INDICE REVIS. N° REVIS. INDEX N°					
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01	
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO		

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	SUM COMPONENT LIST
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= H22	5	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUM COMPONENT LIST

AMOUNT Piece	DESCRIPTION	PRODUCER	CODEX ARTICLE	UNITARY PRICE €	TOTAL PRICE €	TOTAL €
2	LED MODULE, WHITE	Siemens AG	3SU1401-1BF60-1AA0	0,00	0,00	
5	LINK MODULE F.3RV S00/S0, 3RT S00	Siemens AG	3RA1921-1DA00	0,00	0,00	
2	Protective Cover	Siemens AG	3NX3107	0,00	0,00	
3	CIRCUIT BREAKER 10KA 1POL A2	Siemens AG	5SY4102-5	0,00	0,00	
3	CIRCUIT BREAKER 10KA 1POL A3	Siemens AG	5SY4103-5	0,00	0,00	
6	CIRCUIT BREAKER 10KA 1POL A4	Siemens AG	5SY4104-5	0,00	0,00	
2	General Purpose' Eco timed relay with 1 switching contact	Siemens AG	5TT3185	0,00	0,00	
3	MUSHROOM PUSHBUTTON, 40MM, BLACK	Siemens AG	3SU1050-1BD10-0AA0	0,00	0,00	
14	Protective Cover	Siemens AG	3NX3105	0,00	0,00	
49	Power contactor	Siemens AG	3RT2016-1AP01	0,00	0,00	
4	Power contactor	Siemens AG	3RT2017-1AP01	0,00	0,00	
1	CONTACTOR, AC-3, 7.5KW/400V, 1NO+1NC, AC 230V 50HZ,	Siemens AG	3RT2025-1AP00	0,00	0,00	
1		Siemens AG	3RT2037-1AP00	0,00	0,00	
31	PUSHBUTTON, BLACK	Siemens AG	3SU1050-0AB10-0AA0	0,00	0,00	
1	Differential magnetothermal switches	Siemens AG	5SU1356-7KK06	0,00	0,00	
2	Circuit breaker RCBO	Siemens AG	5SU1356-7KK16	0,00	0,00	
11	REV, COMB,, AC3, 4KW/400V AC230V, 50/60 HZ,	Siemens AG	3RA2316-8XB30-1AP0	0,00	0,00	
11	KEY-OPERATED SWITCH RONIS, O-I	Siemens AG	3SU1050-4CF11-0AA0	0,00	0,00	
2	KEY-OPERATED SWITCH RONIS, I-O-II	Siemens AG	3SU1050-4BF11-0AA0	0,00	0,00	
27	REVERSING CONTACTOR 3KW/400V AC 230V, 50/60 HZ	Siemens AG	3RA2315-8XB30-1AP0	0,00	0,00	
1	REVERSING CONTACTOR 7,5KW/400V AC 230V, 50/60 HZ	Siemens AG	3RA2318-8XB30-1AP0	0,00	0,00	
2	Unipolar fuse holder 10x38	Siemens AG	3NW7013	0,00	0,00	
10	Bipolar fuse holder 10x38	Siemens AG	3NW7023	0,00	0,00	
5	Tripolar fuse holder 10x38	Siemens AG	3NW7033	0,00	0,00	
1	CYLINDRICAL FUSE GG ACC. TO FRENCH STANDARD (NFC)	Siemens AG	3NW6003-1	0,00	0,00	
2	Fuse switch disconnector	Siemens AG	3NP1133-1CA10	0,00	0,00	
2	ET 200SP, EL-MOD., F-DI 8X24VDC HF	Siemens AG	6ES7136-6BA00-0CA0	0,00	0,00	

INDICE REVIS. N° REVIS. INDEX N°				
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO	

RBF DMAT AUTOMATION TECHNOLOGY

COMMESSA/JOB	21041I CTL04	LINEA/LINE	CTL4 LINE	DENOMINAZIONE/DESCRIPTION	SUM COMPONENT LIST
CLIENTE/CUSTOMER					

POSIZ./LOCATION	GRUPPO/SECTION	PAGINE/PAGE	
+	= H22	6	
SEL CTL4 LINE		RIF./REFERNCE	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUM COMPONENT LIST

AMOUNT Piece	DESCRIPTION	PRODUCER	CODEX ARTICLE	UNITARY PRICE €	TOTAL PRICE €	TOTAL €
1	ET 200SP, EL-MOD., F-DQ 4XDC 24V/2A	Siemens AG	6ES7136-6DB00-0CA0	0,00	0,00	
2	RS485 repeater For connection of PROFIBUS/MPI	Siemens AG	6ES7972-0AA02-0XA0	0,00	0,00	
1	BUS CONNECTOR F. PROFIBUS, W/O PG SOCKET	Siemens AG	6ES7972-0BA42-0XA0	0,00	0,00	
3	BASEUNIT TYPE A0, BU15-P16+A0+2D	Siemens AG	6ES7193-6BP00-0DA0	0,00	0,00	
1	ET 200SP, IM155-6PN HF	Siemens AG	6ES7155-6AU00-0CN0	0,00	0,00	
2	SIMATIC HMI MTP1200 Unified Comfort	Siemens AG	6AV2128-3MB06-0AX1	0,00	0,00	
1	SIMATIC S7 MEMORY CARD, 256 MB	Siemens AG	6ES7954-8LL03-0AA0	0,00	0,00	
1	CPU 1516F-3 PN/DP, 1,5MB Prog, 5MB Data	Siemens AG	6ES7516-3FN02-0AB0	0,00	0,00	
1	SIMOTION COMP FLASH CARD 1GBxD4x5-2 -Z	Siemens AG	6AU1400-2QA20-0AA0-Z C01	0,00	0,00	
1		Siemens AG	6AU1435-2AD00-0AA0	0,00	0,00	
9	SINAMICS 24-V-TERMINAL ADAPTER	Siemens AG	6SL3162-2AA00-0AA0	0,00	0,00	
2	SINAMICS BRAKING MODULE	Siemens AG	6SL3300-1AE32-5AA0	0,00	0,00	
2	SINAMICS BRAKING RESISTOR	Siemens AG	6SL3000-1BE32-5AA0	0,00	0,00	
14	SINAMICS S120 CONTROL UNIT CU320-2 PN	Siemens AG	6SL3040-1MA01-0AA0	0,00	0,00	
2	SINAMICS DC LINK ADAPTER	Siemens AG	6SL3162-2BM01-0AA0	0,00	0,00	
14	SINAMICS DC LINK RECT. ADAPTER 0,5-10MM	Siemens AG	6SL3162-2BD00-0AA0	0,00	0,00	
1	SINAMICS DC LINK RECT. ADAPTER 35-95MM	Siemens AG	6SL3162-2BM00-0AA0	0,00	0,00	
2	DRIVE CLIQ HUB MODULE CABINET DMC20	Siemens AG	6SL3055-0AA00-6AA1	0,00	0,00	
6	SINAMICS RESISTENZA DI PRECARICA AC 690V 91A 2,2 OHM	Siemens AG	6SL3000-0KE12-2AA0	0,00	0,00	
12	SINAMICS S120 BASIC OPERATOR PANEL BOP20	Siemens AG	6SL3055-0AA00-4BA0	0,00	0,00	
37	SINAMICS S120 C-/D POWER CONNECTOR SCREW	Siemens AG	6SL3162-2MA00-0AC0	0,00	0,00	
2	SINAMICS S120 DOUBLE MOTOR MODULE 1,7A/1,7A	Siemens AG	6SL3420-2TE11-7AA1	0,00	0,00	
1	SINAMICS S120 DOUBLE MOMO 3A/3A D-Type	Siemens AG	6SL3120-2TE13-0AD0	0,00	0,00	
2	SINAMICS S120 DOUBLE MOMO 5A/5A D-Type	Siemens AG	6SL3120-2TE15-0AD0	0,00	0,00	
6	SINAMICS S120 DOUBLE MOMO 9A/9A D-Type	Siemens AG	6SL3120-2TE21-0AD0	0,00	0,00	
3	SINAMICS S120 DOUBLE MOMO 18A/18A C-Type	Siemens AG	6SL3120-2TE21-8AC0	0,00	0,00	
4	SINAMICS S120 POWER CONNECTOR FOR MOMO 3/30A	Siemens AG	6SL3162-2MA00-0AA0	0,00	0,00	

INDICE REVIS. N° REVIS. INDEX N°										
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUM COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H22	PAGINE/PAGE 7
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO							

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUM COMPONENT LIST

AMOUNT Piece	DESCRIPTION	PRODUCER	CODEX ARTICLE	UNITARY PRICE €	TOTAL PRICE €	TOTAL €
1	SINAMICS S120 MOMO CH 200KW 510-720VDC	Siemens AG	6SL3320-1TE33-8AA3	0,00	0,00	
3	SINAMICS S120 SINGLE MOMO 5A D-Type	Siemens AG	6SL3120-1TE15-0AD0	0,00	0,00	
12	SINAMICS S120 SINGLE MOMO 30A C-Type	Siemens AG	6SL3120-1TE23-0AC0	0,00	0,00	
1	SINAMICS S120 MOMO INV 400V 85A	Siemens AG	6SL3120-1TE28-5AA3	0,00	0,00	
2	SINAMICS S120 MOMO INV 400V 132A	Siemens AG	6SL3120-1TE31-3AA3	0,00	0,00	
2	SINAMICS S120 BASIC LINE MODULE	Siemens AG	6SL3330-1TE41-8AA3	0,00	0,00	
3	SINAMICS S120 SENSOR MODULE CABINET SMC30	Siemens AG	6SL3055-0AA00-5CA2	0,00	0,00	
1	SINAMICS SHIELD CONNECTION SHEET FOR 200 MM	Siemens AG	6SL3162-1AH01-0AA0	0,00	0,00	
1	SINAMICS SHIELD CONNECTION SHEET FOR 300 MM	Siemens AG	6SL3162-1AH00-0AA0	0,00	0,00	
5	PROFINET - standard interface modul	Siemens AG	3SU1400-1LK10-1BA1	0,00	0,00	
8	PROFINET-failsafe interface module	Siemens AG	3SU1400-1LL10-1BA1	0,00	0,00	
4	PROFINET - standard interface modul	Siemens AG	3SU1400-1LK10-1AA1	0,00	0,00	
10	terminal module	Siemens AG	3SU1401-1MC50-1CA1	0,00	0,00	
60	terminal module	Siemens AG	3SU1401-1MC60-1CA1	0,00	0,00	
135	terminal module	Siemens AG	3SU1400-1MA10-1BA1	0,00	0,00	
135	Surge suppressor RC, 127 ... 240 V, DC 150 ... 250 V, SZ S00	Siemens AG	3RT2916-1CD00	0,00	0,00	
4	SITOP PSU8200	Siemens AG	6EP3334-8SB00-0AY0	0,00	0,00	
1	SITOP PSU8200 24 V/40 A	Siemens AG	6EP3337-8SB00-0AY0	0,00	0,00	
28	SITOR FUSE LINKS 80A, AC 690V (DIN 43620, SIZE 00)	Siemens AG	3NE8020-1	0,00	0,00	
3	SITOR FUSE LINKS 160A, AC 690V (DIN 43620, SIZE 00)	Siemens AG	3NE8024-1	0,00	0,00	
3	SITOR FUSE-LINK 315A, AC 1000V, SIZE 1/110MM	Siemens AG	3NE3230-0B	0,00	0,00	
8	SITOR FUSE-LINK 800A, AC 800V, SIZE 2/110MM	Siemens AG	3NE3338-8	0,00	0,00	
6	Fuse 50A, gR/gS 690V NH00	Siemens AG	3NE1817-0	0,00	0,00	
2	SITOR FUSE LINKS 125A, AC 690V (DIN 43620, SIZE 00)	Siemens AG	3NE8022-1	0,00	0,00	
1	Surge suppressor RC, 48 ... 127 V, DC 70 ... 150 V, SZ S0	Siemens AG	3RT2926-1CC00	0,00	0,00	
2	SURGE SUPPRESSOR, VARISTOR,	Siemens AG	3RT2916-1BB00	0,00	0,00	
1	Solid-state time-delayed	Siemens AG	3RA2815-1FW10	0,00	0,00	

INDICE REVIS. N° REVIS. INDEX N°					RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUM COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H22	PAGINE/PAGE 8
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01							
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

SUM COMPONENT LIST

AMOUNT Piece	DESCRIPTION	PRODUCER	CODEX ARTICLE	UNITARY PRICE €	TOTAL PRICE €	TOTAL €
3	Surge suppressor	Siemens AG	3RT2926-1CD00	0,00	0,00	2,00
1	Portafusibili tripolare 22x58	Siemens AG	3NW7231	0,00	0,00	
1	Switch - unmanaged - 8 x 10/100/1000	TP-LINK	TL-SG108D - 10/100/1000MBPS	0,00	0,00	
1	Single-phase transformer 400V±5%/230V 5kVA	TRASFO PROJECT	TM-95556	0,00	0,00	
2	REATT TRIF COMM 2000,0/3000,0A 11microH	TRASFO PROJECT	RBFLR34975	0,00	0,00	
1	Single-phase transformer 400V±5%/230V 2,5kVA	TRASFO PROJECT	TM-90810	0,00	0,00	
4	Panel fan	TEXA	FAN12BN0B	0,00	0,00	
7	Thermostat with NC contact	TEXA	AAWTC10	0,00	0,00	
8	Thermostat with exchange contact	TEXA	AAFTO12	0,00	0,00	
7	ROOF TOWER BLOWER	TEXA	DLK25BX0B	0,00	0,00	
48	Exit Filter 325X325Mm	TEXA	FIL35XN0B	0,00	0,00	
12	Panel fan filter	TEXA	FIL12XN0B	0,00	0,00	
1	Multiple sockets professional with cable / 5 outs	VIMAR	01294	0,00	0,00	
7	Supply socket 250V / 16A universal DIN	VIMAR	09967	0,00	0,00	
47	SLIO DO4xDC24V2A		SM 022	0,00	0,00	
29	SLIO SDI4xDC24V_Safety		SM 021	0,00	0,00	
21	SLIO SDO4xDC24V0,5A Safety		SM 022	0,00	0,00	
89	SLIO DI8xDC24V		SM 021	0,00	0,00	
40	SLIO DO8xDC24V0,5A		SM 022	0,00	0,00	
5	SLIO DI16xDC24V		SM 021	0,00	0,00	
4	SLIO DO16xDC24V0,5A		SM 022	0,00	0,00	
1	SLIO AI2x16Bit_0(4)...20mA		SM 031	0,00	0,00	
2	SLIO AO2x12Bit_+-10V		SM 032	0,00	0,00	
2	SLIO 1x32Bit(AB)DC24V		FM 050	0,00	0,00	
12	SLIO IM053PN		IM 053 PN	0,00	0,00	
39	SLIO PM007_DC24V_10A		PM 007	0,00	0,00	

Copying of this document and giving it to others, and the use or communication of the contentes thereof, are forbidden whithout express authority. Offenders are liable to the payement of demages. All rights are reserved in the event of the grant of the patent or the registration of a utility model or design.
Non è permesso consegnare a terzi o riprodurre questo documento, nè utilizzare il contenuto o renderlo comunque noto a terzi senza la nostra autorizzazione esplicita. Ogni infrazione comporta il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivati da brevetti o modelli.

INDICE REVIS. N° REVIS. INDEX N°									
NOME REVIS. N° REVIS. NAME N°	3.0		FIRMA SIG.	DATA/DATE	RBF DMAT AUTOMATION TECHNOLOGY	COMMESSA/JOB 21041I CTL04	LINEA/LINE CTL4 LINE	DENOMINAZIONE/DESCRIPTION SUM COMPONENT LIST	POSIZ./LOCATION +	GRUPPO/SECTION = H22	PAGINE/PAGE 9
DATA DATE	06/04/2023	DISEGNATO DRAWING	P.CEOLATO	2021/06/01		CLIENTE/CUSTOMER			SEL CTL4 LINE		RIF./REFERNCE
DISEGNATO DRAWING	P.CEOLATO	CONTROLLATO CHECKED	G.RUSSO								